



**The University of Azad Jammu and Kashmir,
Muzaffarabad**

Name: Muneeba Arshad

Roll No: 2024_SE_06

Course Title: Database System

Course Code: CS-2204

Instructor Name: Awais Rathor

Lab No: 11

Department Of Software Engineering

DATABASE SYSTEMS LAB REPORT

Part B: Numeric and Date/Time Functions

1. Introduction

Part B of the Scalar SQL Functions lab focuses on **Numeric Functions** and **Date/Time Functions** in MySQL.

Numeric functions are used to perform mathematical operations, rounding, discounts, taxes, and calculations on numerical data.

Date and time functions are used to extract information from dates, calculate differences between dates, format dates, add or subtract time periods, and calculate customer age.

The lab uses the Customer and Product tables from the scalar_lab database.

2. Objectives

The objectives of Part B are:

1. To understand numeric scalar functions.
2. To calculate discounts and taxes.
3. To use ROUND(), FLOOR(), CEIL(), and MOD().
4. To identify odd product IDs.
5. To extract year, month, and day information from dates.
6. To format dates in a readable form.
7. To calculate customer age.
8. To calculate the number of days since joining.
9. To filter records according to a particular year.
10. To identify products launched during a particular quarter.
11. To find customers who joined during the last six months.
12. To calculate product age in days.
13. To add a specific number of days to a date.
14. To combine multiple scalar functions in a single query.

3. Numeric Functions

The main numeric functions used in Part B are:

- ROUND()
- FLOOR()
- CEIL()
- MOD()

These functions are useful for rounding values, finding integer values, and calculating remainders. The lab manual also introduces other numeric functions such as TRUNCATE(), ABS(), POWER(), and SQRT().

4. Date and Time Functions

The main date/time functions used in Part B are:

- YEAR()
- MONTH()
- MONTHNAME()
- DAYNAME()
- DATEDIFF()
- DATE_SUB()
- DATE_ADD()
- TIMESTAMPDIFF()
- DATE_FORMAT()
- CURDATE()

These functions are used to extract date components, calculate differences, format dates, and perform date calculations.

5. Part B — Lab Tasks

Task B1 — Apply a 15% Discount

Objective

Apply a 15% discount to every product and display the discounted price rounded to two decimal places.

SQL Query

Task B1

```
SELECT
    ProdName,
    Price,
    ROUND(Price * 0.85, 2) AS DiscountedPrice
FROM Product;
```

Explanation


A 15% discount means that 85% of the original price remains.

The formula is:

Discounted Price = Price × 0.85

ROUND() is used to display the result with two decimal places.

Result



				ProdName	Price	DiscountedPrice
☐				Laptop Pro 15	185000.00	157250.00
☐				Wireless Mouse	2500.00	2125.00
☐				USB-C Cable	800.00	680.00
☐				Office Chair	18500.00	15725.00
☐				Standing Desk	45000.50	38250.43
☐				Notebook A4	350.00	297.50
☐				Ballpoint Pen 10pk	450.00	382.50
☐				Coffee Beans 1kg	1899.99	1614.99
☐				Green Tea Box	650.00	552.50
☐				Bluetooth Speaker	7500.00	6375.00

☐ Check all With selected: Edit Copy Delete Export

Task B2 — Calculate 17% Sales Tax

Objective

Calculate 17% sales tax for every product and calculate the final price including tax.

SQL Query

Task B2

```
SELECT
    ProdName,
    ROUND(Price * 0.17, 2) AS Tax,
    ROUND(Price * 1.17, 2) AS PriceWithTax
FROM Product;
```

Extra options

				ProdName	Tax	PriceWithTax
☐	Edit	Copy	Delete	Laptop Pro 15	31450.00	216450.00
☐	Edit	Copy	Delete	Wireless Mouse	425.00	2925.00
☐	Edit	Copy	Delete	USB-C Cable	136.00	936.00
☐	Edit	Copy	Delete	Office Chair	3145.00	21645.00
☐	Edit	Copy	Delete	Standing Desk	7650.09	52650.59
☐	Edit	Copy	Delete	Notebook A4	59.50	409.50
☐	Edit	Copy	Delete	Ballpoint Pen 10pk	76.50	526.50
☐	Edit	Copy	Delete	Coffee Beans 1kg	323.00	2222.99
☐	Edit	Copy	Delete	Green Tea Box	110.50	760.50
☐	Edit	Copy	Delete	Bluetooth Speaker	1275.00	8775.00

☐ Check all
 With selected:
 Edit
 Copy
 Delete
 Export

Task B3 — FLOOR and CEILING

Objective

Calculate the floor and ceiling of each product's price divided by 1000.

SQL Query

Task B3

```
SELECT
  ProdName,
  Price,
  FLOOR(Price / 1000) AS FloorVal,
  CEIL(Price / 1000) AS CeilVal
FROM Product;
```

Extra options							
			ProdName	Price	FloorVal	CeilVal	
☐				Laptop Pro 15	185000.00	185	185
☐				Wireless Mouse	2500.00	2	3
☐				USB-C Cable	800.00	0	1
☐				Office Chair	18500.00	18	19
☐				Standing Desk	45000.50	45	46
☐				Notebook A4	350.00	0	1
☐				Ballpoint Pen 10pk	450.00	0	1
☐				Coffee Beans 1kg	1899.99	1	2
☐				Green Tea Box	650.00	0	1
☐				Bluetooth Speaker	7500.00	7	8

Task B4 — Round Price to the Nearest Hundred

Objective

Round each product's price to the nearest hundred.

SQL Query

Task B4

```
SELECT
  ProdName,
  Price,
  ROUND(Price, -2) AS RoundedPrice
FROM Product;
```

Extra options

				ProdName	Price	RoundedPrice
☐	Edit	Copy	Delete	Laptop Pro 15	185000.00	185000
☐	Edit	Copy	Delete	Wireless Mouse	2500.00	2500
☐	Edit	Copy	Delete	USB-C Cable	800.00	800
☐	Edit	Copy	Delete	Office Chair	18500.00	18500
☐	Edit	Copy	Delete	Standing Desk	45000.50	45000
☐	Edit	Copy	Delete	Notebook A4	350.00	400
☐	Edit	Copy	Delete	Ballpoint Pen 10pk	450.00	500
☐	Edit	Copy	Delete	Coffee Beans 1kg	1899.99	1900
☐	Edit	Copy	Delete	Green Tea Box	650.00	700
☐	Edit	Copy	Delete	Bluetooth Speaker	7500.00	7500

☐ Check all
 With selected:
 Edit
 Copy
 Delete
 Export

Task B5 — Products with Odd Product IDs

Objective

List products that have an odd `ProdID`.

SQL Query

Task B5

```
SELECT
  ProdID,
  ProdName
FROM Product
WHERE MOD(ProdID, 2) = 1;
```

Extra options

				ProdID	ProdName
☐	Edit	Copy	Delete	101	Laptop Pro 15
☐	Edit	Copy	Delete	103	USB-C Cable
☐	Edit	Copy	Delete	105	Standing Desk
☐	Edit	Copy	Delete	107	Ballpoint Pen 10pk
☐	Edit	Copy	Delete	109	Green Tea Box

☐ Check all With selected: Edit Copy Delete Export

Task B6 — Customer Joining Date Information

Objective

For each customer, display the year, month name, and day of the week on which they joined.

SQL Query

Task B6

```

SELECT
  CustName,
  JoinDate,
  YEAR(JoinDate) AS JoinYear,
  MONTHNAME(JoinDate) AS JoinMonth,
  DAYNAME(JoinDate) AS JoinDay
FROM Customer;
  
```


Extra options

 		CustName	JoinDate	JoinYear	JoinMonth	JoinDay
☐	 Edit	 Copy	 Delete	Ali Khan	2022-01-15	2022 January Saturday
☐	 Edit	 Copy	 Delete	Sara Iqbal	2022-04-22	2022 April Friday
☐	 Edit	 Copy	 Delete	HAMZA RAZA	2023-02-10	2023 February Friday
☐	 Edit	 Copy	 Delete	Ayesha Noor	2023-05-18	2023 May Thursday
☐	 Edit	 Copy	 Delete	bilal ahmed	2023-09-01	2023 September Friday
☐	 Edit	 Copy	 Delete	Fatima Sheikh	2024-01-12	2024 January Friday
☐	 Edit	 Copy	 Delete	Usman Tariq	2024-06-30	2024 June Sunday
☐	 Edit	 Copy	 Delete	Maira Javed	2024-08-25	2024 August Sunday

 ☐ Check all With selected:  Edit  Copy  Delete  Export

Task B7 — Format Date of Birth

Objective

Display each customer's date of birth in the format:

DD-Month-YYYY

SQL Query

Task B7

```
SELECT
    CustName,
    DOB,
    DATE_FORMAT(DOB, '%d-%M-%Y') AS FormattedDOB
FROM Customer;
```

Extra options						
				CustName	DOB	FormattedDOB
☐	 Edit	 Copy	 Delete	Ali Khan	1995-04-12	12-April-1995
☐	 Edit	 Copy	 Delete	Sara Iqbal	1998-11-20	20-November-1998
☐	 Edit	 Copy	 Delete	HAMZA RAZA	1997-08-05	05-August-1997
☐	 Edit	 Copy	 Delete	Ayesha Noor	1999-02-14	14-February-1999
☐	 Edit	 Copy	 Delete	bilal ahmed	2000-06-30	30-June-2000
☐	 Edit	 Copy	 Delete	Fatima Sheikh	1996-10-25	25-October-1996
☐	 Edit	 Copy	 Delete	Usman Tariq	2001-03-18	18-March-2001
☐	 Edit	 Copy	 Delete	Maira Javed	1994-12-09	09-December-1994
☐ Check all With selected:  Edit  Copy  Delete  Export						

Task B8 — Calculate Current Age

Objective

Calculate each customer's current age in years.

SQL Query

Task B8

```
SELECT
  CustName,
  DOB,
  TIMESTAMPDIFF(YEAR, DOB, CURDATE()) AS Age
FROM Customer;
```

Extra options

					CustName	DOB	Age
☐	Edit	Copy	Delete		Ali Khan	1995-04-12	31
☐	Edit	Copy	Delete		Sara Iqbal	1998-11-20	27
☐	Edit	Copy	Delete		HAMZA RAZA	1997-08-05	29
☐	Edit	Copy	Delete		Ayesha Noor	1999-02-14	27
☐	Edit	Copy	Delete		bilal ahmed	2000-06-30	26
☐	Edit	Copy	Delete		Fatima Sheikh	1996-10-25	29
☐	Edit	Copy	Delete		Usman Tariq	2001-03-18	25
☐	Edit	Copy	Delete		Maira Javed	1994-12-09	31

☐ Check all
 With selected:
 Edit
 Copy
 Delete
 Export

Task B9 — Days Since Joining

Objective

Calculate how many days have passed since each customer joined.

SQL Query

Task B9
 SELECT
 CustName,
 JoinDate,
 DATEDIFF(CURDATE(), JoinDate) AS DaysSinceJoin
 FROM Customer;

Extra options						
←T→				CustName	JoinDate	DaysSinceJoin
☐	Edit	Copy	Delete	Ali Khan	2022-01-15	1709
☐	Edit	Copy	Delete	Sara Iqbal	2022-04-22	1612
☐	Edit	Copy	Delete	HAMZA RAZA	2023-02-10	1318
☐	Edit	Copy	Delete	Ayesha Noor	2023-05-18	1221
☐	Edit	Copy	Delete	bilal ahmed	2023-09-01	1115
☐	Edit	Copy	Delete	Fatima Sheikh	2024-01-12	982
☐	Edit	Copy	Delete	Usman Tariq	2024-06-30	812
☐	Edit	Copy	Delete	Maira Javed	2024-08-25	756
	☐ Check all	With selected:	Edit	Copy	Delete	Export

Task B10 — Customers Who Joined in 2023

Objective

List customers who joined during the year 2023.

The task requires using a date function rather than `BETWEEN`.

SQL Query

Task B10

```
SELECT
    CustID,
    CustName,
    JoinDate
FROM Customer
WHERE YEAR(JoinDate) = 2023;
```


Explanation

MONTH () extracts the month number from the launch date.

The query selects products where the month is:

10, 11, or

Task B12 — Customers Who Joined Within Last 6 Months


Objective

Find customers who joined within the last six months from today.

SQL Query

Task B12

```
SELECT
    CustID,
    CustName,
    JoinDate
FROM Customer
WHERE JoinDate >= DATE_SUB(CURDATE(), INTERVAL 6 MONTH);
```



Explanation

CURDATE () returns today's date.

DATE_SUB () subtracts six months from today's date.

The query then selects customers whose joining date is on or after that calculated date.

Task B13 — Product Age in Days

Objective

Calculate how many days have passed since each product was launched.

SQL Query

Task B13


SELECT

ProdName,

LaunchDate,

DATEDIFF(CURDATE(), LaunchDate) AS AgeInDays

FROM Product;



The screenshot shows a database application interface. At the top, there are controls for 'Show all', 'Number of rows: 25', 'Filter rows', 'Search this table', and 'Sort by key: Not'. Below these is an 'Extra options' button. The main area displays a table with three columns: 'ProdName', 'LaunchDate', and 'AgeInDays'. Each row represents a product and includes icons for 'Edit', 'Copy', and 'Delete' on the left. The table contains 10 rows of data.

	ProdName	LaunchDate	AgeInDays
☐ Edit Copy Delete	Laptop Pro 15	2023-03-10	1290
☐ Edit Copy Delete	Wireless Mouse	2022-07-22	1521
☐ Edit Copy Delete	USB-C Cable	2021-11-05	1780
☐ Edit Copy Delete	Office Chair	2023-01-15	1344
☐ Edit Copy Delete	Standing Desk	2024-02-28	935
☐ Edit Copy Delete	Notebook A4	2020-04-01	2363
☐ Edit Copy Delete	Ballpoint Pen 10pk	2020-04-01	2363
☐ Edit Copy Delete	Coffee Beans 1kg	2023-09-20	1096
☐ Edit Copy Delete	Green Tea Box	2022-12-12	1378
☐ Edit Copy Delete	Bluetooth Speaker	2024-05-18	855

At the bottom, there are controls for 'Check all', 'With selected:', 'Edit', 'Copy', 'Delete', and 'Export'.

Explanation

DATEDIFF() calculates the number of days between today and the product's launch date.

Task B14 — Date 90 Days After Launch

Objective

Calculate the date exactly 90 days after each product's launch date.

SQL Query

Task B14

SELECT

ProdName,

LaunchDate,

DATE_ADD(LaunchDate, INTERVAL 90 DAY) AS NinetyDaysLater

FROM Product;

Extra options

				ProdName	LaunchDate	NinetyDaysLater
☐				Laptop Pro 15	2023-03-10	2023-06-08
☐				Wireless Mouse	2022-07-22	2022-10-20
☐				USB-C Cable	2021-11-05	2022-02-03
☐				Office Chair	2023-01-15	2023-04-15
☐				Standing Desk	2024-02-28	2024-05-28
☐				Notebook A4	2020-04-01	2020-06-30
☐				Ballpoint Pen 10pk	2020-04-01	2020-06-30
☐				Coffee Beans 1kg	2023-09-20	2023-12-19
☐				Green Tea Box	2022-12-12	2023-03-12
☐				Bluetooth Speaker	2024-05-18	2024-08-16

Console Check all With selected:  Edit  Copy  Delete  Export

Explanation

DATE_ADD () adds a specified time interval to a date.

Here, 90 days are added to every product's launch date.

Task B15 — Combined Challenge

Objective

Create a single column called Summary containing customer information in the following format:

Hello ALI KHAN, age 31, joined Jan 2022

SQL Query

Task B15

```
SELECT
  CONCAT(
    'Hello ',
    UPPER(TRIM(CustName)),
    ', age ',
    TIMESTAMPDIFF(YEAR, DOB, CURDATE()),
    ', joined ',
    DATE_FORMAT(JoinDate, '%b %Y')
  ) AS Summary
FROM Customer;
```

Extra options
Summary
Hello ALI KHAN, age 31, joined Jan 2022
Hello SARA IQBAL, age 27, joined Apr 2022
Hello HAMZA RAZA, age 29, joined Feb 2023
Hello AYESHA NOOR, age 27, joined May 2023
Hello BILAL AHMED, age 26, joined Sep 2023
Hello FATIMA SHEIKH, age 29, joined Jan 2024
Hello USMAN TARIQ, age 25, joined Jun 2024
Hello MAIRA JAVED, age 31, joined Aug 2024
☐ Show all Number of rows: 25 ▼ Filter rows: Search this table Sort by key:

Functions Used

This task combines multiple scalar functions:

- `TRIM()` — removes unnecessary spaces.
- `UPPER()` — converts the name to uppercase.
- `TIMESTAMPDIFF()` — calculates age.
- `DATE_FORMAT()` — formats the joining date.
- `CONCAT()` — combines everything into one sentence.

Example

Hello ALI KHAN, age 31, joined Jan 2022

6. Important Date Format Specifiers

The lab uses several `DATE_FORMAT()` specifiers.

Specifier	Meaning
%Y	Four-digit year
%y	Two-digit year
%m	Month number
%M	Full month name
%b	Short month name
%d	Day of month
%D	Day with suffix
%W	Full weekday name
%a	Short weekday name

For example:

```
DATE_FORMAT(JoinDate, '%d-%M-%Y')
```

produces a date such as:

```
15-January-2022
```

The manual provides the `DATE_FORMAT` specifier table for this purpose.

7. Conclusion

In Part B of the Scalar SQL Functions lab, numeric and date/time functions were successfully applied to the Customer and Product tables.

Numeric functions were used to calculate discounts, taxes, rounded values, floor and ceiling values, and odd product IDs. Date/time functions were used to extract date components, format dates, calculate customer ages, calculate the number of days between dates, identify records from specific time periods, and add or subtract time intervals.

The final combined challenge demonstrated how several scalar functions can be nested and combined to transform database records into meaningful and human-readable information
