

Slip 1–2 (Bank Database)

1. **What is ternary relationship?** – Relationship between three entities.
 2. **Why use separate ternary table?** – To manage relationships between three tables properly.
 3. **Difference between primary key and foreign key?** – Primary key uniquely identifies records, while foreign key connects tables.
 4. **What is trigger?** – Automatic action performed when table data changes.
 5. **Difference between BEFORE and AFTER trigger?** – BEFORE runs before event, AFTER runs after event.
 6. **Why use RETURN QUERY in function?** – To return query result from function.
 7. **What is COUNT()?** – Counts number of records.
 8. **Why validate branch name?** – To avoid incorrect data entry.
 9. **What is 3NF?** – Removes transitive dependency.
-

Slip 3–4 & 7 & 20 (Student-Competition)

1. **What is many-to-many relationship?** – Multiple records relate to multiple records.
 2. **Why create junction table?** – To connect many-to-many relationships.
 3. **Composite primary key meaning?** – Primary key made using multiple columns.
 4. **What is view?** – Virtual table created from SQL query.
 5. **Difference between DELETE and DROP?** – DELETE removes rows, DROP removes whole table.
 6. **What is sorting in SQL?** – Arranging records in ascending or descending order.
 7. **Why use cursor?** – To process records one row at a time.
 8. **Difference between function and procedure?** – Function returns value, procedure may not return value.
-

Slip 5–6 & 24 & 30 (Bus-Route-Driver)

1. **Difference between 1:M and M:M?** – 1:M connects one to many, M:M connects many to many.
 2. **Why Shift is descriptive attribute?** – Because it gives extra information about driver duty.
 3. **What is UNIQUE constraint?** – Prevents duplicate values.
 4. **Why capacity should not be NULL?** – Because bus capacity is mandatory information.
 5. **What is cursor?** – Used to process records one row at a time.
 6. **Explain trigger syntax.** – CREATE TRIGGER command defines automatic action.
 7. **Why use OLD and NEW in trigger?** – To access previous and new values.
-

Slip 8–9 & 27 (Railway Reservation)

1. **What is ticket_status constraint?** – Restricts ticket status values.
 2. **Difference between CHAR and VARCHAR?** – CHAR is fixed length, VARCHAR is variable length.
 3. **What is CHECK constraint?** – Restricts allowed values in column.
 4. **Why use M:M relationship?** – Because multiple passengers can book multiple trains.
 5. **What is cursor in PostgreSQL?** – Object used to fetch rows one by one.
 6. **Why use aggregate functions?** – To perform calculations on data.
 7. **Difference between waiting and confirmed booking?** – Waiting is pending, confirmed is approved seat booking.
-

Slip 10–11 (Project-Employee)

1. **Why Project-Employee is M:M?** – One employee can work on many projects and one project can have many employees.
2. **Why use descriptive attributes?** – To store additional information.
3. **Difference between RETURNS TABLE and RETURNS INTEGER?** – RETURNS TABLE returns rows, RETURNS INTEGER returns number value.
4. **Why use RETURN QUERY?** – To return query result from function.
5. **What is view?** – Virtual table created from SQL query.

6. **Trigger for validation purpose?** – Used to check data before insert/update.
 7. **What is NOT NULL constraint?** – Prevents empty values in column.
-

Slip 12 & 23 & 29 (Student-Course)

1. **Why Enrollment table required?** – To connect students and courses.
 2. **What is many-to-many relationship?** – Multiple records relate to multiple records.
 3. **Difference between DELETE and TRUNCATE?** – DELETE removes selected rows, TRUNCATE removes all rows.
 4. **What is view?** – Virtual table created from SQL query.
 5. **What is function?** – Block of code that returns value.
 6. **What are joins?** – Used to combine data from tables.
-

Slip 13 (Employee-Investor)

1. **Optional participation meaning?** – Participation in relationship is not compulsory.
 2. **What is validation trigger?** – Trigger used to validate data.
 3. **What is COUNT()?** – Counts number of records.
 4. **Difference between HAVING and WHERE?** – WHERE filters rows, HAVING filters groups.
-

Slip 14 & 18 (Employee-Department / Patient-Doctor)

1. **Why foreign key placed in employee/patient table?** – To connect with department/doctor table.
 2. **Difference between one-to-many and many-to-many?** – One-to-many connects one to many, many-to-many connects many to many.
 3. **What is cursor?** – Used to process records one row at a time.
 4. **What is referential integrity?** – Maintains valid relationship between tables.
-

Slip 15 & 22 & 28 (Movie-Actor-Producer)

1. **Difference between M:M and M:1?** – M:M connects many to many, M:1 connects many to one.
 2. **Why separate relation needed?** – To manage relationships properly.
 3. **What is current year validation?** – Checks whether entered year is current year or valid.
 4. **What is aggregate function?** – Function that performs calculation on multiple rows.
 5. **What is GROUP BY?** – Groups rows with same values.
-

Slip 16 (Book-Author)

1. **Why author foreign key in book table?** – To connect books with authors.
 2. **Difference between one-to-one and one-to-many?** – One-to-one connects one record to one record, one-to-many connects one to many.
 3. **What is cursor loop?** – Loop used to fetch rows one by one using cursor.
 4. **Why trigger before insert?** – To validate data before storing.
-

Slip 17 & 25 & 31 (Branch-Customer-Loan)

1. **What is ternary relationship?** – Relationship between three entities.
 2. **Why loan table separate?** – To manage loan details properly.
 3. **Difference between sanctioned and required amount?** – Required amount is requested loan, sanctioned amount is approved loan.
 4. **What is aggregate function?** – Function that performs calculations on multiple rows.
 5. **What is view?** – Virtual table created from SQL query.
 6. **Why use GROUP BY?** – To group rows with same values.
-

Slip 19 (Product-Order)

1. **Why M:M relationship?** – One order can contain many products and one product can appear in many orders.
2. **Why junction table needed?** – To connect many-to-many relationship.
3. **Difference between product and order entity?** – Product stores item details, order stores purchase details.

4. **What is normalization?** – Process of reducing data redundancy.
-

Slip 21 (Property-Owner)

1. **Why one-to-many relationship?** – One owner can own many properties.
2. **Why foreign key in Property table?** – To connect property with owner.
3. **What is 3NF?** – Removes transitive dependency.
4. **Why owner ID needed?** – To identify property owner.
5. **What is cursor?** – Used to process records one row at a time.