

WEEK 7 - ReactJS

Name: M SaiGanesh

Superset ID: 4991496

9. Cricket App

Steps:

1. Create a new React app using the command:

```
npx create-react-app cricketapp
```

2. Navigate to the app folder:

```
cd cricketapp
```

3. Modify App.js with the following content:

Objective:

To display cricket player details using React components and props.

Steps:

1. Initialize App:

```
npx create-react-app cricketapp
```

```
cd cricketapp
```

2. Create Player Details Components File:

```
import React from 'react';
```

```
function PlayerDetails(props) {
```

```
  return (
```

```
    <div>
```

```
      <h2>{props.name}</h2>
```

```
      <p>Runs: {props.runs}</p>
```

```
    <p>Country: {props.country}</p>
  </div>

);
}
```

```
export default PlayerDetails;
```

3. Modify App.js

```
import React from 'react';
import PlayerDetails from './PlayerDetails';

function App() {
  return (
    <div>
      <PlayerDetails name="Virat Kohli" runs={12000} country="India" />
    </div>
  );
}

export default App;
```

4. Run App:

```
npm start
```

5. Output : Flag= True



Cricket App

All Players:

Virat - 85
Rohit - 65
Gill - 95
Rahul - 55
Iyer - 72
Pant - 67
Hardik - 48
Ashwin - 80
Bumrah - 33
Shami - 90
Siraj - 75

Players with Score < 70:

Rohit - 65
Rahul - 55
Pant - 67
Hardik - 48
Bumrah - 33

Flag = False



Cricket App

Odd Team Players:

Kohli
Gill
Pant

Even Team Players:

Rohit
Rahul
Iyer

Merged T20 & Ranji Trophy Players:

Dhoni
Yuvraj
Jadeja
Pujara
Rahane
Saha

10. Office Space Rental App

Objective:

To display available office space details using a component.

Steps:

1. Initialize App:

```
npx create-react-app officespacerentalapp
```

```
cd officespacerentalapp
```

2. Create SpaceDetails Components File:

```
import React from 'react';
```

```
function SpaceDetails({ name, location, price }) {  
  return (  
    <div>  
      <h2>{name}</h2>  
      <p>Location: {location}</p>  
      <p>Price: ₹{price}/month</p>  
    </div>  
  );  
}
```

```
export default SpaceDetails;
```

3. Modify App.js:

```
import React from 'react';
```

```
import SpaceDetails from './SpaceDetails';
```

```
function App() {
```


```
return (  
  <div>  
    <SpaceDetails name="Tech Park" location="Chennai" price={50000} />  
  </div>  
);  
}
```

export default App;

4. Run App:

npm start

5. Output:



11. Event Examples App

Objective:

To demonstrate event handling in React.

Steps:

1. Initialize App:

```
npx create-react-app eventexamplesapp
```

```
cd eventexamplesapp
```

2. Create EventButton Component File:

```
import React from 'react';
```

```
function EventButton() {
```

```
  const handleClick = () => {
```

```
    alert('Button was clicked!');
```

```
  };
```

```
  return <button onClick={handleClick}>Click Me</button>;
```

```
}
```

```
export default EventButton;
```

3. Modify App.js :

```
import React from 'react';
```

```
import EventButton from './EventButton';
```

```
function App() {  
  
  return (  
  
    <div>  
  
      <EventButton />  
  
    </div>  
  
  );  
}
```


```
export default App;
```

4. Run App:


```
npm start
```

5. Output:

Currency Convertor:



Hello Incrementer



3


Increment Decrement Say welcome Click on me

Currency Converter!!!

Amount:

Currency:

Hello Decrementer



2


Increment Decrement Say welcome Click on me

Currency Converter!!!


Amount:

Currency:

Welcome Output



I was clicked output



12. Ticket Booking App

Objective:

To simulate a basic login and booking interface using conditional rendering.

Steps:

1. Initialize App:

```
npx create-react-app ticketbookingapp
```

```
cd ticketbookingapp
```

2. Create Components:

Login.js

```
import React from 'react';
```

```
function Login({ onLogin }) {  
  return <button onClick={onLogin}>Login</button>;  
}
```

```
export default Login;
```

Booking.js

```
import React from 'react';
```

```
function Booking() {  
  return <h2>Welcome to Ticket Booking</h2>;  
}
```

```
export default Booking;
```

3. Modify App.js:

```
import React, { useState } from 'react';

import Login from './Login';

import Booking from './Booking';

function App() {

  const [loggedIn, setLoggedIn] = useState(false);

  return (

    <div>

      {loggedIn ? <Booking /> : <Login onLogin={() => setLoggedIn(true)} />}

    </div>

  );

}


export default App;
```

4. Run App:


npm start

5. Output:

[Booking page](#)



Login Page



13. Blogger App

Objective:

To create a blogging page using lists and props.

Steps:

Initialize App:

```
npx create-react-app bloggerapp
```

```
cd bloggerapp
```

Create Components:

```
import React from 'react';
```

```
function BlogList({ blogs }) {
```

```
  return (
```

```
    <div>
```

```
      <h2>Blogs</h2>
```

```
      <ul>
```

```
        {blogs.map((blog, index) => (
```

```
          <li key={index}>{blog.title} by {blog.author}</li>
```

```
        )}}
```

```
      </ul>
```

```
    </div>
```

```
  );
```

```
}
```

```
export default BlogList;
```

Modify App.js:

```
import React from 'react';
```

```
import BlogList from './BlogList';
```

```
function App() {

  const blogs = [

    { title: "React Basics", author: "Teja" },

    { title: "Props & State", author: "Teja" }

  ];

  return <BlogList blogs={blogs} />;


}
```

export default App;

Run App:

npm start

Output:



Book Details	Blog Details	Course Details
Master React 670 Deep Dive into Angular 11 800 Mongo Essentials 450	React Learning Stephen Biz Welcome to learning React! Installation You can install React from npm.	Angular 4/5/2021 React 6/1/2021