

```
In [1]: 25
```

```
Out[1]: 25
```

```
In [2]: sqrt(25)
```

```
-----  
NameError                                Traceback (most recent call last)  
Cell In[2], line 1  
----> 1 sqrt(25)  
  
NameError: name 'sqrt' is not defined
```

```
In [3]: import math  
        math.sqrt(25)
```

```
Out[3]: 5.0
```

```
In [4]: math.floor(3.5)
```

```
Out[4]: 3
```

```
In [7]: math.ceil(5.8)
```

```
Out[7]: 6
```

```
In [8]: math.floor(4.9)
```

```
Out[8]: 4
```

```
In [9]: math.ceil(4.9)
```

```
Out[9]: 5
```

```
In [10]: math.pow(4,5)
```

```
Out[10]: 1024.0
```

```
In [11]: m.floor(3.4)
```

```
-----  
NameError                                Traceback (most recent call last)  
Cell In[11], line 1  
----> 1 m.floor(3.4)  
  
NameError: name 'm' is not defined
```

```
In [12]: import math as m  
        m.floor(3.4)  
        m.ceil(3.4)
```

```
Out[12]: 4
```

```
In [13]: import math as m  
        print(m.floor(3.4))  
        print(m.ceil(3.4))
```

```
print(m.pow(2,3))
print(m.sqrt(25))
```

```
3
4
8.0
5.0
```

```
In [14]: import math as m
print(m.floor(3.4))
print(m.ceil(3.4))
print(m.pow(2,3))
print(m.sqrt(25))
```

```
3
4
8.0
5.0
```

```
In [15]: import keyword
keyword.kwlist
```

```
Out[15]: ['False',
          'None',
          'True',
          'and',
          'as',
          'assert',
          'async',
          'await',
          'break',
          'class',
          'continue',
          'def',
          'del',
          'elif',
          'else',
          'except',
          'finally',
          'for',
          'from',
          'global',
          'if',
          'import',
          'in',
          'is',
          'lambda',
          'nonlocal',
          'not',
          'or',
          'pass',
          'raise',
          'return',
          'try',
          'while',
          'with',
          'yield']
```

```
In [16]: from math import pow,floor,ceil,sqrt
print(pow(2,3))
print(sqrt(10))
```

```
print(floor(2,3))
print(ceil(2.3))
```

8.0

3.1622776601683795

```
-----
TypeError                                Traceback (most recent call last)
Cell In[16], line 4
      1 from math import pow,floor,ceil,sqrt
      2 print(pow(2,3))
      3 print(sqrt(10))
----> 4 print(floor(2,3))
      5 print(ceil(2.3))

TypeError: math.floor() takes exactly one argument (2 given)
```

In [17]: `help ()`

Welcome to Python 3.14's help utility! If this is your first time using Python, you should definitely check out the tutorial at <https://docs.python.org/3.14/tutorial/>.

Enter the name of any module, keyword, or topic to get help on writing Python programs and using Python modules. To get a list of available modules, keywords, symbols, or topics, enter "modules", "keywords", "symbols", or "topics".

You can use the following keyboard shortcuts at the main interpreter prompt. F1: enter interactive help, F2: enter history browsing mode, F3: enter paste mode (press again to exit).

Each module also comes with a one-line summary of what it does; to list the modules whose name or summary contain a given string such as "spam", enter "modules spam".

To quit this help utility and return to the interpreter, enter "q", "quit" or "exit".

You are now leaving help and returning to the Python interpreter. If you want to ask for help on a particular object directly from the interpreter, you can type "help(object)". Executing "help('string')" has the same effect as typing a particular string at the help> prompt.

`input()`

In [18]: `x = input()`
`x`

Out[18]: `'5'`

In [19]: `x = input()`
`y = input()`

`z = x + y`
`print(z)`

53

In [20]: `print(type(x))`

<class 'str'>

```
In [22]: x = int(input())
        y = int(input())

        z = x + y
        print(z)
```

8

user input function in python

```
In [23]: x = input()
        x
```

Out[23]: '9'

```
In [1]: x = input()
        y = input()

        z = x + y
        print(z)
```

54

```
In [5]: x1 = input('Enter the 1st number')
        y1 = input('Enter the 2nd number')

        z1 = x1 + y1
        print(z1)
```

36

```
In [6]: x1 = input('user_name')
        y1 = input('password')

        z1 = x1 + y1
        print(z1)
```

mnpppp

```
In [7]: x1 = input('Enter the 1st number')
        a1 = int(x1)
        y1 = input('Enter the 2nd number')
        b1 = int(y1)

        z1 = a1 + b1
        print(z1)
```

9

```
In [9]: x2 = int(input('Enter the 1st number'))
        y2 = int(input('Enter the 2nd number'))

        z2 = x2 + y2
        print(z2)
```

30

input() with string amnd string indexing

```
In [10]: st = input('enter a string')
         print(st)
```

Hello

```
In [11]: print(st[0])
```

H

```
In [12]: print(st[0:2])
```

He

```
In [13]: print(st[1])
```

e

```
In [14]: print(st[-1])
```

o

```
In [2]: st = input('enter a string')
        print(st)
```

helloworld

```
In [1]: st = input('enter a string')[0]
        print(st)
```

3

```
In [5]: x1 = input('Enter the 1st number')
        y1 = input('Enter the 2nd number')

        z1 = x1 + y1
        print(z1)
```

36

```
In [3]: st = input('enter a string')[1]
        print(st)
```

e

```
In [5]: st = input('enter a string')[5:7]
        print(st)
```

67

```
In [6]: st = input('enter a string')[8:]
        print(st)
```

9012

```
In [7]: st = input('enter a string')[11:]
        print(st)
```

2

```
In [10]: st = input('enter a string')[12:]
         print(st)
```

34

In []: `input() with expression`

In [4]: `result = input('enter an expr')
print(result)`

2+3+5-3

In [12]: `result = eval(input('enter an expr'))
print(result)`

8

In []: