

Python Number System

```
In [1]: 25
```

```
Out[1]: 25
```

```
In [2]: bin(25)
```

```
Out[2]: '0b11001'
```

```
In [3]: bin(30)
```

```
Out[3]: '0b11110'
```

```
In [5]: int(0b11110)
```

```
Out[5]: 30
```

```
In [8]: oct(25) #number to octal number system
```

```
Out[8]: '0o31'
```

```
In [9]: hex(10)
```

```
Out[9]: '0xa'
```

```
In [10]: hex(11)
```

```
Out[10]: '0xb'
```

```
In [11]: hex(12)
```

```
Out[11]: '0xc'
```

```
In [12]: hex(13)
```

```
Out[12]: '0xd'
```

```
In [13]: hex(15)
```

```
Out[13]: '0xf'
```

```
In [14]: hex(16)
```

```
Out[14]: '0x10'
```

```
In [17]: int(0x10)
```

```
Out[17]: 16
```

```
In [18]: int(0x19)
```

```
Out[18]: 25
```

```
In [19]: int(0x9)
```

```
Out[19]: 9
```

```
In [20]: hex(25)
```

```
Out[20]: '0x19'
```

Bitwise Operator

Complement

```
In [21]: ~12
```

```
Out[21]: -13
```

```
In [23]: ~35
```

```
Out[23]: -36
```

```
In [24]: ~18
```

```
Out[24]: -19
```

Bit wise and Operator

```
In [25]: 12 & 13
```

```
Out[25]: 12
```

```
In [26]: 12 | 13
```

```
Out[26]: 13
```

```
In [27]: 12 ^ 13
```

```
Out[27]: 1
```

```
In [28]: 12 << 2
```

```
Out[28]: 48
```

```
In [29]: 12 << 1
```

```
Out[29]: 24
```

```
In [30]: 12 >> 1
```

```
Out[30]: 6
```

```
In [31]: 12 >> 2
```

```
Out[31]: 3
```

Swap 2 variable in Python

```
In [32]: a = 5  
        b = 6
```

```
In [33]: a = b  
        b = a
```

```
In [34]: print(a)  
        print(b)
```

6
6

```
In [35]: a1 , b1 = 7 , 8
```

```
In [36]: print(a1)  
        print(b1)
```

7
8

```
In [41]: temp = a1  
  
        a1 = b1  
        b1 = temp
```

```
In [39]: print(a1)  
        print(b1)
```

8
7

```
In [40]: a2 = 5  
        b2 = 6
```

```
In [42]: a2 = a2 + b2    #5+6 =11  
        b2 = a2 - b2    #11-6=5  
        a2 = a2 - b2    #11-5=6
```

```
In [43]: print(a2)  
        print(b2)
```

6
5

```
In [44]: a3 , b3 = 2, 4
```

```
In [45]: a3 , b3 = b3, a3
```

```
In [46]: print(a3)  
        print(b3)
```

4
2

```
In [ ]:
```

