

Python Operator

1.Arithmetic operator

```
In [2]: x1, y1, = 10, 5
```

```
In [3]: x1 + y1
```

```
Out[3]: 15
```

```
In [4]: x1 - y1
```

```
Out[4]: 5
```

```
In [5]: x1 * y1
```

```
Out[5]: 50
```

```
In [6]: x1 / y1
```

```
Out[6]: 2.0
```

```
In [7]: x1 // y1
```

```
Out[7]: 2
```

```
In [8]: x1 % y1
```

```
Out[8]: 0
```

```
In [9]: x1 ** y1
```

```
Out[9]: 100000
```

```
In [10]: x2 = 4  
y2 = 4
```

```
In [11]: x2 ** y2
```

```
Out[11]: 256
```

```
In [13]: 3 ** 3
```

```
Out[13]: 27
```

2. Assignment Operator

```
In [14]: x = 2
```

```
In [15]: x = x+2
```

```
x
```

Out[15]: 4

```
In [16]: x += 2  
x
```

Out[16]: 6

```
In [17]: x *= 2  
x
```

Out[17]: 12

```
In [18]: x *= 2  
x
```

Out[18]: 24

```
In [19]: x -= 2  
x
```

Out[19]: 22

```
In [20]: x //= 2  
x
```

Out[20]: 11

3. Relational Operator

```
In [21]: a = 5
```

```
In [22]: b = 6
```

```
In [23]: a < b
```

Out[23]: True

```
In [24]: a > b
```

Out[24]: False

```
In [25]: print(a)  
print(b)
```

5

6

```
In [26]: a == b
```

Out[26]: False

```
In [27]: a != b
```

Out[27]: True

In [28]: `b = 5`

In [29]: `a == b`

Out[29]: True

In [30]: `a != b`

Out[30]: False

4. Logical Operator

AND Operator

In [31]: `a = 5`

In [32]: `b = 4`

In [33]: `a < 8 and b < 5`

Out[33]: True

In [34]: `a < 8 and b > 5`

Out[34]: False

In []:

OR Operator

In [35]: `a = 5`

In [36]: `b = 4`

In [37]: `a < 8 or b > 2`

Out[37]: True

In [38]: `a < 8 or b < 2`

Out[38]: True

NOT Operator

In [39]: `x + False`
`x`

Out[39]: 11

In [40]: `not x`

Out[40]: False

```
In [42]: y = True  
y
```

Out[42]: True

```
In [43]: not y
```

Out[43]: False

5. Unary Operator

```
In [44]: n = 7  
n
```

Out[44]: 7

```
In [45]: m = -(n)  
m
```

Out[45]: -7

```
In [46]: n
```

Out[46]: 7

```
In [47]: -n
```

Out[47]: -7

```
In [ ]:
```