


## 5. Migre la información mediante ETL a las tablas de datawarehouse.



**OLE DB Source Editor**

Configure the properties used by a data flow to obtain data from any OLE DB provider.

**Connection Manager**  
Columns  
Error Output

Specify an OLE DB connection manager, a data source, or a data source view, and select the data access mode. If using the SQL command access mode, specify the SQL command either by typing the query or by using Query Builder.

OLE DB connection manager:  
 DESKTOP-6056NT1\SQLEXPRESS.Feria\_virtual.moli New...

Data access mode:  
 Table or view

Name of the table or the view:  
 [dbo].[PERSONA]

Preview...

OK Cancel Help

**OLE DB Destination Editor**

Configure the properties used to insert data into a relational database using an OLE DB provider.

**Connection Manager**  
**Mappings**  
Error Output

Available Input...

Name
ci
apellido
nombre
sexo
fechanaci

Available Destination...

Name
ci
apellido
nombre
sexo
fechanaci

Input Column	Destination Column
ci	ci
apellido	apellido
nombre	nombre
sexo	sexo
fechanaci	fechanaci
nrocelular	nrocelular

OK Cancel Help

**OLE DB Source Editor**

Configure the properties used by a data flow to obtain data from any OLE DB provider.

**Connection Manager**  
Columns  
Error Output

Specify an OLE DB connection manager, a data source, or a data source view, and select the data access mode. If using the SQL command access mode, specify the SQL command either by typing the query or by using Query Builder.

OLE DB connection manager:  
 DESKTOP-6056NT1\SQLEXPRESS.Feria\_virtual.moli New...

Data access mode:  
 Table or view

Name of the table or the view:  
 [dbo].[PRODUCTO]

Preview...

OK Cancel Help

**OLE DB Destination Editor**

Configure the properties used to insert data into a relational database using an OLE DB provider.

**Connection Manager**  
**Mappings**  
Error Output

Available Input...

Name
id_stand
id_producto
nombre_pro
precio
descripcion
stock

Available Destination...

Name
id_stand
id_producto
nombre_pro
precio
descripcion
stock

Input Column	Destination Column
id_stand	id_stand
id_producto	id_producto
nombre_pro	nombre_pro
precio	precio
descripcion	descripcion
stock	stock

OK Cancel Help

OLE DB Source Editor

Configure the properties used by a data flow to obtain data from any OLE DB provider.

**Connection Manager**  
Columns  
Error Output

Specify an OLE DB connection manager, a data source, or a data source view, and select the data access mode. If using the SQL command access mode, specify the SQL command either by typing the query or by using Query Builder.

OLE DB connection manager:  
 DESKTOP-6056NT1\SQLEXPRESS.Feria\_virtual.moli New...

Data access mode:  
 Table or view

Name of the table or the view:  
 [dbo].[PATROCINADOR]

Preview...

OK Cancel Help

OLE DB Destination Editor

Configure the properties used to insert data into a relational database using an OLE DB provider.

**Connection Manager**  
**Mappings**  
Error Output

Available Input Columns

Name
id_patrocinador
nombre_patrocinador
telefono

Available Destination Columns

Name
id_patrocinador
nombre_patrocinador
telefono

Input Column      Destination Column

id_patrocinador	id_patrocinador
nombre_patrocinador	nombre_patrocinador
telefono	telefono

OK Cancel Help

OLE DB Source Editor

Configure the properties used by a data flow to obtain data from any OLE DB provider.

**Connection Manager**  
Columns  
Error Output

Specify an OLE DB connection manager, a data source, or a data source view, and select the data access mode. If using the SQL command access mode, specify the SQL command either by typing the query or by using Query Builder.

OLE DB connection manager:  
 DESKTOP-6056NT1\SQLEXPRESS.Feria\_virtual.moli New...

Data access mode:  
 Table or view

Name of the table or the view:  
 [dbo].[CALIFICA]

Preview...

OK Cancel Help

OLE DB Destination Editor

Configure the properties used to insert data into a relational database using an OLE DB provider.

**Connection Manager**  
**Mappings**  
Error Output

Available In...

Name
id_stand
ci
nota

Available De...

Name
id_stand
ci
nota

Input Column      Destination Column

id_stand	id_stand
ci	ci
nota	nota

OK Cancel Help

**OLE DB Source Editor**

Configure the properties used by a data flow to obtain data from any OLE DB provider.

**Connection Manager**  
Columns  
Error Output

Specify an OLE DB connection manager, a data source, or a data source view, and select the data access mode. If using the SQL command access mode, specify the SQL command either by typing the query or by using Query Builder.

OLE DB connection manager:  
 DESKTOP-6056NT1\SQLEXPRESS.Feria\_virtual.moli New...

Data access mode:  
 Table or view

Name of the table or the view:  
 [dbo].[STAND] New...

Preview...

OK Cancel Help

**OLE DB Destination Editor**

Configure the properties used to insert data into a relational database using an OLE DB provider.

**Connection Manager**  
**Mappings**  
Error Output

Available Input Columns:

Name
id_stand
nombre_stand
notapromedio

Available Destination Columns:

Name
id_stand
nombre_stand
notapromedio

Input Column      Destination Column

id_stand	id_stand
nombre_stand	nombre_stand
notapromedio	notapromedio
descripcion	descripcion

OK Cancel Help

**OLE DB Source Editor**

Configure the properties used by a data flow to obtain data from any OLE DB provider.

**Connection Manager**  
Columns  
Error Output

Specify an OLE DB connection manager, a data source, or a data source view, and select the data access mode. If using the SQL command access mode, specify the SQL command either by typing the query or by using Query Builder.

OLE DB connection manager:  
 DESKTOP-6056NT1\SQLEXPRESS.Feria\_virtual.moli New...

Data access mode:  
 Table or view

Name of the table or the view:  
 [dbo].[PATROCINA] New...

Preview...

OK Cancel Help

**OLE DB Destination Editor**

Configure the properties used to insert data into a relational database using an OLE DB provider.

**Connection Manager**  
Mappings  
Error Output

Specify an OLE DB connection manager, a data source, or a data source view, and select the data access mode. If using the SQL command access mode, specify the SQL command either by typing the query or by using Query Builder. For fast-load data access, set the table update options.

OLE DB connection manager:  
 DESKTOP-6056NT1\SQLEXPRESS.Feria\_virtual\_2.moli New...

Data access mode:  
 Table or view

Name of the table or the view:  
 [dbo].[PATROCINA] New...

View Existing

OK Cancel Help

OLE DB Source Editor

Configure the properties used by a data flow to obtain data from any OLE DB provider.

**Connection Manager**  
Columns  
Error Output

Specify an OLE DB connection manager, a data source, or a data source view, and select the data access mode. If using the SQL command access mode, specify the SQL command either by typing the query or by using Query Builder.

OLE DB connection manager:  
 DESKTOP-6056NT1\SQLEXPRESS.Feria\_virtual.moli New...

Data access mode:  
 Table or view

Name of the table or the view:  
 [dbo].[VISITANTE]

Preview...

OK Cancel Help

OLE DB Destination Editor

Configure the properties used to insert data into a relational database using an OLE DB provider.

**Connection Manager**  
**Mappings**  
Error Output

Available Input Columns

Name
ci
correo
nro_cta_bancaria

Available Destination Columns

Name
ci
correo
nro_cta_bancaria

Input Column	Destination Column
ci	ci
correo	correo
nro_cta_bancaria	nro_cta_bancaria

OK Cancel Help

OLE DB Source Editor

Configure the properties used by a data flow to obtain data from any OLE DB provider.

**Connection Manager**  
Columns  
Error Output

Specify an OLE DB connection manager, a data source, or a data source view, and select the data access mode. If using the SQL command access mode, specify the SQL command either by typing the query or by using Query Builder.

OLE DB connection manager:  
 DESKTOP-6056NT1\SQLEXPRESS.Feria\_virtual.moli New...

Data access mode:  
 Table or view

Name of the table or the view:  
 [dbo].[JURADO]

Preview...

OK Cancel Help

OLE DB Destination Editor

Configure the properties used to insert data into a relational database using an OLE DB provider.

**Connection Manager**  
**Mappings**  
Error Output

Available Input Columns

Name
ci
areadeconocimiento

Available Destination Columns

Name
ci
areadeconocimiento

Input Column	Destination Column
ci	ci
areadeconocimiento	areadeconocimiento

OK Cancel Help

