

RSLogix Micro Starter Lite - PROJECT 1

File Edit View Search Comms Tools Window Help

OFFLINE No Forces No Edits Forces Enabled Driver: EMU500-1 Node: 1d

Project 1.RSS LAD 2 -- MAIN

Project

- Help
- Controller
 - Controller Properties
 - Processor Status
 - Function Files
 - IO Configuration
 - Channel Configuration
- Program Files
 - SYS 0 -
 - SYS 1 -
 - LAD 2 - MAIN
 - LAD 3 - IO
 - LAD 4 - CONTROLS
- Data Files
 - Cross Reference
 - O0 - OUTPUT
 - I1 - INPUT
 - S2 - STATUS
 - B3 - BINARY
 - T4 - TIMER
 - C5 - COUNTER
 - R6 - CONTROL
 - N7 - INTEGER
 - F8 - FLOAT
- Data Logging
 - Configuration
 - Status
- RCP Configuration Files

LAD 2 -- MAIN

0000 JSR Jump To Subroutine SBR File Number U:3

0001 JSR Jump To Subroutine SBR File Number U:4

0002 END

MAIN

2:0000 APP READ Disabled

For Help, press F1

RSLogix Micro Starter Lite - PROJECT 1

File Edit View Search Comms Tools Window Help

OFFLINE No Forces No Edits Forces Enabled Driver: EMU500-1 Node: 1d

PROJECT1.RSS LAD 3 -- IO

Project

- Help
- Controller
 - Controller Properties
 - Processor Status
 - Function Files
 - IO Configuration
 - Channel Configuration
- Program Files
 - SYS 0 -
 - SYS 1 -
 - LAD 2 - MAIN
 - LAD 3 - IO
 - LAD 4 - CONTROLS
- Data Files
 - Cross Reference
 - O0 - OUTPUT
 - I1 - INPUT
 - S2 - STATUS
 - B3 - BINARY
 - T4 - TIMER
 - C5 - COUNTER
 - R6 - CONTROL
 - N7 - INTEGER
 - F8 - FLOAT
- Data Logging
 - Configuration
 - Status
- RCP Configuration Files

0000 90PSI SWITCH I:0 0 Bul.1763 90PSI SW 90PSI_SWITCH B3:0 0

0001 110PSI SWITCH I:0 1 Bul.1763 110PSI SW 110PSI_SWITCH B3:0 1

0002 Pump B3:0 2 0 Pump O:0 0 Bul.1763

0003 Run Indicator B3:0 3 1 Run Indicator O:0 1 Bul.1763

0004 (END)

MAIN IO

3:0000 APP READ Disabled

For Help, press F1

RSLogix Micro Starter Lite - PROJECT 1

File Edit View Search Comms Tools Window Help

OFFLINE No Forces No Edits Forces Enabled Driver: EMU500-1 Node: 1d

Project1.RSS LAD 4 -- CONTROLS

Project

- Help
- Controller
 - Controller Properties
 - Processor Status
 - Function Files
 - IO Configuration
 - Channel Configuration
- Program Files
 - SYS 0 -
 - SYS 1 -
 - LAD 2 - MAIN
 - LAD 3 - IO
 - LAD 4 - CONTROLS
- Data Files
 - Cross Reference
 - O0 - OUTPUT
 - I1 - INPUT
 - S2 - STATUS
 - B3 - BINARY
 - T4 - TIMER
 - C5 - COUNTER
 - R6 - CONTROL
 - N7 - INTEGER
 - F8 - FLOAT
- Data Logging
 - Configuration
 - Status
- RCP Configuration Files

LAD 4 -- CONTROLS

0000 90PSI SW 90PSI_SWITCH B3:0 0

0001 90PSI SW 90PSI_SWITCH B3:0 0

0002 110PSI SW 110PSI_SWITCH B3:0 1

0003

Run Indicator RUN_IND B3:0 3

Pump PUMP B3:0 2

Pump PUMP B3:0 2

END

MAIN IO CONTROLS

4:0000 APP READ Disabled

For Help, press F1