

continued from page

5/9/2024

~~*~~ Kevan Williams

Cell Setup: Products on left used with Teflon tape to adapt syringe to cell.

Window Structure: bottom to top

Leak

- Black Spacer
- 3 Viton black gaskets
- Window
- White diamond gasket
- Window with holes
- Black Viton gasket with holes

Tightened to 50 in-oz with no breaking windows and no visible leaks (IPA test)

5/13/24

- Black Spacer
- Brown spacer
- Viton gasket
- Window
- Thin white gasket
- Window w/ holes
- Black Viton w/ holes

80-in-oz.

No breaking windows
No leaks (IPA)
When opened, IPA is on the top black gasket still.

continued to page

Signature

Date

Witnessed And Understood By

Date

PROPRIETARY
INFORMATION



McMASTER-CARR®

9630 Norwalk Blvd
Santa Fe Springs CA 90670-2932
562-692-5911
la.sales@mcmaster.com

Brigham Young University
Mechanical Engineering
350 Eb
701 E University Pkwy
Provo UT 84602
Attention: Kevan Williams

Purchase Order
0502MENG

Order Placed By
Mech Eng

McMaster-Carr Number
4090205-01

Page 1 of 1

05/02/2024

Packing List

Line	Product	Ordered	Shipped
1	5885T21 Compression Fitting for Stainless Steel Tubing, Adapter for 1/16" Tube OD, M3 x 0.5mm Male Pipe	2 Each	2

**McMASTER-CARR®**

9630 Norwalk Blvd
Santa Fe Springs CA 90670-2932
562-692-5911
la.sales@mcmaster.com

Brigham Young University
Mechanical Engineering
350 Eb
701 E University Pkwy
Provo UT 84602
Attention: Kevan Williams

Purchase Order
0502MENG

Order Placed By
Mech Eng

McMaster-Carr Number
4092720-02

Page 1 of 1

05/02/2024

Packing List

Line	Product	Ordered	Shipped
1	89785K911 Smooth-Bore Seamless 316 Stainless Steel Tubing, 1/16" OD, 0.02" Wall Thickness, 1 Foot Long	1 Each	1
3	8239K12 Precision Compression Fitting for Stainless Steel Tubing, Straight Adapter for 1/16" Tube OD x 1/16 NPT Male	2 Each	2

Shipped separately from our New Jersey warehouse on 05/02

2	51465K42 Brass Quick-Turn Tube Coupling for Air, Socket, 1/16 NPT Female	2 Each	2
---	---	-----------	---