

In cooperation with Deltares

Parallel Krylov Solver for the U.S. Geological Survey Modular Groundwater Flow Model (MODFLOW-2005)



Techniques and Methods 6-AXX

U.S. Department of the Interior
U.S. Geological Survey

Parallel Krylov Solver for the U.S. Geological Survey Modular Groundwater Flow Model (MODFLOW-2005)

By

In cooperation with Deltares

Techniques and Methods 6-AXX

**U.S. Department of the Interior
U.S. Geological Survey**

U.S. Department of the Interior
KEN SALAZAR, Secretary

U.S. Geological Survey
Marcia K. McNutt, Director

U.S. Geological Survey, Reston, Virginia 2014

For product and ordering information:
World Wide Web: <http://www.usgs.gov/pubprod>
Telephone: 1-888-ASK-USGS

For more information on the USGS—the Federal source for science about the Earth, its natural and living resources, natural hazards, and the environment:
World Wide Web: <http://www.usgs.gov>
Telephone: 1-888-ASK-USGS

Suggested citation:
, 2014, : U.S. Geological Survey Techniques and Methods 6-AXX, XXX p. [http://pubs.usgs.gov/INSERT_PATH_HERE]

Any use of trade, product, or firm names in this publication is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Although this report is in the public domain, permission must be secured from the individual copyright owners to reproduce any copyrighted materials contained within this report.

Contents

Abstract	1
Introduction	1
Major Section	1
General Discussion	1
Summary	1
References	1

Conversion Factors

Multiply	By	To obtain
foot (ft)	0.3048	meter (m)
gallon per minute (gal/min)	0.06309	liter per second (L/s)
cubic foot per second (ft ³ /s)	0.02832	cubic meter per second (m ³ /s)

Temperature in degrees Fahrenheit (°F) may be converted to degrees Celsius (°C) as follows:

$$^{\circ}\text{C} = (^{\circ}\text{F} - 32)/1.8$$

Datum

Horizontal coordinate information is referenced to the North American Datum of 1983 (NAD 83).

Vertical coordinate information is referenced to the North American Vertical Datum of 1988 (NAVD 88).

Conventions

Insert discussion concerning conventions used in the text here by renewing the `theconventions` command. The command `usgsenotesFORconvent` contains an example statement for use of endnotes via the `usgsenote.sty` package. If you do not have use for conventions, you can simply `renewcommand` the `theconventions` to nothing.

Parallel Krylov Solver for the U.S. Geological Survey Modular Groundwater Flow Model (MODFLOW-2005)

By

Abstract

The U.S. Geological Survey

Introduction

L-scale (λ_2) is $\sigma = \sqrt{\pi}\lambda_2$. Recently, Mr. LaTeX has summarized it.

Major Section

General Discussion

The number of stations summarized

Summary

Insert paragraphs here.

References

Asquith, W.H., 2006, L- and TL-moments of the generalized lambda distribution: Computational Statistics and Data Analysis, in press.

Prepared by
Edited by
Illustrations by
Layout and typesetting by
Final portable document format preparation by

For information regarding this report and water resources in Texas, contact:

