

**Prepared in cooperation with Deltares** 

# Parallel Krylov Solver for the U.S. Geological Survey Modular Groundwater Flow Model (MODFLOW-2005)



Techniques and Methods 6-AXX

### Parallel Krylov Solver for the U.S. Geological Survey



### U.S. Geological Survey, Reston, Virginia: 2014

For more information on the USGS—the Federal source for science about the Earth, its natural and living resources, natural hazards, and the environment—visit Available Online or call 1–888–ASK–USGS.

For an overview of USGS information products, including maps, imagery, and publications, visit Available Online.

Any use of trade, firm, or product names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Although this information product, for the most part, is in the public domain, it also may contain copyrighted materials as noted in the text. Permission to reproduce copyrighted items must be secured from the copyright owner.

#### Suggested citation:

, 2014, : U.S. Geological Survey Techniques and Methods 6-AXX, XXX p., Available Online.

ISSN 0000-0000 (online)

### **Contents**

### **Conversion Factors**

Multiply	Ву	To obtain
foot (ft)	0.3048	meter (m)
gallon per minute (gal/min)	0.06309	liter per second (L/s)
cubic foot per second (ft <sup>3</sup> /s)	0.02832	cubic meter per second (m³/s)

Temperature in degrees Fahrenheit (°F) may be converted to degrees Celsius (°C) as follows:

$$^{\circ}$$
C =  $(^{\circ}F - 32)/1.8$ 

### **Datum**

Horizontal coordinate information is referenced to the North American Datum of 1983 (NAD 83). Vertical coordinate information is referenced to the North American Vertical Datum of 1988 (NAVD 88).

### **Conventions**

Insert discussion concerning conventions used in the text here by renewing the conventions command. The command usgsenotesFORconvent contains an example statement for use of endnotes via the usgsenote.sty package. If you do not have use for conventions, you can simply renewcommand the the conventions to nothing.

## Parallel Krylov Solver for the U.S. Geological Survey Modular Groundwater Flow Model (MODFLOW-2005)

Ву

### **Abstract**

The U.S. Geological Survey

### Introduction

L-scale  $(\lambda_2)$  is  $\sigma = \sqrt{\pi}\lambda_2$ . Recently, Mr. LaTeX has summarized it.

### **Major Section**

#### **General Discussion**

The number of stations summarized

### **Summary**

Insert paragraphs here.

### References

Asquith, W.H., 2006, L- and TL-moments of the generalized lambda distribution: Computational Statistics and Data Analysis, in press.

Prepared by
Edited by
Illustrations by
Layout and typesetting by
Final portable document format preparation by

For information regarding this report and water resources in Texas, contact: