

App Research Agent

A single-file web tool that investigates any app URL and produces a structured integration research report — covering auth methods, API surface, access model, buildability score, and more.

Quick Start

1. Open `index.html` in any modern browser.
2. Paste an app URL (e.g., `https://github.com`) or click a quick-access chip.
3. The agent runs an 8-step workflow simulation, then displays the research report.
4. Export as **Markdown**, **JSON**, or download a `.md` file.

For unknown URLs, a fill-in-the-blank research template is generated instead.

Built-in Database

100 apps across 10 categories, all individually searchable:

Category	Apps
CRM & Sales	Salesforce, HubSpot, Pipedrive, Attio, Twenty, Podio, Zoho CRM, Close, Copper, DealCloud
Support & Helpdesk	Zendesk, Intercom, Freshdesk, Front, Pylon, LiveAgent, Plain, HelpScout, Gorgias, Gladly
Communication & Messaging	Slack, Twilio, Zoho Cliq, Lark Suite, Pumble, Discord, Telegram, WhatsApp, Aircall, Vonage
Marketing, Ads, Email & Social	Google Ads, Meta Marketing, LinkedIn Marketing, GoHighLevel, Mailchimp, Klaviyo, <u>Systeme.io</u> , Pinterest, Threads, SendGrid
Ecommerce	Shopify, WooCommerce, BigCommerce, Salesforce Commerce, Adobe Commerce, Squarespace, Ecwid, Gumroad, Amazon SP-API, FanBasis
Data, SEO & Scraping	DataForSEO, SE Ranking, Ahrefs, MrScraper, Apify, Firecrawl, Bright Data, Sherlock, Waterfall, Clay
Developer, Infra & Data	GitHub, Vercel, Netlify, Cloudflare, Supabase, Neo4j, Snowflake, MongoDB Atlas, Datadog, Sentry
Productivity & Project Mgmt	Notion, Airtable, Linear, Jira, Asana, <u>Monday.com</u> , ClickUp, Coda, Smartsheet, Harvest
Finance & Fintech	Stripe, Plaid, Binance, iPayX, Paygent, QuickBooks, Xero, Brex, Ramp, PitchBook
AI, Research & Media	Gemini, <u>Otter.ai</u> , Fathom, Consensus, Reducto, Devin, Higgsfield, Mermaid CLI, Transcript API, Grain

How URL Matching Works

The `urlLookup` object maps URL patterns to internal database keys. It handles:

- **Exact domain match** → `github.com`
- **Subdomain stripping** → `api.github.com` → `github.com`
- **Base domain fallback** → `docs.github.com` → tries `github.com`
- **Path-based disambiguation** → `zoho.com/crm` vs `zoho.com/cliq`
- **Substring fallback** → partial string matching as last resort

How to Add a New App

1. Add an entry to `urlLookup` with the URL pattern and a unique key:

```
'newapp.com': 'newapp'
```

2. Add the full research object to DB with that key:

```
'newapp': {
  name: 'NewApp',
  icon: 'fa-solid fa-n',
  color: '#FF0000',
  category: 'Category Name',
  description: 'One-line description.',
  auth: { methods: [...], primary: '...', notes: '...', evidence: ['...'] },
  access: { type: 'self-serve', label: '...', details: '...', free: true, trial: ... },
  api: { types: ['REST'], breadth: '...', graphql: false, mcp: '...', docs: ['...'] },
  buildability: { verdict: 'good', score: 75, summary: '...', blocker: '...', evi... },
  additional: { rateLimits: '...', sdks: '...', webhooks: '...', pricing: '...',
}
```

Field Reference

Field	Values
<code>access.type</code>	self-serve,gated,heavily-gated
<code>buildability.verdict</code>	excellent,good,moderate,difficult,blocked
<code>buildability.score</code>	0-100
<code>additional.riskLevel</code>	low,medium,high
<code>api.graphql</code>	true/false
<code>additional.mcpAvailable</code>	true/false

Tech Stack

- Zero dependencies — no build step, no npm, no framework
- Tailwind CSS (CDN), Font Awesome (CDN), Google Fonts (CDN)
- All logic in a single `<script>` block
- Runs entirely client-side — no server, no API calls, no data leaves the browser

Browser Support

Chrome, Firefox, Safari, Edge — latest two versions. Uses `navigator.clipboard` with fallback.