

Max absolute sum

```
int maxAbsoluteSum(vector<int>& nums) {
    int max_end = 0, max_sum = INT_MIN;
    int min_end = 0, min_sum = INT_MAX;

    for (int x : nums) {
        max_end = max(x, max_end + x);
        max_sum = max(max_sum, max_end);

        min_end = min(x, min_end + x);
        min_sum = min(min_sum, min_end);
    }

    return max(abs(max_sum), abs(min_sum));
}
```

```
public int maxAbsoluteSum(int[] nums) {
    int maxEnd = 0, maxSum = Integer.MIN_VALUE;
    int minEnd = 0, minSum = Integer.MAX_VALUE;

    for (int x : nums) {
        maxEnd = Math.max(x, maxEnd + x);
        maxSum = Math.max(maxSum, maxEnd);

        minEnd = Math.min(x, minEnd + x);
        minSum = Math.min(minSum, minEnd);
    }

    return Math.max(Math.abs(maxSum), Math.abs(minSum));
}
```

```
def maxAbsoluteSum(nums):
    max_end = max_sum = float('-inf')
    min_end = min_sum = float('inf')

    curr_max = curr_min = 0

    for x in nums:
        curr_max = max(x, curr_max + x)
```

```

max_sum = max(max_sum, curr_max)

curr_min = min(x, curr_min + x)
min_sum = min(min_sum, curr_min)

return max(abs(max_sum), abs(min_sum))

```

Max Sum with one Deletion

```

int maximumSum(vector<int>& a) {
    int n = a.size();
    int noDel = a[0];
    int oneDel = INT_MIN;
    int res = a[0];

    for (int i = 1; i < n; i++) {
        int prevNoDel = noDel;

        noDel = max(a[i], noDel + a[i]);

        oneDel = max(prevNoDel, oneDel + a[i]);

        res = max(res, max(noDel, oneDel));
    }

    return res;
}

```

```

public int maximumSum(int[] a) {
    int n = a.length;
    int noDel = a[0];
    int oneDel = Integer.MIN_VALUE;
    int res = a[0];

    for (int i = 1; i < n; i++) {
        int prevNoDel = noDel;

        noDel = Math.max(a[i], noDel + a[i]);

        oneDel = Math.max(prevNoDel, oneDel + a[i]);
    }
}

```

```
        res = Math.max(res, Math.max(noDel, oneDel));
    }

    return res;
}
```

```
def maximumSum(a):
    noDel = a[0]
    oneDel = float('-inf')
    res = a[0]

    for i in range(1, len(a)):
        prevNoDel = noDel

        noDel = max(a[i], noDel + a[i])

        oneDel = max(prevNoDel, oneDel + a[i])

        res = max(res, noDel, oneDel)

    return res
```