

NAME : G.MOHAN SAI

MICROSERVICES WITH SPRING BOOT 3

Creating Microservices for Account

Account.java

```
package com.cognizant.account.model;
```

```
public class Account {
```

```
    private String number;  
    private String type;  
    private double balance;
```

```
    public Account() {  
    }
```

```
    public Account(String number, String type, double balance) {  
        this.number = number;  
        this.type = type;  
        this.balance = balance;  
    }
```

```
    public String getNumber() {  
        return number;  
    }
```

```
    public void setNumber(String number) {  
        this.number = number;  
    }
```

```
    public String getType() {  
        return type;  
    }
```

```
    public void setType(String type) {  
        this.type = type;  
    }
```

```
    public double getBalance() {
```

```

        return balance;
    }

    public void setBalance(double balance) {
        this.balance = balance;
    }
}

```

AccountController.java

```

package com.cognizant.account.controller;

import com.cognizant.account.model.Account;
import org.springframework.web.bind.annotation.*;

@RestController
public class AccountController {

    @GetMapping("/accounts/{number}")
    public Account getAccount(@PathVariable String number) {

        return new Account(number, "savings", 234343);
    }
}

```

Creating Microservices for Loan

Loan.java

```

package com.cognizant.loan.model;

public class Loan {

    private String number;
    private String type;
    private double loan;
    private int emi;
    private int tenure;

    public Loan() {
    }

    public Loan(String number, String type, double loan, int emi, int tenure) {
    }
}

```

```
    this.number = number;
    this.type = type;
    this.loan = loan;
    this.emi = emi;
    this.tenure = tenure;
}
```

```
public String getNumber() {
    return number;
}
```

```
public void setNumber(String number) {
    this.number = number;
}
```

```
public String getType() {
    return type;
}
```

```
public void setType(String type) {
    this.type = type;
}
```

```
public double getLoan() {
    return loan;
}
```

```
public void setLoan(double loan) {
    this.loan = loan;
}
```

```
public int getEmi() {
    return emi;
}
```

```
public void setEmi(int emi) {
    this.emi = emi;
}
```

```
public int getTenure() {
    return tenure;
}
```

```
}

    public void setTenure(int tenure) {
        this.tenure = tenure;
    }
}
```

LoanController.java

```
package com.cognizant.loan.controller;

import com.cognizant.loan.model.Loan;
import org.springframework.web.bind.annotation.*;

@RestController
public class LoanController {

    @GetMapping("/loans/{number}")
    public Loan getLoan(@PathVariable String number) {

        return new Loan(number, "car", 400000, 3258, 18);
    }
}
```

Change Port

```
server.port=8081
```