

#### Personal Systems Reference Lenovo® Essential Notebooks

September 2011 - Version 406





Lenovo V470



Lenovo V470



Lenovo V470



Lenovo V470







Lenovo V470

| Type-model                   | Pro-<br>cessor | 1           | Max<br>turbo<br>(GHz) | Widescreen | CCFL<br>or<br>LED | Cam-<br>era | Graphics | SATA<br>disk | SATA optical | PCIe Mini<br>Card<br>802.11 | Top<br>color | Fingerprint reader      | Blue-<br>tooth | Battery | Win7<br>preload |
|------------------------------|----------------|-------------|-----------------------|------------|-------------------|-------------|----------|--------------|--------------|-----------------------------|--------------|-------------------------|----------------|---------|-----------------|
| 4396-27U i7-<br>4396-28U i3- |                | 2.00 ± 2.10 |                       |            |                   |             |          |              |              |                             |              | Fingerprint Fingerprint |                |         |                 |

- 14.0" widescreen, glossy display with LED backlight
- Integrated 2.0 megapixel camera
- Lenovo Rescue System provides OneKey™ recovery and OneKey Antivirus without booting into Windows
- Fingerprint reader for easy and secure login
- BioExcess provides a convenient way to quickly encrypt or decrypt files, switch accounts, and manage password
- USB Port Locker prevents unauthorized access by requiring fingerprint scan to unlock
   These systems are Microsoft<sup>®</sup> Office 2010 Product Key Ready (O10PKR)

| Positioning   | Widescreen flexibility; two-spindle  | Preloaded operating system <sup>20</sup>  |
|---|--|---|
| Processor   | Intel® Core™ i3-2310M processor (dual-core, 2.10GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), HT technology Intel Core i7-2630QM processor (quad-core, 2.00 GHz, 6MB cache),  | - Genuine Windows® 7 Home Premium 64  Preloaded applications¹⁴ (only some   |
|   | DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz), HT technology   | listed)   |
| Memory  | 8GB max <sup>7</sup> ; <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets   | Lenovo OneKey Recovery     Lenovo ReadyComm   |
| SATA DVD±RW<br>SATA disk  | DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in <b>500GB</b> (5400 rpm) or <b>750GB</b> (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high, Active Protection System™   | McAfee® VirusScan® Plus     (60 days of virus definitions)     Windows Live Essential   |
| Widescreen<br>display<br>Camera   | 14.0" (355.6mm) HD (WXGA 1366x768) TFT color, VibrantView (glossy); LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 2.0-megapixel, fixed focus, LED indicator  | CyberLink YouCam     Microsoft Office 2010 preloaded; purchase product key to activate     Lenovo Energy Management   |
| Graphics  | Intel HD Graphics 3000 in processor, uses system memory, external monitor support via analog VGA DB-15 connector / digital HDMI connector  | Software Cyberlink Power2Go (DVD±RW)  |
| Keyboard<br>Touch controls<br>Light sensor<br>Touch pad   | Full-size keyboard, 6-row, recovery key None None Two-button touch pad with scroll feature, multi-touch  | Lénovo Security Suite     USB Port Locker     BioExcess   |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material                                    | (WxDxH): 13.4" x 9.2" x 0.8" to 1.2"; 340mm x 234.6mm x 20.7mm to 31.3mm with optical drive and battery: 6-cell: 4.85 lb (2.2 kg) Black top, black bottom Top and palm rest: Aluminum Bottom: Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell  | Dual-core models: 65-watt AC adapter<br>Quad-core models: 90-watt AC adapter<br>Wireless on/off switch<br>EPEATTM Silver rating<br>ENERGY STAR® qualified<br>RoHS-compliant   |
| Battery - life <sup>10</sup>  | Up to 5 hr   | Limited Warranty <sup>12</sup>  |
| Chipset<br>ExpressCard/34<br>Multicard reader<br>Ports  | Mobile Intel HM65 Express Chipset None 6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital High Capacity Card, xD-Picture Card™) Three USB 2.0 and one eSATA/USB combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)   | <ul> <li>1-year warranty*:</li> <li>* 1- year on major electronic components (including battery),</li> <li>90-day on keyboard, hinges,</li> <li>plastics, power cord, AC adapter</li> <li>Mail In repair service</li> </ul> |
| TV tuner PCIe Mini Card Intel 1000 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader | None Two PCIe Mini Card slots 11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2 Bluetooth 2.1 wireless + EDR, USB 2.0 interface None Gigabit ethernet, RealTek® RTL8111E, PCIe x1 High Definition (HD) Audio, RealTek ALC272 codec / stereo speakers (1.5 watt x 2) / one internal analog microphone, microphone input jack (3.5 mm), headphone jack (stereo, 3.5 mm) Power-on password, hard disk password, administrator password, security lockhole r Fingerprint reader on palm rest, swipe sensor | <ul> <li>Service upgrade options (in eligible locations):<sup>9</sup></li> <li>1-year Lenovo Onsite Repair<sup>13</sup></li></ul>   |

| Pro-<br>Type-model cessor              | GHz | Max<br>turbo<br>(GHz) | Memory | Widescreen<br>display | Cam-<br>era | Graphics | SATA<br>disk | SATA optical | PCIe Mini<br>Card<br>802.11 | Top<br>color | Fingerprint reader | Blue-<br>tooth | Battery | Win7<br>preload |
|--|-----|-----------------------|--------|-----------------------|-------------|----------|--------------|--------------|-----------------------------|--------------|--------------------|----------------|---------|-----------------|
| 4396-25U i5-2410M<br>4396-26U i5-2410M |     |                       |        |                       |             |          |              |              |                             |              |                    |                |         |                 |

- 14.0" widescreen, glossy display with LED backlight
- Integrated 2.0 megapixel camera
- Lenovo Rescue System provides OneKey™ recovery and OneKey Antivirus without booting into Windows
- Fingerprint reader for easy and secure login
- BioExcess provides a convenient way to quickly encrypt or decrypt files, switch accounts, and manage password
- USB Port Locker prevents unauthorized access by requiring fingerprint scan to unlock
   These systems are Microsoft<sup>®</sup> Office 2010 Product Key Ready (O10PKR)

| Positioning<br>Processor   | Widescreen flexibility; two-spindle Intel® Core™ i5-2410M processor (dual-core, 2.30GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz), HT technology   | Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64   |
|--|---|---|
| Memory   | 8GB max <sup>7</sup> ; <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets  | <b>Preloaded applications</b> <sup>14</sup> (only some listed)  |
| SATA DVD±RW<br>SATA disk   | DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in <b>500GB</b> (5400 rpm) or <b>750GB</b> (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high, Active Protection System™  | Lenovo OneKey Recovery     Lenovo ReadyComm     McAfee® VirusScan® Plus     (Control of the Control of the |
| Widescreen<br>display<br>Camera  | 14.0" (355.6mm) HD (WXGA 1366x768) TFT color, VibrantView (glossy);<br>LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus, LED indicator   | (60 days of virus definitions)  • Windows Live Essential  • CyberLink YouCam  • Microsoft Office 2010 preloaded;  |
| Graphics   | NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, Intel HD Graphics 3000 in processor, and NVIDIA GeForce® GT 525M, PCI Express® x16, 1GB DDR3 memory, DirectX® 11, NVIDIA CUDA™ technology, external monitor support via analog VGA DB-15 connector / digital HDMI connector  | purchase product key to activate Lenovo Energy Management Software Cyberlink Power2Go (DVD±RW) Lenovo Security Suite  |
| Keyboard<br>Touch controls<br>Light sensor<br>Touch pad                                      | Full-size keyboard, 6-row, recovery key None None Two-button touch pad with scroll feature, multi-touch   | USB Port Locker     BioExcess  90-watt AC adapter   |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type          | (WxDxH): 13.4" x 9.2" x 0.8" to 1.2"; 340mm x 234.6mm x 20.7mm to 31.3mm with optical drive and battery: 6-cell: 4.85 lb (2.2 kg) Black top, black bottom Top and palm rest: Aluminum Bottom: Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium lon 6-cell   | Wireless on/off switch Graphic Optimus/Integrated switch EPEAT™ Silver rating ENERGY STAR® qualified RoHS-compliant   |
| Battery - life <sup>10</sup>   | Up to 5 hr  | Limited Warranty <sup>12</sup>  |
| Chipset<br>ExpressCard/34<br>Multicard reader<br>Ports                                       | Mobile Intel HM65 Express Chipset None 6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital High Capacity Card, xD-Picture Card™) Three USB 2.0 and one eSATA/USB combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)  | * 1- year on major electronic components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter Mail In repair service Service upgrade options   |
| TV tuner<br>PCIe Mini Card<br>Intel 1000<br>Bluetooth™<br>Modem<br>Ethernet<br>Audio support | None Two PCIe Mini Card slots 11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2 Bluetooth 2.1 wireless + EDR, USB 2.0 interface None Gigabit ethernet, RealTek® RTL8111E, PCIe x1 High Definition (HD) Audio, RealTek ALC272 codec / stereo speakers (1.5 watt x 2) / one internal analog microphone, microphone input jack (3.5 mm), headphone jack (stereo, 3.5 mm) | (in eligible locations):9 • 1-year Lenovo Onsite Repair <sup>13</sup> 78Y1532 • 1-year Onsite with accidental damage protection 78Y1533 • 2-year Lenovo Onsite Repair <sup>13</sup> 78Y1536 • 3-year Lenovo Depot Repair  |
| Security<br>Fingerprint reader   | Power-on password, hard disk password, administrator password, security lockhole Fingerprint reader on palm rest, swipe sensor  | 24x7 <sup>16</sup> toll-free support for warranty<br>issues during the warranty period <sup>12</sup><br>via 877-453-6686  |



Lenovo V570



Lenovo V570



Lenovo V570



Lenovo V570



Lenovo V570



Lenovo V570

| Pro-<br>Type-model cessor               | Widescreen<br>Memory display   | CCFL<br>or Cam-<br>LED era | Graphics             | SATA<br>disk   | SATA optical     | PCle Mini<br>Card<br>802.11 | Top<br>color | Fingerprint reader                                       | Blue-<br>tooth | Battery          | AC<br>adapter | Win7<br>preload    |
|---|--|----------------------------|----------------------|----------------|------------------|-----------------------------|--------------|--|----------------|------------------|---------------|--------------------|
| 1066-ACU i5-2410M<br>1066-AEU i7-2630QM | 4GBx1 15.6" HD<br>4GBx1 15.6" HD<br>2+4GB 15.6" HD<br>4GBx1 15.6" HD | LED 2.0M<br>LED 2.0M       | Intel HD<br>Intel HD | 500GB<br>750GB | DVD±RW<br>DVD±RW | Intel 1000<br>Intel 1000    | Gray<br>Gray | Fingerprint<br>Fingerprint<br>Fingerprint<br>Fingerprint | BT2.1<br>BT2.1 | 6-cell<br>6-cell | 65W<br>90W    | Prem 64<br>Prem 64 |

- 15.6" widescreen, glossy display with LED backlight
- Integrated 2.0 megapixel camera
- Lenovo Rescue System provides OneKey™ recovery and OneKey Antivirus without booting into Windows
- Fingerprint reader for easy and secure login
   BioExcess provides a convenient way to quickly encrypt or decrypt files, switch accounts, and manage password
- USB Port Locker prevents unauthorized access by requiring fingerprint scan to unlock
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

| Positioning<br>Processor  | Widescreen flexibility; two-spindle Intel® Pentium® B950 processor (dual-core, 2.10GHz, 2MB cache), DDR3 memory controller (up to 1333MHz) Intel Core™ i3-2330M processor (dual-core, 2.20GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), HT technology Intel Core i5-2410M processor (dual-core, 2.30GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz), HT technology Intel Core i7-2630QM processor (quad-core, 2.00GHz, 6MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz), HT technology | Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64  Preloaded applications¹⁴ (only some listed) • Lenovo OneKey Recovery • Lenovo ReadyComm • McAfee® VirusScan® Plus (60 days of virus definitions) |
|---|---|---|
| Memory  | 8GB max <sup>7</sup> ; <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets  | Windows Live Essentials     CyberLink YouCam  |
| SATA DVD±RW<br>SATA disk  | DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in <b>500GB</b> (5400 rpm) or <b>750GB</b> (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high, Active Protection System™  | Microsoft Office 2010 preloaded;<br>purchase product key to activate     Lenovo Energy Management   |
| Widescreen<br>display<br>Camera   | 15.6" (396.2mm) HD (WXGA 1366x768) TFT color, VibrantView (glossy);<br>LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus, LED indicator   | Software     Cyberlink Power2Go (DVD±RW)     Lenovo Security Suite     USB Port Locker  |
| Graphics  | Intel HD Graphics in processor, uses system memory, external monitor support via analog VGA DB-15 connector / digital HDMI connector  | BioExcess   |
| Keyboard<br>Numeric keypad<br>Touch controls<br>Light sensor<br>Touch pad | Full-size keyboard, 6-row, recovery key Numeric keypad on right of keyboard None None Two-button touch pad with scroll feature, multi-touch   | Some: 65-watt AC adapter Some: 90-watt AC adapter   |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material      | (WxDxH): 14.9" x 9.9" x 1.3"; 378mm x 252mm x 32.3mm<br>with optical drive and battery: 6-cell: 5.29 lb (2.4 kg)<br>Silver gray top, black bottom<br>Top and palm rest: Aluminum  | Wireless on/off switch<br>EPEAT™ Silver rating<br>ENERGY STAR® qualified<br>RoHS-compliant  |
| Battery - type<br>Battery - life <sup>10</sup>                            | Bottom: Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell Up to 5 hr  | Limited Warranty <sup>12</sup>  |
| Chipset<br>ExpressCard/34<br>Multicard reader<br>Ports                    | Mobile Intel HM65 Express Chipset  None 6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital High Capacity Card, xD-Picture Card™)  Three USB 2.0 and one eSATA/USB combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)  | * 1- year on major electronic components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter Mail In repair service Service upgrade options (in eligible locations):9                             |
| TV tuner PCIe Mini Card Intel 1000 Bluetooth™ Modem Ethernet              | None Two PCIe Mini Card slots 11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2 Bluetooth 2.1 wireless + EDR, USB 2.0 interface None Gigabit ethernet, RealTek® RTL8111E, PCIe x1   | 1-year Lenovo Onsite Repair <sup>13</sup> 78Y1532     1-year Onsite with accidental damage protection 78Y1533     2-year Lenovo Onsite Repair <sup>13</sup> 78Y1536   |
| Audio support Security Fingerprint reader                                 | High Definition (HD) Audio, RealTek ALC272 codec / stereo speakers (1.5 watt x 2) / one internal analog microphone, microphone input jack (3.5 mm), headphone jack (stereo, 3.5 mm) Power-on password, hard disk password, administrator password, security lockhole Fingerprint reader on palm rest, swipe sensor  | • 3-year Lenovo Depot Repair 78Y1538  ≈ 24x7¹⁶ toll-free support for warranty issues during the warranty period¹² via 877-453-6686  |

|                           |                              |                    | PCle Mini |                    |              |                |              |                       |                |           |               |                 |
|---------------------------|------------------------------|--------------------|-----------|--------------------|--------------|----------------|--------------|-----------------------|----------------|-----------|---------------|-----------------|
| Pro-<br>Type-model cessor | Widescreen<br>Memory display | or Cam-<br>LED era | Graphics  | SATA<br>disk       | SATA optical | Card<br>802.11 | Top<br>color | Fingerprint<br>reader | Blue-<br>tooth | Battery a | AC<br>adapter | Win7<br>preload |
| 1066-ADU i5-2410M         | 2+4GB 15.6" HD               | LED 2.0M           | GT 525M   | 750GB <sup>8</sup> | DVD±RW       | Intel 1000     | Gray         | Fingerprint           | BT2.1          | 6-cell    | 90W           | Prem 64         |

- 15.6" widescreen, glossy display with LED backlight
- Integrated 2.0 megapixel camera
- Lenovo Rescue System provides OneKey™ recovery and OneKey Antivirus without booting into Windows
- Fingerprint reader for easy and secure login
   BioExcess provides a convenient way to quickly encrypt or decrypt files, switch accounts, and manage password
- USB Port Locker prevents unauthorized access by requiring fingerprint scan to unlock
   These systems are Microsoft<sup>®</sup> Office 2010 Product Key Ready (O10PKR)

| Positioning<br>Processor   | Widescreen flexibility; two-spindle Intel® Core™ i5-2410M processor (dual-core, 2.30GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz), HT technology   | Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64  |
|--|---|--|
| Memory   | 8GB max <sup>7</sup> ; <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets  | <b>Preloaded applications</b> <sup>14</sup> (only some listed)   |
| SATA DVD±RW<br>SATA disk   | DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in <b>750GB</b> (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high, Active Protection System™   | Lenovo OneKey Recovery     Lenovo ReadyComm  |
| Widescreen<br>display<br>Camera  | 15.6" (396.2mm) HD (WXGA 1366x768) TFT color, VibrantView (glossy);<br>LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus, LED indicator   | McAfee® VirusScan® Plus (60 days of virus definitions) Windows Live Essentials CyberLink YouCam  |
| Graphics   | NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, Intel HD Graphics in processor, and NVIDIA GeForce® GT 525M, PCI Express® x16, 1GB DDR3 memory, DirectX® 11, NVIDIA CUDA™ technology, external monitor support via analog VGA DB-15 connector / digital HDMI connector                                     | Microsoft Office 2010 preloaded;<br>purchase product key to activate     Lenovo Energy Management<br>Software     Cyberlink Power2Go (DVD±RW)  |
| Keyboard<br>Numeric keypad<br>Touch controls<br>Light sensor<br>Touch pad  | Full-size keyboard, 6-row, recovery key Numeric keypad on right of keyboard None None Two-button touch pad with scroll feature, multi-touch   | Lénovo Security Suite     USB Port Locker     BioExcess  90-watt AC adapter  |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material       | (WxDxH): 14.9" x 9.9" x 1.3"; 378mm x 252mm x 32.3mm with optical drive and battery: 6-cell: 5.29 lb (2.4 kg) Silver gray top, black bottom Top and palm rest: Aluminum Bottom: Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic  | Wireless on/off switch<br>Graphic Optimus/Integrated switch<br>EPEAT™ Silver rating<br>ENERGY STAR® qualified<br>RoHS-compliant  |
| Battery - type<br>Battery - life <sup>10</sup>                             | Lithium Ion 6-cell Up to 5 hr   | Limited Warranty <sup>12</sup>   |
| Chipset<br>ExpressCard/34<br>Multicard reader<br>Ports                     | Mobile Intel HM65 Express Chipset None 6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital High Capacity Card, xD-Picture Card™) Three USB 2.0 and one eSATA/USB combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)  | → 1-year warranty*:  * 1- year on major electronic components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter  → Mail In repair service  → Service upgrade options                         |
| TV tuner PCIe Mini Card Intel 1000 Bluetooth™ Modem Ethernet Audio support | None Two PCle Mini Card slots 11b/g/n wireless <sup>4</sup> , PCle Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2 Bluetooth 2.1 wireless + EDR, USB 2.0 interface None Gigabit ethernet, RealTek® RTL8111E, PCle x1 High Definition (HD) Audio, RealTek ALC272 codec / stereo speakers (1.5 watt x 2) / one internal analog microphone, | (in eligible locations):9 • 1-year Lenovo Onsite Repair <sup>13</sup> - 78Y1532 • 1-year Onsite with accidental damage protection 78Y1533 • 2-year Lenovo Onsite Repair <sup>13</sup> - 78Y1536 • 3-year Lenovo Depot Repair |
| Security<br>Fingerprint reader   | microphone input jack (3.5 mm), headphone jack (stereo, 3.5 mm) Power-on password, hard disk password, administrator password, security lockhole Fingerprint reader on palm rest, swipe sensor  | 78Y1538  ≈ 24x7¹⁶ toll-free support for warranty issues during the warranty period¹² via 877-453-6686  |

|                   | Max             |            | CCFL |      |          |      |         | PCle Mini |       |             |       |         |         |
|-------------------|-----------------|------------|------|------|----------|------|---------|-----------|-------|-------------|-------|---------|---------|
| Pro-              | turbo           | Widescreen | or   | Cam- |          | SATA | SATA    | Card      | Top   | Fingerprint | Blue- |         | Win7    |
| Type-model cessor | GHz (GHz) Memor | y display  | LED  | era  | Graphics | disk | optical | 802.11    | color | reader      | tooth | Battery | preload |

4315-24U i3-2310M 2.10 None 2GBx2 14.0" HD LED 0.3M Intel HD 500GB8 DVD±RW Intel 1000 Black Fingerprint BT2.1 6-cell Prem 64

- 14.0" widescreen, glossy display with LED backlight
- Integrated 0.3 megapixel camera
- Lenovo Rescue System provides OneKey™ recovery and OneKey Antivirus without booting into Windows
- Fingerprint reader for easy and secure login
- BioExcess provides a convenient way to quickly encrypt or decrypt files, switch accounts, and manage passwords
- USB Port Locker prevents unauthorized access by requiring fingerprint scan to unlock
- This system is Microsoft® Office 2010 Product Key Ready (O10PKR)

| Positioning<br>Processor                                     | Widescreen flexibility; two-spindle<br>Intel® Core™ i3-2310M processor (dual-core, 2.10GHz, 3MB cache),  | Preloaded operating system <sup>20</sup> - Genuine Windows® 7   |
|--|--|---|
| M  | DDR3 memory controller (up to 1333MHz), HT technology  | Home Premium 64   |
| Memory   | 8GB max <sup>7</sup> ; <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets   | <b>Preloaded applications</b> <sup>14</sup> (only some listed)  |
| SATA DVD±RW<br>SATA disk                                     | DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in <b>500GB</b> (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high   | Lenovo OneKey Recovery     Lenovo ReadyComm   |
| Widescreen<br>display<br>Camera                              | 14.0" (355.6mm) HD (WXGA 1366x768) TFT color, VibrantView (glossy);<br>LED backlight, 200 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 0.3-megapixel, fixed focus, LED indicator  | McAfee® VirusScan® Plus (60 days of virus definitions) Windows Live Essentials CyberLink YouCam   |
| Graphics   | Intel HD Graphics 3000 in processor, uses system memory, external monitor support via analog VGA DB-15 connector / digital HDMI connector  | Microsoft Office 2010 preloaded;<br>purchase product key to activate  |
| Keyboard<br>Touch controls<br>Light sensor<br>Touch pad      | Full-size keyboard, 6-row, recovery key None None Two-button touch pad with scroll feature, multi-touch  | Lenovo Energy Management<br>Software     Cyberlink Power2Go (DVD±RW)     Lenovo Security Suite  |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup>               | (WxDxH): 13.4" x 9.2" x 1.3"; 340mm x 234.6mm x 33.6mm with optical drive and battery: 6-cell: 4.85 lb (2.2 kg)  | USB Port Locker     BioExcess   |
| Case color<br>Case material                                  | Black top, black bottom  Top and palm rest: Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic  Bottom: Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic   | Integrated models: 65-watt AC adapter Wireless on/off switch EPEAT™ Silver rating   |
| Battery - type<br>Battery - life <sup>10</sup>               | Lithium Ion <b>6-cell</b><br>Up to 6 hr  | ENERGY STAR® qualified<br>RoHS-compliant  |
| Chipset<br>ExpressCard/34                                    | Mobile Intel HM65 Express Chipset None   | Limited Warranty <sup>12</sup>  |
| Multicard reader Ports                                       | 6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital High Capacity Card, xD-Picture Card™)  Three USB 2.0 and one eSATA/USB combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)   | <ul> <li>1-year warranty*:</li> <li>* 1- year on major electronic<br/>components (including battery),</li> <li>90-day on keyboard, hinges,</li> </ul> |
| TV tuner PCle Mini Card Intel 1000 Bluetooth™ Modem Ethernet | None Two PCIe Mini Card slots 11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2 Bluetooth 2.1 wireless + EDR, USB 2.0 interface None Gigabit ethernet, RealTek® RTL8111E, PCIe x1  | plastics, power cord, AC adapter  Mail In repair service  Service upgrade options (in eligible locations):  1-year Lenovo Onsite Repair 78Y1532       |
| Audio support  Security  Fingerprint reader                  | High Definition (HD) Audio, RealTek ALC272 codec / stereo speakers (1.5 watt x 2) / one internal analog microphone, microphone input jack (3.5 mm), headphone jack (stereo, 3.5 mm) Power-on password, hard disk password, administrator password, security lockhole Fingerprint reader on palm rest, swipe sensor | 1-year Onsite with accidental damage protection 78Y1533     2-year Lenovo Onsite Repair <sup>13</sup> 78Y1536     3-year Lenovo Depot Repair          |
| 90171111100001   | gs.p   | 78Y1538  ≈ 24x7¹⁶ toll-free support for warranty issues during the warranty period¹² via 877-453-6686   |

|                   | Max                       |                       | <b>CCFL</b> |             |          |              |              | PCle Mini      |              |                       |                |                         |
|-------------------|---------------------------|-----------------------|-------------|-------------|----------|--------------|--------------|----------------|--------------|-----------------------|----------------|-------------------------|
| Type-model cessor | turbo<br>GHz (GHz) Memory | Widescreen<br>display | or<br>LED   | Cam-<br>era | Graphics | SATA<br>disk | SATA optical | Card<br>802.11 | Top<br>color | Fingerprint<br>reader | Blue-<br>tooth | Win7<br>Battery preload |

4315-23U i5-2410M 2.30 2.90 2GBx2 14.0" HD LED 0.3M GF 410M 500GB8 DVD±RW Intel 1000 Black Fingerprint BT2.1 6-cell Prem 64

- 14.0" widescreen, glossy display with LED backlight
- Integrated 0.3 megapixel camera
- Lenovo Rescue System provides OneKey™ recovery and OneKey Antivirus without booting into Windows
- Fingerprint reader for easy and secure login
- BioExcess provides a convenient way to quickly encrypt or decrypt files, switch accounts, and manage passwords
- USB Port Locker prevents unauthorized access by requiring fingerprint scan to unlock
- This system is Microsoft® Office 2010 Product Key Ready (O10PKR)

| - ···   |  |  |
|---|--|--|
| Positioning<br>Processor  | Widescreen flexibility; two-spindle Intel® Core™ i5-2410M processor (dual-core, 2.30GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz), HT technology  | Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64  |
| Memory  | 8GB max <sup>z</sup> ; <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets   | <b>Preloaded applications</b> <sup>14</sup> (only some listed)   |
| SATA DVD±RW<br>SATA disk  | DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in <b>500GB</b> (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high   | Lenovo OneKey Recovery     Lenovo ReadyComm  |
| Widescreen<br>display<br>Camera   | 14.0" (355.6mm) HD (WXGA 1366x768) TFT color, VibrantView (glossy);<br>LED backlight, 200 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 0.3-megapixel, fixed focus, LED indicator  | McAfee® VirusScan® Plus (60 days of virus definitions) CyberLink YouCam Microsoft Office 2010 preloaded;   |
| Graphics  | NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, Intel HD Graphics 3000 in processor, and NVIDIA GeForce® 410M, PCI Express® x16, 1GB DDR3 memory, DirectX® 11, NVIDIA CUDA™ technology, external monitor support via analog VGA DB-15 connector / digital HDMI connector  | purchase product key to activate Lenovo Energy Management Software Cyberlink Power2Go (DVD±RW) Lenovo Security Suite   |
| Keyboard<br>Touch controls<br>Light sensor  | Full-size keyboard, 6-row, recovery key<br>None<br>None  | USB Port Locker     BioExcess  |
| Touch pad   | Two-button touch pad with scroll feature, multi-touch  | Discrete models: 90-watt AC adapter Wireless on/off switch   |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material                                    | (WxDxH): 13.4" x 9.2" x 1.3"; 340mm x 234.6mm x 33.6mm with optical drive and battery: 6-cell: 4.85 lb (2.2 kg) Black top, black bottom Top and palm rest: Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Bottom: Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic   | Graphic Optimus/Integrated switch EPEAT™ Silver rating ENERGY STAR® qualified RoHS-compliant   |
| Battery - type<br>Battery - life <sup>10</sup>  | Lithium Ion 6-cell<br>Up to 5.8 hr   | Limited Warranty <sup>12</sup>   |
| Chipset<br>ExpressCard/34<br>Multicard reader<br>Ports  | Mobile Intel HM65 Express Chipset  None 6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital High Capacity Card, xD-Picture Card™) Three USB 2.0 and one eSATA/USB combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)  | * 1- year warranty  * 1- year on major electronic components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter  Mail In repair service  Service upgrade options  |
| TV tuner PCIe Mini Card Intel 1000 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader | None Two PCle Mini Card slots 11b/g/n wireless <sup>4</sup> , PCle Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2 Bluetooth 2.1 wireless + EDR, USB 2.0 interface None Gigabit ethernet, RealTek® RTL8111E, PCle x1 High Definition (HD) Audio, RealTek ALC272 codec / stereo speakers (1.5 watt x 2) / one internal analog microphone, microphone input jack (3.5 mm), headphone jack (stereo, 3.5 mm) Power-on password, hard disk password, administrator password, security lockhole Fingerprint reader on palm rest, swipe sensor | (in eligible locations): <sup>3</sup> • 1-year Lenovo Onsite Repair <sup>13</sup> 78Y1532 • 1-year Onsite with accidental damage protection 78Y1533 • 2-year Lenovo Onsite Repair <sup>13</sup> 78Y1536 • 3-year Lenovo Depot Repair 78Y1538  24x7 <sup>16</sup> toll-free support for warranty issues during the warranty period <sup>12</sup> via 877-453-6686 |

| Pro-<br>Type-model cesso             | r GHz | Max<br>turbo<br>(GHz) | Widescreen<br>display | CCFL<br>or<br>LED | Cam-<br>era | Graphics | SATA<br>disk | SATA optical | PCle Mini<br>Card<br>802.11 | Top<br>color | Fingerprint reader         | Blue-<br>tooth | Battery | Win7<br>preload |
|--------------------------------------|-------|-----------------------|-----------------------|-------------------|-------------|----------|--------------|--------------|-----------------------------|--------------|----------------------------|----------------|---------|-----------------|
| 1068-A2U i5-2410<br>1068-A3U i3-2310 |       |                       | 15.6" HD<br>15.6" HD  |                   |             |          |              |              |                             |              | Fingerprint<br>Fingerprint |                |         |                 |

- 15.6" widescreen, glossy display with LED backlight
- Integrated 0.3 megapixel camera
- Lenovo Rescue System provides OneKey™ recovery and OneKey Antivirus without booting into Windows
- Fingerprint reader for easy and secure login
- BioExcess provides a convenient way to quickly encrypt or decrypt files, switch accounts, and manage passwords
- USB Port Locker prevents unauthorized access by requiring fingerprint scan to unlock
   These systems are Microsoft<sup>®</sup> Office 2010 Product Key Ready (O10PKR)

| Positioning<br>Processor   | Widescreen flexibility; two-spindle Intel® Core™ i3-2310M processor (dual-core, 2.10GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), HT technology Intel Core i5-2410M processor (dual-core, 2.30GHz, 3MB cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz), HT technology   | Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64 Preloaded applications <sup>14</sup> (only some listed)   |
|--|--|---|
| Memory   | 8GB max <sup>7</sup> ; <b>PC3-10600 1333MHz DDR3</b> , non-parity,<br>dual-channel capable, two 204-pin SO-DIMM sockets  | Lenovo OneKey Recovery     Lenovo ReadyComm   |
| SATA DVD±RW<br>SATA disk   | DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in <b>500GB</b> (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high,  | McAfee® VirusScan® Plus     (60 days of virus definitions)  |
| Widescreen<br>display<br>Camera  | 15.6" (396.2mm) HD (WXGA 1366x768) TFT color, VibrantView (glossy);<br>LED backlight, 200 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 0.3-megapixel, fixed focus, LED indicator  | Windows Live Essentials     CyberLink YouCam     VeriFace™     Microsoft Office 2010 preloaded;   |
| Graphics   | Intel HD Graphics 3000 in processor, uses system memory, external monitor support via analog VGA DB-15 connector / digital HDMI connector  | purchase product key to activate  Lenovo Energy Management  |
| Keyboard<br>Numeric keypad<br>Touch controls<br>Light sensor<br>Touch pad                              | Full-size keyboard, 6-row, recovery key<br>Numeric keypad on right of keyboard<br>None<br>None<br>Two-button touch pad with scroll feature, multi-touch  | Software Cyberlink Power2Go (DVD±RW) Lenovo Security Suite USB Port Locker BioExcess  |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material                                   | (WxDxH): 14.9" x 9.9" x 1.3"; 378mm x 252mm x 33.1mm with optical drive and battery: 6-cell: 5.18 lb (2.35 kg) Black top, black bottom Top and palm rest: Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Bottom: Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell   | Integrated models: 65-watt AC adapter Wireless on/off switch EPEAT™ Silver rating ENERGY STAR® qualified RoHS-compliant   |
| Battery - life <sup>10</sup>   | Up to 5.8 hr   | Limited Warranty <sup>12</sup>  |
| Chipset<br>ExpressCard/34<br>Multicard reader<br>Ports   | Mobile Intel HM65 Express Chipset None 6-in-1 reader (MultiMedia Card, Memory Stick, Memory Stick PRO™, Secure Digital Card, Secure Digital High Capacity Card, xD-Picture Card™) Three USB 2.0 and one eSATA/USB combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)   | □ 1-year warranty*:      * 1- year on major electronic components (including battery),     90-day on keyboard, hinges, plastics, power cord, AC adapter      □ Mail In repair service |
| TV tuner PCIe Mini Card Intel 1000 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reade | None Two PCIe Mini Card slots 11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2 Bluetooth 2.1 wireless + EDR, USB 2.0 interface None Gigabit ethernet, RealTek® RTL8111E, PCIe x1 High Definition (HD) Audio, RealTek ALC272 codec / stereo speakers (1.5 watt x 2) / one internal analog microphone, microphone input jack (3.5 mm), headphone jack (stereo, 3.5 mm) Power-on password, hard disk password, administrator password, security lockhole r Fingerprint reader on palm rest, swipe sensor | <ul> <li>Service upgrade options (in eligible locations):<sup>9</sup></li> <li>1-year Lenovo Onsite Repair<sup>13</sup></li></ul>   |



Lenovo G460



Lenovo G460







| Pro-<br>Type-model cesso  | Max<br>turbo Widescreen Cam-<br>GHz (GHz) Memory display era Graphics  | PCIe SATA SATA Mini Card Top disk optical 802.11 colo  | HDMI<br>con- Blue- Battery Win7 Avail<br>r nector tooth cells preload date  |  |  |  |  |  |  |
|---|--|--|---|--|--|--|--|--|--|
| <ul> <li>677-2GU i3-3301</li> <li>0677-7CU i3-3701</li> <li>0677-7DU i5-4601</li> <li>0677-7TU i5-3701</li> <li>0677-7UU i5-4601</li> <li>0677-7SU i3-3701</li> <li>0677-2WU i5-4301</li> <li>0677-2WU i5-4301</li> <li>0677-9UU i3-3801</li> <li>0677-9XU i5-4801</li> </ul> | M 2.40       4GB       14.0" HD       0.3M       Intel HD         M 2.53       2.80       4GB       14.0" HD       0.3M       Intel HD         M 2.40       4GB       14.0" HD       0.3M       Intel HD         M 2.53       2.80       4GB       14.0" HD       0.3M       Intel HD         M 2.40       4GB       14.0" HD       0.3M       Intel HD         M 2.26       2.53       4GB       14.0" HD       0.3M       GF 310M         M 2.66       3.20       4GB       14.0" HD       0.3M       Intel HD         M 2.53       4GB       14.0" HD       0.3M       Intel HD | 500GB DVD±RW 11b/g/n Blac<br>500GB DVD±RW 11b/g/n Blac<br>500GB DVD±RW 11b/g/n Blac<br>500GB DVD±RW 11b/g/n Blac<br>750GB DVD±RW 11b/g/n Blac<br>320GB DVD±RW Intel 1000 Blac<br>500GB DVD±RW Intel 1000 Blac<br>500GB DVD±RW Intel 1000 Blac<br>500GB DVD±RW 11b/g/n Blac | k HDMI         Blue         6-cell         Prem 64         Jan 10           kk HDMI         Blue         6-cell         Pro 64         Oct 10           kk HDMI         Blue         6-cell         Pro 64         Oct 10           kk HDMI         Blue         6-cell         Prem 64         Oct 10           kk HDMI         Blue         6-cell         Prem 64         Oct 10           kk HDMI         Blue         6-cell         Prem 64         Dec 10           kk HDMI         Blue         6-cell         Prem 64         Dec 10           kk HDMI         Blue         6-cell         Prem 64         Mar 11           kk HDMI         Blue         6-cell         Prem 64         Mar 11 |  |  |  |  |  |  |
|   | <ul> <li>14.0" widescreen, glossy display</li> <li>Integrated 0.3 megapixel camera and Lenovo<br/>helps control access to your notebook by red</li> <li>Lenovo Rescue System provides OneKey red<br/>booting into Windows</li> <li>These systems are Microsoft® Office 2010 Pro</li> </ul>   | cognizing your face overy and OneKey Antivirus with  |   |  |  |  |  |  |  |
| Positioning<br>Processo   | Widescreen flexibility; two-spindle Intel® Core™ i3 processor i3-330M, i3-370M, or i3 DMI (Direct Media Interface), integrated DDR3 mer Hyper-Threading technology, and 3MB cache Intel Core i5 processor i5-430M, i5-460M, i5-480 DMI (Direct Media Interface), integrated DDR3 mer Intel Turbo Boost, Hyper-Threading technology, and  | mory controller (up to 1066MHz),  M, or i5-560M with dual-core, mory controller (up to 1066MHz),   | Preloaded operating system <sup>20</sup> - Some: Genuine Windows® 7 Home Premium 64 - Some: Genuine Windows 7 Professional 64  Preloaded applications¹⁴ (only some  |  |  |  |  |  |  |
| Memory  | 4GB std / 8GB max <sup>7</sup> / PC3-8500 1066MHz DDR3,<br>dual-channel capable, two 204-pin SO-DIMM socke<br><i>Italics:</i> standard memory in both sockets; no s  | ets;   | listed)  • Lenovo OneKey Recovery  • Lenovo ReadyComm  • ooVoo™   |  |  |  |  |  |  |
| Diskette drive<br>SATA DVD±RW<br>SATA disk  | None<br>DVD burner, dual-layer support, fixed, not removab<br><b>320GB</b> (5400 rpm), <b>500GB</b> (5400 rpm), or <b>750GB</b><br>SATA 3.0Gb/s, 9.5mm high  |  | McAfee® VirusScan® Plus     (60 days of virus definitions)     Adobe® Reader®     CyberLink YouCam  |  |  |  |  |  |  |
| Widescreen<br>display<br>Camera   | 14.0" (355.6mm) HD (1366x768) TFT color, Vibra LED backlight, 220 nits, 16.9 aspect ratio, 500:1 c Camera on top of screen, 0.3-megapixel, fixed focu  | ontrast ratio  | Microsoft Office 2010 preloaded;<br>purchase product key to activate     VeriFace™     Lenovo Energy Management   |  |  |  |  |  |  |
| Graphics  | Some: Intel HD Graphics in processor, Some: NVIDIA® GeForce® 310M, PCI Express X DirectX 10.1, PureVideo® HD technology, external analog monitor support via VGA DB-15 co digital monitor support via HDMI connector   | CUDA™ technology   | Software Lenovo DirectShare Cyberlink Power2Go (DVD±RW)   |  |  |  |  |  |  |
| Keyboard<br>Numeric keypad<br>Touch controls<br>Touch pad   | Full-size keyboard, multimedia Fn keys, recovery k<br>None<br>OneKey Theater, mute, volume up, and volume dov<br>Two-button touch pad with scroll feature (no TrackP   | vn buttons   | 65-watt AC adapter  |  |  |  |  |  |  |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color  | (WxDxH): 13.4" x 9.13" x 0.68" to 1.35"; 340.0mm with optical drive and battery: 6-cell: from 4.85 lb (2.28) Black top, black bottom   | x 231.8mm x 17.2 to 34.4mm   | Wireless on/off switch<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant  |  |  |  |  |  |  |
| Case material<br>Battery - type<br>Battery - life <sup>10</sup>   | Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC Lithium Ion <b>6-cell</b> <i>Discrete models:</i> up to 3.5 hr; <i>Integrated models:</i>  | , ,  | Limited Warranty¹²  |  |  |  |  |  |  |
| Chipset<br>ExpressCard/34<br>Multicard reader   | Mobile Intel HM55 Express Chipset One slot (ExpressCard/34) 5-in-1 reader (MMC, Memory Stick®, Memory Stick  | PRO™, Secure Digital Card,   | components (including battery),<br>90-day on keyboard, hinges,<br>plastics, power cord, AC adapter  |  |  |  |  |  |  |
| Ports   | xD-Picture Card™)<br>Two USB 2.0, one USB 2.0/eSATA combo port, ext<br>ethernet (RJ-45)  | ernal monitor (VGA DB-15, HDMI),   | <ul> <li>✓ Mail In repair service</li> <li>✓ Service upgrade options<sup>58</sup></li> <li>(in eligible locations):<sup>9</sup></li> </ul>  |  |  |  |  |  |  |
| TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support   | None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter Bluetooth 2.1 wireless, USB 2.0 interface None 10/100 ethernet, RealTek® RTL8103EL High Definition (HD) Audio, Conexant® CX20671 costereo speakers (2 watt x 2) /   |  | 3-year Depot warranty 78Y1538     1-year Mail In with accidental damage protection 55Y2511     3-year Mail In with accidental damage protection 78Y1539     3-year Onsite warranty 78Y1540     1-year Onsite with accidental damage protection 78Y1533  |  |  |  |  |  |  |
| Security<br>Fingerprint reader  | microphone, microphone input jack (3.5 mm), head<br>Power-on password, hard disk password, supervise<br>None   |  | Toll-free support for warranty<br>issues during the warranty period <sup>12</sup><br>via 877-453-6686   |  |  |  |  |  |  |

© Lenovo (EFL1-1) March 2011

See footnotes for important warranty information

"" US models announced March 2, 2011; previous models on January 26, October 20, or December 1, 2010

"US model withdrawn effective December 2010

| Type-model           | Pro-<br>cessor | GHz  | Max<br>turbo<br>(GHz) |       | Widescreen<br>display | Cam-<br>era | Graphics             | SATA<br>disk       | SATA optical      | PCle<br>Mini Card<br>802.11 | Top<br>color | HDMI<br>con-<br>nector |              | Battery cells | Win7<br>preload    | Avail<br>date |
|----------------------|----------------|------|-----------------------|-------|-----------------------|-------------|----------------------|--------------------|-------------------|-----------------------------|--------------|------------------------|--------------|---------------|--------------------|---------------|
| 4328-24U             |                |      |                       |       |                       | 2.0M        | Intel HD             | 500GB <sup>8</sup> |                   | 11b/g/n <sup>28</sup>       |              | HDMI                   |              |               | Prem 64            |               |
| 4328-25U<br>4328-26U | i5-2410M       |      | 2.90                  |       | 14.0" HD<br>14.0" HD  |             | Intel HD<br>Intel HD | 500GB<br>500GB     | DVD±RW<br>DVD±RW  |                             |              | HDMI<br>HDMI           |              |               | Prem 64<br>Prem 64 |               |
| 4328-27U             |                | 2.30 | 2.90                  | 2+4GB | 14.0" HD              | 2.0M        | HD 6370M             | 640GB              | DVD±RW            |                             | Black        | HDMI                   |              |               | Prem 64            |               |
| 4328-2UU             |                |      |                       |       | 14.0" HD              |             | Intel HD             | 500GB              | Blu-ray           | 11b/g/n                     |              | HDMI                   |              |               | Prem 64            |               |
| 4328-2VU<br>4328-2WU |                |      |                       |       | 14.0" HD<br>14.0" HD  | 2.0M        | Intel HD<br>Intel HD | 750GB<br>750GB     | DVD±ŘW<br>Blu-rav | 11b/g/n<br>11b/a/n          |              | HDMI<br>HDMI           | Blue<br>Blue |               | Prem 64<br>Prem 64 |               |
| ₹ 4328-35U           |                |      |                       |       |                       | 2.0M        | Intel HD             | 750GB              | DVD±RW            |                             |              | HDMI                   | Blue         |               | Prem 64            |               |

- 14.0" widescreen, glossy display
  Integrated 2.0 megapixel camera and Lenovo's VeriFace facial recognition software
- helps control access to your notebook by recognizing your face

  Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These system are Microsoft® Office 2010 Product Key Ready (O10PKR)

| Positioning<br>Processo  | Widescreen flexibility; two-spindle Intel® Core™ i3-2310M processor (2 cores / 4 threads, 2.10GHz, 3MB cache), integrated Intel HD Graphics 3000, DDR3 memory controller (up to 1333MHz) Intel Core i5-2410M processor (2 cores / 4 threads, 2.30GHz, 3MB cache), integrated Intel HD Graphics 3000, DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz)  | Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64 Preloaded applications <sup>14</sup> (only some listed)  • Lenovo OneKey Recovery  |
|--|---|--|
| Memory   | 8GB max <sup>7</sup> / <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets  | Lenovo ReadyComm     ooVoo™  |
| Diskette drive<br>SATA optical<br>SATA disk  | None Some: DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in Some: Blu-ray™ Disc reader (no Blu-ray burning), DVD recordable, 12.7mm, tray-in 500GB (5400 rpm), 640GB (5400 rpm), or 750GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high   | McAfee® VirusScan® Plus     (60 days of virus definitions)     Adobe® Reader®     CyberLink YouCam     Microsoft Office 2010 preloaded;  |
| Widescreen<br>display<br>Camera  | 14.0" (355.6mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 2.0-megapixel, fixed focus   | purchase product key to activate  • VeriFace™  • Lenovo Energy Management Software   |
| Graphics   | Some: Intel HD Graphics 3000 in processor; Some: AMD Radeon™ HD 6370M Graphics, PCI Express x16, 512MB memory, DirectX® 11; external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector (HDCP-compliant)   | Lenovo DirectShare     Cyberlink Power2Go (DVD±RW)  Integrated models: 65-watt AC adapter  |
| Keyboard<br>Numeric keypad<br>Touch pad  | Full-size keyboard, multimedia Fn keys, recovery key<br>None<br>Two-button touch pad with scroll feature (no TrackPoint®), multi-touch  | Discrete models: 90-watt AC adapter Wireless on/off switch EPEAT™ Gold rating ENERGY STAR® 5.0-compliant   |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type Battery - life <sup>10</sup> | (WxDxH): 13.4" x 9.13" x 0.68" to 1.35"; 340.0mm x 231.8mm x 17.2 to 34.4mm with optical drive and battery: 6-cell: from 4.85 lb (2.2kg) Black top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell Discrete models: up to 5 hr; Integrated models: up to 6 hr   | RoHS-compliant  Limited Warranty¹²             1-year warranty*:          1- year on major electronic  |
| Chipset<br>ExpressCard/34<br>Multicard reader<br>Ports   | Mobile Intel HM65 Express Chipset None 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Four USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)  | components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter  ✓ Mail In repair service ✓ Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup>   |
| TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reade            | None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip Bluetooth 2.1 wireless + EDR, USB 2.0 interface None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole r None | 3-year Depot warranty 78Y1538     1-year Mail In with accidental damage protection 55Y2511     3-year Mail In with accidental damage protection 78Y1539     3-year Onsite warranty 78Y1540     1-year Onsite with accidental damage protection 78Y1533     Toll-free support for warranty issues during the warranty period¹² via 877-453-6686 |

See footnotes for important warranty information

us model announced September 1, 2011; previous models on February 16 or June 8, 2011

© Lenovo

(DKBR1-1) September 2011

|     | Type-model | Pro-<br>cessor | GHz  | Max<br>turbo<br>(GHz) | Memory | Widescreen<br>display | Cam-<br>era | Integrated graphics |        | SATA optical   | PCle<br>Mini Card<br>802.11 | Top<br>color | HDMI<br>con-  <br>nector | Express-<br>Card | eSATA<br>port | Win7<br>preload | Avail<br>date |
|-----|------------|----------------|------|-----------------------|--------|-----------------------|-------------|---------------------|--------|----------------|-----------------------------|--------------|--------------------------|------------------|---------------|-----------------|---------------|
|     | 0679-3JU   | i5-430M        | 2.26 | 2.53                  | 4GB    | 15.6" HD              | 0.3M        | Intel HD            | 320GB8 | DVD±RW         | 11b/g/n <sup>28</sup>       | Black        | HDMI                     | /34              | eSATA         | Prem 64         | Apr 10        |
|     | 0679-98U   | P6100          | 2.00 |                       | 4GB    | 15.6" HD              | 0.3M        | Intel HD            | 500GB  | <b>DVD</b> ±RW | 11b/g/n                     | Black        |                          |                  |               | Prem 64         | Aug 10        |
|     | 0679-99U   | P6100          | 2.00 |                       | 4GB    | 15.6" HD              | 0.3M        | Intel HD            | 320GB  | <b>DVD</b> ±RW | 11b/g/n                     | Black        |                          |                  |               | Prem 64         | Aug 10        |
| rsp | 0679-AJU   | P6200          | 2.13 |                       | 2GB    | 15.6" HD              | 0.3M        | Intel HD            | 250GB  | <b>DVD</b> ±RW | 11b/g/n                     | Black        |                          |                  |               | Prem 64         | Feb 11        |
| BF  | 0679-ALU   | P6200          | 2.13 |                       | 4GB    | 15.6" HD              | 0.3M        | Intel HD            | 320GB  | <b>DVD</b> ±RW | 11b/g/n                     | Black        |                          |                  |               | Prem 64         | Feb 11        |
| B.  | 0679-AKU   | i3-380M        | 2.53 |                       | 4GB    | 15.6" HD              | 0.3M        | Intel HD            | 500GB  | <b>DVD</b> ±RW | 11b/g/n                     | Black        |                          |                  |               | Prem 64         | Feb 11        |

- 15.6" widescreen, glossy display
  Integrated 0.3 megapixel camera and Lenovo's VeriFace facial recognition software
- helps control access to your notebook by recognizing your face
   Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

| Positioning<br>Processo   | Widescreen flexibility; two-spindle Intel® Pentium® processor P6100 or P6200 with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), and 3MB cache or Intel Core™ i3 processor i3-380M with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology, and 3MB cache or Intel Core i5 processor i5-430M with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology, and 3MB cache | Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64  Preloaded applications¹⁴ (only some listed) • Lenovo OneKey Recovery • Lenovo ReadyComm • ooVoo™ • McAfee® VirusScan® Plus (60 days of virus definitions)   |
|---|---|--|
| Memory  | <b>2GB</b> or <b>4GB</b> std / 8GB max <sup>7</sup> / <b>PC3-8500 1066MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available; <i>Non-italics:</i> standard memory in one socket; 1 socket available  | Àdobe® Reader®     CyberLink YouCam     Microsoft Office 2010 preloaded; purchase product key to activate  |
| Diskette drive<br>SATA DVD±RW<br>SATA disk  | None<br>DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in<br>250GB (5400 rpm), 320GB (5400 rpm), or 500GB (5400 rpm) /<br>SATA 3.0Gb/s, 9.5mm high   | VeriFace™     Lenovo Energy Management     Software     Lenovo DirectShare     Cenovo DirectShare  |
| Widescreen<br>display<br>Camera   | 15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel, fixed focus   | Cyberlink Power2Go (DVD±RW)  |
| Integrated graphics   | Intel HD Graphics in processor,<br>external analog monitor support via VGA DB-15 connector and<br>digital monitor support via HDMI connector (on selected models)   |  |
| Keyboard<br>Numeric keypad<br>Touch controls<br>Touch pad<br>Dimensions <sup>3</sup>                  | Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard OneKey Theater, mute, volume up, and volume down buttons One-piece touch pad with two button function, supports scroll feature  (WxDxH): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm   | 65-watt AC adapter Wireless on/off switch ENERGY STAR® 5.0-compliant   |
| Weight <sup>2</sup> Case color Case material  | with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Black top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic   | RoHS-compliant  Limited Warranty <sup>12</sup>   |
| Battery - type<br>Battery - life <sup>10</sup>  | Lithium Ion 6-cell 6-cell: up to 4 hr   | <ul> <li> ⇒ 1-year warranty*: <ul> <li>* 1- year on major electronic</li> </ul> </li> </ul>  |
| Chipset<br>ExpressCard/34<br>Multicard reader   | Mobile Intel HM55 Express Chipset  Some: One slot (ExpressCard/34)  5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™)  | components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter  Mail In repair service   |
| Ports   | Two USB 2.0, one USB 2.0/eSATA combo port (eSATA available on selected models), ethernet (RJ-45), monitor (VGA DB-15, HDMI on selected models)  | Service upgrade options <sup>58</sup> (in eligible locations):9  |
| TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reade | None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter None None 10/100 ethernet, RealTek® RTL8103EL High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (2 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Power-on password, hard disk password, supervisor password, security lockhole   | 3-year Depot warranty 78Y1538     1-year Mail In with accidental damage protection 55Y2511     3-year Mail In with accidental damage protection 78Y1539     3-year Onsite warranty 78Y1540     1-year Onsite with accidental damage protection 78Y1533     Toll-free support for warranty issues during the warranty period¹² via 877-453-6686 |

| Pro<br>Type-model ces | o-<br>ssor GHz | Max<br>turbo<br>(GHz) | )<br>Memory | Widescreen<br>display | Cam-<br>era | Integrated graphics | SATA<br>disk | SATA optical | Mini PCle<br>802.11<br>wireless | Top<br>color | HDMI<br>con-<br>nector | Blue-<br>tooth | Battery cells | Win7<br>preload | Avail<br>date |  |
|-----------------------|----------------|-----------------------|-------------|-----------------------|-------------|---------------------|--------------|--------------|---------------------------------|--------------|------------------------|----------------|---------------|-----------------|---------------|--|
| 0679-2311 i3-3        | 30M 2 13       | None                  | 4GR         | 15 6" HD              | 0.3M        | Intel HD            | 320GB8       | DVD+RW       | 11h/a/n <sup>28</sup>           | Black        | HDMI                   | None           | 6-cell        | Prem 64         | Apr 10        |  |

- 15.6" widescreen, glossy display
- Integrated 0.3 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- This system is Microsoft® Office 2010 Product Key Ready (O10PKR)

| Positioning<br>Processo   | Widescreen flexibility; two-spindle Intel® Core™ i3 processor i3-330M with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology, and 3MB cache              | Preloaded operating system <sup>20</sup> - Genuine Windows <sup>8</sup> 7 Home Premium 64 - Preloaded applications <sup>14</sup> (only some  |
|---|---|--|
| Memory  | 4GB std / 8GB max <sup>7</sup> / PC3-8500 1066MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available                                  | listed)  Lenovo OneKey Recovery  Lenovo ReadyComm  |
| Diskette drive<br>SATA DVD±RW<br>SATA disk                                | None<br>DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in<br>320GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high   | ooVoo™     McAfee® VirusScan® Plus (60 days of virus definitions)     (60 days of virus definitions)   |
| Widescreen<br>display<br>Camera   | 15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel, fixed focus   | Adobe® Reader®     CyberLink YouCam     Microsoft Office 2010 preloaded; purchase product key to activate  |
| Integrated graphics   | Intel HD Graphics in processor,<br>external analog monitor support via VGA DB-15 connector and<br>digital monitor support via HDMI connector  | VeriFace <sup>TM</sup> Lenovo Energy Management<br>Software  |
| Keyboard<br>Numeric keypad<br>Touch controls<br>Touch pad                 | Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard OneKey Theater, mute, volume up, and volume down buttons One-piece touch pad with two button function, supports scroll feature       | Lenovo DirectShare     Cyberlink Power2Go (DVD±RW)  65-watt AC adapter   |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color                    | (WxDxH): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Black top, black bottom   | Wireless on/off switch<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant   |
| Case material<br>Battery - type<br>Battery - life <sup>10</sup>           | Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic<br>Lithium Ion <b>6-cell</b><br>6-cell: up to 4 hr   | Limited Warranty¹²   |
| Chipset<br>ExpressCard/34<br>Multicard reader                             | Mobile Intel HM55 Express Chipset One slot (ExpressCard/34) 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™)  | components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter  Mail In repair service   |
| Ports   | Two USB 2.0, one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)   | Service upgrade options <sup>58</sup> (in eligible locations):9  |
| TV tuner PCle Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support | None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter None None 10/100 ethernet, RealTek® RTL8103EL High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (2 watt x 2) / | 3-year Depot warranty 78Y1538     1-year Mail In with accidental damage protection 55Y2511     3-year Mail In with accidental damage protection 78Y1539     3-year Onsite warranty 78Y1540     1-year Onsite with accidental damage protection 78Y1533 |
| Security<br>Fingerprint reader  | microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Power-on password, hard disk password, supervisor password, security lockhole   | Toll-free support for warranty<br>issues during the warranty period <sup>12</sup><br>via 877-453-6686  |

See footnotes for important warranty information US model announced May 12, 2010

© Lenovo (EFL2-3) May 2010

| Pro-<br>Type-model cessor | GHz  | Memory | Widescreer<br>display | Cam- | Integrated graphics | SATA<br>disk | SATA optical | PCle<br>Mini Card<br>802.11 | Top<br>color | HDMI connector | Blue-<br>tooth | Battery cells | Win7<br>preload | Avail<br>date |
|---------------------------|------|--------|-----------------------|------|---------------------|--------------|--------------|-----------------------------|--------------|----------------|----------------|---------------|-----------------|---------------|
| 0679-2AU i3-330M          | 2 13 | 4GB    | 15.6" HD              | 0.3M | Intel HD            | 320GB8       | DVD+RW       | 11b/g/n <sup>28</sup>       | Black        | HDMI           | None           | 6-cell        | Prem 64         | .lan 10       |

- 15.6" widescreen, glossy display
- Integrated 0.3 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- This system is Microsoft® Office 2010 Product Key Ready (O10PKR)

| Positioning<br>Processo   | Widescreen flexibility; two-spindle Intel® Core™ i3 processor i3-330M with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology, and 3MB cache   | Preloaded operating system <sup>20</sup> - Genuine Windows <sup>®</sup> 7 Home Premium 64 - Preloaded applications <sup>14</sup> (only some  |
|---|--|--|
| Memory  | <b>4GB</b> std / 8GB max <sup>7</sup> / <b>PC3-8500 1066MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Italics:</i> standard memory in both sockets; no sockets available  | listed)  Lenovo OneKey Recovery  Lenovo ReadyComm  |
| Diskette drive<br>SATA DVD±RW<br>SATA disk                                | None<br>DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in<br><b>320GB</b> (5400 rpm) / SATA 3.0Gb/s, 9.5mm high   | ooVoo™     McAfee® VirusScan® Plus (60 days of virus definitions)  |
| Widescreen<br>display<br>Camera   | 15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy),<br>LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 0.3-megapixel, fixed focus  | Adobe® Reader®     CyberLink YouCam     Microsoft Office 2010 preloaded; purchase product key to activate  |
| Integrated graphics   | Intel HD Graphics in processor,<br>external analog monitor support via VGA DB-15 connector and<br>digital monitor support via HDMI connector   | VeriFace <sup>™</sup> Lenovo Energy Management<br>Software   |
| Keyboard<br>Numeric keypad<br>Touch controls<br>Touch pad                 | Full-size keyboard, multimedia Fn keys, recovery key Numeric keypad on right of keyboard OneKey Theater, mute, volume up, and volume down buttons One-piece touch pad with two button function, supports scroll feature                                  | Lenovo DirectShare     Cyberlink Power2Go (DVD±RW)  65-watt AC adapter   |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material      | (WxDxH): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Black top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic                         | Wireless on/off switch ENERGY STAR® 5.0-compliant RoHS-compliant  Limited Warranty <sup>12</sup>   |
| Battery - type<br>Battery - life <sup>10</sup>                            | Lithium Ion 6-cell 6-cell: up to 4 hr  | ⇒ 1-year warranty*:  |
| Chipset<br>ExpressCard/34<br>Multicard reader<br>Ports                    | Mobile Intel HM55 Express Chipset One slot (ExpressCard/34) 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Two USB 2.0, one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45) | * 1- year on major electronic components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter Mail In repair service Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup>                          |
| TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support | None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter None None 10/100 ethernet, RealTek® RTL8103EL High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (2 watt x 2) /                            | 3-year Depot warranty 78Y1538     1-year Mail In with accidental damage protection 55Y2511     3-year Mail In with accidental damage protection 78Y1539     3-year Onsite warranty 78Y1540     1-year Onsite with accidental damage protection 78Y1533 |
| Security<br>Fingerprint reader  | microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Power-on password, hard disk password, supervisor password, security lockhole None   | Toll-free support for warranty<br>issues during the warranty period <sup>12</sup><br>via 877-453-6686  |

See footnotes for important warranty information US model announced January 26, 2010

© Lenovo (EFL2-1) January 2010

|                   |      |        | C          | CFL |      |            |         |        |         | Mini PCle             |           |              |         |        |
|-------------------|------|--------|------------|-----|------|------------|---------|--------|---------|-----------------------|-----------|--------------|---------|--------|
| Pro-              |      |        | Widescreen |     | Cam- | Integrated |         | SATA   | SATA    | 802.11                | Top       | Card Blue-   | Win7    | Avail  |
| Type-model cessor | GHz  | Memory | display l  | LED | era  | graphics   | Chipset | disk   | optical | wireless              | color     | reader tooth | preload | date   |
| 1050-42LL T3500   | 2 10 | 2GBv1  | 15.6" HD.I | FD  | U 3M | 4500MHD    | GM45    | 250GR8 | DVD+RW  | 11h/a/n <sup>28</sup> | Dark Blue | 5-in-1 None  | Prom 64 | Δnr 11 |

- 15.6" widescreen, glossy display
- Integrated 0.3 megapixel camera and Lenovo's VeriFace face recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- This system is Microsoft® Office 2010 Product Key Ready (O10PKR)

| Positioning<br>Processor   | Widescreen flexibility; two-spindle Intel® Celeron® Processor T3500 with dual-core, 800MHz system bus, and 1MB L2 cache  | Preloaded operating system <sup>20</sup> - Genuine Windows 7 Home Premium 64  |
|--|--|---|
| Memory   | 8GB max <sup>7</sup> / <b>PC3-8500 1066MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets  | Preloaded applications <sup>14</sup> (only some listed)   |
| Diskette drive<br>SATA DVD±RW<br>SATA disk   | None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 250GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high, removable   | Lenovo OneKey Recovery     Lenovo ReadyComm     ooVoo**      Model Virus Coop Rivs  |
| Widescreen<br>display<br>Camera  | 15.6" (396.2mm) HD (WXGA 1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio Camera on top of screen, 0.3-megapixel, fixed focus   | McAfee® VirusScan® Plus (60 days of virus definitions) Windows Live™ Essentials OvberLink YouCam  |
| Integrated graphics  | Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45, external analog monitor support via VGA DB-15 connector;<br>Max external resolution: 2048x1536@85Hz (VGA)   | VériFace™     Lenovo Energy Management     Software   |
| Keyboard<br>Numeric keypad<br>Touch pad  | Full-size keyboard, Fn keys, recovery key<br>Numeric keypad on right of keyboard<br>Two-button touch pad with scroll feature (no TrackPoint®), multi-touch   | Cyberlink Power2Go (DVD±RW)     Microsoft Office 2010 preloaded; purchase product key to activate   |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material                                   | (WxDxH): 14.8" x 9.8" x 0.7" to 1.4"; 376mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6 kg) Dark blue top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic  | 65-watt AC adapter<br>Wireless on/off switch<br>RoHS-compliant  |
| Battery - type<br>Battery - life <sup>10</sup>   | Lithium Ion 6-cell 6-cell: up to 4 hr  | Limited Warranty <sup>12</sup>  |
| Chipset  ExpressCard/34 Multicard reader  Ports  | Mobile Intel GM45 Express Chipset (Memory Controller Hub), ICH9M I/O Controller Hub None 5-in-1 reader (MultiMedia Card, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Three USB 2.0, external monitor (VGA), ethernet (RJ-45)  | * 1- year on major electronic components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter Mail In repair service Service upgrade options   |
| TV tuner Mini PCI Express 11b/g/n Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader | None One Mini PCI Express slot 11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Broadcom® or Atheros® chip None None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant 20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Power-on password, user password, supervisor password, security lockhole | (in eligible locations):  • 3-year Depot warranty 78Y1538  • 3-year Mail In with accidental damage protection 78Y1539  • 3-year Onsite warranty 78Y1540  • 1-year Onsite with accidental damage protection 78Y1533   □ Toll-free support for warranty issues during the warranty period¹²  via 877-453-6686 |

See footnotes for important warranty information US model announced April 7, 2011

© Lenovo (WSHT1-1) April 2011

|            | Type-model | Pro-     | CH-  | Max<br>turbo |        |          |      | Integrated | SATA<br>disk | SATA           | PCIe<br>Mini Card<br>802.11 | <b>T</b>   | HDMI      | Blue- |        | Win7    |
|------------|------------|----------|------|--------------|--------|----------|------|------------|--------------|----------------|-----------------------------|------------|-----------|-------|--------|---------|
|            | Type-model | cessor   | GHZ  | (GHZ)        | wemory | uispiay  | era  | graphics   | uisk         | optical        | 002.11                      | Top color  | connector | tooth | cells  | preload |
|            | 4334-46U   | i3-2310M | 2.10 | None         | 4GBx1  | 15.6" HD | 0.3M | Intel HD   | 500GB8       | $DVD \pm RW$   | 11b/g/n <sup>28</sup>       | Dark brown | HDMI      |       | 6-cell | Prem 64 |
| 137        | 4334-5NU   | i3-2310M | 2.10 | None         | 2GBx2  | 15.6" HD | 0.3M | Intel HD   | 320GB        | DVD±RW         | 11b/g/n                     | Dark brown |           |       | 6-cell | Prem 64 |
| E35°       | 4334-5TU   | i3-2310M | 2.10 | None         | 2GBx2  | 15.6" HD | 0.3M | Intel HD   | 750GB        | DVD±RW         | 11b/g/n                     | Dark brown | HDMI      | BT2.1 | 6-cell | Prem 64 |
| 137        | 4334-62U   | B940     | 2.00 | None         | 2+1GB  | 15.6" HD | 0.3M | Intel HD   | 500GB        | DVD±RW         | 11b/g/n                     | Black      |           |       | 6-cell | Prem 64 |
| <b>637</b> | 4334-4JU   | B940     | 2.00 | None         | 2GBx1  | 15.6" HD | 0.3M | Intel HD   | 320GB        | <b>DVD</b> ±RW | 11b/g/n                     | Black      |           |       | 6-cell | Prem 64 |
| rsp        | 4334-4QU   | B940     | 2.00 | None         | 2GBx2  | 15.6" HD | 0.3M | Intel HD   | 500GB        | $DVD {\pm} RW$ | 11b/g/n                     | Black      |           |       | 6-cell | Prem 64 |
|            |            |          |      |              |        |          |      |            |              |                |                             |            |           |       |        |         |

- 15.6" widescreen, glossy display
- Integrated 0.3 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face

  Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without
- booting into Windows
- These systems are Microsoft Office 2010 Product Key Ready (O10PKR)

|  |   | •   |
|--|---|---|
| Positioning<br>Processor   | Widescreen flexibility; two-spindle Intel® Pentium® B940 processor (2 cores / 2 threads, 2.00GHz, 2MB cache), integrated Intel HD Graphics, DDR3 memory controller (up to 1333MHz) Intel Core™ i3-2310M processor (2 cores / 4 threads, 2.10GHz, 3MB cache), integrated Intel HD Graphics, DDR3 memory controller (up to 1333MHz)   | Preloaded operating system <sup>20</sup> - Genuine Windows <sup>®</sup> 7 Home Premium 64  Preloaded applications <sup>14</sup> (only some listed)  |
| Memory   | 8GB max <sup>7</sup> / <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets  | Lenovo OneKey Recovery     Lenovo ReadyComm   |
| Diskette drive<br>SATA DVD±RW<br>SATA disk   | None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in <b>320GB</b> (5400 rpm), <b>500GB</b> (5400 rpm), or <b>750GB</b> (5400 rpm) / SATA 3.0Gb/s, 9.5mm high   | McAfee® VirusScan® Plus (60 days of virus definitions) Adobe® Reader®   |
| Widescreen<br>display<br>Camera  | 15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel, fixed focus   | CyberLink YouCam Microsoft® Office 2010 preloaded; purchase product key to activate VeriFace™  VeriFace™  |
| Integrated<br>graphics   | Intel HD Graphics in processor, external analog monitor support via VGA DB-15 connector, Some: digital monitor support via HDMI connector   | Lenovo Energy Management<br>Software     Lenovo DirectShare   |
| Keyboard<br>Numeric keypad<br>Touch pad  | Full-size keyboard, multimedia Fn keys, recovery key<br>Numeric keypad on right of keyboard<br>Two-button touch pad with scroll feature (no TrackPoint®), multi-touch   | Cyberlink Power2Go (DVD±RW)      65-watt AC adapter     Wireless on/off switch  |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material                                   | (WxDxH): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Black or dark brown top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic  | EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant  |
| Battery - type<br>Battery - life <sup>10</sup>   | Lithium Ion <b>6-cell</b> Integrated models: up to 6 hr   | Limited Warranty <sup>12</sup>  |
| Chipset<br>ExpressCard/34<br>Multicard reader<br>Ports   | Mobile Intel HM65 Express Chipset None 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Four USB 2.0, external monitor (VGA DB-15, HDMI on some models), ethernet (RJ-45)   | * 1- year on major electronic components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter Mail In repair service   |
| TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader | None One PCI Express Mini Card slot 11b/g/n wireless*, PCle Mini Card adapter, Broadcom® or Atheros® chip Some: Bluetooth 2.1 wireless + EDR, USB 2.0 interface None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole | Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup> • 3-year Depot warranty 78Y1538 • 1-year Mail In with accidental damage protection 55Y2511 • 3-year Mail In with accidental damage protection 78Y1539 • 3-year Onsite warranty 78Y1540 • 1-year Onsite with accidental damage protection 78Y1533  Toll-free support for warranty issues during the warranty period¹² via 877-453-6686 |

| Type-model           | Pro-<br>cessor   | GHz  | Max<br>turbo<br>(GHz) |       | Widescreen<br>display | Cam-<br>era  | Integrated graphics  | SATA<br>disk   | SATA optical      | PCle<br>Mini Card<br>802.11 | Top color                | HDMI connector | Blue-<br>tooth | Battery cells    | Win7<br>preload    |
|----------------------|------------------|------|-----------------------|-------|-----------------------|--------------|----------------------|----------------|-------------------|-----------------------------|--------------------------|----------------|----------------|------------------|--------------------|
| 4334-2HU<br>4334-2JU |                  |      |                       |       |                       | 2.0M<br>2.0M | Intel HD<br>Intel HD |                | DVD±RW<br>DVD±RW  |                             | Dark brown<br>Dark brown | HDMI<br>HDMI   | Blue<br>Blue   | 6-cell<br>6-cell | Prem 64<br>Prem 64 |
| 4334-2KU             | i5-2410M         | 2.30 | 2.90                  | 2GBx2 | 15.6" HD              | 2.0M         | Intel HD             | 500GB          | DVD±RW            | 11b/g/n                     | Dark brown               | HDMI           | Blue           | 6-cell           | Prem 64            |
| 4334-4AU<br>4334-5JU |                  |      |                       |       |                       | 2.0M<br>2.0M | Intel HD<br>Intel HD | 500GB<br>750GB | Blu-ray<br>DVD±RW | 11b/g/n<br>11b/g/n          | Dark brown<br>Dark brown | HDMI<br>HDMI   | Blue<br>Blue   | 6-cell<br>6-cell | Prem 64<br>Prem 64 |
| 4334-5HU<br>4334-5ZU | i5-2410M<br>B940 | 2.30 |                       |       |                       | 2.0M<br>2.0M | Intel HD<br>Intel HD |                | Blu-ray<br>DVD±RW | 11b/g/n<br>11b/g/n          | Dark brown<br>Dark brown | HDMI<br>HDMI   | Blue           | 6-cell<br>6-cell | Prem 64<br>Prem 64 |
| 4334-5YU             |                  | 2.00 |                       |       |                       | 2.0M         | Intel HD             |                | DVD±RW            |                             | Dark brown               | HDMI           |                |                  | Prem 64            |

- 15.6" widescreen, glossy display
  Integrated 2.0 megapixel camera and Lenovo's VeriFace facial recognition software
- helps control access to your notebook by recognizing your face

  Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|  |  | i  |
|--|--|--|
| Positioning<br>Processor   | Widescreen flexibility; two-spindle Intel® Pentium® B940 processor (2 cores / 2 threads, 2.00GHz, 2MB cache), integrated Intel HD Graphics, DDR3 memory controller (up to 1333MHz) Intel Core™ i3-2310M processor (2 cores / 4 threads, 2.10GHz, 3MB cache), integrated Intel HD Graphics, DDR3 memory controller (up to 1333MHz) Intel Core i5-2410M processor (2 cores / 4 threads, 2.30GHz, 3MB cache), integrated Intel HD Graphics, DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz) | Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64  Preloaded applications¹⁴ (only some listed)  • Lenovo OneKey Recovery • Lenovo ReadyComm • McAfee® VirusScan® Plus  |
| Memory   | 8GB max <sup>7</sup> / <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;  | (60 days of virus definitions)  • Adobe® Reader®   |
| Diskette drive<br>SATA optical<br>SATA disk  | None Some: DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in Some: Blu-ray <sup>™</sup> Disc reader (no Blu-ray burning), DVD recordable, 12.7mm, tray-in 500GB (5400 rpm) or 750GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high   | <ul> <li>CyberLink YouCam</li> <li>Microsoft Office 2010 preloaded;<br/>purchase product key to activate</li> <li>VeriFace™</li> </ul>   |
| Widescreen<br>display<br>Camera  | 15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 2.0-megapixel, fixed focus  | Lenovo Energy Management     Software     Lenovo DirectShare     Cyberlink Power2Go (DVD±RW)   |
| Integrated graphics  | Intel HD Graphics in processor, uses system memory, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector   | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,  |
| Keyboard<br>Numeric keypad<br>Touch pad  | Full-size keyboard, multimedia Fn keys, recovery key<br>Numeric keypad on right of keyboard<br>Two-button touch pad with scroll feature (no TrackPoint®), multi-touch  | 65-watt AC adapter Wireless on/off switch EPEAT™ Gold rating ENERGY STAR® 5.0-compliant  |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type Battery - life <sup>10</sup> | (WxDxH): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Dark brown top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell Discrete models: up to 5 hr; Integrated models: up to 6 hr  | RoHS-compliant  Limited Warranty¹²             1-year warranty*:    * 1- year on major electronic  |
| Chipset<br>ExpressCard/34<br>Multicard reader<br>Ports   | Mobile Intel HM65 Express Chipset None 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Four USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)   | components (including battery),<br>90-day on keyboard, hinges,<br>plastics, power cord, AC adapter<br>⇒ Mail In repair service<br>⇒ Service upgrade options <sup>58</sup><br>(in eligible locations): <sup>9</sup>   |
| TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reade            | None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip Some: Bluetooth 2.1 wireless + EDR, USB 2.0 interface None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole r None  | 3-year Depot warranty 78Y1538     1-year Mail In with accidental damage protection 55Y2511     3-year Mail In with accidental damage protection 78Y1539     3-year Onsite warranty 78Y1540     1-year Onsite with accidental damage protection 78Y1533     Toll-free support for warranty issues during the warranty period¹² via 877-453-6686 |

See footnotes for important warranty information

us us model announced August 10, 2011; previous models on February 16 or June 8, 2011

© Lenovo (LAGR1-1) August 2011

| Type-model | Processor              | GHz          | Memory | Widescreen<br>display        | Cam-<br>era | Integrated<br>graphics | SATA<br>disk | SATA optical     | PCle<br>Mini Card<br>802.11 | Top<br>color   | HDMI<br>connector | Blue-<br>tooth | Battery cells | Win7<br>preload    |
|------------|------------------------|--------------|--------|------------------------------|-------------|------------------------|--------------|------------------|-----------------------------|----------------|-------------------|----------------|---------------|--------------------|
|            | AMD E-350<br>AMD E-350 | 1.60<br>1.60 |        | 15.6" HD LED<br>15.6" HD LED |             | HD 6310M<br>HD 6310M   |              | DVD±RW<br>DVD±RW |                             | Black<br>Black |                   | None<br>None   |               | Prem 64<br>Prem 64 |

- 15.6" widescreen, glossy display
  Integrated 0.3 or 2.0 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
  Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

| Positioning<br>Processor   | Widescreen flexibility; two-spindle  AMD Accelerated Processor E-350 (dual-core, 1.60GHz, 1MB L2 cache), integrated AMD Radeon™ HD 6310M Graphics, integrated DDR3 memory controller (up to 1066MHz)   | Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64 Preloaded applications <sup>14</sup> (only some  |
|--|--|--|
| Memory   | 8GB max <sup>7</sup> / <b>PC3-8500 1066MHz DDR3</b> , non-parity, two 204-pin SO-DIMM sockets  | listed)  |
| Diskette drive<br>SATA optical<br>SATA disk  | None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 320GB (5400 rpm) or 500GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high  | Lenovo OneKey Recovery     Lenovo ReadyComm     ooVoo™   |
| Widescreen<br>display<br>Camera  | 15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 2.0-megapixel, fixed focus   | McAfee® VirusScan® Plus     (60 days of virus definitions)     Adobe® Reader®     CyberLink YouCam   |
| Integrated graphics  | AMD Radeon HD 6310M Graphics, in processor, DirectX® 11, use system memory, External monitor support via analog VGA DB-15 connector  | Microsoft Office 2010 preloaded;<br>purchase product key to activate   |
| Keyboard<br>Numeric keypad<br>Touch pad  | Full-size keyboard, multimedia Fn keys, recovery key<br>Numeric keypad on right of keyboard<br>Two-button touch pad with scroll feature (no TrackPoint®), multi-touch  | VeriFace™     Lenovo Energy Management     Software     Chartiel Power2Co (DVD) PW)  |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type Battery - life <sup>10</sup> | (WxDxH): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Black top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell Integrated models: up to 6 hr  | Cyberlink Power2Go (DVD±RW)  40-watt AC adapter Wireless on/off switch EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant  |
| Chipset<br>ExpressCard/34<br>Multicard reader<br>Ports   | AMD A50M FCH None 2-in-1 reader (MMC, Secure Digital Card) Four USB 2.0, external monitor (VGA DB-15), ethernet (RJ-45)  | Limited Warranty¹²   |
| Ports TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader     | None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip None None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole r None | components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter Mail In repair service Service upgrade options <sup>58</sup> (in eligible locations):9  • 3-year Depot warranty 78Y1538 • 1-year Mail In with accidental damage protection 55Y2511 • 3-year Mail In with accidental damage protection 78Y1539 • 3-year Onsite warranty 78Y1540 • 1-year Onsite with accidental damage protection 78Y1533  Toll-free support for warranty issues during the warranty period <sup>12</sup> via 877-453-6686 |

| Type-model Processor GHz Mem | Widescreen Cam-<br>ry display era          |  | Top HDMI<br>color connector | Blue- Battery tooth cells  | Win7<br>preload |
|------------------------------|--|--|-----------------------------|----------------------------|-----------------|
|                              | 1 15.6" HD LED 2.0M<br>1 15.6" HD LED 2.0M |  | Black None<br>Black None    | None 6-cell<br>None 6-cell |                 |

- 15.6" widescreen, glossy display
  Integrated 0.3 or 2.0 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

| Positioning<br>Processor   | Widescreen flexibility; two-spindle  AMD Accelerated Processor E-350 (dual-core, 1.60GHz, 1MB L2 cache), integrated AMD Radeon™ HD 6310M Graphics, integrated DDR3 memory controller (up to 1066MHz)   | Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64 Preloaded applications <sup>14</sup> (only some  |
|--|--|--|
| Memory   | 8GB max <sup>7</sup> / <b>PC3-8500 1066MHz DDR3</b> , non-parity, two 204-pin SO-DIMM sockets  | listed)  |
| Diskette drive<br>SATA optical<br>SATA disk  | None DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in 500GB (5400 rpm) or 750GB (5400 rpm) / SATA 3.0Gb/s, 9.5mm high  | Lenovo OneKey Recovery     Lenovo ReadyComm     ooVoo™   |
| Widescreen<br>display<br>Camera  | 15.6" (396.2mm) HD (1366x768) TFT color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio Camera on top of screen, 0.3-megapixel or 2.0-megapixel, fixed focus   | McAfee® VirusScan® Plus     (60 days of virus definitions)     Adobe® Reader®     CyberLink YouCam   |
| Integrated graphics  | AMD Radeon HD 6310M Graphics, in processor, DirectX® 11, use system memory, External monitor support via analog VGA DB-15 connector  | Microsoft Office 2010 preloaded;<br>purchase product key to activate   |
| Keyboard<br>Numeric keypad<br>Touch pad  | Full-size keyboard, multimedia Fn keys, recovery key<br>Numeric keypad on right of keyboard<br>Two-button touch pad with scroll feature (no TrackPoint®), multi-touch  | VeriFace™     Lenovo Energy Management     Software     Cyberlink Power2Go (DVD±RW)  |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type Battery - life <sup>10</sup> | (WxDxH): 14.83" x 9.83" x 0.68" to 1.37"; 376.8mm x 249.8mm x 17.3 to 34.9mm with optical drive and battery: 6-cell: from 5.73 lb (2.6kg) Black top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium Ion 6-cell Integrated models: up to 6 hr  | 40-watt AC adapter Wireless on/off switch EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant   |
| Chipset<br>ExpressCard/34<br>Multicard reader<br>Ports   | AMD A50M FCH None 2-in-1 reader (MMC, Secure Digital Card) Four USB 2.0, external monitor (VGA DB-15), ethernet (RJ-45)  | Limited Warranty¹²   |
| Ports TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader     | None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip None None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole r None | components (including battery), 90-day on keyboard, hinges, plastics, power cord, AC adapter Mail In repair service Service upgrade options <sup>58</sup> (in eligible locations):9  • 3-year Depot warranty 78Y1538 • 1-year Mail In with accidental damage protection 55Y2511 • 3-year Mail In with accidental damage protection 78Y1539 • 3-year Onsite warranty 78Y1540 • 1-year Onsite with accidental damage protection 78Y1533  Toll-free support for warranty issues during the warranty period <sup>12</sup> via 877-453-6686 |

See footnotes for important warranty information US models announced August 10, 2011

© Lenovo (SAMB1-2) August 2011





Lenovo G770

Lenovo G770





Lenovo G770

Lenovo G770





Lenovo G770

Lenovo G770

| Type-model                       | Pro-<br>cessor |        | Max<br>turbo<br>(GHz) | Memory | Widescreen<br>display               | Cam-<br>era | Integrated graphics              | SATA<br>disk                         | Optical                     | PCle<br>Mini Card<br>802.11 | Top<br>color                           | HDMI connector       | Blue-<br>tooth | Battery cells    | Win7<br>preload               |
|----------------------------------|----------------|--------|-----------------------|--------|-------------------------------------|-------------|----------------------------------|--------------------------------------|-----------------------------|-----------------------------|--|----------------------|----------------|------------------|-------------------------------|
| 1037-2MU<br>1037-28U<br>1037-2LU | i3-2310N       | 1 2.10 |                       | 2GBx2  | 17.3" HD+<br>17.3" HD+<br>17.3" HD+ | 2.0M        | Intel HD<br>Intel HD<br>Intel HD | 750GB <sup>8</sup><br>500GB<br>750GB | Blu-ray<br>DVD±RW<br>DVD±RW |                             | Dark brown<br>Dark brown<br>Dark brown | HDMI<br>HDMI<br>HDMI | BT2.1          | 6-cell<br>6-cell | Prem 64<br>Prem 64<br>Prem 64 |

- 17.3" widescreen, glossy display
- Integrated 2.0 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
   Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without
- booting into Windows
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

| Positioning<br>Processor   | Widescreen flexibility; two-spindle Intel® Core™ i3-2310M processor (dual-core, 2.10GHz, 3MB cache), integrated Intel HD Graphics 3000, DDR3 memory controller (up to 1333MHz) Intel Core i5-2410M processor (dual-core, 2.30GHz, 3MB cache), integrated Intel HD Graphics 3000, DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz), HT technology   | Preloaded operating system <sup>20</sup> - Genuine Windows <sup>®</sup> 7 Home Premium 64  Preloaded applications <sup>14</sup> (only some listed)  |
|--|---|---|
| Memory   | 8GB max <sup>7</sup> / <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets  | <ul> <li>Lenovo OneKey Recovery</li> <li>Lenovo ReadyComm</li> <li>ooVoo™</li> </ul>  |
| Diskette drive<br>Optical<br>SATA disk   | None Some: DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in Some: Blu-ray™ Disc reader (no Blu-ray burning), DVD recordable, 12.7mm, tray-in 500GB (5400 rpm) or 750GB (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high   | McAfee® VirusScan® Plus     (60 days of virus definitions)     Adobe® Reader®     Windows Live™ Essentials  |
| Widescreen<br>display<br>Camera  | 17.3" (439.4mm) HD+ (1600x900) TFT color, VibrantView (glossy),<br>LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus  | CyberLink YouCam     Microsoft Office 2010 preloaded; purchase product key to activate     VeriFace™  |
| Integrated graphics  | Intel HD Graphics 3000 in processor,<br>external analog monitor support via VGA DB-15 connector and<br>digital monitor support via HDMI connector (HDCP-compliant)  | Lenovo Energy Management<br>Software     Lenovo DirectShare   |
| Keyboard<br>Numeric keypad<br>Touch pad  | Full-size keyboard, multimedia Fn keys, recovery key<br>Numeric keypad on right of keyboard<br>Two-button touch pad with scroll feature, multi-touch  | Cyberlink Power2Go (DVD±RW)   |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type                    | (WxDxH): 16.38" x 10.71" x 1.42" to 1.77"; 416mm x 272mm x 36.1 to 44.9mm with optical drive and battery: 6-cell: from 6.61 lb (3.0kg)  Dark brown top, black bottom  Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic  Lithium Ion 6-cell  | 65-watt AC adapter Wireless on/off switch EPEAT™ Gold rating ENERGY STAR® qualified RoHS-compliant  |
| ExpressCard/34 Multicard reader Ports  | Integrated models: up to 5 hr  Mobile Intel HM65 Express Chipset None 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Four USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)   | Limited Warranty¹²  |
| TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader | None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip Some: Bluetooth 2.1 wireless + EDR, USB 2.0 interface None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole None | Mail In repair service     Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup> • 3-year Depot warranty 78Y1538     • 1-year Mail In with accidental damage protection 55Y2511     • 3-year Mail In with accidental damage protection 78Y1539     • 3-year Onsite warranty 78Y1540     • 1-year Onsite with accidental damage protection 78Y1533     □ Toll-free support for warranty issues during the warranty period¹² via 877-453-6686 |

| Pro-<br>Type-model cessor              | Max<br>turbo<br>(GHz) | Memory | Widescreen<br>display | Cam-<br>era | Integrated graphics | SATA<br>disk | SATA optical | PCle<br>Mini Card<br>802.11 | Top color | HDMI<br>connector | Blue-<br>tooth | Battery cells | Win7<br>preload    |
|--|-----------------------|--------|-----------------------|-------------|---------------------|--------------|--------------|-----------------------------|-----------|-------------------|----------------|---------------|--------------------|
| 1037-2GU i5-2410M<br>1037-2HU i5-2410M |                       |        |                       |             |                     |              |              |                             |           |                   |                |               | Prem 64<br>Prem 64 |

- 17.3" widescreen, glossy display
- Integrated 2.0 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

| Positioning<br>Processor   | Widescreen flexibility; two-spindle Intel® Core™ i5-2410M processor (dual-core, 2.30GHz, 3MB cache), integrated Intel HD Graphics 3000, DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz), HT technology  | Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64  Preloaded applications <sup>14</sup> (only some   |
|--|---|--|
| Memory   | 8GB max <sup>7</sup> / <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;   | listed)  • Lenovo OneKey Recovery  |
| Diskette drive<br>SATA DVD±RW<br>SATA disk   | None<br>DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in<br>500GB (5400 rpm) or 750GB (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high  | Lenovo ReadyComm     ooVoo™     McAfee® VirusScan® Plus  |
| Widescreen<br>display<br>Camera  | 17.3" (439.4mm) HD+ (1600x900) TFT color, VibrantView (glossy),<br>LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus  | (60 days of virus definitions)  • Adobe® Reader®  • Windows Live™ Essentials  • CyberLink YouCam   |
| Integrated<br>graphics   | Intel HD Graphics 3000 in processor,<br>external analog monitor support via VGA DB-15 connector and<br>digital monitor support via HDMI connector (HDCP-compliant)  | <ul> <li>Microsoft Office 2010 preloaded;<br/>purchase product key to activate</li> <li>VeriFace™</li> </ul>   |
| Keyboard<br>Numeric keypad<br>Touch pad  | Full-size keyboard, multimedia Fn keys, recovery key<br>Numeric keypad on right of keyboard<br>Two-button touch pad with scroll feature, multi-touch  | Lenovo Energy Management<br>Software     Lenovo DirectShare     Cyberlink Power2Go (DVD±RW)  |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type Battery - life <sup>10</sup> | (WxDxH): 16.38" x 10.71" x 1.42" to 1.77"; 416mm x 272mm x 36.1 to 44.9mm with optical drive and battery: 6-cell: from 6.61 lb (3.0kg) Dark brown top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium lon 6-cell Integrated models: up to 5 hr   |  |
| Chipset<br>ExpressCard/34<br>Multicard reader<br>Ports   | Mobile Intel HM65 Express Chipset None 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Four USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)  | Limited Warranty <sup>12</sup> 1-year warranty*:  1- year on major electronic components (including battery),  |
| TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader           | None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip Bluetooth 2.1 wireless + EDR, USB 2.0 interface None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole None | 90-day on keyboard, hinges, plastics, power cord, AC adapter  Mail In repair service  Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup> 3-year Depot warranty 78Y1538  1-year Mail In with accidental damage protection 55Y2511  3-year Mail In with accidental damage protection 78Y1539  3-year Onsite warranty 78Y1540  1-year Onsite with accidental damage protection 78Y1533 |
|  |   | <ul> <li>⇒ Toll-free support for warranty issues during the warranty period¹² via 877-453-6686</li> </ul>  |

See footnotes for important warranty information US models announced June 08, 2011

|                   |      | Max   |        |            |      |          |        |         | PCle                  |            |           |       |         |         |
|-------------------|------|-------|--------|------------|------|----------|--------|---------|-----------------------|------------|-----------|-------|---------|---------|
| _ Pro-            |      | turbo |        | Videscreen | Cam- |          | SATA   |         | Mini Card             |            | HDMI      | Blue- | Battery | Win7    |
| Type-model cessor | GHz  | (GHz) | Memory | display    | era  | Graphics | disk   | Optical | 802.11                | Top color  | connector | tooth | cells   | preload |
| 1037-2KU i5-2410M | 2.30 | 2.90  | 4+2GB  | 17.3" HD+  | 2.0M | HD 6650M | 750GB8 | Blu-ray | 11b/g/n <sup>28</sup> | Dark brown | n HDMI    | BT2.1 | 6-cell  | Prem 64 |

- 17.3" widescreen, glossy display
- Integrated 2.0 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- This system is Microsoft® Office 2010 Product Key Ready (O10PKR)

| Positioning<br>Processor   | Widescreen flexibility; two-spindle Intel® Core™ i5-2410M processor (dual-core, 2.30GHz, 3MB cache), integrated Intel HD Graphics 3000, DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz), HT technology  | Preloaded operating system <sup>20</sup> - Genuine Windows® 7 Home Premium 64 Preloaded applications <sup>14</sup> (only some   |
|--|---|---|
| Memory   | 8GB max <sup>7</sup> / <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets  | listed)  • Lenovo OneKey Recovery   |
| Diskette drive<br>Optical<br>SATA disk   | None<br>Blu-ray™ Disc reader (no Blu-ray burning), DVD recordable, 12.7mm, tray-in<br><b>750GB</b> (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high   | <ul> <li>Lenovo ReadyĆomm</li> <li>ooVoo™</li> <li>McAfee® VirusScan® Plus</li> </ul>   |
| Widescreen<br>display<br>Camera  | 17.3" (439.4mm) HD+ (1600x900) TFT color, VibrantView (glossy),<br>LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus  | (60 days of virus definitions)  • Adobe® Reader®  • Windows Live™ Essentials  • CyberLink YouCam  |
| Graphics   | AMD Radeon™ HD 6650M, PCI Express® x16, 1GB DDR3 memory, DirectX® 11, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector (HDCP-compliant)   | <ul> <li>Microsoft Office 2010 preloaded;<br/>purchase product key to activate</li> <li>VeriFace™</li> </ul>  |
| Keyboard<br>Numeric keypad<br>Touch pad  | Full-size keyboard, multimedia Fn keys, recovery key<br>Numeric keypad on right of keyboard<br>Two-button touch pad with scroll feature, multi-touch  | Lenovo Energy Management<br>Software     Lenovo DirectShare     Chaglink Power2Co (Plu roy)   |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type Battery - life <sup>10</sup> | (WxDxH): 16.38" x 10.71" x 1.42" to 1.77"; 416mm x 272mm x 36.1 to 44.9mm with optical drive and battery: 6-cell: from 6.61 lb (3.0kg) Dark brown top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium lon 6-cell Discrete models: up to 4.5 hr   | Cyberlink Power2Go (Blu-ray)  90-watt AC adapter Wireless on/off switch EPEAT™ Gold rating ENERGY STAR® qualified RoHS-compliant  |
| Chipset<br>ExpressCard/34<br>Multicard reader<br>Ports   | Mobile Intel HM65 Express Chipset None 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Four USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)  | Limited Warranty¹²  |
| TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader           | None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip Bluetooth 2.1 wireless + EDR, USB 2.0 interface None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole None | 90-day on keyboard, hinges, plastics, power cord, AC adapter  Mail In repair service  Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup> • 3-year Depot warranty 78Y1538  • 1-year Mail In with accidental damage protection 55Y2511  • 3-year Mail In with accidental damage protection 78Y1539  • 3-year Onsite warranty 78Y1540  • 1-year Onsite with accidental damage protection 78Y1533  Toll-free support for warranty issues during the warranty period <sup>12</sup> via 877-453-6686 |

|                   |      | Max   |        |            | •    | •        |       | •       | PCle                  | •         | •         |       |         |         |
|-------------------|------|-------|--------|------------|------|----------|-------|---------|-----------------------|-----------|-----------|-------|---------|---------|
| Pro-              |      | turbo |        | Widescreen | Cam- |          | SATA  | SATA    | Mini Card             |           | HDMI      | Blue- | Battery | Win7    |
| Type-model cessor | GHz  | (GHz) | Memory | display    | era  | Graphics | disk  | optical | 802.11                | Top color | connector | tooth | cells   | preload |
| 1037-2JU i5-2410M | 2.30 | 2.90  | 4GBx2  | 17.3" HD+  | 2.0M | HD 6650M | 750GB | DVD+RW  | 11b/g/n <sup>28</sup> | Dark brow | n HDMI    | BT2.1 | 6-cell  | Prem 64 |

- 17.3" widescreen, glossy display
- Integrated 2.0 megapixel camera and Lenovo's VeriFace facial recognition software helps control access to your notebook by recognizing your face
- Lenovo Rescue System provides OneKey recovery and OneKey Antivirus without booting into Windows
- This system is Microsoft® Office 2010 Product Key Ready (O10PKR)

| Positioning<br>Processor   | Widescreen flexibility; two-spindle Intel® Core™ i5-2410M processor (dual-core, 2.30GHz, 3MB cache), integrated Intel HD Graphics 3000, DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (2.90GHz), HT technology  | Preloaded operating system <sup>20</sup> - Genuine Windows <sup>®</sup> 7 Home Premium 64  Preloaded applications <sup>14</sup> (only some  |
|--|---|---|
| Memory   | 8GB max <sup>7</sup> / <b>PC3-10600 1333MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;   | listed)  • Lenovo OneKey Recovery   |
| Diskette drive<br>SATA DVD±RW<br>SATA disk   | None<br>DVD burner, dual-layer support, fixed, not removable, 12.7mm high, tray-in<br>750GB (5400 rpm) / SATA 3.0Gb/s, 7mm or 9.5mm high  | Lenovo ReadyComm     ooVoo™     McAfee® VirusScan® Plus   |
| Widescreen<br>display<br>Camera  | 17.3" (439.4mm) HD+ (1600x900) TFT color, VibrantView (glossy),<br>LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus  | (60 days of virus definitions)  • Adobe® Reader®  • Windows Live™ Essentials  • CyberLink YouCam  |
| Graphics   | AMD Radeon™ HD 6650M, PCI Express® x16, 1GB DDR3 memory, DirectX® 11, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI connector (HDCP-compliant)   | <ul> <li>Microsoft Office 2010 preloaded;<br/>purchase product key to activate</li> <li>VeriFace™</li> </ul>  |
| Keyboard<br>Numeric keypad<br>Touch pad  | Full-size keyboard, multimedia Fn keys, recovery key<br>Numeric keypad on right of keyboard<br>Two-button touch pad with scroll feature, multi-touch  | Lenovo Energy Management<br>Software     Lenovo DirectShare     Charlink Payer (Co. (D) (D. DW)   |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material Battery - type Battery - life <sup>10</sup> | (WxDxH): 16.38" x 10.71" x 1.42" to 1.77"; 416mm x 272mm x 36.1 to 44.9mm with optical drive and battery: 6-cell: from 6.61 lb (3.0kg) Dark brown top, black bottom Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic Lithium lon 6-cell Discrete models: up to 4.5 hr   | Cyberlink Power2Go (DVD±RW)  90-watt AC adapter Wireless on/off switch EPEAT <sup>™</sup> Gold rating ENERGY STAR® qualified RoHS-compliant   |
| Chipset<br>ExpressCard/34<br>Multicard reader<br>Ports   | Mobile Intel HM65 Express Chipset None 5-in-1 reader (MMC, Memory Stick®, Memory Stick PRO™, Secure Digital Card, xD-Picture Card™) Four USB 2.0, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)  | Limited Warranty¹²  |
| TV tuner PCIe Mini Card 11b/g/n²8 Bluetooth™ Modem Ethernet Audio support  Security Fingerprint reader           | None One PCI Express Mini Card slot 11b/g/n wireless <sup>4</sup> , PCIe Mini Card adapter, Broadcom® or Atheros® chip Bluetooth 2.1 wireless + EDR, USB 2.0 interface None 10/100 ethernet, Atheros AR8152L High Definition (HD) Audio, Conexant® CX20671 codec / stereo speakers (1.5 watt x 2) / microphone, microphone input jack (3.5 mm), headphone jack (3.5 mm) Hard disk password, user password, administrator password, security lockhole None | 90-day on keyboard, hinges, plastics, power cord, AC adapter  Mail In repair service  Service upgrade options <sup>58</sup> (in eligible locations): <sup>9</sup> • 3-year Depot warranty 78Y1538 • 1-year Mail In with accidental damage protection 55Y2511 • 3-year Mail In with accidental damage protection 78Y1539 • 3-year Onsite warranty 78Y1540 • 1-year Onsite with accidental damage protection 78Y1533  Toll-free support for warranty issues during the warranty period <sup>12</sup> via 877-453-6686 |

See footnotes for important warranty information US model announced June 8, 2011

Partial list of Lenovo® Care Services<sup>22</sup> for Lenovo Essential notebooks

For more information see:

http://www.lenovo.com/services\_warranty/us/en/index.html

| Lenovo Care service upgrade options  |   |
|--|---|
| Lenovo Value Line notebooks with 1-year Ma   | •   |
| Mail in = Mail In repair, ADP = Accidental Dama, 2-year Depot warranty 3-year Depot warranty 1-year Mail In warranty with ADP 2-year Mail In warranty with ADP 3-year Mail In warranty with ADP LOR = Lenovo Onsite Repair, ADP = Accidental 1-year LOR warranty 9x5 NBD | 78Y1534<br>78Y1538<br>55Y2511<br>78Y1535<br>78Y1539 |
| 2-year LOR warranty 9x5 NBD 3-year LOR warranty 9x5 NBD 1-year LOR warranty 9x5 NBD with ADP 2-year LOR warranty 9x5 NBD with ADP 3-year LOR warranty 9x5 NBD with ADP   | 78Y1536<br>78Y1540<br>78Y1533<br>78Y1537<br>78Y1541 |
|  |   |
|  |   |
|  |   |
|  |   |

**Availability:** All offers subject to availability. Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo is not responsible for photographic or typographic errors.

**Warranty:** For a copy of applicable product warranties, write to: Warranty Information, P.O. Box 12195, RTP, NC, 27709, Attn: Dept ZPYA/B676. Lenovo makes no representation or warranty regarding third party products or services.

#### Footnotes:

- Power management, including Intel® SpeedStep® Technology, reduces processor speed when in battery mode.
- Weight includes battery and standard optical drive; weight may vary due to vendor components, manufacturing process and options.
- Thinness may vary at certain points on the system.
- Wireless capability: Requires compatible wireless-enabled options sold separately.
- Post-warranty annual maintenance agreement: Service begins at the end of the base warranty or the end of any other applied warranty and maintenance option, whichever occurs last. Service delivery is not available the same day the maintenance agreement is purchased. Maintenance agreements must be purchased and the registration successfully completed prior to the service being available.
- Public network download modem speeds are limited to 53Kbps. Upload speeds are limited to 48Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require compatible phone line and server equipment. Check with your telephone and ISP service providers for availability.
- Maximum memory capacity may require the replacement of standard component with largest supported component available. Even though it is possible to physically install 4GB of memory, the actual amount of memory addressable by a 32-bit operating system will be limited to 3GB. This limitation does not exist with 64-bit operating systems.

- B Hard drive: GB = billion bytes, TB = trillion bytes. Accessible capacity is less; up to 4GB is service partition.
- <sup>9</sup> Service upgrade options: Upgrades do not apply to components covered for 90 days. Those remain at 90-day warranty
- Battery: These model numbers achieved Battery Rundown Time of at least the time shown during testing. A description of the testing available at lenovo.com/ pc/ww/thinkpad/batterylife. Battery life (and recharge times) will vary based on many factors including screen brightness, applications, features, power management, battery conditioning, and other customer preferences.
- Wireless: Based on IEEE 802.11a, 802.11b, and 802.11g respectively. An adapter with 11a/b, 11b/g, or 11a/b/g can communicate on either/any of these listed formats respectively, the actual connection will be based on the access point to which it connects.
- <sup>12</sup> Limited warranty: Support unrelated to a warranty issue may be subject to additional charges.
- Onsite Service: If a machine is listed as having "On-site", this means that on-site service is available for the replacement of parts for warranty repairs. Certain parts, referred to as Customer Replaceable Unit ("CRU") parts, are easy to install and require little or no tools or technical knowledge. Some examples of CRU parts are mice, keyboards, hard disk drives, speakers, and memory. If your problem can be resolved with a CRU, the Support Center will offer to ship the part to you for you to install.
- <sup>14</sup> Included software may differ from its retail version (if available), and may not include user manuals or all program functionality. Software license agreements may apply.
- Modem speeds: Public network download speeds are limited to 53Kbps. Upload speeds are limited to 48Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require compatible phone line and server equipment. Check with your telephone and ISP service providers for availability.
- <sup>17</sup> International Warranty Service is available for most products in any country in which this product is sold and serviced. Service delivery methods and parts availability vary by country, may be different from that in the country of purchase, and are subject to change without notice. Fees and restrictions may apply in some countries.

- <sup>18</sup> Telephone support may be subject to additional charges, even during the limited warranty period. Response times may vary and may exclude some holidays.
- <sup>19</sup> EasyServ depot repair: The customer may be asked certain diagnostic questions before a courier is sent. Your purchase includes this depot repair service, available in the U.S. during the limited warranty period.
- <sup>20</sup> Operating System: Level of support varies by operating system. Operating systems not preloaded on the system may not provide full feature functionality. Refer to lenovo.com/pc/support and enter your machine type and model number for more information.
- For combination drives, maximum possible speeds only are given in the following order: CD write, CD rewrite, CD read, DVD read.
- <sup>22</sup> Lenovo Care Services: These services are available for machines normally used for business, professional, or trade purposes, rather than personal, family, or household purposes. Not all machine types and models are covered. Service period begins with the equipment date of purchase. Service must be purchased during the original limited product warranty period. Service levels are response time objectives and are not guarantees. If the machine problem turns out to be a Customer Replaceable Unit (CRU), a part can be express shipped to you for quick replacement. For notebooks requiring LCD or other component replacement, Lenovo may choose to perform service at the depot repair center. Calls must be received by 5 pm local time in order to qualify for Next Business Day service. P&L means parts and labor. P/U means pick-up. See terms and conditions for complete details and restrictions.
- Wireless WAN Cards: Wireless data service requires separate agreement with Verizon Wireless. Verizon Wireless, not Lenovo, is solely responsible for service. Monthly and airtime charges may apply. Service may not be available in all areas; purchaser is responsible for verifying with Verizon Wireless that service is available for the intended location before the purchase of the card. For complete details, including service plans, additional required hardware or software, and service coverage, visit www.verizonwireless.com.

- The IEEE 802.11n specification (MIMO) has been finalized and is currently in IEEE 802.11n-2009 release. The maximum speed depends on the access point device and the number of integrated antenna used for connection. An adapter with 11a/b, 11a/b/g, 11b/g/n, or 11a/b/g/n can communicate on any of its supported formats.
- Service upgrade options for Split Warranty: (1) Mail In upgrades cover all components except power adapter, keyboard, plastics, and hinges after 90 days through end of first year. The "Mail-In" upgrades require customer to pay the leg of shipping into the depot repair center. (2) Onsite upgrades cover all components except power adapter, keyboard, plastics, and hinges after 90 days through end of term selected. (3) Accidental Damage Protection covers all components through the end of the term selected.

This publication was developed for products and services offered in the United States. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.



**Trademarks:** Lenovo, the Lenovo logo, New World. New Thinking., Access Connections, Rescue and Recovery, ThinkCentre, ThinkPad, ThinkStation, ThinkVantage, and ThinkVision are trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other company, product, or service names may be trademarks or service marks of others.

**ENERGY STAR:** As an ENERGY STAR Partner, Lenovo has determined that this product meets the ENERGY STAR guidelines for energy efficiency.

Visit www.lenovo.com/safecomputing periodically for the latest information on safe and effective computing.

Visit www.lenovo.com/psref for the latest version of Personal Systems Reference.

© Lenovo, 2011. All rights reserved.

> Lenovo 1009 Think Place Morrisville, NC 27560 U.S.A.

September 2011 3book.pdf