



Type '/' to search projects

[Help](#)[Docs](#)[Sponsors](#)[Log in](#)[Register](#)

python-craigslist 1.1.4



Latest version

`pip install python-craigslist`

Released: Apr 11, 2021

Simple Craigslist wrapper.

Navigation

[Project description](#) [Release history](#) [Download files](#)

Verified details

These details have been
[verified by PyPI](#)

Maintainers

[juliomalegria](#)

Unverified details

Project description

A simple [Craigslist](#) wrapper.

License: [MIT-Zero](#).

Disclaimer

- I don't work for or have any affiliation with Craigslist.
- This module was implemented for educational purposes. It should not be used for crawling or downloading data from Craigslist.

Installation

```
pip install python-craigslist
```

Classes

Base class:

These details have **not** been
verified by PyPI

Project links

 [Homepage](#)

 [Download](#)

Meta

- **License:** MIT-Zero
- **Author:** [Julio M Alegria](#) 

Report project as
malware

- [CraigslistBase](#)

Subclasses:

- [CraigslistCommunity](#) (craigslist.org > community)
- [CraigslistHousing](#) (craigslist.org > housing)
- [CraigslistJobs](#) (craigslist.org > jobs)
- [CraigslistForSale](#) (craigslist.org > for sale)
- [CraigslistEvents](#) (craigslist.org > event calendar)
- [CraigslistServices](#) (craigslist.org > services)
- [CraigslistGigs](#) (craigslist.org > gigs)
- [CraigslistResumes](#) (craigslist.org > resumes)

Examples

Looking for a room in San Francisco?

```
from craigslist import CraigslistHousing
cl_h = CraigslistHousing(site='sfbay', area='sfc', category='housing',
                        filters={'max_price': 1200, 'min_price': 500})

# You can get an approximate amount of results with the
print(cl_h.get_results_approx_count())

992

for result in cl_h.get_results(sort_by='newest', geotag=True):
    print(result)

{
    'id': u'4851150747',
    'name': u'Near SFSU, UCSF and NEWLY FURNISHED - CL...',
    'url': u'http://sfbay.craigslist.org/sfc/roo/4851150747',
    'datetime': u'2015-01-27 23:44',
    'price': u'$1100',
    'where': u'inner sunset / UCSF',
    'has_image': False,
    'has_map': True,
    'geotag': (37.738473, -122.494721)
}
# ...
```

Maybe a software engineering internship in Silicon Valley?

```

from craigslist import CraigslistJobs
cl_j = CraigslistJobs(site='sfbay', area='sby', category='internship',
                      filters={'is_internship': True,

for result in cl_j.get_results():
    print(result)

{
    'id': u'5708651182',
    'name': u'GAME DEVELOPER INTERNSHIP AT TYNKER - AVA',
    'url': u'http://sfbay.craigslist.org/pen/eng/5708651182',
    'datetime': u'2016-07-30 13:30',
    'price': None,
    'where': u'mountain view',
    'has_image': True,
    'has_map': True,
    'geotag': None
}
# ...

```

Events with free food in New York?

```

from craigslist import CraigslistEvents
cl_e = CraigslistEvents(site='newyork', filters={'free_food': True,

for result in cl_e.get_results(sort_by='newest', limit=10):
    print(result)

{
    'id': u'4866178242',
    'name': u'Lituation Thursdays @ Le Reve',
    'url': u'http://newyork.craigslist.org/mnh/eve/4866178242',
    'datetime': u'1/29',
    'price': None,
    'where': u'Midtown East',
    'has_image': True,
    'has_map': True,
    'geotag': None
}
# ...

```

Where to get *filters* from?

Every subclass has its own set of filters. To get a list of all the filters supported by a specific subclass, use the `.show_filters()` class-method:

```
>>> from craigslist import CraigslistJobs, CraigslistForSale
>>> CraigslistJobs.show_filters()

Base filters:
* query = ...
* search_titles = True/False
* has_image = True/False
* posted_today = True/False
* bundle_duplicates = True/False
* search_distance = ...
* zip_code = ...

CraigslistJobs filters:
* is_internship = True/False
* is_nonprofit = True/False
* is_telecommuting = True/False
* employment_type = u'full-time', u'part-time', u'contract'

>>> CraigslistForSale.show_filters(category='cta')

Base filters:
* query = ...
* search_titles = True/False
* has_image = True/False
* posted_today = True/False
* bundle_duplicates = True/False
* search_distance = ...
* zip_code = ...

CraigslistForSale filters with category 'cta':
* min_price = ...
* max_price = ...
* make = ...
* model = ...
* min_year = ...
* max_year = ...
* min_miles = ...
* max_miles = ...
* min_engine_displacement = ...
* max_engine_displacement = ...
* condition = u'new', u'like new', u'excellent', u'good'
* auto_cylinders = u'3 cylinders', u'4 cylinders', u'5 cylinders'
* auto_drivetrain = u'fwd', u'rwd', u'4wd'
* auto_fuel_type = u'gas', u'diesel', u'hybrid', u'electric'
```

```
* auto_paint = u'black', u'blue', u'brown', u'green', u'
* auto_size = u'compact', u'full-size', u'mid-size', u'
* auto_title_status = u'clean', u'salvage', u'rebuilt'
* auto_transmission = u'manual', u'automatic', u'other
* auto_bodytype = u'bus', u'convertible', u'coupe', u'
```

Where to get `site` and `area` from?

When initializing any of the subclasses, you'll need to provide the `site`, and optionally the `area`, from where you want to query data.

To get the correct `site`, follow these steps:

1. Go to craigslist.org/about/sites.
2. Find the country or city you're interested on, and click on it.
3. You'll be directed to `<site>.craigslist.org`. The value of `<site>` in the URL is the one you should use.

Not all sites have areas. To check if your site has areas, check for links next to the title of the Craigslist page, on the top center. For example, for New York you'll see:



Click on the one you're interested, and you'll be redirected to `<site>.craigslist.org/<area>`. The value of `<area>` in the URL is the one you should use. If there are no areas next to the title, it means your site has no areas, and you can leave that argument unset.

Where to get `category` from?

You can additionally provide a `category` when initializing any of the subclasses. To get a list of all the categories supported by a specific subclass, use the `.show_categories()` class-method:

```
>>> from craigslist import CraigslistServices
>>> CraigslistServices.show_categories()
```

CraigslistServices categories:

```
* aos = automotive services
* bts = beauty services
* cms = cell phone / mobile services
```

```
* cps = computer services
* crs = creative services
* cys = cycle services
* evs = event services
* fgs = farm & garden services
* fns = financial services
* hws = health/wellness services
* hss = household services
* lbs = labor / hauling / moving
* lgs = legal services
* lss = lessons & tutoring
* mas = marine services
* pas = pet services
* rts = real estate services
* sks = skilled trade services
* biz = small biz ads
* trv = travel/vacation services
* wet = writing / editing / translation
```

Is there a limit for the number of results?

Yes, Craigslist caps the results for any search to 3000.

Support

If you find any bug or you want to propose a new feature, please use the [issues tracker](#). I'll be happy to help you! :-)



Help

Installing packages [↗](#)
Uploading packages [↗](#)
User guide [↗](#)
Project name retention [↗](#)
FAQs

About PyPI

PyPI Blog [↗](#)
Infrastructure dashboard [↗](#)
Statistics
Logos & trademarks
Our sponsors

Contributing to PyPI

[Bugs and feedback](#)
[Contribute on GitHub](#) 
[Translate PyPI](#) 
[Sponsor PyPI](#)
[Development credits](#) 

Using PyPI

[Terms of Service](#) 
[Report security issue](#)
[Code of conduct](#) 
[Privacy Notice](#) 
[Acceptable Use Policy](#) 

Status: All Systems Operational 

Developed and maintained by the Python community, for the Python community.
[Donate today!](#)

"PyPI", "Python Package Index", and the blocks logos are registered trademarks of the Python
Software Foundation .

© 2026 Python Software Foundation 
[Site map](#)

Deployed from `4f20994` 

[Switch to desktop version](#)

[> English](#) [español](#) [français](#) [日本語](#) [português \(Brasil\)](#) [українська](#) [Ελληνικά](#) [Deutsch](#) [中文 \(简体\)](#)
[中文 \(繁體\)](#) [русский](#) [עברית](#) [Esperanto](#) [한국어](#)