

TCS NQT-CODING-2026

Top 50 Coding Question

1. Check Even or Odd

```
import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        System.out.println(n % 2 == 0 ? "Even" : "Odd");
    }
}
```

2. Check Prime Number

```
import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        boolean prime = true;
        if(n <= 1) prime = false;
        for(int i = 2; i <= Math.sqrt(n); i++){
            if(n % i == 0){
                prime = false;
                break;
            }
        }
        System.out.println(prime ? "Prime" : "Not Prime");
    }
}
```

3. Factorial of a Number

```
import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        long fact = 1;
```

```
        for(int i = 1; i <= n; i++){
            fact *= i;
            System.out.println(fact);
        }
    }
}
```

4. Fibonacci Series (First N Terms)

```
import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int a = 0, b = 1;
        for(int i = 1; i <= n; i++){
            System.out.print(a + " ");
            int c = a + b;
            a = b;
            b = c;
        }
    }
}
```

5. Reverse a Number

```
import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int rev = 0;
        while(n != 0){
            rev = rev * 10 + n % 10;
            n /= 10;
        }
        System.out.println(rev);
    }
}
```

6. Check Palindrome Number

```
import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int temp = n, rev = 0;
        while(n != 0){
            rev = rev * 10 + n % 10;
            n /= 10;
        }
        System.out.println(temp == rev ? "Palindrome" : "Not Palindrome");
    }
}
```

```
    }  
}
```

7. Armstrong Number

```
import java.util.*;  
class Main{  
    public static void main(String[] args){  
        Scanner sc = new Scanner(System.in);  
        int n = sc.nextInt();  
        int temp = n, sum = 0;  
        while(n != 0){  
            int digit = n % 10;  
            sum += digit * digit * digit;  
            n /= 10;  
        }  
        System.out.println(temp == sum ? "Armstrong" : "Not Armstrong");  
    }  
}
```

8. Sum of Digits

```
import java.util.*;  
class Main{  
    public static void main(String[] args){  
        Scanner sc = new Scanner(System.in);  
        int n = sc.nextInt();  
        int sum = 0;  
        while(n != 0){  
            sum += n % 10;  
            n /= 10;  
        }  
        System.out.println(sum);  
    }  
}
```

9. Largest of Three Numbers

```
import java.util.*;  
class Main{  
    public static void main(String[] args){  
        Scanner sc = new Scanner(System.in);  
        int a = sc.nextInt(), b = sc.nextInt(), c = sc.nextInt();  
        int max = Math.max(a, Math.max(b, c));  
        System.out.println(max);  
    }  
}
```

10. GCD of Two Numbers

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int a = sc.nextInt(), b = sc.nextInt();
        while(b != 0){
            int temp = b;
            b = a % b;
            a = temp;
        }
        System.out.println(a);
    }
}

```

11. LCM of Two Numbers

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int a = sc.nextInt(), b = sc.nextInt();
        int x = a, y = b;
        while(y != 0){
            int temp = y;
            y = x % y;
            x = temp;
        }
        int gcd = x;
        int lcm = (a * b) / gcd;
        System.out.println(lcm);
    }
}

```

12. Check Leap Year

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int year = sc.nextInt();
        if((year % 4 == 0 && year % 100 != 0) || (year % 400 == 0))
            System.out.println("Leap Year");
        else
            System.out.println("Not Leap Year");
    }
}

```

13. Count Vowels and Consonants

```

import java.util.*;
class Main{
    public static void main(String[] args){

```

```

Scanner sc = new Scanner(System.in);
String str = sc.nextLine().toLowerCase();
int vowels = 0, consonants = 0;
for(char ch : str.toCharArray()){
    if(Character.isLetter(ch)){
        if("aeiou".indexOf(ch) != -1)
            vowels++;
        else
            consonants++;
    }
}
System.out.println("Vowels: " + vowels);
System.out.println("Consonants: " + consonants);
}
}

```

14. Reverse a String

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        String str = sc.nextLine();
        String rev = "";
        for(int i = str.length() - 1; i >= 0; i--){
            rev += str.charAt(i);
        }
        System.out.println(rev);
    }
}

```

15. Check Anagram

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        String s1 = sc.nextLine();
        String s2 = sc.nextLine();
        char[] a = s1.toCharArray();
        char[] b = s2.toCharArray();
        Arrays.sort(a);
        Arrays.sort(b);
        System.out.println(Arrays.equals(a,b) ? "Anagram" : "Not Anagram");
    }
}

```

16. Remove Duplicates from String

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
    }
}

```

```

        String str = sc.nextLine();
        String result = "";
        for(char ch : str.toCharArray()){
            if(result.indexOf(ch) == -1)
                result += ch;
        }
        System.out.println(result);
    }
}

```

17. Find Second Largest in Array

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int[] arr = new int[n];
        for(int i = 0; i < n; i++){
            arr[i] = sc.nextInt();
        }
        int first = Integer.MIN_VALUE, second = Integer.MIN_VALUE;
        for(int num : arr){
            if(num > first){
                second = first;
                first = num;
            } else if(num > second && num != first){
                second = num;
            }
        }
        System.out.println(second);
    }
}

```

18. Linear Search

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int[] arr = new int[n];
        for(int i = 0; i < n; i++){
            arr[i] = sc.nextInt();
        }
        int key = sc.nextInt();
        boolean found = false;
        for(int num : arr){
            if(num == key){
                found = true;
                break;
            }
        }
        System.out.println(found ? "Found" : "Not Found");
    }
}

```

19. Binary Search (Sorted Array)

```
import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int[] arr = new int[n];
        for(int i = 0; i < n; i++)
            arr[i] = sc.nextInt();
        int key = sc.nextInt();
        int low = 0, high = n - 1;
        boolean found = false;
        while(low <= high){
            int mid = (low + high) / 2;
            if(arr[mid] == key){
                found = true;
                break;
            }
            else if(arr[mid] < key)
                low = mid + 1;
            else
                high = mid - 1;
        }
        System.out.println(found ? "Found" : "Not Found");
    }
}
```

20. Bubble Sort

```
import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int[] arr = new int[n];
        for(int i = 0; i < n; i++)
            arr[i] = sc.nextInt();
        for(int i = 0; i < n-1; i++){
            for(int j = 0; j < n-i-1; j++){
                if(arr[j] > arr[j+1]){
                    int temp = arr[j];
                    arr[j] = arr[j+1];
                    arr[j+1] = temp;
                }
            }
        }
        for(int num : arr)
            System.out.print(num + " ");
    }
}
```

21. Selection Sort

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int[] arr = new int[n];
        for(int i=0;i<n;i++) arr[i]=sc.nextInt();

        for(int i=0;i<n-1;i++){
            int minIndex=i;
            for(int j=i+1;j<n;j++){
                if(arr[j]<arr[minIndex])
                    minIndex=j;
            }
            int temp=arr[i];
            arr[i]=arr[minIndex];
            arr[minIndex]=temp;
        }

        for(int num:arr)
            System.out.print(num+" ");
    }
}

```

22. Insertion Sort

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int[] arr=new int[n];
        for(int i=0;i<n;i++) arr[i]=sc.nextInt();

        for(int i=1;i<n;i++){
            int key=arr[i];
            int j=i-1;
            while(j>=0 && arr[j]>key){
                arr[j+1]=arr[j];
                j--;
            }
            arr[j+1]=key;
        }

        for(int num:arr)
            System.out.print(num+" ");
    }
}

```

23. Matrix Addition

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);

```

```

int r=sc.nextInt(), c=sc.nextInt();
int[][] a=new int[r][c];
int[][] b=new int[r][c];
int[][] sum=new int[r][c];

for(int i=0;i<r;i++)
    for(int j=0;j<c;j++)
        a[i][j]=sc.nextInt();

for(int i=0;i<r;i++)
    for(int j=0;j<c;j++)
        b[i][j]=sc.nextInt();

for(int i=0;i<r;i++){
    for(int j=0;j<c;j++){
        sum[i][j]=a[i][j]+b[i][j];
        System.out.print(sum[i][j]+" ");
    }
    System.out.println();
}
}

```

24. Transpose of Matrix

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int r=sc.nextInt(), c=sc.nextInt();
        int[][] a=new int[r][c];

        for(int i=0;i<r;i++)
            for(int j=0;j<c;j++)
                a[i][j]=sc.nextInt();

        for(int j=0;j<c;j++){
            for(int i=0;i<r;i++){
                System.out.print(a[i][j]+" ");
            }
            System.out.println();
        }
    }
}

```

25. Count Frequency of Element in Array

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int[] arr=new int[n];
        for(int i=0;i<n;i++) arr[i]=sc.nextInt();
        int key=sc.nextInt();
    }
}

```

```

        int count=0;
        for(int num:arr){
            if(num==key) count++;
        }
        System.out.println(count);
    }
}

```

26. Check if Array is Sorted

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int[] arr=new int[n];
        for(int i=0;i<n;i++) arr[i]=sc.nextInt();

        boolean sorted=true;
        for(int i=0;i<n-1;i++){
            if(arr[i]>arr[i+1]){
                sorted=false;
                break;
            }
        }
        System.out.println(sorted ? "Sorted" : "Not Sorted");
    }
}

```

27. Merge Two Arrays

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n1=sc.nextInt();
        int[] a=new int[n1];
        for(int i=0;i<n1;i++) a[i]=sc.nextInt();

        int n2=sc.nextInt();
        int[] b=new int[n2];
        for(int i=0;i<n2;i++) b[i]=sc.nextInt();

        int[] merged=new int[n1+n2];

        for(int i=0;i<n1;i++)
            merged[i]=a[i];

        for(int i=0;i<n2;i++)
            merged[n1+i]=b[i];

        for(int num:merged)
            System.out.print(num+" ");
    }
}

```

```
}
```

28. Find Missing Number (1 to N)

```
import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int[] arr=new int[n-1];
        for(int i=0;i<n-1;i++) arr[i]=sc.nextInt();

        int total=n*(n+1)/2;
        int sum=0;
        for(int num:arr) sum+=num;

        System.out.println(total-sum);
    }
}
```

29. Count Words in a String

```
import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        String str=sc.nextLine().trim();
        if(str.isEmpty()){
            System.out.println(0);
        } else {
            String[] words=str.split("\\s+");
            System.out.println(words.length);
        }
    }
}
```

30. Remove All Spaces from String

```
import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        String str=sc.nextLine();
        str=str.replaceAll(" ","");
        System.out.println(str);
    }
}
```

31. Find Duplicate Elements in Array

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int[] arr = new int[n];
        for(int i=0;i<n;i++) arr[i]=sc.nextInt();

        for(int i=0;i<n;i++){
            for(int j=i+1;j<n;j++){
                if(arr[i]==arr[j]){
                    System.out.print(arr[i]+" ");
                    break;
                }
            }
        }
    }
}

```

32. Move All Zeros to End

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int[] arr=new int[n];
        for(int i=0;i<n;i++) arr[i]=sc.nextInt();

        int index=0;
        for(int i=0;i<n;i++){
            if(arr[i]!=0){
                arr[index++]=arr[i];
            }
        }
        while(index<n){
            arr[index++]=0;
        }

        for(int num:arr)
            System.out.print(num+" ");
    }
}

```

33. Rotate Array Right by 1 Position

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int[] arr=new int[n];
        for(int i=0;i<n;i++) arr[i]=sc.nextInt();

        int last=arr[n-1];
    }
}

```

```

        for(int i=n-1;i>0;i--){
            arr[i]=arr[i-1];
        }
        arr[0]=last;

        for(int num:arr)
            System.out.print(num+" ");
    }
}

```

34. Check Palindrome String

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        String str=sc.nextLine();
        String rev="";
        for(int i=str.length()-1;i>=0;i--){
            rev+=str.charAt(i);

            System.out.println(str.equals(rev) ? "Palindrome" : "Not
Palindrome");
        }
    }
}

```

35. Count Number of Digits

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int count=0;
        while(n!=0){
            n/=10;
            count++;
        }
        System.out.println(count);
    }
}

```

36. Sum of Elements in Array

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int[] arr=new int[n];
        int sum=0;
        for(int i=0;i<n;i++){

```

```

        arr[i]=sc.nextInt();
        sum+=arr[i];
    }
    System.out.println(sum);
}
}

```

37. Find Minimum Element in Array

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int[] arr=new int[n];
        for(int i=0;i<n;i++) arr[i]=sc.nextInt();

        int min=arr[0];
        for(int i=1;i<n;i++){
            if(arr[i]<min)
                min=arr[i];
        }
        System.out.println(min);
    }
}

```

38. Pattern Printing (Right Triangle)

Input: 4
Output:

```

*
**
***
****

```

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        for(int i=1;i<=n;i++){
            for(int j=1;j<=i;j++){
                System.out.print("*");
            }
            System.out.println();
        }
    }
}

```

39. Power of a Number

```

import java.util.*;
class Main{

```

```

    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int base=sc.nextInt();
        int exp=sc.nextInt();
        int result=1;
        for(int i=1;i<=exp;i++)
            result*=base;
        System.out.println(result);
    }
}

```

40. Decimal to Binary

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        String binary="";
        while(n>0){
            binary=(n%2)+binary;
            n/=2;
        }
        System.out.println(binary);
    }
}

```

41. Binary to Decimal

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        String binary = sc.next();
        int decimal = 0;
        int power = 0;

        for(int i = binary.length()-1; i >= 0; i--){
            if(binary.charAt(i) == '1'){
                decimal += Math.pow(2, power);
            }
            power++;
        }
        System.out.println(decimal);
    }
}

```

42. Check Perfect Number

```

import java.util.*;

```

```

class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int sum = 0;

        for(int i = 1; i <= n/2; i++){
            if(n % i == 0)
                sum += i;
        }

        System.out.println(sum == n ? "Perfect" : "Not Perfect");
    }
}

```

43. Strong Number

```

import java.util.*;
class Main{
    public static int factorial(int n){
        int fact = 1;
        for(int i = 1; i <= n; i++)
            fact *= i;
        return fact;
    }

    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int temp = n, sum = 0;

        while(n != 0){
            int digit = n % 10;
            sum += factorial(digit);
            n /= 10;
        }

        System.out.println(temp == sum ? "Strong" : "Not Strong");
    }
}

```

44. Count Even and Odd Numbers in Array

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        int[] arr = new int[n];
        int even = 0, odd = 0;

        for(int i=0; i<n; i++){
            arr[i]=sc.nextInt();
            if(arr[i]%2==0)
                even++;
        }
    }
}

```

```

        else
            odd++;
    }

    System.out.println("Even: " + even);
    System.out.println("Odd: " + odd);
}
}

```

45. Find Intersection of Two Arrays

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n1=sc.nextInt();
        int[] a=new int[n1];
        for(int i=0;i<n1;i++) a[i]=sc.nextInt();

        int n2=sc.nextInt();
        int[] b=new int[n2];
        for(int i=0;i<n2;i++) b[i]=sc.nextInt();

        for(int i=0;i<n1;i++){
            for(int j=0;j<n2;j++){
                if(a[i]==b[j]){
                    System.out.print(a[i]+" ");
                    break;
                }
            }
        }
    }
}

```

46. Check Substring

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        String str=sc.nextLine();
        String sub=sc.nextLine();

        if(str.contains(sub))
            System.out.println("Substring Present");
        else
            System.out.println("Substring Not Present");
    }
}

```

47. Remove Specific Character from String

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        String str=sc.nextLine();
        char ch=sc.next().charAt(0);

        str=str.replace(Character.toString(ch),"");
        System.out.println(str);
    }
}

```

48. Sum of Prime Numbers up to N

```

import java.util.*;
class Main{
    public static boolean isPrime(int n){
        if(n<=1) return false;
        for(int i=2;i<=Math.sqrt(n);i++){
            if(n%i==0) return false;
        }
        return true;
    }

    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int sum=0;

        for(int i=2;i<=n;i++){
            if(isPrime(i))
                sum+=i;
        }

        System.out.println(sum);
    }
}

```

49. Reverse Words in a Sentence

```

import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        String str=sc.nextLine();
        String[] words=str.split(" ");

        for(int i=words.length-1;i>=0;i--){
            System.out.print(words[i]+" ");
        }
    }
}

```

50. Two Sum Problem

```
import java.util.*;
class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        int[] arr=new int[n];
        for(int i=0;i<n;i++) arr[i]=sc.nextInt();
        int target=sc.nextInt();

        for(int i=0;i<n;i++){
            for(int j=i+1;j<n;j++){
                if(arr[i]+arr[j]==target){
                    System.out.println(i+" "+j);
                    return;
                }
            }
        }
        System.out.println("No Pair Found");
    }
}
```