Inclusion, reporting and analysis of demographic variables in chronobiology and sleep research

Selma Tir[1,2], Rhiannon White[1,3], & Manuel Spitschan[1,4,5]

[1] Department of Experimental Psychology, University of Oxford
[2] Sleep and Circadian Neuroscience Institute, Nuffield Department of Clinical Neurosciences, University of Oxford
[3] Warwick Medical School, University of Warwick, United Kingdom
[4] Centre for Chronobiology, Psychiatric Hospital of the University of Basel, Switzerland
[5] Transfaculty Research Platform Molecular and Cognitive Neurosciences, University of Basel, Switzerland

Many aspects of sleep and circadian physiology appear to be sensitive to participant-level characteristics. While recent research robustly highlights the importance of considering participant-level demographic information, it is not clear to what extent this information is available in the large body of already published literature. Here, we investigated study sample characteristics in the published sleep and chronobiology research over the past 40 years. 6,777 articles were identified and a random sample of 20% was included. The reporting of sample size, age, sex, gender, ethnicity, level of education, socio-economic status, and profession of the study population was scored, and any reported aggregate summary statistics for these variables were recorded. We found that while >90% of studies reported age or sex, all other variables were reported in <10% of cases. Sex balance greatly changed over the years, from a ~3:1 male to female ratio in the 1990s to a near-equal representation in the 2010s. We found that the majority of studies report at least sex or age, while other variables are typically not reported. Reporting quality is highly variable, indicating an opportunity to standardize reporting guidelines for participant-level characteristics to facilitate meta analyses.

Keywords: demographics, ethnicity, sex, research participants, reporting, publishing, meta-science
Word count: X

Introduction

There are large individual differences in and circadian physiology (Baehr, Revelle, & Eastman, 2000; Burgess & Fogg, 2008; Chellappa, 2021; Dongen, Vitellaro, & Dinges, 2005; Horne & Östberg, 1977; Kerkhof, 1985; Santhi et al., 2012; Tankova, Adan, & Buela-Casal, 1994), demonstrating the need to consider sleep and circadian physiology at participant-level. Some of these characteristics are systematically related to demographic variables, most notably sex (Anderson &

FitzGerald, 2020; Cain et al., 2010; Mong et al., 2011; Redline et al., 2004; Santhi et al., 2016), age (Benloucif et al., 2006; Bliwise, 1993; Desforges, Prinz, Vitiello, Raskind, & Thorpy, 1990; Duffy, Zitting, & Chinoy, 2015; Espiritu, 2008; Li, Vitiello, & Gooneratne, 2018; Mander, Winer, & Walker, 2017; Redline et al., 2004) and ethnicity (Ahn et al., 2021; Eastman, Molina, Dziepak, & Smith, 2012; Eastman, Tomaka, & Crowley, 2016; Goldstein, Gaston, McGrath, & Jackson, 2020). Zooming out from the level of individual studies, there are significant inequities in sleep health depending on ethnicity and socio-economic status (Chandra L. Jackson & Johnson, 2020; Chandra L. Jackson et al., 2020; Chandra L. Jackson, Walker, Brown, Das, & Jones, 2020; Jean-Louis & Grandner, 2016; Laposky, Van Cauter, & Diez-Roux, 2016; Williams et al., 2015). As compromised sleep has many knock-on effects, including negative effects on cardiovascular, metabolic, neurobehavioural and cognitive function, it is a key imperative to understand how demographic variables influence sleep and circadian rhythms.

The extent to which a scientific field's findings are generalisable are a function of the representativeness of a given study sample, and the extent to which findings differ between, e.g., different sexes and ethnicity In the domain of sex, a recent study reviewed the reporting and analysis of sex in biological

---

sciences research (Woitowich, Beery, & Woodruff, 2020). The authors found that while sex inclusion has significantly increased over the past 10 years (Beery & Zucker, 2011), sex-based analysis has not improved, despite recent policies and funder mandates (Clayton & Collins, 2014). The term "gender data gap" has recently been introduced, demonstrating that women have historically been excluded from biomedical research (Criado-Perez, 2020). Similarly, the lack of diversity in biomedical and clinical research, and understudy of minorities in the presence of existing health inequities exacerbates these inequities (Oh et al., 2015).

While research findings converge on participant-level demographic characteristics affecting outcomes, it is not clear to what extent this information is available in the large body of already published literature, nor to what extent it is even reported. Here, we address the question of participant-level demographic characteristics (age, sex, gender, ethnicity, level of education, socio-economic status, and profession of the study population) and reporting thereof in chronobiology and sleep research. We extracted the study sample characteristics in a total of 1355 randomly sampled publications across the 8 top (ranked by the Journal Impact Factor) chronobiology and sleep research and subjected them to a comprehensive analysis in terms of the inclusion, reporting and analysis of demographic variables.

Methods

Procedure. Journal articles published between 1979 and 2019 (odd years) in the top eight sleep and chronobiology journals were considered. The list of possible target journals was based on a previously established list of journals implementing a hybrid strategy by consulting the Web of Science Master Journal List, domain-relevant expertise in sleep and chronobiology and consulting with a senior researcher with >25 years of experience in the field (Spitschan, Schmidt, & Blume, 2020). From this previously derived list, we selected eight journals based on their five-year Impact Factor, and included *Journal of Pineal Research* (ISSN: 0742-3098 / 1600-079X; 2018 5-year IF: 12.197), *Sleep* (0161-8105 / 1550-9109; 5.588), *Journal of Sleep Research* (0962-1105 / 1365-2869; 3.951), *Sleep Medicine* (1389-9457 / 1878-5506; 3.934), *Journal of Clinical Sleep Medicine* (1550-9389 / 1550-9397; 3.855), *Journal of Biological Rhythms* (0748-7304 / 1552-4531; 3.349), Behavioral Sleep Medicine (1540-2002 / 1540-2010; 3.162), and *Chronobiology International* (0742-0528 / 1525-6073; 2.998). While *Sleep Medicine Reviews* also features in the list of journals, we did not include it as it primarily publishes reviews.

Article inclusion. 6,777 articles were identified through a MEDLINE search by the journal and including odd years. A random sample of 20% was initially selected for screening. Inclusion requirements included conducting original research in the English language, reporting human data, and

recruiting volunteers. As such, animal studies, bibliographies, case reports, comments, conference proceedings, editorials, guidelines, letters, retracted publications, reviews, errata and corrigenda were excluded.

Review and article extraction. All included articles were reviewed for eligibility and coded by RW. The reporting of sample size, age, sex, gender, ethnicity, level of education, socio-economic status, and profession of the study population was scored binarily (0 = not reported, 1 = reported), and any reported aggregate summary statistics for these variables were recorded. Funding source, geographical location and clinical focus of the article were examined, as well as whether data were analyzed by including any of the demographic variables as covariates. Data were coded in an Excel Spreadsheet and analyzed in R Studio (version 4.0.5). Reporting of funding, geographical location, and number of sub-studies for each article were investigated for the sample of articles that passed all eligibility criteria.

Pre-registration. We pre-registered our protocol (specified using the PRISMA-P template (PRISMA-P Group et al., 2015; Shamseer et al., 2015)) on the Open Science Framework (https://osf.io/cu3we/).

Materials, data and code availability. All data underlying this manuscript are available on a public GitHub repository (https://github.com/hcvnl/sleep_circadian_demographics_data). The article was written in R (R Core Team, 2020) using RMarkdown and papaja (Aust & Barth, 2020), employing a series of additional R packages (Arnold, 2021; Attali & Baker, 2019; Auguie, 2017; Bates & Maechler, 2021; Borchers, 2021; Edwards, 2020; Henry, Wickham, & Chang, 2020; Kaplan & Pruim, 2021; Müller & Wickham, 2021; Pruim, Kaplan, & Horton, 2021; Pruim, Kaplan, & Horton, 2017; Sarkar, 2008; Sarkar & Andrews, 2019; Wei & Simko, 2017; Wickham, 2007, 2016, 2019, 2021; Wickham & Bryan, 2019; Wickham, François, Henry, & Müller, 2021; Wickham & Hester, 2020; Wilke, 2021; Xiao, 2018; Xie, 2015) and is fully reproducible.

Results

Number of analysed articles. Out of 1355 identified and pre-screened articles, we included and extracted data from 1152 (85%). The distribution of years in which the articles were published is non-uniform and we included and extracted data from more recent articles (Fig. 1). In addition, the representation of journals in the final list of articles is non-uniform, not least as the included journals will have not have been available from the entire data collection period (1979 and onwards).

We also examined reasons for exclusion amongst the articles that we did not include and extract data from. These are given in Figure 2. Reasons for exclusion vary somewhat between different years, with articles not reporting original research being excluded at the highest rate on average.

Figure 1. Included and analysed articles by year and journal. More recent articles are more represented, reflecting an overall increase in scientific output.


Figure 2. Normalised distributions of included and excluded articles.


Figure 3. Reporting of funding across years.

Across all years, the US is the most represented country.

Figure 4. Gegraphical location of the studies. The eight most represented countries across the entire dataset are individually shown.

Funding. We examined the reporting of funding sources in included articles. Funding sources were reported by 62% of studies, while funding number was also reported in 69% of these cases (Fig. 3). Overall, funding by the United States' National Institutes of Health (NIH) represented 19% of the reported funding agencies. 92% of the studies funded by the NIH also reported funding number. The second most represented funding agencies were the Australian National Health and Medical Research Council (NHMRC) and the Canadian Institutes of Health Research (CIHR).

Geographical location. 93% of articles were conducted in a single country. The geographical location of the study was explicitly reported in 57% of studies. The country of study was inferred for the rest of the sampled articles. Inference was primarily based on the first author's affiliation. Overall, 53 countries were represented. 7% of articles reported multiple countries of study. Figure 4 shows the distribution of study location across time with the eight most represented countries.

Sample size. We examined whether sample size reported in studies, and the sample sizes reported. Overall, sample size was reported in 92% of studies. We furthermore examined the distribution of samples sizes as a function of the publication year of the article (Fig. 5), showing a wider distribution of sample sizes in more recent articles.

Age. 93% of articles reported a variable describing age. Overall, the average mean age of the study populations was 39 years old. We examined the extent to which the mean age across studies differed widely as a function of publication year (Fig. 6), and found that the mean age is much more widely varied in later years, likely reflecting the extent of considering study samples that are more varied in age.

Sex. Sex was reported in 89% of the studies. In Figure 7, we show the proportion of studies that recruited male subjects, female subjects, both sexes or did not specify the sex of the participants. 13% of the studies reporting sex only recruited male participants, while 10% only employed females. Out

Figure 5. Sample size of the recruited volunteers as a function of publication year. Numbers are computed on a log-10 scale.


Figure 7. Sex inclusion by year. Proportion of studies that recruited male subjects, female subjects, both sexes, or did not specify the sex of the participants.


Figure 6. Evolution of mean age in included studies as a function of publication year. Fit shown is a linear fit (±95%CI).

of the studies focusing on a single gender, 1% of the male studies focused on a sex dependent feature, while 2% of the female studies did. 4% of studies reported age by sex.

Ethnicity, education, profession and socio-economic status. We examined the reporting of the demographic variables ethnicity, education, profession and socio-economic status. These demographics variables were reported in 12% of studies for education, 15% for ethnicity, 2% for profession, and 4% for socio-economic status. Figure 8 shows the distribution of this reporting across the years. Qualitatively, there is a clear increase of reporting additional demographic variables over time, with ethnicity being the most reported demographic variables across articles in more recent years.

We furthermore examined the number of categories included for each of these demographic variables. In Figure 9, we show the number of categories reported for each variable among those articles that included it in a histogram. On overage, we find that the coding scheme for each of these variables in the included articles comprised between 3 and 4 variables.

Study focus. We considered whether a given article reported on a specific, pre-defined group of people. We find 3% of articles focused on a sex dependent feature, while 50% investigated a clinical feature. 1% of studies focused on twins, 1% on pregnant women, 2% on shift workers and 4% on university students.

Analysis disaggregation. We examined the extent to which articles reported subgroup analyses of the data based on one or more of the reported demographic variables. Over time (Fig. 9), we see a distinct evolution of the extent to which subgroup analyses of the study sample were performed. The most common subgroup analyses involve disaggregting by sex and age, or both.

Figure 8. Number of categories reported for education, ethnicity, profession and socio-economic status (SES). Yellow vertical line corresponds to the median.


Figure 9. Use of study population characteristics as variables in the analysis.

Discussion

Summary of main findings

Here, we considered the inclusion, reporting of 1152 articles in chronobiology and sleep research, sampled from eight journals. More articles from more recent years are included, with articles originating in the US representing the large group. Over time, we found an increase in the range of sample sizes. We furthermore find a wider spread of average ages included in articles. Across the included articles, we observe an increase in reporting of demographic variables (ethnicity, education, professional and socioeconomic status) over time, with ethnicity being the most-reported variable in recent years. Of studies included these demographic variables, the number of categories varies widely between studies.

Taking an inventory of represented study samples reveals the representativeness of our collective knowledge

The ability to generalise findings from the scientific literature to wide and diverse populations of people hinges upon the representativeness of the study sample with respect to demographic categories. The question to what extent the composition of a given study sample can make the generalisability of findings difficult or impossible has received attention in the field of psychology, where many articles published in prominent journals reflected participants from WEIRD (Western, Educated, Industrialized, Rich, and Democratic) contexts (Henrich, Heine, & Norenzayan, 2010; Muthukrishna et al., 2020). In other fields, analyses similar to the one in the present review have been published (Jones, St. Peter, & Ruckle, 2020; O'Bryant, O'Jile, & McCaffrey, 2004; Sifers, 2002), but to our knowledge, this review represents a first look at the inclusion, reporting and analysis participant demographics in chronobiology and sleep research.

The need to consider individual differences

There is convergent knowledge that sleep and circadian physiology and health are subject to large individual differences. Demographic variables provide on lens through which to understand individual differences, and importantly can provide insights into systemic disadvantages and inequities. In the clinical domain, the need to time therapy based on a patient's individual circadian rhythm has more recently become the focus of the emerging field of chronotherapy or chronotherapeutics (Adam, 2019; Dijk & Duffy, 2020; Greco & Sassone-Corsi, 2020; Hill, Innominato, Lévi, & Ballesta, 2020). Understanding interindividual variability needs to become a key research area to understand the circadian and sleep physiology in the face of human diversity.

Limitations of the current review

We turn to possible limitations of this review and the included analyses and discuss how they might introduce bias in our findings. First, we consider the possibility that the article selection procedure may have introduced biases. Our review only concerned articles from a subset of eight specialized journals. As a consequence, the included articles were necessarily published in these journals, ignoring relevant articles published in other specialised journals (such as those included in the list of candidate journals), and articles published in other, including interdisciplinary journals. This raises the question to what extent we may have missed a section of the literature that would have been relevant to include here. As an alternative strategy, we considered randomly sampling a subset of chronobiology and sleep research articles produced by a general search (e.g. on search from "sleep OR chronobiology" on MEDLINE), but considered this to be too permissive. Our strategy of selecting a subset of candidate journals provided

a reasonable trade-off, as well as sampling from a range of field-specific outlets.

Due to the non-uniform distribution of publication years of the included articles (Fig. 1), variables derived from published papers and visualized and/or analyzed by year will have varying uncertainty, with reported percentages from publications of the earlier years being most uncertain. The fact that early years are represented with fewer articles, however, is a not a function of our data set, but of the exponential growth of scientific output (Bornmann & Mutz, 2015; Parolo et al., 2015; Powell et al., 2017).

Towards standardised reporting of demographic variables: From checklists to schemas?

There are guidelines and/or checklists for standardizing reporting of participant characteristics, such as CONSORT (Schulz, Altman, Moher, & CONSORT Group, 2010) or STROBE (Elm et al., 2007) (an extensive data base for health research reporting guidelines is provided by the Equator Network, https://www.equator-network.org/). Some biomedical journals (e.g. Robinson, McMichael, & Hernandez, 2017) specifically state demographic reporting requirements in the author instructions. Similarly, some organisations may make recommendations of specific reporting items for specific types of study questions (Veitch & Knoop, 2020).

These guidelines and/or checklists are largely focused on *what* is reported and not *how* it is reported. There is, *a priori*, however, no reason to not develop and use a standardized and machine-readable schema for reporting participant characteristics. The FAIR principles state that data should be findable, accessible, interoperable and reusable (Wilkinson et al., 2016), and one way of realising these criteria is the use of data schemas which could prescribe categories of data and common naming schemes for reporting participant characteristics. Importantly, however, "what gets counted counts" (D'Ignazio & Klein, 2020), and it will be imperative to understand to what extend such any data schema may be exclusionary, e.g., by enforcing gender binaries (Hyde, Bigler, Joel, Tate, & Anders, 2019), and whether any specific demographic variable is truly important (following the principle of data minimization). A further central point to consider is the extent to which disaggregation by demographic variables could be used to do harm in some way (D'Ignazio & Klein, 2020).

Conclusion

This review provided a first look at the inclusion, reporting and analysis of demographic variables in the chronobiology and sleep research literature, considering >1000 articles across eight journals. We addressed the need to consider individual differences, as well as the dependence of sleep and circadian rhythms ond demographic variables. Additionally, we we outline an opportunity to improve reporting of participant-level characteristics using formalised data schemas.

References

Adam, D. (2019). Core Concept: Emerging science of chronotherapy offers big opportunities to optimize drug delivery. *Proceedings of the National Academy of Sciences*, *116*(44), 21957–21959. https://doi.org/10.1073/pnas.1916118116

Ahn, S., Lobo, J. M., Logan, J. G., Kang, H., Kwon, Y., & Sohn, M.-W. (2021). A scoping review of racial/ethnic disparities in sleep. *Sleep Medicine*, *81*, 169–179. https://doi.org/10.1016/j.sleep.2021.02.027

Anderson, S. T., & FitzGerald, G. A. (2020). Sexual dimorphism in body clocks. *Science (New York, N.Y.)*, *369*(6508), 1164–1165. https://doi.org/10.1126/science.abd4964

Arnold, J. B. (2021). *Ggthemes: Extra themes, scales and geoms for 'ggplot2'*. Retrieved from https://CRAN.R-project.org/package=ggthemes

Attali, D., & Baker, C. (2019). *ggExtra: Add marginal histograms to 'ggplot2', and more 'ggplot2' enhancements*. Retrieved from https://CRAN.R-project.org/package=ggExtra

Auguie, B. (2017). *gridExtra: Miscellaneous functions for "grid" graphics*. Retrieved from https://CRAN.R-project.org/package=gridExtra

Aust, F., & Barth, M. (2020). *papaja: Create APA manuscripts with R Markdown*. Retrieved from https://github.com/crsh/papaja

Baehr, E. K., Revelle, W., & Eastman, C. I. (2000). Individual differences in the phase and amplitude of the human circadian temperature rhythm: With an emphasis on morningness-eveningness: Phase and amplitude of the temperature rhythm. *Journal of Sleep Research*, *9*(2), 117–127. https://doi.org/10.1046/j.1365-2869.2000.00196.x

Bates, D., & Maechler, M. (2021). *Matrix: Sparse and dense matrix classes and methods*. Retrieved from https://CRAN.R-project.org/package=Matrix

Beery, A. K., & Zucker, I. (2011). Sex bias in neuroscience and biomedical research. *Neuroscience and Biobehavioral Reviews*, *35*(3), 565–572. https://doi.org/10.1016/j.neubiorev.2010.07.002

Benloucif, S., Green, K., L'Hermite-Balériaux, M., Weintraub, S., Wolfe, L. F., & Zee, P. C. (2006). Responsiveness of the aging circadian clock to light. *Neurobiology of Aging*, *27*(12), 1870–1879. https://doi.org/10.1016/j.neurobiolaging.2005.10.011

Bliwise, D. L. (1993). Sleep in Normal Aging and Dementia. *Sleep*, *16*(1), 40–81. https://doi.org/10.1093/sleep/16.1.40

Borchers, H. W. (2021). *Pracma: Practical numerical math functions*. Retrieved from https://CRAN.R-project.org/package=pracma

Bornmann, L., & Mutz, R. (2015). Growth rates of modern science: A bibliometric analysis based on the number of publications and cited references: Growth Rates of Modern Science: A Bibliometric Analysis Based on the Number of Publications and Cited References. *Journal of the Association for Information Science and Technology*, *66*(11), 2215–2222. https://doi.org/10.1002/asi.23329

Burgess, H. J., & Fogg, L. F. (2008). Individual Differences in the Amount and Timing of Salivary Melatonin Secretion. *PLoS ONE*, *3*(8), e3055. https://doi.org/10.1371/journal.pone.0003055

Cain, S. W., Dennison, C. F., Zeitzer, J. M., Guzik, A. M., Khalsa, S. B. S., Santhi, N., ... Duffy, J. F. (2010). Sex differences in phase angle of entrainment and melatonin amplitude in humans. *Journal of Biological Rhythms*, *25*(4), 288–296. https://doi.org/10.1177/0748730410374943

Chellappa, S. L. (2021). Individual differences in light sensitivity affect sleep and circadian rhythms. *Sleep*, *44*(2), zsaa214. https://doi.org/10.1093/sleep/zsaa214

Clayton, J. A., & Collins, F. S. (2014). Policy: NIH to balance sex in cell and animal studies. *Nature*, *509*(7500), 282–283. https://doi.org/10.1038/509282a

Criado-Perez, C. (2020). *Invisible women: Exposing data bias in a world designed for men*.

D'Ignazio, C., & Klein, L. F. (2020). *Data feminism*. Cambridge, Massachusetts: The MIT Press.

Desforges, J. F., Prinz, P. N., Vitiello, M. V., Raskind, M. A., & Thorpy, M. J. (1990). Sleep Disorders and Aging. *New England Journal of Medicine*, *323*(8), 520–526. https://doi.org/10.1056/NEJM199008233230805

Dijk, D.-J., & Duffy, J. F. (2020). Novel Approaches for Assessing Circadian Rhythmicity in Humans: A Review. *Journal of Biological Rhythms*, *35*(5),

421–438. https://doi.org/10.1177/0748730420940483

Dongen, H. P. A. van, Vitellaro, K. M., & Dinges, D. F. (2005). Individual Differences in Adult Human Sleep and Wakefulness: Leitmotif for a Research Agenda. *Sleep*, *28*(4), 479–498. https://doi.org/10.1093/sleep/28.4.479

Duffy, J. F., Zitting, K.-M., & Chinoy, E. D. (2015). Aging and Circadian Rhythms. *Sleep Medicine Clinics*, *10*(4), 423–434. https://doi.org/10.1016/j.jsmc.2015.08.002

Eastman, C. I., Molina, T. A., Dziepak, M. E., & Smith, M. R. (2012). Blacks (African Americans) have shorter free-running circadian periods than whites (Caucasian Americans). *Chronobiology International*, *29*(8), 1072–1077. https://doi.org/10.3109/07420528.2012.700670

Eastman, C. I., Tomaka, V. A., & Crowley, S. J. (2016). Circadian rhythms of European and African-Americans after a large delay of sleep as in jet lag and night work. *Scientific Reports*, *6*(1), 36716. https://doi.org/10.1038/srep36716

Edwards, S. M. (2020). *Lemon: Freshing up your 'ggplot2' plots*. Retrieved from https://CRAN.R-project.org/package=lemon

Elm, E. von, Altman, D. G., Egger, M., Pocock, S. J., Gøtzsche, P. C., Vandenbroucke, J. P., & STROBE Initiative. (2007). Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) statement: Guidelines for reporting observational studies. *BMJ (Clinical Research Ed.)*, *335*(7624), 806–808. https://doi.org/10.1136/bmj.39335.541782.AD

Espiritu, J. R. D. (2008). Aging-Related Sleep Changes. *Clinics in Geriatric Medicine*, *24*(1), 1–14. https://doi.org/10.1016/j.cger.2007.08.007

Goldstein, S. J., Gaston, S. A., McGrath, J. A., & Jackson, C. L. (2020). Sleep Health and Serious Psychological Distress: A Nationally Representative Study of the United States among White, Black, and Hispanic/Latinx Adults. *Nature and Science of Sleep*, *12*, 1091–1104. https://doi.org/10.2147/NSS.S268087

Greco, C. M., & Sassone-Corsi, P. (2020). Personalized medicine and circadian rhythms: Opportunities for modern society. *Journal of Experimental Medicine*, *217*(6), e20200702. https://doi.org/10.1084/jem.20200702

Henrich, J., Heine, S. J., & Norenzayan, A. (2010). The weirdest people in the world? *Behavioral and Brain Sciences*, *33*(2-3), 61–83. https://doi.org/10.1017/S0140525X0999152X

Henry, L., Wickham, H., & Chang, W. (2020). *Ggstance: Horizontal 'ggplot2' components*. Retrieved from https://CRAN.R-project.org/package=ggstance

Hill, R. J. W., Innominato, P. F., Lévi, F., & Ballesta, A. (2020). Optimizing circadian drug infusion schedules towards personalized cancer chronotherapy. *PLOS Computational Biology*, *16*(1), e1007218. https://doi.org/10.1371/journal.pcbi.1007218

Horne, J. A., & Östberg, O. (1977). Individual differences in human circadian rhythms. *Biological Psychology*, *5*(3), 179–190. https://doi.org/10.1016/0301-0511(77)90001-1

Hyde, J. S., Bigler, R. S., Joel, D., Tate, C. C., & Anders, S. M. van. (2019). The future of sex and gender in psychology: Five challenges to the gender binary. *American Psychologist*, *74*(2), 171–193. https://doi.org/10.1037/amp0000307

Jackson, Chandra L., & Johnson, D. A. (2020). Sleep disparities in the era of the COVID-19 pandemic highlight the urgent need to address social determinants of health like the virus of racism. *Journal of Clinical Sleep Medicine*, *16*(8), 1401–1402. https://doi.org/10.5664/jcsm.8570

Jackson, Chandra L., Powell-Wiley, T. M., Gaston, S. A., Andrews, M. R., Tamura, K., & Ramos, A. (2020). Racial/Ethnic Disparities in Sleep Health and Potential Interventions Among Women in the United States. *Journal of Women's Health*, *29*(3), 435–442. https://doi.org/10.1089/jwh.2020.8329

Jackson, Chandra L., Walker, J. R., Brown, M. K., Das, R., & Jones, N. L. (2020). A workshop report on the causes and consequences of sleep health disparities. *Sleep*, *43*(8), zsaa037. https://doi.org/10.1093/sleep/zsaa037

Jean-Louis, G., & Grandner, M. (2016). Importance of recognizing sleep health disparities and implementing innovative interventions to reduce these disparities. *Sleep Medicine*, *18*, 1–2. https://doi.org/10.1016/j.sleep.2015.08.001

Jones, S. H., St. Peter, C. C., & Ruckle, M. M. (2020). Reporting of demographic variables in the *Journal of Applied Behavior Analysis*:

Demographic Variables. *Journal of Applied Behavior Analysis*, *53*(3), 1304–1315. https://doi.org/10.1002/jaba.722

Kaplan, D., & Pruim, R. (2021). *Ggformula: Formula interface to the grammar of graphics*. Retrieved from https://CRAN.R-project.org/package=ggformula

Kerkhof, G. A. (1985). Inter-individual differences in the human circadian system: A review. *Biological Psychology*, *20*(2), 83–112. https://doi.org/10.1016/0301-0511(85)90019-5

Laposky, A. D., Van Cauter, E., & Diez-Roux, A. V. (2016). Reducing health disparities: The role of sleep deficiency and sleep disorders. *Sleep Medicine*, *18*, 3–6. https://doi.org/10.1016/j.sleep.2015.01.007

Li, J., Vitiello, M. V., & Gooneratne, N. S. (2018) Sleep in Normal Aging. *Sleep Medicine Clinics*, *13*(1), 1–11. https://doi.org/10.1016/j.jsmc.2017.09.001

Mander, B. A., Winer, J. R., & Walker, M. P. (2017) Sleep and Human Aging. *Neuron*, *94*(1), 19–36. https://doi.org/10.1016/j.neuron.2017.02.004

Mong, J. A., Baker, F. C., Mahoney, M. M., Paul, K. N., Schwartz, M. D., Semba, K., & Silver, R. (2011). Sleep, rhythms, and the endocrine brain: Influence of sex and gonadal hormones. *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, *31*(45), 16107–16116. https://doi.org/10.1523/JNEUROSCI.4175-11.2011

Muthukrishna, M., Bell, A. V., Henrich, J., Curtin, C. M., Gedranovich, A., McInerney, J., & Thue, B. (2020). Beyond Western, Educated, Industrial, Rich, and Democratic (WEIRD) Psychology: Measuring and Mapping Scales of Cultural and Psychological Distance. *Psychological Science*, *31*(6), 678–701. https://doi.org/10.1177/0956797620916782

Müller, K., & Wickham, H. (2021). *Tibble: Simple data frames*. Retrieved from https://CRAN.R-project.org/package=tibble

O'Bryant, S., O'Jile, J., & McCaffrey, R. (2004). Reporting of Demographic Variables in Neuropsychological Research: Trends in the Current Literature. *The Clinical Neuropsychologist*, *18*(2), 229–233. https://doi.org/10.1080/13854040490501439

Oh, S. S., Galanter, J., Thakur, N., Pino-Yanes, M., Barcelo, N. E., White, M. J., ... Burchard, E. G. (2015). Diversity in Clinical and Biomedical Research: A Promise Yet to Be Fulfilled. *PLOS Medicine*, *12*(12), e1001918. https://doi.org/10.1371/journal.pmed.1001918

Parolo, P. D. B., Pan, R. K., Ghosh, R., Huberman, B. A., Kaski, K., & Fortunato, S. (2015). Attention decay in science. *Journal of Informetrics*, *9*(4), 734–745. https://doi.org/10.1016/j.joi.2015.07.006

Powell, J. J. W., Fernandez, F., Crist, J. T., Dusdal, J., Zhang, L., & Baker, D. P. (2017). Introduction: The Worldwide Triumph of the Research University and Globalizing Science. In J. J. W. Powell, D. P. Baker, & F. Fernandez (Eds.), *International Perspectives on Education and Society* (Vol. 33, pp. 1–36). Emerald Publishing Limited. https://doi.org/10.1108/S1479-367920170000033003

PRISMA-P Group, Moher, D., Shamseer, L., Clarke, M., Ghersi, D., Liberati, A., ... Stewart, L. A. (2015). Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement. *Systematic Reviews*, *4*(1), 1. https://doi.org/10.1186/2046-4053-4-1

Pruim, R., Kaplan, D., & Horton, N. (2021). *mosaicData: Project MOSAIC data sets*. Retrieved from https://CRAN.R-project.org/package=mosaicData

Pruim, R., Kaplan, D. T., & Horton, N. J. (2017). The mosaic package: Helping students to 'think with data' using r. *The R Journal*, *9*(1), 77–102. Retrieved from https://journal.r-project.org/archive/2017/RJ-2017-024/index.html

R Core Team. (2020). *R: A language and environment for statistical computing*. Vienna, Austria: R Foundation for Statistical Computing. Retrieved from https://www.R-project.org/

Redline, S., Kirchner, H. L., Quan, S. F., Gottlieb, D. J., Kapur, V., & Newman, A. (2004). The effects of age, sex, ethnicity, and sleep-disordered breathing on sleep architecture. *Archives of Internal Medicine*, *164*(4), 406–418. https://doi.org/10.1001/archinte.164.4.406

Robinson, J. K., McMichael, A. J., & Hernandez, C. (2017). Transparent Reporting of Demographic Characteristics of Study Participants. *JAMA Dermatology*, *153*(3), 263. https://doi.org/10.1001/

jamadermatol.2016.5978

Santhi, N., Lazar, A. S., McCabe, P. J., Lo, J. C., Groeger, J. A., & Dijk, D.-J. (2016). Sex differences in the circadian regulation of sleep and waking cognition in humans. *Proceedings of the National Academy of Sciences of the United States of America*, *113*(19), E2730–2739. https://doi.org/10.1073/pnas.1521637113

Santhi, N., Thorne, H. C., Veen, D. R. van der, Johnsen, S., Mills, S. L., Hommes, V., . . . Dijk, D.-J. (2012). The spectral composition of evening light and individual differences in the suppression of melatonin and delay of sleep in humans: Artificial evening light suppresses melatonin and delays sleep. *Journal of Pineal Research*, *53*(1), 47–59. https://doi.org/10.1111/j.1600-079X.2011.00970.x

Sarkar, D. (2008). *Lattice: Multivariate data visualization with r*. New York: Springer. Retrieved from http://lmdvr.r-forge.r-project.org

Sarkar, D., & Andrews, F. (2019). *latticeExtra: Extra graphical utilities based on lattice*. Retrieved from https://CRAN.R-project.org/package=latticeExtra

Schulz, K. F., Altman, D. G., Moher, D., & CONSORT Group. (2010). CONSORT 2010 statement: Updated guidelines for reporting parallel group randomised trials. *BMJ (Clinical Research Ed.)*, *340*, c332. https://doi.org/10.1136/bmj.c332

Shamseer, L., Moher, D., Clarke, M., Ghersi, D., Liberati, A., Petticrew, M., . . . the PRISMA-P Group. (2015). Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015: Elaboration and explanation. *BMJ*, *349*(jan02 1), g7647–g7647. https://doi.org/10.1136/bmj.g7647

Sifers, S. K. (2002). Reporting of Demographics, Methodology, and Ethical Procedures in Journals in Pediatric and Child Psychology. *Journal of Pediatric Psychology*, *27*(1), 19–25. https://doi.org/10.1093/jpepsy/27.1.19

Spitschan, M., Schmidt, M. H., & Blume, C. (2020). Transparency and open science principles in reporting guidelines in sleep research and chronobiology journals. *Wellcome Open Research*, *5*, 172. https://doi.org/10.12688/wellcomeopenres.16111.1

Tankova, I., Adan, A., & Buela-Casal, G. (1994). Circadian typology and individual differences. A review. *Personality and Individual Differences*, *16*(5), 671–684. https://doi.org/10.1016/0191-8869(94)90209-7

Veitch, J. A., & Knoop, M. (2020). *CIE TN 011:2020 What to document and report in studies of ipRGC-influenced responses to light*. International Commission on Illumination (CIE). https://doi.org/10.25039/TN.011.2020

Wei, T., & Simko, V. (2017). *R package "corrplot": Visualization of a correlation matrix*. Retrieved from https://github.com/taiyun/corrplot

Wickham, H. (2007). Reshaping data with the reshape package. *Journal of Statistical Software*, *21*(12), 1–20. Retrieved from http://www.jstatsoft.org/v21/i12/

Wickham, H. (2016). *ggplot2: Elegant graphics for data analysis*. Springer-Verlag New York. Retrieved from https://ggplot2.tidyverse.org

Wickham, H. (2019). *Stringr: Simple, consistent wrappers for common string operations*. Retrieved from https://CRAN.R-project.org/package=stringr

Wickham, H. (2021). *Tidyr: Tidy messy data*. Retrieved from https://CRAN.R-project.org/package=tidyr

Wickham, H., & Bryan, J. (2019). *Readxl: Read excel files*. Retrieved from https://CRAN.R-project.org/package=readxl

Wickham, H., François, R., Henry, L., & Müller, K. (2021). *Dplyr: A grammar of data manipulation*. Retrieved from https://CRAN.R-project.org/package=dplyr

Wickham, H., & Hester, J. (2020). *Readr: Read rectangular text data*. Retrieved from https://CRAN.R-project.org/package=readr

Wilke, C. O. (2021). *Ggridges: Ridgeline plots in 'ggplot2'*. Retrieved from https://CRAN.R-project.org/package=ggridges

Wilkinson, M. D., Dumontier, M., Aalbersberg, Ij. J., Appleton, G., Axton, M., Baak, A., . . . Mons, B. (2016). The FAIR Guiding Principles for scientific data management and stewardship. *Scientific Data*, *3*(1), 160018. https://doi.org/10.1038/sdata.2016.18

Williams, N. J., Grandner, M. A., Snipes, S. A., Rogers, A., Williams, O., Airhihenbuwa, C., & Jean-Louis, G. (2015). Racial/ethnic disparities in sleep health and health care: Importance of the sociocultural context. *Sleep Health*, *1*(1), 28–35. https://doi.org/10.1016/j.sleh.2014.12.004

Woitowich, N. C., Beery, A., & Woodruff, T. (2020). A 10-year follow-up study of sex inclusion in the biological sciences. *eLife*, *9*, e56344. https://doi.org/10.7554/eLife.56344

Xiao, N. (2018). *Ggsci: Scientific journal and sci-fi themed color palettes for 'ggplot2'*. Retrieved from https://CRAN.R-project.org/package=ggsci

Xie, Y. (2015). *Dynamic documents with R and knitr* (2nd ed.). Boca Raton, Florida: Chapman; Hall/CRC. Retrieved from https://yihui.org/knitr/