

# Package ‘flaskcycle’

November 8, 2024

**Type** Package

**Title** Control and tracking of flasks for atmospheric sampling of greenhouse gases

**Version** 1.0

**Date** 2024-11-04

**Author** Carlos A. Sierra

**Maintainer** Carlos A. Sierra <csierra@bgc-jena.mpg.de>

**Description** This package contains a set of functions to track flasks sampled with an ICOS automated flasks sampler, their location, and laboratory submissions.

**License** MIT

**Encoding** UTF-8

**Imports** csvy, yaml

**RoxygenNote** 7.3.2.9000

**NeedsCompilation** no

## Contents

checkBox . . . . .	2
getBox . . . . .	2
getSampledBox . . . . .	3
load_cf . . . . .	3
plotBox . . . . .	4
sampledBoxes . . . . .	4
selectBox . . . . .	5
submissionInfo . . . . .	5
unzipBox . . . . .	6
<b>Index</b>	<b>7</b>

---

checkBox	<i>Check if flasks in a box have been recorded as sampled from the autosampler</i>
----------	--

---

### Description

Check if flasks in a box have been recorded as sampled from the autosampler

### Usage

```
checkBox(samplerBoxData, manualList)
```

### Arguments

samplerBoxData	A data.frame of sampled boxes produced as a report from the autosampler and loaded using the function selectBox
manualList	a data.frame with flask IDs manually produced at the time of checking a box.

### Value

a logical vector of flasks that match both lists.

---

getBox	<i>Get box data and metadata from control file</i>
--------	--

---

### Description

Get box data and metadata from control file

### Usage

```
getBox(cf, box)
```

### Arguments

cf	control file as list. This is produced by function load_cf
box	character string with the ID of the box to extract

### Value

a list with data and metadata for a single box

---

getSampledBox	<i>Get information of a sampled box from a report from the autosampler</i>
---------------	--

---

**Description**

Get information of a sampled box from a report from the autosampler

**Usage**

```
getSampledBox(  
  file,  
  box,  
  selvars = c("sampleID", "flaskID", "batchID", "boxID", "startTime", "endTime",  
              "flaskPort", "flaskInsertTime", "mountPressure", "samplePressure")  
)
```

**Arguments**

file	a character string with the location of the csv file containing information from the autosampler. Usually a result to a call to the function sampledBoxes
box	character string with the Box ID
selvars	character vector of variables to select from original file

**Value**

a data.frame with information on flasks sampled for the particular box

**Examples**

```
## Not run:  
getSampledBox(file="FlaskCycle/packedBoxes/sampledBoxes.csv", box="B0171")  
  
## End(Not run)
```

---

load_cf	<i>Load control file, data and metadata</i>
---------	---

---

**Description**

Load control file, data and metadata

**Usage**

```
load_cf(cf)
```

**Arguments**

cf	character string to the path to the control file. Usually a .csv file with a yaml metadata header.
----	--

**Value**

list with a data.frame with data, and a list with metadata information

---

plotBox

*Plots the box with the containing flasks*

---

**Description**

Plots the box with the containing flasks

**Usage**

```
plotBox(box_list)
```

**Arguments**

box\_list            a list with data and metadata for a box

**Value**

a plot

---

sampledBoxes

*Collect all information from the report produced by the autosampler about packed boxes and prints a report*

---

**Description**

Collect all information from the report produced by the autosampler about packed boxes and prints a report

**Usage**

```
sampledBoxes(  
  fromWhere = "~/Repos/ATTO_flask_sampling/FlaskCycle/packedBoxes",  
  toWhere = fromWhere  
)
```

**Arguments**

fromWhere            a character string with the path with the reports are stored.  
toWhere              a character string with the path to store the report.

**Value**

a csv file with the data of all sampled boxes

**Examples**

```
sampledBoxes()
```

---

selectBox	<i>Selects data for a single box from all sampled boxes</i>
-----------	---

---

**Description**

Selects data for a single box from all sampled boxes

**Usage**

```
selectBox(box, year = NULL, sampledBoxes)
```

**Arguments**

- box                    character string with box ID
- year                  integer with the year of sampling
- sampledBoxes        character string with the path of the report of all sampled boxes

**Value**

sampling report for one selected box

**Examples**

```
selectBox(box="B0171", year=2023, sampledBoxes = "~/Repos/ATTO_flask_sampling/FlaskCycle/packedBoxes/sampledBoxes.csv")
selectBox(box="B0171", sampledBoxes = "~/Repos/ATTO_flask_sampling/FlaskCycle/packedBoxes/sampledBoxes.csv")
```

---

submissionInfo	<i>Extracts required information for submitting sampled flasks to a laboratory</i>
----------------	--

---

**Description**

Extracts required information for submitting sampled flasks to a laboratory

**Usage**

```
submissionInfo(
  box,
  file = "~/Repos/ATTO_flask_sampling/FlaskCycle/SubmissionFiles/Aug2024.csv"
)
```

**Arguments**

- box                    data.frame with the sampler report for a specific box ID
- file                  character string with the path and file name to write output

**Value**

writes a csv file at the specified path

---

`unzipBox`*Unzip files containing reports of sampled flasks from autosampler*

---

**Description**

Unzip files containing reports of sampled flasks from autosampler

**Usage**

```
unzipBox(year, path)
```

**Arguments**

<code>year</code>	character vector of years of data to unzip
<code>path</code>	character string with the path where zip files are stored

**Value**

a file containing all data from a box report

# Index

checkBox, [2](#)

getBox, [2](#)

getSampledBox, [3](#)

load\_cf, [3](#)

plotBox, [4](#)

sampledBoxes, [4](#)

selectBox, [5](#)

submissionInfo, [5](#)

unzipBox, [6](#)