

Akademija tehničko umetničkih strukovnih studija

Odsek Visoka ICT škola

Blog.up

Miloš Parezanović 110/17

Beograd, maj 2021

Smer: Internet tehnologije

Predmet: Web programiranje PHP 2

Contents

Uvod	5
Za izradu sajta korišćene su sledeće tehnologije	5
Opis funkcionalnosti/Opis domena.....	5
Template	6
Home/About pages.....	6
Contact	7
Korisnik/dashboard.....	8
Post/show/edit/add - stranice	9
Login/Register	11
Admin/dashboard – stranice	12
Organizaciona šema sajta	19
Šema baze	19
Opis stranica sajta	20
Blog entries	20
About.....	21
Login.....	22
Register	22
Admin/Dashboard.....	23
Korisnicki/Dasboard	30
Post/show - stranice	31
Contact.....	32
Kodovi	32
Web.php.....	32
Controllers.....	35
AdminController.php	35
CategoryController.php	37
CommentController.php.....	39
LoginController.php	40
LogoutController.php.....	41
PagesController.php	41
PostController.php.....	42
RegisterController.php.....	46
UserController.php	47

UserPostController.php	49
Middleware	50
Middleware/Admin.php.....	50
Requests.....	51
Requests/PostStoreRequest.php	51
Requests/PostUpdateRequest.php.....	52
Requests/UserUpdateRequest.php	53
Models	54
Models/Category.php	54
Models/Comment.php.....	54
Models/Post.php.....	55
Models/Role.php	57
Models/User.php	57
Policies	59
Policies/PostPolicy.php	59
Migrations	59
Views	59
fixed/head.blade.php.....	59
fixed/nav.blade.php	60
fixed/footer.blade.php.....	61
fixed/scripts.blade.php	62
layouts/app/layout.blade.php	62
layouts/admin/layout.blade.php	63
pages/admin/fixed/head.blade.php	64
pages/admin/fixed/nav.blade.php	65
pages/admin/fixed/footer.blade.php	70
pages/admin/fixed/scripts.blade.php.....	70
pages/admin/categories/create.blade.php	71
pages/admin/categories/edit.blade.php	71
pages/admin/categories/form.blade.php	72
pages/admin/categories/index.blade.php	73
pages/admin/comments/create.blade.php.....	73
pages/admin/comments/form.blade.php	73
pages/admin/comments/index.blade.php	74

pages/admin/posts/create.blade.php	74
pages/admin/posts/edit.blade.php	75
pages/admin/posts/form.blade.php	75
pages/admin/posts/index.blade.php	77
pages/admin/users/create.blade.php	77
pages/admin/users/edit.blade.php	78
pages/admin/users/form.blade.php	78
pages/admin/users/index.blade.php	80
pages/admin/ details.blade.php	80
pages/admin/statistics.blade.php	82
pages/admin/table.blade.php	84
pages/auth/index.blade.php	90
pages/auth/register.blade.php	93
pages/main/about.blade.php	97
pages/main/contact.blade.php	100
pages/main/home.blade.php	102
pages/main/user_dashboard.blade.php	109
pages/posts/create.blade.php	110
pages/posts/edit.blade.php	111
pages/posts/form.blade.php	111
pages/posts/index.blade.php	113
pages/posts/show.blade.php	118
partials/error-message.blade.php	122
partials/success-message.blade.php	123
JavaScript	123
Posts.js	123

Uvod

Za izradu sajta korišćene su sledeće tehnologije

- PHP, MySQL
- HTML 5, CSS 3
- JavaScript, jQuery, Ajax
- Bootstrap
- Laravel 8

Opis funkcionalnosti/Opis domena

Sajt poseduje sledeće funkcionalnosti:


- Dohvatanje postova, kategorija, komentara i njihovo ispisivanje na blog entries stranici, uz paginaciju i mogućnost njihovog filtriranja
- Provera unosa podataka prilikom prijavljivanja ili registracije na sajt
- Upravljanje dinamičkog dela sajta sa admin strane
- Mogućnost postovanja sadržaja na sajt kao user korisnik
- Klikom na post korisnik može da pročita ceo sadržaj posta na zasebnoj strani
- Domen: Blog – aplikacija/website treba da zadovolji domen bloga u kojoj korisnici mogu da postuju tekst i sliku posta, brisu, čitaju i ostavljaju komentare kako na svojim tako i na tuđim postove ukoliko posetioc sajta nije korisnik (registrovan na sajt) od ovih funkcionalnosti može samo da čita postove drugih autora, dok kada je registrovan može i sam preuzeti ulogu autora. Ukoliko korisnik ima ulogu administratora ima sve privilegije ima mogućnost postovanja, dodavanja kako korisnika, tako i kategorija i komentara, njihovu izmenu i njihovo uklanjanje

Template

Template – preuzet sa <https://templatemo.com/>

Template za admin stranicu – preuzet sa <https://github.com/puikinsh/CoolAdmin>

Home/About pages





About me & this project

Hi, name's Miloš Parezanović, student at high ICT school

Index number 110/17

Blog.up is a blog application that was made for the school subject of PHP level 2, made in Laravel, it should represent and have all functionalities of a modern blog, focusing on news and stories about arts, food and world sites mostly, welcome and enjoy.

Utilities and Tools: Laravel, PHP, AJAX and Bootstrap

[View Documentation](#) - file for this project

Contact

SEND US A MESSAGE

CONTACT INFORMATION

090-484-8080

PHONE NUMBER

blog.up@info.com

EMAIL ADDRESS

Welcome back JohnWalker!

Member since 18 hours ago

Recent posts

#5 Artists on Our Radar This April

Newly added to Blog 18 hours ago [Read More](#)

#How Helen Frankenthaler's Color-Soaked Canvases Won Over the Art Market

Newly added to Blog 18 hours ago [Read More](#)

Add a new post



TRAVEL

Great Wall Of China

MattDoug | 18 hours ago | 0 comments

The Great Wall is one of the seven wonders of the world. It runs in sections over a very long distance across China. The wall is also referred to as 'Long Wall' as it is over 21,196 km/13,171 miles long. It was built with stones, bricks and tiles, earth as well as of wooden material. The wall was completed in 1644, but it took more than 2,000 years to build. There are more than 20,000 watchtowers along the wall as it was built to protect the country against invasions from nomads and enemies and to make it easier to collect duty for goods that were transported along the Silk Road. Today the wall is the most popular tourist attraction in China with more than 10 million visitors per year. Contrary to popular belief the Great Wall cannot be seen from the moon!

[Delete](#)[Edit](#)

0 COMMENTS

YOUR COMMENT

TYPE YOUR COMMENT

[SUBMIT](#)

RECENT POSTS

Ears of the Desert

17 hours ago

Amazon Rainforest

17 hours ago

History of Soup

17 hours ago

CREATE A NEW POST!

Title

Text

Category

Choose..



Image

Browse...

No file selected.

SUBMIT

COPYRIGHT 2020 STAND BLOG CO. | DESIGN: [TEMPLATEMO](#)

EDIT YOUR POST

Title

Great Wall of China

Text

The Great Wall is one of the seven wonders of the world. It runs in sections over a very long distance across China.

The wall is also referred to as 'Long Wall' as it is over 21,196 km/13,171 miles long. It was built with stones,

Category

Choose..



Image

Browse...

No file selected.

SUBMIT

COPYRIGHT 2020 STAND BLOG CO. | DESIGN: [TEMPLATEMO](#)

WELCOME

E-Mail Address

Password

☐ Remember Me

LOGIN

COPYRIGHT 2020 STAND BLOG CO. | DESIGN: [TEMPLATEMO](#)

REGISTER

Name

Username


E-Mail Address


Password


Confirm Password


REGISTER

COPYRIGHT 2020 STAND BLOG CO. | DESIGN: [TEMPLATEMO](#)


 COOL ADMIN


 Dashboards


 Pages


 Admin Admin ▾

+ ADD CATEGORY

 COOL ADMIN

 Dashboards


 Pages


 Admin Admin ▾


Create a new Category


Name

 Submit

 COOL ADMIN




 Dashboards

 Pages


 Admin Admin ▾


Welcome back Administrator!


Comments Table


Post	Added	Author	Action
History of Soup	05-03-2021	MattDoug	
History of Soup	05-03-2021	PenyGoldstone	
Ears of the Desert	05-03-2021	PenyGoldstone	

Copyright © 2018 Colorlib. All rights reserved. Template by [Colorlib](#).

 COOL ADMIN

 Dashboards

 Pages

 Admin Admin ▾


Welcome back Administrator!

Account Details:

Name: Admin Admin

Username: Administrator

E-Mail: admin@admin.com

 Update details

Copyright © 2018 Colorlib. All rights reserved. Template by [Colorlib](#).

Welcome back Administrator!

Create a new post

Title

Text

Category

Choose..



Image

No file selected.

Welcome back Administrator!

Posts Table

[+ ADD NEW POST](#)

Title	Author	Added	Category	Total Comments	Action
Ears of the Desert	MattDoug	05-03-2021	Outdoors & Nature	1	Edit Delete Comments
Amazon Rainforest	MattDoug	05-03-2021	Outdoors & Nature	0	Edit Delete Comments
History of Soup	MattDoug	05-03-2021	Foods	2	Edit Delete Comments
Sgraffito	MrSmith	05-03-2021	Arts	0	Edit Delete Comments
Blocking in	MrSmith	05-03-2021	Arts	0	Edit Delete Comments

Welcome back Administrator!


7
REGISTERED USERS

20
POSTS THIS WEEK

3
COMMENTS POSTED

Statistics

Chart




20 / items posted

Top Bloggers / Last 24h

1. MrSmith	6 posts
2. MattDoug	5 posts
3. PenyGoldstone	4 posts
4. BrookM	3 posts
5. JohnWalker	2 posts

Chart By %



● Themed ● Other

Welcome back Administrator!

Create a new User

Name	<input type="text"/>
Username	<input type="text"/>
E-Mail	<input type="text"/>
Password	<input type="password"/>
Role	<input type="text" value="Choose.."/>

[Submit](#)

Copyright © 2018 Colorlib. All rights reserved. Template by [Colorlib](#).

Welcome back Administrator!

Edit User

Name	<input type="text" value="John Smith"/>
Username	<input type="text" value="MrSmith"/>
E-Mail	<input type="text" value="john@smith.com"/>
Password	<input type="password"/>
Role	<input type="text" value="Choose.."/>











[Update](#)

Copyright © 2018 Colorlib. All rights reserved. Template by [Colorlib](#).

Welcome back Administrator!

Users Table

[+ ADD NEW USER](#)


Name	Email	Joined Date	Status	Total Posts	Action
Pera Peric	pera@peric.com	05-04-2021	User	0	 
John Smith	john@smith.com	05-03-2021	User	6	 
Matt Doug	matt@doug.com	05-03-2021	User	5	 
John Walker	john@walker.com	05-03-2021	User	2	 
Brook Mitchells	brook@mitchells.com	05-03-2021	User	3	 

[◀](#)
[1](#)
[2](#)
[▶](#)

Organizaciona šema sajta

Svakoj starnici može se pristupiti sa svake stranice u zavisnosti od uloge registrovanog korisnika, sem stranici za čitanje konkretnog posta gde mogu svi korisnici sajta da pristupe. Unos, izmenu i brisanje posta mogu vršiti samo registrovani korisnici kao i ostavljanje komentara, dok upravljanju dinamičkog dela sajta mogu vršiti samo administartori sa admin-dashboard strane kojoj samo oni imaju pristup.


Šema baze



Opis stranica sajta


Blog entries

Početna, prva strana sajta sadrži prikaz postova, mogućnost njihove pretrage i filtriranja po vremenu i kategorijama kao i njihovo dalje čitanje, stranicenje (paginaciju) i njihovo izlistavnje sto bi trebalo da ispuni domen galerije sajta.



About

Strana o autoru sajta, kratak opis o njemu i o projektu, stranica takodje sadrži i link ka dokumentaciji za ovaj sajt



Login

Strana za logovanje

BLOG.UP[BLOG ENTRIES](#)[ABOUT](#)[CONTACT](#)[REGISTER](#)[LOGIN](#)

WELCOME

E-Mail Address

Password

☐ Remember Me

LOGIN

COPYRIGHT 2020 STAND BLOG CO. | DESIGN: [TEMPLATEMO](#)

Register

Strana za registraciju novih korisnika

BLOG.UP[BLOG ENTRIES](#)[ABOUT](#)[CONTACT](#)[REGISTER](#)[LOGIN](#)

REGISTER

Name

Username

E-Mail Address

Password


Confirm Password

REGISTER

COPYRIGHT 2020 STAND BLOG CO. | DESIGN: [TEMPLATEMO](#)

Admin/Dashboard

Admin strana za upravljanje dinamičkim sadržajem sajta, moguće registracija novih korisnika, dodavanje postova, dodavanje kategorija, ostavljanja komentara – kao i njihova izmena i brisanje istih, pored toga moguća je i izmena statusa uloge korisnika kroz forme. Prikaz statistike sajta – koliko ima registrovanih korisnika, koliko je postova postavljeno, koliko komentara ostavljeno, itd. Lista top 5 korisnika po broja postova u zadnjih 24 h, lista svih korisnika, postova, komentara i kategorija kroz tabele. Iz padajućeg menija administrator ima mogućnost da pogleda svoje podatke naloga i da klikom na update izvrši njihovu izmenu, kao i da klikom na user dashboard bude redirektovan na korisnički dashboard i da sajtu pristupi kao običan korisnik, gde ćemu se pojaviti link da može da se vrati na administratorski deo sajta.



Welcome back Administrator!

Account Details:

Name: Admin Admin

Username: Administrator

E-Mail: admin@admin.com





 Update details

Copyright © 2018 Colorlib. All rights reserved. Template by [Colorlib](#).

Welcome back Administrator!

Categories Table

[+ ADD CATEGORY](#)

Name	Added	Total Posts	Action
Other	05-03-2021	0	 
Foods	05-03-2021	4	 
Arts	05-03-2021	5	 
Outdoors & Nature	05-03-2021	4	 
Travel	05-03-2021	7	 

Copyright © 2018 Colorlib. All rights reserved. Template by [Colorlib](#).

Welcome back Administrator!

Create a new Category




Name

[Submit](#)

Copyright © 2018 Colorlib. All rights reserved. Template by [Colorlib](#).

Welcome back Administrator!

Comments Table

Post	Added	Author	Action
History of Soup	05-03-2021	MattDoug	
History of Soup	05-03-2021	PenyGoldstone	
Ears of the Desert	05-03-2021	PenyGoldstone	

Copyright © 2018 Colorlib. All rights reserved. Template by [Colorlib](#).

Welcome back Administrator!

Create a new post

Title

Text

Category

Choose.. ▾

Image

Browse...
















No file selected.

Copyright © 2018 Colorlib. All rights reserved. Template by [Colorlib](#).

Welcome back Administrator!

Posts Table

[+ ADD NEW POST](#)

Title	Author	Added	Category	Total Comments	Action
Ears of the Desert	MattDoug	05-03-2021	Outdoors & Nature	1	  
Amazon Rainforest	MattDoug	05-03-2021	Outdoors & Nature	0	  
History of Soup	MattDoug	05-03-2021	Foods	2	  
Sgraffito	MrSmith	05-03-2021	Arts	0	  
Blocking in	MrSmith	05-03-2021	Arts	0	  

Welcome back Administrator!

Create a new User

Name	<input type="text"/>
Username	<input type="text"/>
E-Mail	<input type="text"/>
Password	<input type="password"/>
Role	<input type="text" value="Choose.."/>

[Submit](#)

Copyright © 2018 Colorlib. All rights reserved. Template by [Colorlib](#).

Welcome back Administrator!

Edit User

Name	<input type="text" value="John Smith"/>
Username	<input type="text" value="MrSmith"/>
E-Mail	<input type="text" value="john@smith.com"/>
Password	<input type="password"/>
Role	<input type="text" value="Choose.."/>











[Update](#)

Copyright © 2018 Colorlib. All rights reserved. Template by [Colorlib](#).

Welcome back Administrator!



Users Table

[+ ADD NEW USER](#)

Name	Email	Joined Date	Status	Total Posts	Action
Pera Peric	pera@peric.com	05-04-2021	User	0	 
John Smith	john@smith.com	05-03-2021	User	6	 
Matt Doug	matt@doug.com	05-03-2021	User	5	 
John Walker	john@walker.com	05-03-2021	User	2	 
Brook Mitchells	brook@mitchells.com	05-03-2021	User	3	 

Korisnicki/Dashboard

Korisnicka strana na kojoj registrovani korisnik može dodati, izmeniti ili obrisati neki od svojih postova i sa koje može pristupiti detaljima svog posta, postoji i mogućnost da se izloguje




Post/show - stranice

strana na kojoj mozete procitati celokupan post sa detaljima, ukoliko je korisnik ulogovan na dnu stranici pojaviće se polje za unos gde korisnik može ostaviti kometar na pročitani post, ukoliko post pripada ulogovanom korisniku pojaviće se dva dugmeta edit/delete kojima korisnik može da izmeni ili obriše svoj post – ova funkcionalnost odrađena je pomoću polise kako bi ulogovani kornici mogli da menjaju ili brišu isključivo samo svoje postove, dok je za ostavljanje komentara dovoljno samo da kornik bude ulogovan.

BLOGUP

[BLOG ENTRIES](#)[ABOUT](#)[CONTACT](#)[MATTDoug](#)[LOGOUT](#)



TRAVEL

Great Wall Of China

MattDoug | 18 hours ago | 0 comments

The Great Wall is one of the seven wonders of the world. It runs in sections over a very long distance across China. The wall is also referred to as 'Long Wall' as it is over 21,196 km/13,171 miles long. It was built with stones, bricks and tiles, earth as well as of wooden material. The wall was completed in 1644, but it took more than 2,000 years to build. There are more than 20,000 watchtowers along the wall as it was built to protect the country against invasions from nomads and enemies and to make it easier to collect duty for goods that were transported along the Silk Road. Today the wall is the most popular tourist attraction in China with more than 10 million visitors per year. Contrary to popular belief the Great Wall cannot be seen from the moon!

[Delete](#)[Edit](#)

0 COMMENTS

YOUR COMMENT

TYPE YOUR COMMENT

SUBMIT

RECENT POSTS

Ears of the Desert

17 hours ago

Amazon Rainforest

17 hours ago

History of Soup

17 hours ago

COPYRIGHT 2020 STAND BLOG CO. | DESIGN: [TEMPLATEMO](#)

Takođe na ovoj strain se nalaze linkovi ka 3 najnovija posta sa bloga kojima se može pristupiti

Contact

Kontakt strana

BLOG.UP

BLOG ENTRIESABOUTCONTACTREGISTERLOGIN

SEND US A MESSAGE

Your name

Your email

YOUR MESSAGE

SEND MESSAGE

CONTACT INFORMATION

090-484-8080

PHONE NUMBER

blog.up@info.com

EMAIL ADDRESS

COPYRIGHT 2020 STAND BLOG CO. | DESIGN: **TEMPLATEMO**

Kodovi

Web.php

```
<?php

use Illuminate\Support\Facades\Route;
use App\Http\Controllers\PostController;
use App\Http\Controllers\UserController;
use App\Http\Controllers\AdminController;
use App\Http\Controllers>LoginController;
```



```

use App\Http\Controllers\PagesController;
use App\Http\Controllers\LogoutController;
use App\Http\Controllers\CommentController;
use App\Http\Controllers\CategoryController;
use App\Http\Controllers\RegisterController;
use App\Http\Controllers\UserPostController;

/*
|-----
| Web Routes
|-----
|
| Here is where you can register web routes for your application. These
| routes are loaded by the RouteServiceProvider within a group which
| contains the "web" middleware group. Now create something great!
|
*/

/** Auth */

Route::get('/login', [LoginController::class, 'index'])->name('login');
Route::post('/login', [loginController::class, 'store']);
Route::post('/logout', [LogoutController::class, 'logout'])->name('logout');

Route::get('/register', [RegisterController::class, 'index'])->name('register');
Route::post('/register', [RegisterController::class, 'store']);

/** Pages */

Route::get('/', [PagesController::class, 'index'])->name('home');
Route::get('/about', [PagesController::class, 'about'])->name('about');
Route::get('/contact', [PagesController::class, 'contact'])->name('contact');

/** Korisnicke strane */

Route::get('/users/{user:username}/posts', [UserPostController::class, 'index'])->
>name('users.posts');
Route::get('/admin', [AdminController::class, 'index'])->name('admin');
Route::get('/admin/details', [AdminController::class, 'show'])->name('admin_details');

/** Admin strana CRUD */

Route::get('/admin/users', [AdminController::class, 'users_show'])->name('admin_users');
Route::get('/admin/posts', [AdminController::class, 'posts_show'])->name('admin_posts');
Route::get('/admin/categories', [AdminController::class, 'categories_show'])->
>name('admin_cats');

```

```

Route::get('/admin/comments', [AdminController::class, 'comments_show'])->
>name('admin_comments');

Route::get('/admin/posts/create', [AdminController::class, 'post_create'])->
>name('admin_post_create');
Route::get('/admin/{post}/edit', [AdminController::class, 'post_edit'])->
>name('admin_post_edit');

/** Admin/User CRUD */

Route::get('/admin/users/create', [UserController::class, 'create'])->
>name('admin_user_create');
Route::post('/admin/users/store', [UserController::class, 'store'])->
>name('admin_user_store');
Route::get('/admin/user_edit/{user}', [UserController::class, 'edit'])->
>name('admin_user_edit');
Route::put('/admin/user_edit/{user}', [UserController::class, 'update'])->
>name('admin_user_update');
Route::delete('/admin/user_delete/{user}', [UserController::class, 'delete'])->
>name('admin_user_delete');

/** Admin/Category CRUD */

Route::get('/admin/categories/create', [CategoryController::class, 'create'])->
>name('cat_create');
Route::post('/admin/categories/store', [CategoryController::class, 'store'])->
>name('cat_store');
Route::get('/admin/category/{category}/edit', [CategoryController::class, 'edit'])->
>name('cat_edit');
Route::put('/admin/category/{category}/edit', [CategoryController::class, 'update'])->
>name('cat_update');
Route::delete('/admin/category/{category}/delete', [CategoryController::class, 'delete'])->
>name('cat_delete');

/** Posts rute */

Route::get('/posts', [PostController::class, 'index'])->name('posts');
Route::get('/posts/create', [PostController::class, 'add'])->name('posts.create');
Route::post('/posts', [PostController::class, 'store'])->name('posts.store');

/** Sortiranje i search */
Route::get('/posts/fetch', [PostController::class, 'getPost']);
Route::get('/posts/search', [PostController::class, 'searchPosts']);

/** Prikaz jednog post-a */
Route::get('/posts/{post}', [PostController::class, 'show'])->name('post');

/** Edit/Update/Delete */

```

```

Route::get('/posts/{post}/edit', [PostController::class, 'edit'])->name('posts.edit');
Route::put('/posts/{post}', [PostController::class, 'update'])->name('posts.update');
Route::delete('/posts/{post}', [PostController::class, 'destroy'])->name('posts.delete');

/** Comments */
Route::get('/admin/{post}/commets/create', [CommentController::class, 'index'])->
>name('admin_comment_add');
Route::post('/posts/{post}/commets/create', [CommentController::class, 'store'])->
>name('comments.store');
Route::delete('/admin/{comment}/delete', [CommentController::class, 'destroy'])->
>name('comments_delete');

```

Controllers

AdminController.php

```

<?php

namespace App\Http\Controllers;

use Carbon\Carbon;
use App\Models\Post;
use App\Models\User;
use App\Models\Comment;
use App\Models\Category;
use Illuminate\Http\Request;

class AdminController extends Controller
{
    public function __construct()
    {
        $this->middleware(['auth', 'Admin']);
    }

    public function index()
    {
        $users = User::all();
        $posts = Post::all();
        $comments = Comment::all();
        $categories = Category::all();
    }
}

```

```

    $topAuth = User::withCount(['posts' => function ($query) {
        $query->where('created_at', '>=', Carbon::now()->subDay());
    }])->orderBy('posts_count', 'DESC')
        ->take(5)
        ->get();
    //dd($topAuth);
    return view('pages.admin.statistics', [
        "users" => $users,
        "posts" => $posts,
        "comments" => $comments,
        "categories" => $categories,

        "topAuth" => $topAuth
    ]);
}

public function show()
{
    return view('pages.admin.details');
}

public function users_show()
{
    $users = User::orderBy('created_at', 'DESC')->paginate(5);
    return view('pages.admin.users.index', ["users" => $users]);
}

public function posts_show()
{
    $posts = Post::orderBy('created_at', 'DESC')->paginate(5);
    return view('pages.admin.posts.index', ["posts" => $posts]);
}

public function categories_show()
{
    $categories = Category::orderBy('created_at', 'DESC')->paginate(5);
    return view('pages.admin.categories.index', ["categories" => $categories]);
}

public function comments_show()
{
    $comments = Comment::orderBy('created_at', 'DESC')->paginate(5);
    //dd($comments);
    return view('pages.admin.comments.index', ["comments" => $comments]);
}

public function post_create()
{

```

```

        $categories = Category::all();
        return view('pages.admin.posts.create', ["categories" => $categories]);
    }

    public function post_edit(Post $post)
    {
        //dd($post);
        $categories = Category::all();
        return view('pages.admin.posts.edit', [
            'post' => $post,
            'categories' => $categories
        ]);
    }
}

```

CategoryController.php

```

<?php

namespace App\Http\Controllers;

use App\Models\Category;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;

class CategoryController extends Controller
{
    public function create()
    {
        return view('pages.admin.categories.create');
    }

    public function store(Request $request)
    {
        //dd('category store');

        $this->validate($request, [
            'name' => 'required|max:255|unique:categories'
        ]);

        DB::beginTransaction();
        try
        {

```

```

        Category::create([
            'name' => $request->name,
        ]);

        DB::commit();

        //return redirect()->route('posts.create')-
>with('success', 'Post added successfully!');
        return redirect()->back()->with('success', 'Category added successfully!');
    }
    catch(Exception $e)
    {
        DB::rollBack();
        //return redirect()->route('posts.create')-
>with('errorMessage', 'An error occurred!');
        return redirect()->back()->with('errorMessage', 'An error occurred!');
    }
}

public function edit(Category $category)
{
    return view('pages.admin.categories.edit', ['category' => $category]);
}

public function update(Request $request, Category $category)
{
    $this->validate($request, [
        'name' => 'required|max:255'
    ]);

    try
    {
        $category->update($request->only('name'));

        $category->save();

        DB::commit();

        //return redirect()->route('posts.edit', $post->id)-
>with('success', 'Post edited successfully!');
        return redirect()->back()->with([
            'success' => 'Category edited successfully!',
            $category->id
        ]);
    }
    catch(Exception $e)
    {
        DB::rollBack();
    }
}

```

```

        //return redirect()->route('posts.edit', $post->id)-
>with('errorMessage', 'An error occurred!');
        return redirect()->back()->with([
            'errorMessage' => 'An error occurred!',
            $category->id
        ]);
    }
}

public function delete(Category $category)
{
    $category->delete();

    return redirect()->back();
}
}

```

CommentController.php

```

<?php

namespace App\Http\Controllers;

use App\Models\Post;
use App\Models\Comment;
use Illuminate\Http\Request;

class CommentController extends Controller
{
    public function index(Post $post)
    {
        return view('pages.admin.comments.create', ['post' => $post]);
    }

    public function store(Request $request, Post $post)
    {
        $this->validate($request, [
            'content' => 'required|max:255',
        ]);

        //dd($post->id);

        $request->user()->comments()->create([
            'content' => $request->content,

```

```

        'post_id' => $post->id,
    ]);

    return redirect()->back()->with('success', 'Comment added successfully');
}

public function destroy(Comment $comment)
{
    //dd($comment->content);
    $comment->delete();

    return redirect()->back();
}
}

```

LoginController.php

```

<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;

class LoginController extends Controller
{
    public function __construct(){

        $this->middleware(['guest']);
    }

    public function index()
    {
        return view('pages.auth.index');
    }

    public function store(Request $request)
    {
        //dd($request->remember);
        $this->validate($request, [
            'email' => 'required|email',
            'password' => 'required',
        ]);

        if(!auth()->attempt($request->only('email','password'), $request->remember)){
            return back()->with('status', 'Invalid login credentials');
        }
    }
}

```



```

    }

    if(auth()->user()->role_id == 1){
        return redirect()->route('admin');
    }else{
        return redirect()->route('users.posts', auth()->user());
    }
}
}

```

LogoutController.php

```

<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;

class LogoutController extends Controller
{
    public function logout()
    {
        auth()->logout();

        return redirect()->route('login');
    }
}

```

PagesController.php

```

<?php

namespace App\Http\Controllers;

use App\Models\Post;
use App\Models\User;
use App\Models\Category;
use Carbon\Carbon;
use Illuminate\Http\Request;

class PagesController extends Controller

```

```

{

    public function index(){
        $categories = Category::all();
        $posts = Post::with('user')->orderBy('created_at', 'desc')->paginate(4);
        //dd($posts);

        return view('pages.posts.index', [
            'posts' => $posts,
            'categories' => $categories
        ]);
    }

    public function about(){
        return view('pages.main.about');
    }

    public function contact(){
        return view('pages.main.contact');
    }

}

```

PostController.php

```

<?php

namespace App\Http\Controllers;

use App\Models\Post;
use App\Models\Comment;
use App\Models\Category;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;
use App\Http\Requests\PostStoreRequest;
use App\Http\Requests\PostUpdateRequest;

class PostController extends Controller
{

    public function __construct(){

        $this->middleware('auth', ['except' => [
            'index',

```

```

        'show',
        'getPosts',
        'searchPosts',
    ]]);

}

public function index(){

    $categories = Category::all();
    $posts = Post::with('user')->orderBy('created_at', 'desc')->paginate(4);
    //dd($posts);

    return view('pages.posts.index', [
        'posts' => $posts,
        'categories' => $categories
    ]);
}

public function show(Post $post){

    $comments = Comment::where('post_id', '=', $post->id)->paginate(3);
    //dd($comments);
    $posts = Post::with('user')->orderBy('created_at', 'desc')->limit(3)->get();
    //dd($post);
    return view('pages.posts.show', [
        'post' => $post,
        'comments' => $comments,
        'posts' => $posts
    ]);
}

public function add(){
    $categories = Category::all();
    return view('pages.posts.create', ['categories' => $categories]);
}

public function store(PostStoreRequest $request){

    //dd($request->image);

    DB::beginTransaction();
    try
    {
        $image = Post::uploadImage($request->image);
        $post = $request->user()->posts()->create($request-
>except('image') + ["image" => $image]);
        $post->categories()->attach($request->category_id);
    }
    catch (Exception $e) {
        DB::rollBack();
    }
}

```

```

        DB::commit();

        //return redirect()->route('posts.create')-
>with('success', 'Post added successfully!');
        return redirect()->back()->with('success', 'Post added successfully!');
    }
    catch(Exception $e)
    {
        DB::rollBack();
        //return redirect()->route('posts.create')-
>with('errorMessage', 'An error occurred!');
        return redirect()->back()->with('errorMessage', 'An error occurred!');
    }
}

public function edit(Post $post){

    //dd($post);
    $categories = Category::all();
    return view('pages.posts.edit', [
        'post' => $post,
        'categories' => $categories
    ]);
}

public function update(PostUpdateRequest $request, Post $post)
{
    //dd("ok");

    try
    {
        $post->update($request->except('image'));
        $post->categories()->sync($request->category_id);

        if($request->has('image')){
            $image = Post::uploadImage($request->image);
            Post::deleteImage($post->image);
            $newImage = Post::uploadImage($request->image);
            $post->image = $newImage;
            $post->save();
        }

        // $post->save();

        DB::commit();
    }
}

```

```

        //return redirect()->route('posts.edit', $post->id)-
>with('success', 'Post edited successfully!');
        return redirect()->back()->with([
            'success' => 'Post edited successfully!',
            $post->id
        ]);
    }
    catch(Exception $e)
    {
        DB::rollBack();
        //return redirect()->route('posts.edit', $post->id)-
>with('errorMessage', 'An error occurred!');
        return redirect()->back()->with([
            'errorMessage' => 'An error occurred!',
            $post->id
        ]);
    }
}

public function destroy(Post $post)
{
    $this->authorize('delete', $post);

    //dd($post);

    $post->delete();

    return redirect()->route('posts');
}

public function getPosts(Request $request){

    $categories = $request->categories;
    $sortValue = $request->sortValue;

    $model = new Post();

    $posts = $model->getPosts($categories, $sortValue)->paginate(4);

    return response()->json($posts);
}

public function searchPosts(Request $request){

    $categories = $request->categories;
    $srcKey = $request->srcKey;
    $sortValue = $request->sortValue;

```

```

        $model = new Post();

        $posts = $model->searchPosts($categories, $srcKey, $sortValue)->paginate(4);

        return response()->json($posts);
    }
}

```

RegisterController.php

```

<?php

namespace App\Http\Controllers;

use App\Models\User;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Hash;

class RegisterController extends Controller
{
    public function __construct(){

        $this->middleware(['guest']);
    }

    public function index(){
        return view('pages.auth.register');
    }

    public function store(Request $request){
        $this->validate($request, [
            'name' => 'required|max:255',
            'username' => 'required|max:255|unique:users',
            'email' => 'required|email|max:255|unique:users',
            'password' => 'required|confirmed|min:5',
        ]);

        User::create([
            'name' => $request->name,
            'username' => $request->username,
            'email' => $request->email,
            'password' => Hash::make($request->password),
        ]);

        auth()->attempt($request->only('email', 'password'));
    }
}

```

```
        return redirect()->route('posts');
    }
}
```

UserController.php

```
<?php

namespace App\Http\Controllers;

use App\Models\Role;
use App\Models\User;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;
use Illuminate\Support\Facades\Hash;
use App\Http\Requests\UserUpdateRequest;

class UserController extends Controller
{
    public function create()
    {
        $roles = Role::all();
        return view('pages.admin.users.create', ['roles' => $roles]);
    }

    public function edit(User $user)
    {
        $roles = Role::all();

        return view('pages.admin.users.edit', [
            'user' => $user,
            'roles' => $roles
        ]);
    }

    public function store(Request $request)
    {
        if(!$request->has('role_id')){

            $this->validate($request, [
                'name' => 'required|max:255',
                'username' => 'required|max:255|unique:users',
                'email' => 'required|email|max:255|unique:users',
            ]);
        }
    }
}
```

```

        'password' => 'required|min:5',
    ]));

    // default za usera id 2

    $role_id = 2;

    User::create([
        'name' => $request->name,
        'username' => $request->username,
        'email' => $request->email,
        'password' => Hash::make($request->password),
        'role_id' => $role_id
    ]);

}

$this->validate($request, [
    'name' => 'required|max:255',
    'username' => 'required|max:255|unique:users',
    'email' => 'required|email|max:255|unique:users',
    'password' => 'required|min:5',
    'role_id' => 'required|exists:roles,id'
]);

User::create([
    'name' => $request->name,
    'username' => $request->username,
    'email' => $request->email,
    'password' => Hash::make($request->password),
    'role_id' => $request->role_id
]);

return redirect()->back()->with('success', 'User added successfully!');
}

public function update(UserUpdateRequest $request, User $user)
{
    //dd("user update");

    try
    {

        $user->update($request->except('password'));

        if($request->has('password')){

```



```

        $NewPassword = Hash::make($request->password);
        $user->password = $NewPassword;
        $user->save();
    }

    $user->save();

    DB::commit();

    //return redirect()->route('posts.edit', $post->id)-
    >with('success', 'Post edited successfully!');
    return redirect()->back()->with([
        'success' => 'User updated successfully!',
        $user->id
    ]);
}
catch(Exception $e)
{
    DB::rollBack();
    //return redirect()->route('posts.edit', $post->id)-
    >with('errorMessage', 'An error occurred!');
    return redirect()->back()->with([
        'errorMessage' => 'An error occurred!',
        $user->id
    ]);
}
}

public function delete(User $user)
{
    $user->delete();

    return redirect()->back();
}
}

```

UserPostController.php

```

<?php

namespace App\Http\Controllers;

use App\Models\User;

```

```

use Illuminate\Http\Request;

class UserPostController extends Controller
{
    public function __construct(){

        $this->middleware(['auth']);
    }

    public function index(User $user)
    {
        $posts = $user->posts()->with(['user'])->orderBy('created_at', 'desc')->paginate(4);
        //dd($posts);
        return view('pages.main.user_dashboard', [
            'user' => $user,
            'posts' => $posts
        ]);
    }
}

```

Middleware

Middleware/Admin.php

```

<?php

namespace App\Http\Middleware;

use App\Providers\RouteServiceProvider;
use Closure;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;

class Admin
{
    /**
     * Handle an incoming request.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  \Closure  $next
     * @return mixed
     */
    public function handle(Request $request, Closure $next)
    {

```

```

        $role = Auth::user()->role_id;

        if($role != 1){
            return redirect(RouteServiceProvider::HOME);
        }

        return $next($request);
    }
}

```

Requests

Requests/PostStoreRequest.php

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class PostStoreRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'title' => 'required|max:255',
            'body' => 'required',
            'image' => 'required|image|max:2000',
            'category_id' => 'required|exists:categories,id'
        ];
    }
}

```

```

];
}

public function messages(){
    return [
        'required' => 'The :attribute field is required.',
        'title.max' => 'Name must not be longer than :max characters.',
        'image.image' => 'Uploaded file must be an image.',
        'image.max' => 'Uploaded file must not be larger than :max kilobytes.',
        'category_id.exists' => 'Selected category does not exist in the database.'
    ];
}
}

```

Requests/PostUpdateRequest.php

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class PostUpdateRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'title' => 'required|max:255',
            'body' => 'required',
            'image' => 'image|max:2000',

```

```

        'category_id' => 'required|exists:categories,id'
    ];
}

public function messages(){
    return [
        'required' => 'The :attribute field is required.',
        'title.max' => 'Name must not be longer than :max characters.',
        'image.image' => 'Uploaded file must be an image.',
        'image.max' => 'Uploaded file must not be larger than :max kilobytes.',
        'category_id.exists' => 'Selected category does not exist in the database.'
    ];
}
}

```

Requests/UserUpdateRequest.php

```

<?php

namespace App\Http\Requests;

use Illuminate\Foundation\Http\FormRequest;

class UserUpdateRequest extends FormRequest
{
    /**
     * Determine if the user is authorized to make this request.
     *
     * @return bool
     */
    public function authorize()
    {
        return true;
    }

    /**
     * Get the validation rules that apply to the request.
     *
     * @return array
     */
    public function rules()
    {
        return [
            'name' => 'required|max:255',
            'username' => 'required|max:255',

```

```

        'email' => 'required|email|max:255',
        'password' => 'required|min:5',
        'role_id' => 'required|exists:roles,id'
    ];
}

public function messages(){
    return [
        'required' => 'The :attribute field is required.',
        'name.max' => 'Name must not be longer than :max characters.',
        'username.max' => 'Username must not be longer than :max characters.',
        'email.max' => 'Email must not be longer than :max characters.',
        'password.min' => 'Password must be at least :min characters'
    ];
}
}

```

Models

Models/Category.php

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Category extends Model
{
    use HasFactory;

    protected $fillable = [
        'name'
    ];

    public function posts(){
        return $this->hasMany(Post::class);
    }
}

```

Models/Comment.php

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;
use Illuminate\Database\Eloquent\Factories\HasFactory;

class Comment extends Model
{
    use HasFactory;

    protected $fillable = [
        'user_id',
        'post_id',
        'content'
    ];

    public function user(){
        return $this->belongsTo(User::class);
    }

    public function post(){
        return $this->belongsTo(Post::class);
    }
}

```

Models/Post.php

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\Storage;
use Illuminate\Database\Eloquent\Factories\HasFactory;

class Post extends Model
{
    use HasFactory;

    protected $fillable = [
        "title",
        "body",

```

```

        "image"
    ];

    public static function uploadImage($image){
        $path = Storage::disk('public')->putFile('assets/images', $image);
        $exploded = explode('/', $path);
        return $exploded[count($exploded) - 1];
    }

    public static function deleteImage($image){
        Storage::disk('public')->delete('assets/images/' . $image);
    }

    public function categories(){
        return $this->belongsToMany(Category::class);
    }

    public function user(){
        return $this->belongsTo(User::class);
    }

    public function comments(){
        return $this->hasMany(Comment::class);
    }

    public function getPosts($categories, $sortValue){

        $posts = Post::with('categories','user','comments');

        if(is_array($categories)){

            $posts->whereHas('categories', function($query) use ($categories){

                return $query->whereIn('name', $categories);

            });

        }
        if($sortValue){

            $posts->orderBy('created_at', $sortValue);
        }

        return $posts;
    }

    public function searchPosts($categories, $scrKey, $sortValue){

```



```

    $posts = Post::with('categories','user','comments');

    if(is_array($categories)){

        $posts->whereHas('categories', function($query) use ($categories){

            return $query->whereIn('name', $categories);

        });

    }
    $posts->where('title', 'like', '%'. $scrKey. '%');
    if($sortValue){

        $posts->orderBy('created_at', $sortValue);

    }

    return $posts;
}
}

```

Models/Role.php

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Role extends Model
{
    use HasFactory;
}

```

Models/User.php

```

<?php

namespace App\Models;

use Illuminate\Contracts\Auth\MustVerifyEmail;

```

```

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Foundation\Auth\User as Authenticatable;
use Illuminate\Notifications\Notifiable;

class User extends Authenticatable
{
    use HasFactory, Notifiable;

    /**
     * The attributes that are mass assignable.
     *
     * @var array
     */
    protected $fillable = [
        'name',
        'username',
        'email',
        'password',
        'role'
    ];

    /**
     * The attributes that should be hidden for arrays.
     *
     * @var array
     */
    protected $hidden = [
        'password',
        'remember_token',
    ];

    /**
     * The attributes that should be cast to native types.
     *
     * @var array
     */
    protected $casts = [
        'email_verified_at' => 'datetime',
    ];

    public function posts()
    {
        return $this->hasMany(Post::class);
    }

    public function comments()
    {
        return $this->hasMany(Comment::class);
    }
}

```

```
}  
}
```

Policies

Policies/PostPolicy.php

```
<?php  
  
namespace App\Policies;  
  
use App\Models\Post;  
use App\Models\User;  
use Illuminate\Auth\Access\HandlesAuthorization;  
  
class PostPolicy  
{  
    use HandlesAuthorization;  
  
    /**  
     * Create a new policy instance.  
     *  
     * @return void  
     */  
    public function delete(User $user, Post $post)  
    {  
        return $user->id === $post->user_id;  
    }  
}
```

Migrations

Migracije urađene za kreiranje tabela u bazi podataka

Views

fixed/head.blade.php

```
<head>  
  
    <meta charset="utf-8">
```

```

<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="TemplateMo">
<link href="https://fonts.googleapis.com/css?family=Roboto:100,100i,300,300i,400,400i,500,500i,700,700i,900,900i&display=swap" rel="stylesheet">

<title>{{ config('app.name', 'Laravel') }}</title>

<!-- Bootstrap core CSS -->
<link href="{{ asset('assets/vendor/bootstrap/css/bootstrap.min.css') }}" rel="stylesheet"
>

<!-- Additional CSS Files -->
<link rel="stylesheet" href="{{ asset('assets/css/fontawesome.css') }}">
<link rel="stylesheet" href="{{ asset('assets/css/templatemo-stand-blog.css') }}">
<link rel="stylesheet" href="{{ asset('assets/css/owl.css') }}">
<!--

TemplateMo 551 Stand Blog

https://templatemo.com/tm-551-stand-blog

-->
</head>

```

fixed/nav.blade.php

```

<!-- ***** Preloader Start ***** -->
<div id="preloader">
    <div class="jumper">
        <div></div>
        <div></div>
        <div></div>
    </div>
</div>
<!-- ***** Preloader End ***** -->

<!-- Header -->
<header class="">
    <nav class="navbar navbar-expand-lg">
        <div class="container">
            <a class="navbar-brand" href="{{ route('posts') }}"><h2>Blog<em>.</em>up</h2></a>
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarResponsive" aria-controls="navbarResponsive" aria-expanded="false" aria-
label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>

```

```

<div class="collapse navbar-collapse" id="navbarResponsive">
  <ul class="navbar-nav ml-auto">

    <li class="nav-item">
      <a class="nav-link" href="{{ route('posts') }}">blog entries</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="{{ route('about') }}">about</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="{{ route('contact') }}">contact</a>
    </li>

    @auth
      <li class="nav-item">
        <a class="nav-link" href="{{ route('users.posts', auth()->user()) }}">{{ auth()->user()->username }}</a>
      </li>

      <li class="nav-item">
        <form action="{{ route('logout') }}" method="POST">
          @csrf
          <button type="submit" class="nav-link lg-btn">Logout</button>
        </form>
      </li>
    @endauth

    @guest
      <li class="nav-item">
        <a class="nav-link" href="{{ route('register') }}">Register</a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="{{ route('login') }}">Login</a>
      </li>
    @endguest
  </ul>
</div>
</div>
</nav>
</header>

```

fixed/footer.blade.php

```

<footer>
  <div class="container">
    <div class="row">
      <div class="col-lg-12">
        <div class="copyright-text">

```

```
<p>Copyright 2020 Stand Blog Co.

    | Design: <a rel="nofollow" href="https://templatemo.com" target="_parent">Tem
plateMo</a></p>
</div>
</div>
</div>
</div>
</footer>
```

fixed/scripts.blade.php

```
<!-- Bootstrap core JavaScript -->
<script src="{{ asset('assets/vendor/jquery/jquery.min.js')}}"></script>
<script src="{{ asset('assets/vendor/bootstrap/js/bootstrap.bundle.min.js')}}"></script>

<!-- Additional Scripts -->
<script src="{{ asset('assets/js/custom.js')}}"></script>
<script src="{{ asset('assets/js/owl.js')}}"></script>
<script src="{{ asset('assets/js/slick.js')}}"></script>
<script src="{{ asset('assets/js/isotope.js')}}"></script>
<script src="{{ asset('assets/js/accordions.js')}}"></script>

<script language = "text/Javascript">
    cleared[0] = cleared[1] = cleared[2] = 0; //set a cleared flag for each field
    function clearField(t){                      //declaring the array outside of the
                                                //function makes it static and global
    if(! cleared[t.id]){                      // function makes it static and global
        cleared[t.id] = 1;  // you could use true and false, but that's more typing
        t.value='';          // with more chance of typos
        t.style.color='#fff';
    }
    }
</script>

{{-- Custom JavaScript --}}

<script type="text/javascript">
    const urlImg = '{{URL::asset('assets/images/')}}';
</script>

<script src="{{ asset('assets/js/posts.js')}}"></script>
```

layouts/app/layout.blade.php

```
<!DOCTYPE html>
<html lang="en">

  @include('fixed.head')
```

```

<body>

    <!-- Navigacija -->
    @include('fixed.nav')

    <!-- Content -->
    @yield('content')

    <!-- Footer -->
    @include('fixed.footer')

    <!-- Bootstrap/JavaScript -->
    @include('fixed.scripts')

</body>

</html>

```

layouts/admin/layout.blade.php

```

<!DOCTYPE html>
<html lang="en">

    {{-- head --}}

    @include('pages.admin.fixed.head')

    <body class="animsition">

        {{-- navigacija --}}

        @include('pages.admin.fixed.nav')

        {{-- CONTENT --}}

        @yield('content')

        {{-- END CONTENT --}}

        {{-- footer --}}

        @include('pages.admin.fixed.footer')

        {{-- scripts --}}

        @include('pages.admin.fixed.scripts')

```

```
</body>

</html>
<!-- end document-->
```

pages/admin/fixed/head.blade.php

```
<head>
    <!-- Required meta tags-->
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="au theme template">
    <meta name="author" content="Hau Nguyen">
    <meta name="keywords" content="au theme template">

    <!-- Title Page-->
    <title>Admin Dashboard</title>

    <!-- Fontfaces CSS-->
    <link href="{{ asset('assets/css/font-face.css')}}" rel="stylesheet" media="all">
    <link href="{{ asset('assets/vendor/font-awesome-4.7/css/font-
awesome.min.css')}}" rel="stylesheet" media="all">
    <link href="{{ asset('assets/vendor/font-awesome-5/css/fontawesome-
all.min.css')}}" rel="stylesheet" media="all">
    <link href="{{ asset('assets/vendor/mdi-font/css/material-design-iconic-
font.min.css')}}" rel="stylesheet" media="all">

    <!-- Bootstrap CSS-->
    <link href="{{ asset('assets/vendor/bootstrap-
4.1/bootstrap.min.css')}}" rel="stylesheet" media="all">

    <!-- Vendor CSS-->
    <link href="{{ asset('assets/vendor/ansition/ansition.min.css')}}" rel="stylesheet" m
edia="all">
    <link href="{{ asset('assets/vendor/bootstrap-progressbar/bootstrap-progressbar-
3.3.4.min.css')}}" rel="stylesheet" media="all">
    <link href="{{ asset('assets/vendor/wow/animate.css')}}" rel="stylesheet" media="all">
    <link href="{{ asset('assets/vendor/css-
hamburgers/hamburgers.min.css')}}" rel="stylesheet" media="all">
    <link href="{{ asset('assets/vendor/slick/slick.css')}}" rel="stylesheet" media="all">
    <link href="{{ asset('assets/vendor/select2/select2.min.css')}}" rel="stylesheet" media="
all">
    <link href="{{ asset('assets/vendor/perfect-scrollbar/perfect-
scrollbar.css')}}" rel="stylesheet" media="all">
    <link href="{{ asset('assets/vendor/vector-
map/jqvmap.min.css')}}" rel="stylesheet" media="all">
```



```

<!-- Main CSS-->
<link href="{{ asset('assets/css/theme.css')}}" rel="stylesheet" media="all">

</head>

```

pages/admin/fixed/nav.blade.php

```

<div class="page-wrapper">
    <!-- HEADER DESKTOP-->
    <header class="header-desktop3 d-none d-lg-block">
        <div class="section__content section__content--p35">
            <div class="header3-wrap">
                <div class="header__logo">
                    <a href="{{ route('admin') }}">
                        
                    </a>
                </div>
                <div class="header__navbar">
                    <ul class="list-unstyled">
                        <li class="has-sub">
                            <a href="#">
                                <i class="fas fa-tachometer-alt"></i>Dashboards
                                <span class="bot-line"></span>
                            </a>
                            <ul class="header3-sub-list list-unstyled">
                                <li>
                                    <a href="{{ route('admin') }}">Statistics</a>
                                </li>
                                <li>
                                    <a href="{{ route('admin_users') }}">Manage users</a>
                                </li>
                                <li>
                                    <a href="{{ route('admin_posts') }}">Manage posts</a>
                                </li>
                                <li>
                                    <a href="{{ route('admin_cats') }}">Manage categories</a>
                                </li>
                                <li>
                                    <a href="{{ route('admin_comments') }}">Manage comments</a>
                                </li>
                            </ul>
                        </li>
                        <li class="has-sub">
                            <a href="#">
                                <i class="fas fa-copy"></i>

```

```

        <span class="bot-line"></span>Pages</a>
    <ul class="header3-sub-list list-unstyled">
        <li>
            <a href="{{ route('admin_user_create') }}">Register new u
ser</a>

        </li>
        <li>
            <a href="{{ route('admin_post_create') }}">Add new post</
a>

        </li>
        <li>
            <a href="{{ route('cat_create') }}">Add new category</a>
        </li>
    </ul>
</li>
</ul>
</div>
<div class="header__tool">
    <div class="account-wrap">
        <div class="account-item account-item--style2 clearfix js-item-menu">
            <div class="image">
                

            </div>
            <div class="content">
                <a class="js-acc-btn" href="#">{{ auth()->user()->name }}</a>
            </div>
            <div class="account-dropdown js-dropdown">
                <div class="info clearfix">
                    <div class="image">
                        <a href="#">
                            

                        </a>
                    </div>
                    <div class="content">
                        <h5 class="name">
                            <a href="#">{{ auth()->user()->name }}</a>
                        </h5>
                        <span class="email">{{ auth()->user()-
>email }}</span>

                    </div>
                </div>
                <div class="account-dropdown__body">
                    <div class="account-dropdown__item">
                        <a href="{{ route('admin_details') }}">
                            <i class="zmdi zmdi-account"></i>Account</a>
                    </div>

```



```

        <ul class="navbar-mobile-sub__list list-unstyled js-sub-list">
            <li>
                <a href="{{ route('admin') }}">Statistics</a>
            </li>
            <li>
                <a href="{{ route('admin_users') }}">Manage users</a>
            </li>
            <li>
                <a href="{{ route('admin_posts') }}">Manage posts</a>
            </li>
            <li>
                <a href="{{ route('admin_cats') }}">Manage categories</a>
            </li>
            <li>
                <a href="{{ route('admin_comments') }}">Manage comments</a>
            </li>
        </ul>
    </li>
    <li class="has-sub">
        <a class="js-arrow" href="#">
            <i class="fas fa-copy"></i>Pages</a>
        <ul class="navbar-mobile-sub__list list-unstyled js-sub-list">
            <li>
                <a href="{{ route('admin_user_create') }}">Register new user<
/a>

            </li>
            <li>
                <a href="{{ route('admin_post_create') }}">Add new post</a>
            </li>
            <li>
                <a href="{{ route('cat_create') }}">Add new category</a>
            </li>
        </ul>
    </li>
</ul>
</div>
</nav>
</header>
<div class="sub-header-mobile-2 d-block d-lg-none">
    <div class="header__tool">
        <div class="account-wrap">
            <div class="account-item account-item--style2 clearfix js-item-menu">
                <div class="image">
                    

                </div>
                <div class="content">
                    <a class="js-acc-btn" href="#">{{ auth()->user()->name }}</a>

```

```

        </div>
        <div class="account-dropdown js-dropdown">
            <div class="info clearfix">
                <div class="image">
                    <a href="#">
                        
                    </a>
                </div>
                <div class="content">
                    <h5 class="name">
                        <a href="#">{{ auth()->user()->name }}</a>
                    </h5>
                    <span class="email">{{ auth()->user()->email }}</span>
                </div>
            </div>
            <div class="account-dropdown__body">
                <div class="account-dropdown__item">
                    <a href="{{ route('admin_details') }}">
                        <i class="zmdi zmdi-account"></i>Account</a>
                    </div>
                <div class="account-dropdown__item">
                    <a href="{{ route('users.posts', auth()->user()) }}">
                        <i class="zmdi zmdi-assignment-o"></i>User Dashboard</a>
                    </div>
            </div>
            <div class="account-dropdown__footer">
                <form action="{{ route('logout') }}" method="POST">
                    @csrf
                    <a>
                        <button type="submit" class="nav-link lg-btn">
                            <i class="zmdi zmdi-power"></i>Logout
                        </button>
                    </a>
                </form>
            </div>
        </div>
    </div>
</div>
<!-- END HEADER MOBILE -->

<!-- PAGE CONTENT-->
<div class="page-content--bgf7">
    <!-- BREADCRUMB-->
    <!-- END BREADCRUMB-->

```

```

<!-- WELCOME-->
<section class="welcome p-t-10">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <h1 class="title-4">Welcome back
                <span>{{ auth()->user()->username }}!</span>
            </h1>
            <hr class="line-separate">
        </div>
    </div>
</div>
</section>
<!-- END WELCOME-->

```

pages/admin/fixe/footer.blade.php

```

<!-- COPYRIGHT-->
<section class="p-t-60 p-b-20">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="copyright">
                    <p>Copyright © 2018 Colorlib. All rights reserved. Template by <a
href="https://colorlib.com">Colorlib</a>.</p>
                </div>
            </div>
        </div>
    </div>
</section>
<!-- END COPYRIGHT-->
</div>
</div>

```

pages/admin/fixe/scripts.blade.php

```

<!-- JQuery JS-->
<script src="{{ asset('assets/vendor/jquery-3.2.1.min.js') }}"></script>
<!-- Bootstrap JS-->
<script src="{{ asset('assets/vendor/bootstrap-4.1/popper.min.js') }}"></script>
<script src="{{ asset('assets/vendor/bootstrap-4.1/bootstrap.min.js') }}"></script>
<!-- Vendor JS -->
<script src="{{ asset('assets/vendor/slick/slick.min.js') }}">
</script>
<script src="{{ asset('assets/vendor/wow/wow.min.js') }}"></script>

```

```

<script src="{{ asset('assets/vendor/animation/animation.min.js')}}"></script>
<script src="{{ asset('assets/vendor/bootstrap-progressbar/bootstrap-
progressbar.min.js')}}">
</script>
<script src="{{ asset('assets/vendor/counter-up/jquery.waypoints.min.js')}}"></script>
<script src="{{ asset('assets/vendor/counter-up/jquery.counterup.min.js')}}">
</script>
<script src="{{ asset('assets/vendor/circle-progress/circle-progress.min.js')}}"></script>
<script src="{{ asset('assets/vendor/perfect-scrollbar/perfect-scrollbar.js')}}"></script>
<script src="{{ asset('assets/vendor/chartjs/Chart.bundle.min.js')}}"></script>
<script src="{{ asset('assets/vendor/select2/select2.min.js')}}">
</script>
<script src="{{ asset('assets/vendor/vector-map/jquery.vmap.js')}}"></script>
<script src="{{ asset('assets/vendor/vector-map/jquery.vmap.min.js')}}"></script>
<script src="{{ asset('assets/vendor/vector-map/jquery.vmap.sampledata.js')}}"></script>
<script src="{{ asset('assets/vendor/vector-map/jquery.vmap.world.js')}}"></script>

<!-- Main JS-->
<script src="{{ asset('assets/js/main.js')}}"></script>

```

pages/admin/categories/create.blade.php

```

@extends('layouts.admin.layout')

@section('content')
<!-- DATA TABLE-->
<section class="mt-3">
    <div class="container-fluid">

        @include('pages.admin.categories.form', ["action" => "cat_store"])

    </div>
</section>
<!-- END DATA TABLE-->
@endsection

```

pages/admin/categories/edit.blade.php

```

@extends('layouts.admin.layout')

@section('content')
<!-- DATA TABLE-->
<section class="mt-3">
    <div class="container-fluid">

        @include('pages.admin.categories.form', ["action" => "cat_update"])

```

```

    </div>
</section>
<!-- END DATA TABLE-->
@endsection

```

pages/admin/categories/form.blade.php

```

<div class="col-lg-6">
    <div class="card">
        <div class="card-header">
            <strong>@if($action == "cat_update") Edit @else Create a new @endif</strong> Category
        </div>
        <div class="card-body card-block">

            {{-- include message partials blade --}}

            @include('partials.success-message')
            @include('partials.error-message')

            <form action="@if($action == "cat_update") {{ route($action, $category) }} @else
            {{ route($action) }} @endif" method="post" class="form-horizontal">
                @csrf
                @if($action == "cat_update")
                    @method('PUT')
                @endif
                <div class="row form-group">
                    <div class="col col-md-3">
                        <label for="name" class="form-control-label">Name</label>
                    </div>
                    <div class="col-12 col-md-9">
                        <input type="text" id="name" name="name" class="form-
                        control @error('name') is-invalid @enderror" value="{{ $category->name ?? old('name') }}">
                        @error('name')
                            <small class="form-text text-danger">{{ $message }}</small>
                        @enderror
                    </div>
                </div>
                <div>
                    <button type="submit" class="btn btn-primary btn-sm">
                        <i class="fa fa-dot-circle-
                        o"></i>@if($action == "cat_update") Update @else Submit @endif
                    </button>
                </div>
            </form>
        </div>
    </div>
</div>

```


pages/admin/categories/index.blade.php

```
@extends('layouts.admin.layout')

@section('content')
<!-- DATA TABLE-->
<section class="mt-3">
    <div class="container-fluid">

        @include('pages.admin.table', ["data" => "categories"])

    </div>
</section>
<!-- END DATA TABLE-->
@endsection
```

pages/admin/comments/create.blade.php

```
@extends('layouts.admin.layout')

@section('content')
<!-- DATA TABLE-->
<section class="mt-3">
    <div class="container-fluid">

        @include('pages.admin.comments.form', ["action" => "comments.store"])

    </div>
</section>
<!-- END DATA TABLE-->
@endsection
```

pages/admin/comments/form.blade.php

```
<div class="col-lg-7">
    <div class="card">
        <div class="card-header">
            <strong>Leave a new </strong> comment
        </div>

        {{-- include message partials blade --}}

        @include('partials.success-message')
        @include('partials.error-message')

        <div class="card-body card-block">
            <form action="{{ route($action, $post) }}" method="post" class="form-horizontal">
```

```

        @csrf
        <div class="row form-group">
            <div class="col col-md-3">
                <label for="content" class=" form-control-label">Text</label>
            </div>
            <div class="col-12 col-md-9">
                <textarea name="content" id="content" rows="9" class="form-
control @error('content') is-invalid @enderror">{{ old('content') }}</textarea>
                @error('content')
                    <small class="form-text text-danger">{{ $message }}</small>
                @enderror
            </div>
        </div>
        <div class="row form-group">
            <div class="col col-md-3">
                <button type="submit" class="btn btn-primary btn-sm">
                    <i class="fa fa-dot-circle-o"></i> Submit
                </button>
            </div>
        </div>
    </form>
</div>
</div>
</div>

```

pages/admin/comments/index.blade.php

```

@extends('layouts.admin.layout')

@section('content')
<!-- DATA TABLE-->
<section class="mt-3">
    <div class="container-fluid">

        @include('pages.admin.table', ["data" => "comments"])

    </div>
</section>
<!-- END DATA TABLE-->
@endsection

```

pages/admin/posts/create.blade.php

```

@extends('layouts.admin.layout')

```

```

@section('content')
<!-- DATA TABLE-->
<section class="mt-3">
    <div class="container-fluid">

        @include('pages.admin.posts.form', ["action" => "posts.store"])

    </div>
</section>
<!-- END DATA TABLE-->
@endsection

```

pages/admin/posts/edit.blade.php

```

@extends('layouts.admin.layout')

@section('content')
<!-- DATA TABLE-->
<section class="mt-3">
    <div class="container-fluid">

        @include('pages.admin.posts.form', ["action" => "posts.update"])

    </div>
</section>
<!-- END DATA TABLE-->
@endsection

```

pages/admin/posts/form.blade.php

```

<div class="col-lg-7">
    <div class="card">
        <div class="card-header">
            <strong>@if($action == "posts.update") Edit @else Create a new @endif</strong> post
        </div>

        {{-- include message partials blade --}}

        @include('partials.success-message')
        @include('partials.error-message')

        <div class="card-body card-block">
            <form action="@if($action == "posts.update") {{ route($action, $post) }} @else {{
route($action) }} @endif" method="post" enctype="multipart/form-data" class="form-
horizontal">

                @csrf
                @if($action == "posts.update")

```

```

        @method('PUT')
    @endif
    <div class="row form-group">
        <div class="col col-md-3">
            <label for="title" class=" form-control-label">Title</label>
        </div>
        <div class="col-12 col-md-9">
            <input type="text" id="title" name="title" class="form-
control @error('title') is-invalid @enderror" value="{{ $post->title ?? old('title') }}">
            @error('title')
                <small class="form-text text-danger">{{ $message }}</small>
            @enderror
        </div>
    </div>
    <div class="row form-group">
        <div class="col col-md-3">
            <label for="body" class=" form-control-label">Text</label>
        </div>
        <div class="col-12 col-md-9">
            <textarea name="body" id="body" rows="9" class="form-
control @error('body') is-invalid @enderror">{{ $post->body ?? old('body') }}</textarea>
            @error('body')
                <small class="form-text text-danger">{{ $message }}</small>
            @enderror
        </div>
    </div>
    <div class="row form-group">
        <div class="col col-md-3">
            <label for="category_id" class=" form-control-label">Category</label>
        </div>
        <div class="col-12 col-md-9">
            <select name="category_id" id="category_id" class="form-
control @error('category_id') is-invalid @enderror">
                <option>Choose..</option>
                @foreach ($categories as $category)
                    <option value="{{ $category->id }}">{{ $category->
name}}</option>
                @endforeach
            </select>
            @error('category')
                <small class="form-text text-danger">{{ $message }}</small>
            @enderror
        </div>
    </div>
    <div class="row form-group">
        <div class="col col-md-3">
            <label for="image" class=" form-control-label">Image</label>
        </div>
    </div>

```

```

        <div class="col-12 col-md-9">
            <input type="file" id="image" name="image" class="form-control-
file @error('image') is-invalid @enderror">
            @error('image')
                <small class="form-text text-danger">{{ $message }}</small>
            @enderror
        </div>
    </div>
    <div class="row form-group">
        <div class="col col-md-3">
            <button type="submit" class="btn btn-primary btn-sm">
                <i class="fa fa-dot-circle-
o"></i>@if($action == "posts.update") Update @else Submit @endif
            </button>
        </div>
    </div>
</form>
</div>
</div>
</div>

```

pages/admin/posts/index.blade.php

```

@extends('layouts.admin.layout')

@section('content')
    <!-- DATA TABLE-->
    <section class="mt-3">
        <div class="container-fluid">

            @include('pages.admin.table', ["data" => "posts"])

        </div>
    </section>
    <!-- END DATA TABLE-->
@endsection

```

pages/admin/users/create.blade.php

```

@extends('layouts.admin.layout')

@section('content')
    <!-- DATA TABLE-->
    <section class="mt-3">
        <div class="container-fluid">

            @include('pages.admin.users.form', ['action' => 'admin_user_store'])

        </div>
    </section>
    <!-- END DATA TABLE-->

```

```

    </div>
</section>
<!-- END DATA TABLE-->
@endsection

```

pages/admin/users/edit.blade.php

```

@extends('layouts.admin.layout')

@section('content')
<!-- DATA TABLE-->
<section class="mt-3">
    <div class="container-fluid">

        @include('pages.admin.users.form', ["action" => "admin_user_update"])

    </div>
</section>
<!-- END DATA TABLE-->
@endsection

```

pages/admin/users/form.blade.php

```

<div class="col-lg-6">
    <div class="card">
        <div class="card-header">
            <strong>@if($action == "admin_user_update") Edit @else Create a new @endif</strong>
        </div>
        <div class="card-body card-block">

            {{-- include message partials blade --}}

            @include('partials.success-message')
            @include('partials.error-message')

            <form action="@if($action == "admin_user_update") {{ route($action, $user) }} @else {{ route($action) }} @endif" method="post" class="form-horizontal">
                @csrf
                @if($action == "admin_user_update")
                    @method('PUT')
                @endif
                <div class="row form-group">
                    <div class="col col-md-3">
                        <label for="name" class="form-control-label">Name</label>
                    </div>
                    <div class="col-12 col-md-9">

```

```

        <input type="text" id="name" name="name" class="form-
control @error('name') is-invalid @enderror" value="{{ $user->name ?? old('name') }}">
        @error('name')
        <small class="form-text text-danger">{{ $message }}</small>
        @enderror
    </div>
</div>
<div class="row form-group">
    <div class="col col-md-3">
        <label for="username" class=" form-control-label">Username</label>
    </div>
    <div class="col-12 col-md-9">
        <input type="text" id="username" name="username" class="form-
control @error('username') is-invalid @enderror" value="{{ $user-
>username ?? old('username') }}">
        @error('username')
        <small class="form-text text-danger">{{ $message }}</small>
        @enderror
    </div>
</div>
<div class="row form-group">
    <div class="col col-md-3">
        <label for="email" class=" form-control-label">E-Mail</label>
    </div>
    <div class="col-12 col-md-9">
        <input type="email" id="email" name="email" class="form-
control @error('email') is-invalid @enderror" value="{{ $user->email ?? old('email') }}">
        @error('email')
        <small class="form-text text-danger">{{ $message }}</small>
        @enderror
    </div>
</div>
<div class="row form-group">
    <div class="col col-md-3">
        <label for="password" class=" form-control-label">Password</label>
    </div>
    <div class="col-12 col-md-9">
        <input type="password" id="password" name="password" class="form-
control @error('password') is-invalid @enderror">
        @error('password')
        <small class="form-text text-danger">{{ $message }}</small>
        @enderror
    </div>
</div>
<div class="row form-group">
    <div class="col col-md-3">
        <label for="role_id" class=" form-control-label">Role</label>
    </div>

```

```

        <div class="col-12 col-md-9">
            <select name="role_id" id="role_id" class="form-
control @error('role_id') is-invalid @enderror">
                <option>Choose..</option>
                @foreach ($roles as $role)
                    <option value="{{ $role->id }}">{{ $role->name }}</option>
                @endforeach
            </select>
            @error('role_id')
                <small class="form-text text-danger">{{ $message }}</small>
            @enderror
        </div>
    </div>
    <div>
        <button type="submit" class="btn btn-primary btn-sm">
            <i class="fa fa-dot-circle-
o"></i>@if($action == "admin_user_update") Update @else Submit @endif
        </button>
    </div>
</form>
</div>
</div>
</div>

```

pages/admin/users/index.blade.php

```

@extends('layouts.admin.layout')

@section('content')
    <!-- DATA TABLE-->
    <section class="mt-3">
        <div class="container-fluid">

            @include('pages.admin.table', ["data" => "users"])

        </div>
    </section>
    <!-- END DATA TABLE-->
@endsection

```

pages/admin/details.blade.php

```

@extends('layouts.admin.layout')

```



```

@section('content')
<!-- DATA TABLE-->
<section class="mt-3">
    <div class="container-fluid">

        <div class="col-lg-4">
            <div class="card">
                <div class="card-header">
                    <strong>Account</strong> Details:
                </div>
                <div class="card-body card-block">
                    <div class="row form-group">
                        <div class="col col-md-3">
                            <label class=" form-control-label">Name:</label>
                        </div>
                        <div class="col-12 col-md-9">
                            <p class="form-control-static">{{ auth()->user()->name }}</p>
                        </div>
                    </div>
                    <div class="row form-group">
                        <div class="col col-md-3">
                            <label class=" form-control-label">Username:</label>
                        </div>
                        <div class="col-12 col-md-9">
                            <p class="form-control-static">{{ auth()->user()->username }}</p>
                        </div>
                    </div>
                    <div class="row form-group">
                        <div class="col col-md-3">
                            <label class=" form-control-label">E-Mail:</label>
                        </div>
                        <div class="col-12 col-md-9">
                            <p class="form-control-static">{{ auth()->user()->email }}</p>
                        </div>
                    </div>
                </div>
                <div class="card-footer">
                    <a href="{{ route('admin_user_edit', auth()->user()) }}">
                        <button type="submit" class="btn btn-primary btn-sm">
                            <i class="fa fa-dot-circle-o"></i> Update details
                        </button>
                    </a>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

</section>
<!-- END DATA TABLE-->
@endsection

```

pages/admin/statistics.blade.php

```

@extends('layouts.admin.layout')

@section('content')
    <!-- STATISTIC-->
    <section class="statistic statistic2">
        <div class="container">
            <div class="row">
                <div class="col-md-6 col-lg-3">
                    <div class="statistic__item statistic__item--green">
                        <h2 class="number">{{ $users->count() }}</h2>
                        <span class="desc">Registered users</span>
                        <div class="icon">
                            <i class="zmdi zmdi-account-o"></i>
                        </div>
                    </div>
                </div>
                <div class="col-md-6 col-lg-3">
                    <div class="statistic__item statistic__item--blue">
                        <h2 class="number">{{ $posts->count() }}</h2>
                        <span class="desc">Posts this week</span>
                        <div class="icon">
                            <i class="zmdi zmdi-assignment-o"></i>
                        </div>
                    </div>
                </div>
                <div class="col-md-6 col-lg-3">
                    <div class="statistic__item statistic__item--orange">
                        <h2 class="number">{{ $comments->count() }}</h2>
                        <span class="desc">Comments posted</span>
                        <div class="icon">
                            <i class="zmdi zmdi-comment-list"></i>
                        </div>
                    </div>
                </div>
                <div class="col-md-6 col-lg-3">
                    <div class="statistic__item statistic__item--red">
                        <h2 class="number">{{ $categories->count() }}</h2>
                        <span class="desc">Categories</span>
                        <div class="icon">
                            <i class="zmdi zmdi-star-half"></i>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>

```

```

        </div>
    </div>
</div>
</section>
<!-- END STATISTIC-->
<!-- STATISTIC CHART-->
<section class="statistic-chart">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <h3 class="title-5 m-b-35">statistics</h3>
            </div>
        </div>
        <div class="row">
            <div class="col-md-6 col-lg-4">
                <!-- CHART-->
                <div class="statistic-chart-1">
                    <h3 class="title-3 m-b-30">chart</h3>
                    <div class="chart-wrap">
                        <canvas id="widgetChart5"></canvas>
                    </div>
                    <div class="statistic-chart-1-note">
                        <span class="big">{{ $posts->count() }}</span>
                        <span>/ items posted</span>
                    </div>
                </div>
            </div>
            <!-- END CHART-->
        </div>
        <div class="col-md-6 col-lg-4">
            <!-- TOP CAMPAIGN-->
            <div class="top-campaign">
                <h3 class="title-3 m-b-30">top bloggers / last 24h</h3>
                <div class="table-responsive">
                    <table class="table table-top-campaign">
                        <tbody>
                            <@foreach ($topAuth as $auth)>
                                <tr>
                                    <td>{{ $loop->index+1 }}. {{ $auth->username }}</td>
                                    <td>{{ $auth->posts->count() }} posts</td>
                                </tr>
                            <@endforeach>
                        </tbody>
                    </table>
                </div>
            </div>
        </div>
    </div>
<!-- END TOP CAMPAIGN-->

```

```

        </div>
        <div class="col-md-6 col-lg-4">
            <!-- CHART PERCENT-->
            <div class="chart-percent-2">
                <h3 class="title-3 m-b-30">chart by %</h3>
                <div class="chart-wrap">
                    <canvas id="percent-chart2"></canvas>
                    <div id="chartjs-tooltip">
                        <table></table>
                    </div>
                </div>
            </div>
            <div class="chart-info">
                <div class="chart-note">
                    <span class="dot dot--blue"></span>
                    <span>Themed</span>
                </div>
                <div class="chart-note">
                    <span class="dot dot--red"></span>
                    <span>Other</span>
                </div>
            </div>
        </div>
        <!-- END CHART PERCENT-->
    </div>
</div>
</section>
<!-- END STATISTIC CHART-->
@endsection

```

pages/admin/table.blade.php

```

<section class="mt-3">
    <div class="container-fluid">
        @if($data == "users")
            <h3 class="title-5 m-b-35">Users table</h3>
            <div class="table-data__tool">
                <div class="table-data__tool-right">
                    <a href="{{ route('admin_user_create') }}">
                        <button class="au-btn au-btn-icon au-btn--green au-btn--small">

```

```

        <i class="zmdi zmdi-plus"></i>add new user</button>
    </a>
</div>
</div>
</div>
@if ($users->count())
    <div class="table-responsive table--no-card m-b-30">
        <table class="table table-borderless table-striped table-earning">
            <thead>
                <tr>
                    <th>name</th>
                    <th>email</th>
                    <th>joined date</th>
                    <th>status</th>
                    <th>total posts</th>
                    <th>Action</th>
                </tr>
            </thead>
            <tbody>
                @foreach ($users as $user)

                    {{-- Cekiranje id-a, da se admin ne izlistava u tabeli --}}

                    @if ($user->id === auth()->user()->id)

                        @else
                            <tr>
                                <td>{{ $user->name }}</td>
                                <td>{{ $user->email }}</td>
                                <td>{{ $user->created_at->format('m-d-Y') }}</td>
                                <td>
                                    @if ($user->role_id === 1)
                                        Admin
                                    @else
                                        User
                                    @endif
                                </td>
                                <td>{{ $user->posts->count() }}</td>
                                <td>
                                    <div class="table-data-feature">
                                        <a href="{{ route('admin_user_edit', $user) }}"
                                            toggle="tooltip" data-placement="top" title="Edit">
                                            <i class="zmdi zmdi-edit"></i>
                                        </button>
                                    </div>
                                </td>
                            </tr>
                        @endif
                    @endforeach
                </tbody>
            </table>
        </div>
    </div>
    <a href="#">
        <i class="zmdi zmdi-plus"></i>add new user</button>
    </a>
</div>
</div>
</div>

```

```

                                <form action="{{ route('admin_user_delete
', $user)}}" method="post">

                                @csrf
                                @method('DELETE')
                                <button type="submit" class="item" da
ta-toggle="tooltip" data-placement="top" title="Delete">
                                <i class="zmdi zmdi-delete"></i>
                                </button>
                                </form>
                                </a>
                                </div>
                                </td>
                                </tr>
                                @endif
                                @endforeach
                                </tbody>
                                </table>
                                </div>
                                <div>
                                {{ $users->links("pagination::bootstrap-4") }}
                                </div>
                                @else
                                There are currently no users
                                @endif

                                @elseif($data == "posts")
                                <h3 class="title-5 m-b-35">Posts table</h3>
                                <div class="table-data__tool">
                                <div class="table-data__tool-right">
                                <a href="{{ route('admin_post_create') }}">
                                <button class="au-btn au-btn-icon au-btn--green au-btn--small">
                                <i class="zmdi zmdi-plus"></i>add new post</button>
                                </a>
                                </div>
                                </div>
                                @if ($posts->count())
                                <div class="table-responsive table--no-card m-b-30">
                                <table class="table table-borderless table-striped table-earning">
                                <thead>
                                <tr>
                                <th>title</th>
                                <th>author</th>
                                <th>added</th>
                                <th>category</th>
                                <th>total comments</th>
                                <th>Action</th>
                                </tr>
                                </thead>

```

```

        <tbody>
            @foreach ($posts as $post)
                <tr>
                    <td>{{ $post->title }}</td>
                    <td>{{ $post->user->username }}</td>
                    <td>{{ $post->created_at->format('m-d-Y') }}</td>
                    <td>
                        @foreach ($post->categories as $cat)
                            {{ $cat->name }}
                        @endforeach
                    </td>
                    <td>{{ $post->comments->count() }}</td>
                    <td>
                        <div class="table-data-feature">
                            <a href="{{ route('admin_post_edit', $post) }}">
                                <button class="item" data-
toggle="tooltip" data-placement="top" title="Edit">
                                    <i class="zmdi zmdi-edit"></i>
                                </button>
                            </a>
                            <a href="#">
                                <form action="{{ route('posts.delete', $post)
}}" method="post">
                                    @csrf
                                    @method('DELETE')
                                    <button type="submit" class="item" data-
toggle="tooltip" data-placement="top" title="Delete">
                                        <i class="zmdi zmdi-delete"></i>
                                    </button>
                                </form>
                            </a>
                            <a href="{{ route('admin_comment_add', $post) }}">
                                <button type="submit" class="item" data-
toggle="tooltip" data-placement="top" title="Comment">
                                    <i class="zmdi zmdi-comment-more"></i>
                                </button>
                            </a>
                        </div>
                    </td>
                </tr>
            @endforeach
        </tbody>
    </table>
</div>
<div>
    {{ $posts->links("pagination::bootstrap-4") }}
</div>
@else

```

```

        <p>There are currently no posts</p>
    @endif

    @elseif($data == "categories")
        <h3 class="title-5 m-b-35">categories table</h3>
        <div class="table-data__tool">
            <div class="table-data__tool-right">
                <a href="{{ route('cat_create') }}">
                    <button class="au-btn au-btn-icon au-btn--green au-btn--small">
                        <i class="zmdi zmdi-plus"></i>add category</button>
                    </a>
                </div>
            </div>
            @if ($categories->count())
                <div class="table-responsive table--no-card m-b-30">
                    <table class="table table-borderless table-striped table-earning">
                        <thead>
                            <tr>
                                <th>name</th>
                                <th>added</th>
                                <th>total posts</th>
                                <th>Action</th>
                            </tr>
                        </thead>
                        <tbody>
                            @foreach ($categories as $cat)
                                <tr>
                                    <td>{{ $cat->name }}</td>
                                    <td>{{ $cat->created_at->format('m-d-Y') }}</td>
                                    <td>{{ $cat->posts->count() }}</td>
                                    <td>
                                        <div class="table-data-feature">
                                            <a href="{{ route('cat_edit', $cat) }}">
                                                <button class="item" data-
toggle="tooltip" data-placement="top" title="Edit">
                                                    <i class="zmdi zmdi-edit"></i>
                                                </button>
                                            </a>
                                            <a href="#">
                                                <form action="{{ route('cat_delete', $cat) }}"
method="post">
                                                    @csrf
                                                    @method('DELETE')
                                                    <button type="submit" class="item" data-
toggle="tooltip" data-placement="top" title="Delete">
                                                        <i class="zmdi zmdi-delete"></i>
                                                    </button>
                                                </form>

```



```

                </a>
            </div>
        </td>
    </tr>
    @endforeach
</tbody>
</table>
</div>
<div>
    {{ $categories->links("pagination::bootstrap-4") }}
</div>
@else
    <p>There are currently no categories</p>
@endif

@elseif($data == "comments")
    <h3 class="title-5 m-b-35">comments table</h3>
    @if ($comments->count())
        <div class="table-responsive table--no-card m-b-30">
            <table class="table table-borderless table-striped table-earning">
                <thead>
                    <tr>
                        <th>Post</th>
                        <th>added</th>
                        <th>Author</th>
                        <th>Action</th>
                    </tr>
                </thead>
                <tbody>
                    @foreach ($comments as $comment)
                        <tr>
                            <td>{{ $comment->post->title }}</td>
                            <td>{{ $comment->created_at->format('m-d-Y') }}</td>
                            <td>{{ $comment->user->username }}</td>
                            <td>
                                <div class="table-data-feature">
                                    <a href="#">
                                        <form action="{{ route('comments_delete', $comment) }}" method="post">
                                            @csrf
                                            @method('DELETE')
                                            <button type="submit" class="item" data-
toggle="tooltip" data-placement="top" title="Delete">
                                                <i class="zmdi zmdi-delete"></i>
                                            </button>
                                        </form>
                                    </a>
                                </div>
                            </td>
                        </tr>
                    @endforeach
                </tbody>
            </table>
        </div>
    @endif

```

```

                </td>
            </tr>
        @endforeach
    </tbody>
</table>
</div>
<div>
    {{ $comments->links("pagination::bootstrap-4") }}
</div>
@else
    There are currently no comments
@endif

@endif
</div>
</section>

```

pages/auth/index.blade.php

```

@extends('layouts.app.layout')
@section('content')
    <!-- Page Content -->
    <!-- Banner Starts Here -->
    <div class="heading-page header-text">

    </div>

    <!-- Banner Ends Here -->
    {{-- <section class="contact-us">
        <div class="container">
            <div class="row">

                <div class="col-lg-12">
                    <div class="down-contact">
                        <div class="row justify-content-center align-items-center">
                            <div class="col-lg-8">
                                <div class="sidebar-item contact-form">
                                    @if (session('status'))
                                        <p class="text-danger">{{ session('status') }}</p>
                                    @endif
                                <div class="sidebar-heading">
                                    <h2>Welcome</h2>
                                </div>

```

```

    <div class="content">
      <form id="contact" action="{{ route('login') }}" method="post">
        @csrf
        <div class="row">
          <div class="col-md-6 col-sm-12">
            <fieldset>
              @error('email')
                <span class="text-danger">{{ $message }}</span>
              @enderror
              <input name="email" type="email" id="email" placeholder="Your e
mail" @error('email') class="border border-danger" @enderror value="{{ old('email') }}">
            </fieldset>
          </div>
          <div class="col-md-6 col-sm-12">
            <fieldset>
              @error('password')
                <span class="text-danger">{{ $message }}</span>
              @enderror
              <input name="password" type="password" id="password" placeholde
r="Your password" @error('password') class="border border-danger" @enderror>
            </fieldset>
          </div>
          <div class="col-md-6 col-sm-12">
            <fieldset>
              <label for="remember">Remember me</label>
            </fieldset>
          </div>
          <div class="col-md-6 col-sm-12">
            <fieldset>
              <input name="remember" type="checkbox" id="remember">
            </fieldset>
          </div>
          <div class="col-lg-12">
            <fieldset>
              <button type="submit" id="form-submit" class="main-
button">Login</button>
            </fieldset>
          </div>
        </div>
      </form>
    </div>
  </div>
</div>

```

```

    </div>
</section> --}}

<div class="container mr-top-2">
  <div class="row justify-content-center">
    <div class="col-md-8">
      <div class="card">
        <div class="card-header org-bg form-h">Welcome</div>

        <div class="card-body">
          <form method="POST" action="{{ route('login')}}">
            @csrf
            @if (session('status'))

              <div class="form-group row">
                <div class="col-md-6">
                  <p class="text-danger">{{ session('status') }}</p>
                </div>
              </div>
            @endif
            <div class="form-group row">
              <label for="email" class="col-md-4 col-form-label text-md-
right">E-Mail Address</label>

              <div class="col-md-6">
                <input id="email" type="email" class="form-
control @error('email') is-
invalid @enderror" name="email" required autocomplete="email" autofocus>

                @error('email')
                  <span class="invalid-feedback" role="alert">
                    <strong>{{ $message }}</strong>
                  </span>
                @enderror
              </div>
            </div>

            <div class="form-group row">
              <label for="password" class="col-md-4 col-form-label text-md-
right">Password</label>

              <div class="col-md-6">
                <input id="password" type="password" class="form-
control @error('password') is-
invalid @enderror" name="password" required autocomplete="current-password">

                @error('password')
                  <span class="invalid-feedback" role="alert">

```

```

                <strong>{{ $message }}</strong>
            </span>
        @enderror
    </div>
</div>

    <div class="form-group row">
        <div class="col-md-6 offset-md-4">
            <div class="form-check">
                <input class="form-check-
input" type="checkbox" name="remember" id="remember" {{ old('remember') ? 'checked' : '' }}>

                <label class="form-check-label" for="remember">
                    Remember Me
                </label>
            </div>
        </div>
    </div>

    <div class="form-group row mb-0">
        <div class="col-md-8 offset-md-4">
            <button type="submit" class="btn form-btn">
                Login
            </button>
        </div>
    </div>
</form>
</div>
</div>
</div>
</div>
@endsection

```

pages/auth/register.blade.php

```

@extends('layouts.app.layout')
@section('content')
    <!-- Page Content -->
    <!-- Banner Starts Here -->
    <div class="heading-page header-text">

    </div>

    <!-- Banner Ends Here -->
    {{-- <section class="contact-us">

```

```

<div class="container">
  <div class="row">

    <div class="col-lg-12">
      <div class="down-contact">
        <div class="row justify-content-center align-items-center">
          <div class="col-lg-8">
            <div class="sidebar-item contact-form">
              <div class="sidebar-heading">
                <h2>Become a member</h2>
              </div>
              <div class="content">
                <form id="contact" action="{{ route('register')}}" method="post">
                  @csrf
                  <div class="row">
                    <div class="col-md-6 col-sm-12">
                      <fieldset>
                        @error('name')
                          <span class="text-danger">{{ $message }}</span>
                        @enderror
                        <input name="name" type="text" id="name" placeholder="Your name" @error('name') class="border border-danger" @enderror value="{{ old('name') }}">
                      </fieldset>
                    </div>
                    <div class="col-md-6 col-sm-12">
                      <fieldset>
                        @error('email')
                          <span class="text-danger">{{ $message }}</span>
                        @enderror
                        <input name="email" type="email" id="email" placeholder="Your email" @error('email') class="border border-danger" @enderror value="{{ old('email') }}">
                      </fieldset>
                    </div>
                    <div class="col-md-6 col-sm-12">
                      <fieldset>
                        @error('password')
                          <span class="text-danger">{{ $message }}</span>
                        @enderror
                        <input name="password" type="password" id="password" placeholder="Choose a password" @error('password') class="border border-danger" @enderror>
                      </fieldset>
                    </div>
                    <div class="col-md-6 col-sm-12">
                      <fieldset>
                        <input name="password_confirmation" type="password" id="password_confirmation" placeholder="Repeat password">
                      </fieldset>
                    </div>

```



```

<label for="username" class="col-md-4 col-form-label text-md-
right">Username</label>

<div class="col-md-6">
  <input id="username" type="text" class="form-
control @error('username') is-
invalid @enderror" name="username" value="{{ old('username') }}" required autocomplete="name"
autofocus>

  @error('username')
    <span class="invalid-feedback" role="alert">
      <strong>{{ $message }}</strong>
    </span>
  @enderror
</div>
</div>

<div class="form-group row">
  <label for="email" class="col-md-4 col-form-label text-md-
right">E-Mail Address</label>

  <div class="col-md-6">
    <input id="email" type="email" class="form-
control @error('email') is-
invalid @enderror" name="email" value="{{ old('email') }}" required autocomplete="email">

    @error('email')
      <span class="invalid-feedback" role="alert">
        <strong>{{ $message }}</strong>
      </span>
    @enderror
  </div>
</div>

<div class="form-group row">
  <label for="password" class="col-md-4 col-form-label text-md-
right">Password</label>

  <div class="col-md-6">
    <input id="password" type="password" class="form-
control @error('password') is-invalid @enderror" name="password" required autocomplete="new-
password">

    @error('password')
      <span class="invalid-feedback" role="alert">
        <strong>{{ $message }}</strong>
      </span>
    @enderror
  </div>
</div>

```



```

        </div>
    </div>

    <div class="form-group row">
        <label for="password-confirm" class="col-md-4 col-form-
label text-md-right">Confirm Password</label>

        <div class="col-md-6">
            <input id="password-confirm" type="password" class="form-
control" name="password_confirmation" required autocomplete="new-password">
        </div>
    </div>

    <div class="form-group row mb-0">
        <div class="col-md-6 offset-md-4">
            <button type="submit" class="btn form-btn">
                Register
            </button>
        </div>
    </div>
</form>
</div>
</div>
</div>
</div>
</div>
@endsection

```

pages/main/about.blade.php

```

@extends('layouts.app.layout')
@section('content')

    <!-- Page Content -->
    <!-- Banner Starts Here -->
    <div class="heading-page header-text">

    </div>

    <!-- Banner Ends Here -->

    <section class="section about-section gray-bg" id="about">
        <div class="container">

```

```

        <div class="row align-items-center justify-content-around flex-row-reverse">
            <div class="col-lg-6">
                <div class="about-text">
                    <h3 class="dark-color">About me & this project</h3>
                    <br>
                    <p>Hi, name's Miloš Parezanović, student at high ICT school</p>
                    <p>Index number 110/17</p>
                    <p>Blog.up is a blog application that was made for the school subject o
f PHP level 2, made in Laravel, it should represent and have all functionalities of a modern
blog, focusing on news and stories about arts, food and world sites mostly, welcome and enjoy
.</p>

                    <p>Utilities and Tools: Laravel, PHP, AJAX and Bootstrap</p>
                    <p><a href="#" target="_blank">View Documentation</a> -
file for this project</p>
                </div>
            </div>
            <div class="col-lg-5 text-center">
                <div class="about-img">
                    
                </div>
            </div>
        </div>
    </div>
</section>

    {{-- <section class="about-us">
        <div class="container">

            <div class="row">
                <div class="col-lg-12">
                    
                    <p>Please tell your friends about TemplateMo website. Thank you. You can browse t
hrough different categories of templates such as <a rel="nofollow" href="https://templatemo.c
om/tag/business" target="_parent">business</a>, <a rel="nofollow" href="https://templatemo.co
m/tag/portfolio" target="_parent">portfolio</a>, <a rel="nofollow" href="https://templatemo.c
om/tag/restaurant" target="_parent">restaurant</a>, etc. Pellentesque quis luctus libero. Mae
cenas pretium molestie erat, ac tincidunt leo gravida ac. Cras ullamcorper eu ipsum eu sollic
itudin. Fusce vitae commodo turpis. Integer ullamcorper purus nec justo mollis fermentum. Nun
c imperdiet erat nec lacinia laoreet. <br><br>Maecenas faucibus ullamcorper felis vitae finib
us. Nullam at quam ut lacus aliquam tempor vel sed ipsum. Donec pellentesque tincidunt imperd
iet. Mauris sit amet justo vulputate, cursus massa congue, vestibulum odio. Aenean elit nunc,
    gravida in erat sit amet, feugiat viverra leo. Phasellus interdum, diam commodo egestas rhon
cus, turpis nisi consectetur nibh, in vehicula eros orci vel neque.</p>
                </div>
            </div>

            <div class="row">
                <div class="col-lg-6">

```

```

        <h4>Two-One Donec porttitor augue</h4>
        <p>Quisque bibendum cursus viverra. Mauris at ex ipsum. Aenean condimentum urna nisl, eget interdum ante euismod vel. Aliquam at metus sit amet nunc dapibus posuere.</p>
    </div>
    <div class="col-lg-6">
        <h4>Two-Two Donec porttitor augue</h4>
        <p>Maecenas et metus nisl. Morbi ac interdum metus. Aliquam erat volutpat. Donec posuere tortor vel volutpat consequat. Mauris sagittis magna vel tellus semper interdum et id sapien.</p>
    </div>
</div>

<div class="row">
    <div class="col-lg-4 col-md-6">
        <h4>1-03 Donec porttitor augue</h4>
        <p>Quisque bibendum cursus viverra. Mauris at ex ipsum. Aenean condimentum urna nisl, eget interdum ante euismod vel. Aliquam at metus sit amet nunc dapibus posuere.</p>
    </div>
    <div class="col-lg-4 col-md-6">
        <h4>2-03 Donec porttitor augue</h4>
        <p>Maecenas et metus nisl. Morbi ac interdum metus. Aliquam erat volutpat. Donec posuere tortor vel volutpat consequat. Mauris sagittis magna vel tellus semper interdum et id sapien.</p>
    </div>
    <div class="col-lg-4">
        <h4>3-03 Donec porttitor augue</h4>
        <p>Maecenas et metus nisl. Morbi ac interdum metus. Aliquam erat volutpat. Donec posuere tortor vel volutpat consequat. Mauris sagittis magna vel tellus semper interdum et id sapien.</p>
    </div>
</div>

<div class="row">
    <div class="col-lg-3 col-md-6">
        <h4>01 Four Columns</h4>
        <p>Mauris at ex ipsum. Aenean condimentum urna nisl, eget interdum ante euismod vel. Aliquam at metus sit amet nunc dapibus posuere.</p>
    </div>
    <div class="col-lg-3 col-md-6">
        <h4>02 Four Columns</h4>
        <p>Aliquam erat volutpat. Donec posuere tortor vel volutpat consequat. Mauris sagittis magna vel tellus semper interdum et id sapien.</p>
    </div>
    <div class="col-lg-3 col-md-6">
        <h4>03 Four Columns</h4>
        <p>Morbi ac interdum metus. Donec posuere tortor vel volutpat consequat. Mauris sagittis magna vel tellus semper interdum et id sapien.</p>
    </div>
</div>

```

```

        </div>
        <div class="col-lg-3 col-md-6">
            <h4>04 Four Columns</h4>
            <p>Aliquam erat volutpat. Donec posuere tortor vel volutpat consequat. Mauris sagittis magna vel tellus semper interdum et id sapien.</p>
        </div>
    </div>

    <div class="row">
        <div class="col-lg-12">
            <ul class="social-icons">
                <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                <li><a href="#"><i class="fa fa-behance"></i></a></li>
                <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
            </ul>
        </div>
    </div>

</div>
</section> --}}

@endsection

```

pages/main/contact.blade.php

```

@extends('layouts.app.layout')
@section('content')

    <!-- Page Content -->
    <!-- Banner Starts Here -->
    <div class="heading-page header-text">

    </div>

    <!-- Banner Ends Here -->

    <section class="contact-us">

```

```

<div class="container">
  <div class="row">

    <div class="col-lg-12">
      <div class="down-contact">
        <div class="row">
          <div class="col-lg-8">
            <div class="sidebar-item contact-form">
              <div class="sidebar-heading">
                <h2>Send us a message</h2>
              </div>
              <div class="content">
                <form id="contact" action="" method="post">
                  <div class="row">
                    <div class="col-md-6 col-sm-12">
                      <fieldset>
                        <input name="name" type="text" id="name" placeholder="Your name" required="">
                      </fieldset>
                    </div>
                    <div class="col-md-6 col-sm-12">
                      <fieldset>
                        <input name="email" type="text" id="email" placeholder="Your email" required="">
                      </fieldset>
                    </div>
                    <div class="col-lg-12">
                      <fieldset>
                        <textarea name="message" rows="6" id="message" placeholder="Your Message" required=""></textarea>
                      </fieldset>
                    </div>
                    <div class="col-lg-12">
                      <fieldset>
                        <button type="submit" id="form-submit" class="main-button">Send Message</button>
                      </fieldset>
                    </div>
                  </div>
                </form>
              </div>
            </div>
          </div>
          <div class="col-lg-4">
            <div class="sidebar-item contact-information">
              <div class="sidebar-heading">
                <h2>contact information</h2>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>

```



```

        <a href="post-details.html"><h4>Morbi dapibus condimentum</h4></a>
        <ul class="post-info">
            <li><a href="#">Admin</a></li>
            <li><a href="#">May 12, 2020</a></li>
            <li><a href="#">12 Comments</a></li>
        </ul>
    </div>
</div>
</div>
<div class="item">
    
    <div class="item-content">
        <div class="main-content">
            <div class="meta-category">
                <span>Nature</span>
            </div>
            <a href="post-details.html"><h4>Donec porttitor augue at velit</h4></a>
            <ul class="post-info">
                <li><a href="#">Admin</a></li>
                <li><a href="#">May 14, 2020</a></li>
                <li><a href="#">24 Comments</a></li>
            </ul>
        </div>
    </div>
</div>
<div class="item">
    
    <div class="item-content">
        <div class="main-content">
            <div class="meta-category">
                <span>Lifestyle</span>
            </div>
            <a href="post-details.html"><h4>Best HTML Templates on TemplateMo</h4></a>
            <ul class="post-info">
                <li><a href="#">Admin</a></li>
                <li><a href="#">May 16, 2020</a></li>
                <li><a href="#">36 Comments</a></li>
            </ul>
        </div>
    </div>
</div>
<div class="item">
    
    <div class="item-content">
        <div class="main-content">
            <div class="meta-category">
                <span>Fashion</span>
            </div>

```

```

        <a href="post-details.html"><h4>Responsive and Mobile Ready Layouts</h4></a>
        <ul class="post-info">
            <li><a href="#">Admin</a></li>
            <li><a href="#">May 18, 2020</a></li>
            <li><a href="#">48 Comments</a></li>
        </ul>
    </div>
</div>
</div>
<div class="item">
    
    <div class="item-content">
        <div class="main-content">
            <div class="meta-category">
                <span>Nature</span>
            </div>
            <a href="post-details.html"><h4>Cras congue sed augue id ullamcorper</h4></a>
            <ul class="post-info">
                <li><a href="#">Admin</a></li>
                <li><a href="#">May 24, 2020</a></li>
                <li><a href="#">64 Comments</a></li>
            </ul>
        </div>
    </div>
</div>
<div class="item">
    
    <div class="item-content">
        <div class="main-content">
            <div class="meta-category">
                <span>Lifestyle</span>
            </div>
            <a href="post-details.html"><h4>Suspendisse nec aliquet ligula</h4></a>
            <ul class="post-info">
                <li><a href="#">Admin</a></li>
                <li><a href="#">May 26, 2020</a></li>
                <li><a href="#">72 Comments</a></li>
            </ul>
        </div>
    </div>
</div>
</div>
</div>
</div>
<!-- Banner Ends Here -->

<section class="blog-posts">
    <div class="container">

```



```

<div class="row">
  <div class="col-lg-8">
    <div class="all-blog-posts">
      <div class="row">
        <div class="col-lg-12">
          <div class="blog-post">
            <div class="blog-thumb">
              
            </div>
            <div class="down-content">
              <span>Lifestyle</span>
              <a href="post-
details.html"><h4>Best Template Website for HTML CSS</h4></a>
              <ul class="post-info">
                <li><a href="#">Admin</a></li>
                <li><a href="#">May 31, 2020</a></li>
                <li><a href="#">12 Comments</a></li>
              </ul>
              <p>Stand Blog is a free HTML CSS template for your CMS theme. You can e
asily adapt or customize it for any kind of CMS or website builder. You are allowed to use it
for your business. You are NOT allowed to re-
distribute the template ZIP file on any template collection site for the download purpose. <a
rel="nofollow" href="https://templatemo.com/contact" target="_parent">Contact TemplateMo</a>
for more info. Thank you.</p>
              <div class="post-options">
                <div class="row">
                  <div class="col-6">
                    <ul class="post-tags">
                      <li><i class="fa fa-tags"></i></li>
                      <li><a href="#">Beauty</a>,</li>
                      <li><a href="#">Nature</a></li>
                    </ul>
                  </div>
                  <div class="col-6">
                    <ul class="post-share">
                      <li><i class="fa fa-share-alt"></i></li>
                      <li><a href="#">Facebook</a>,</li>
                      <li><a href="#"> Twitter</a></li>
                    </ul>
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
  <div class="col-lg-12">
    <div class="blog-post">
      <div class="blog-thumb">

```

```

        
    </div>
    <div class="down-content">
        <span>Healthy</span>
        <a href="post-
details.html"><h4>Etiam id diam vitae lorem dictum</h4></a>
        <ul class="post-info">
            <li><a href="#">Admin</a></li>
            <li><a href="#">May 24, 2020</a></li>
            <li><a href="#">36 Comments</a></li>
        </ul>
        <p>You can support us by contributing a little via PayPal. Please conta
ct <a rel="nofollow" href="https://templatemo.com/contact" target="_parent">TemplateMo</a> vi
a Live Chat or Email. If you have any question or feedback about this template, feel free to
talk to us. Also, you may check other CSS templates such as <a rel="nofollow" href="https://t
emplatemo.com/tag/multi-page" target="_parent">multi-
page</a>, <a rel="nofollow" href="https://templatemo.com/tag/resume" target="_parent">resume<
/a>, <a rel="nofollow" href="https://templatemo.com/tag/video" target="_parent">video</a>, et
c.</p>

        <div class="post-options">
            <div class="row">
                <div class="col-6">
                    <ul class="post-tags">
                        <li><i class="fa fa-tags"></i></li>
                        <li><a href="#">Best Templates</a>,</li>
                        <li><a href="#">TemplateMo</a></li>
                    </ul>
                </div>
                <div class="col-6">
                    <ul class="post-share">
                        <li><i class="fa fa-share-alt"></i></li>
                        <li><a href="#">Facebook</a>,</li>
                        <li><a href="#">Twitter</a></li>
                    </ul>
                </div>
            </div>
        </div>
    </div>
</div>
<div class="col-lg-12">
    <div class="blog-post">
        <div class="blog-thumb">
            
        </div>
        <div class="down-content">
            <span>Fashion</span>
            <a href="post-details.html"><h4>Donec tincidunt leo nec magna</h4></a>

```

```

        <ul class="post-info">
            <li><a href="#">Admin</a></li>
            <li><a href="#">May 14, 2020</a></li>
            <li><a href="#">48 Comments</a></li>
        </ul>
        <p>Nullam at quam ut lacus aliquam tempor vel sed ipsum. Donec pellente
sque tincidunt imperdiet. Mauris sit amet justo vulputate, cursus massa congue, vestibulum od
io. Aenean elit nunc, gravida in erat sit amet, feugiat viverra leo. Phasellus interdum, diam
commodo egestas rhoncus, turpis nisi consectetur nibh, in vehicula eros orci vel neque.</p>
        <div class="post-options">
            <div class="row">
                <div class="col-6">
                    <ul class="post-tags">
                        <li><i class="fa fa-tags"></i></li>
                        <li><a href="#">HTML CSS</a>,</li>
                        <li><a href="#">Photoshop</a></li>
                    </ul>
                </div>
                <div class="col-6">
                    <ul class="post-share">
                        <li><i class="fa fa-share-alt"></i></li>
                        <li><a href="#">Facebook</a>,</li>
                        <li><a href="#">Twitter</a></li>
                    </ul>
                </div>
            </div>
        </div>
    </div>
</div>
<div class="col-lg-12">
    <div class="main-button">
        <a href="{ route('blog') }">View All Posts</a>
    </div>
</div>
</div>
<div class="col-lg-4">
    <div class="sidebar">
        <div class="row">
            <div class="col-lg-12">
                <div class="sidebar-item search">
                    <form id="search_form" name="gs" method="GET" action="#">
                        <input type="text" name="q" class="searchText" placeholder="type to sea
rch..." autocomplete="on">
                    </form>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
        <div class="col-lg-12">
            <div class="sidebar-item recent-posts">
                <div class="sidebar-heading">
                    <h2>Recent Posts</h2>
                </div>
                <div class="content">
                    <ul>
                        <li><a href="post-details.html">
                            <h5>Vestibulum id turpis porttitor sapien facilisis scelerisque</h5>
                            <span>May 31, 2020</span>
                        </a></li>
                        <li><a href="post-details.html">
                            <h5>Suspendisse et metus nec libero ultrices varius eget in risus</h5>
                            <span>May 28, 2020</span>
                        </a></li>
                        <li><a href="post-details.html">
                            <h5>Swag hella echo park leggings, shaman cornhole ethical coloring</h5>
                            <span>May 14, 2020</span>
                        </a></li>
                    </ul>
                </div>
            </div>
            <div class="col-lg-12">
                <div class="sidebar-item categories">
                    <div class="sidebar-heading">
                        <h2>Categories</h2>
                    </div>
                    <div class="content">
                        <ul>
                            <li><a href="#">- Nature Lifestyle</a></li>
                            <li><a href="#">- Awesome Layouts</a></li>
                            <li><a href="#">- Creative Ideas</a></li>
                            <li><a href="#">- Responsive Templates</a></li>
                            <li><a href="#">- HTML5 / CSS3 Templates</a></li>
                            <li><a href="#">- Creative & Unique</a></li>
                        </ul>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

    </div>
</section>
@endsection

```

pages/main/user_dashboard.blade.php

```

@extends('layouts.app.layout')
@section('content')
    <!-- Page Content -->
    <!-- Banner Starts Here -->
    <div class="heading-page header-text">

    </div>

    <!-- Banner Ends Here -->

    <main role="main" class="container">
        <div class="d-flex align-items-center p-3 my-3 text-white-50 bg-purple rounded box-shadow org-bg">

            <div class="lh-100">
                <h6 class="mb-0 text-white lh-100">Welcome back {{ $user->username }}!</h6>
                <small>Member since {{ $user->created_at->diffForHumans() }}</small>
            </div>
        </div>

        <div class="my-3 p-3 bg-white rounded box-shadow">
            <h6 class="border-bottom border-gray pb-2 mb-0">Recent posts</h6>

            @if($posts->count())
                @foreach ($posts as $post)
                    <div class="media text-muted pt-3">
                        
                        <p class="media-body pb-3 mb-0 small lh-125 border-bottom border-gray">
                            <strong class="d-block text-gray-dark">#{{ $post->title }}</strong>
                            Newly added to Blog {{ $post->created_at-
>diffForHumans() }} <a href="{{ route('post', $post->id) }}"> Read More</a>
                        </p>
                    </div>
                @endforeach
            @else

```

```

        <div class="media text-muted pt-3">
            
            <p class="media-body pb-3 mb-0 small lh-125 border-bottom border-gray">

                This user doesn't have any posts yet
            </p>
        </div>
    @endif

    <small class="d-block text-right mt-3">
        <a href="{{ route('posts.create') }}" class="btn btn-primary">Add a new post</a>
    </small>
    @if (auth()->user()->role_id === 1)
        <a href="{{ route('admin') }}">Admin dashboard</a>
    @endif
</div>
<div class="">
    {{ $posts->links('pagination::bootstrap-4') }}
</div>
</main>

@endsection

```

pages/posts/create.blade.php

```

@extends('layouts.app.layout')
@section('content')
    <!-- Page Content -->
    <!-- Banner Starts Here -->
    <div class="heading-page header-text">

    </div>

    <!-- Banner Ends Here -->

    <div class="container mr-top-2">
        <div class="row justify-content-center">
            <div class="col-md-8">
                <div class="card">

```

```

        {{-- PROSTOR ZA FORMU --}}
        @include('pages.posts.form', ["action" => "posts.store"])

    </div>
</div>
</div>
</div>

@endsection

```

pages/posts/edit.blade.php

```

@extends('layouts.app.layout')
@section('content')
    <!-- Page Content -->
    <!-- Banner Starts Here -->
    <div class="heading-page header-text">

    </div>

    <!-- Banner Ends Here -->

    <div class="container mr-top-2">
        <div class="row justify-content-center">
            <div class="col-md-8">
                <div class="card">

                    {{-- PROSTOR ZA FORMU --}}
                    @include('pages.posts.form', ["action" => "posts.update"])

                </div>
            </div>
        </div>
    </div>
</div>

@endsection

```

pages/posts/form.blade.php

```

<div class="card-header org-bg form-
h">@if($action == "posts.update") Edit your post @else Create a new post! @endif</div>

<div class="card-body">
    @include('partials.success-message')
    @include('partials.error-message')

```

```

<form action="@if($action == "posts.update") {{ route($action, $post) }} @else {{ route($
action) }} @endif" method="POST" enctype="multipart/form-data">
    @csrf
    @if($action == "posts.update")
        @method('PUT')
    @endif
    <div class="form-group row">
        <label for="title" class="col-md-3 col-form-label text-md-right">Title</label>

        <div class="col-md-8">
            <input id="title" type="text" class="form-control @error('title') is-
invalid @enderror" name="title" value="{{ $post->title ?? old('title') }}" autofocus>

            @error('title')
                <span class="feedback-error" role="alert">
                    <strong>{{ $message }}</strong>
                </span>
            @enderror
        </div>
    </div>

    <div class="form-group row">
        <label for="body" class="col-md-3 col-form-label text-md-right">Text</label>

        <div class="col-md-8">
            <textarea id="body" rows="5" class="form-add @error('body') border border-
danger @enderror" name="body" >{{ $post->body ?? old('body') }}</textarea>

            @error('body')
                <span class="feedback-error" role="alert">
                    <strong>{{ $message }}</strong>
                </span>
            @enderror
        </div>
    </div>

    <div class="form-group row">
        <label for="category" class="col-md-3 col-form-label text-md-
right">Category</label>

        <div class="col-md-8">
            <select class="form-add @error('category_id') border border-
danger @enderror" id="cat" name="category_id">
                <option>Choose..</option>
                @foreach ($categories as $category)
                    <option value="{{ $category->id }}">{{ $category->name }}</option>
                @endforeach
            </select>

```



```

        @error('category_id')
            <span class="feedback-error" role="alert">
                <strong>{{ $message }}</strong>
            </span>
        @enderror
    </div>
</div>

<div class="form-group row">
    <label for="image" class="col-md-3 col-form-label text-md-right">Image</label>

    <div class="col-md-8">
        <input id="image" type="file" class="form-control @error('image') is-
invalid @enderror" name="image">

        @error('image')
            <span class="feedback-error" role="alert">
                <strong>{{ $message }}</strong>
            </span>
        @enderror
    </div>
</div>

<div class="form-group row mb-0">
    <div class="col-md-6 offset-md-4">
        <button type="submit" class="btn form-btn">
            Submit
        </button>
    </div>
</div>
</form>
</div>

```

pages/posts/index.blade.php

```

@extends('layouts.app.layout')
@section('content')

    <!-- Page Content -->
    <!-- Banner Starts Here -->
    <div class="heading-page header-text">

    </div>

```

```

<!-- Banner Ends Here -->

<section class="blog-posts grid-system">
  <div class="container">
    <div class="row">
      <div class="col-lg-8">
        <div class="all-blog-posts">
          <div id="posts" class="row">

            {{-- post --}}

            {{-- ISPIS IZ PHP ALI URADJENO SA FILTRACIJAMA IZ JAVASCRIPT-A SA AJAXOM --}}

            {{-- @if ($posts->count())
              @foreach ($posts as $post)
                <div class="col-lg-6">
                  <div class="blog-post">
                    <div class="blog-thumb">
                      
                    </div>
                    <div class="down-content">
                      <span></span>
                      <a href="{ route('post', $post->id) }"><h4>{{ $post-
>title }}</h4></a>
                      <ul class="post-info">
                        <li><a href="#">{{ $post->user->name }}</a></li>
                        <li><a href="#">{{ $post->created_at->format('m-d-Y') }}</a></li>
                        <li><a href="#">{{ $post->comments-
>count() }} {{ Str::plural('comment', $post->comments->count()) }}</a></li>
                      </ul>
                      <p>{{ $post->body }}</p>
                      <div class="post-options">
                        <div class="row">
                          <div class="col-lg-12">
                            <ul class="post-tags">
                              <li><i class="fa fa-tags"></i></li>
                              <li><a href="#">Blog.Up</a></li>
                              <li><a href="#">@2021</a></li>
                            </ul>
                          </div>
                        </div>
                      </div>
                    </div>
                  </div>
                </div>
              @endforeach
            }}

```

```

@else
    <p>There are currently no posts</p>
@endif --}}

{{-- post --}}

{{-- <div class="col-lg-6">
    <div class="blog-post">
        <div class="blog-thumb">
            
        </div>
        <div class="down-content">
            <span>Lifestyle</span>
            <a href="post-details.html"><h4>Suspendisse et metus</h4></a>
            <ul class="post-info">
                <li><a href="#">Admin</a></li>
                <li><a href="#">May 22, 2020</a></li>
                <li><a href="#">26 Comments</a></li>
            </ul>
            <p>Nullam nibh mi, tincidunt sed sapien ut, rutrum hendrerit velit. Integer auctor a mauris sit amet eleifend.</p>
            <div class="post-options">
                <div class="row">
                    <div class="col-lg-12">
                        <ul class="post-tags">
                            <li><i class="fa fa-tags"></i></li>
                            <li><a href="#">Best Templates</a>,</li>
                            <li><a href="#">TemplateMo</a></li>
                        </ul>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
<div class="col-lg-6">
    <div class="blog-post">
        <div class="blog-thumb">
            
        </div>
        <div class="down-content">
            <span>Lifestyle</span>
            <a href="post-details.html"><h4>Donec tincidunt leo</h4></a>
            <ul class="post-info">
                <li><a href="#">Admin</a></li>

```

```

        <li><a href="#">May 18, 2020</a></li>
        <li><a href="#">42 Comments</a></li>
    </ul>
    <p>Nullam nibh mi, tincidunt sed sapien ut, rutrum hendrerit velit. Integer auctor a mauris sit amet eleifend.</p>
    <div class="post-options">
        <div class="row">
            <div class="col-lg-12">
                <ul class="post-tags">
                    <li><i class="fa fa-tags"></i></li>
                    <li><a href="#">Best Templates</a>,</li>
                    <li><a href="#">TemplateMo</a></li>
                </ul>
            </div>
        </div>
    </div>
</div>
</div>
<div class="col-lg-6">
    <div class="blog-post">
        <div class="blog-thumb">
            
        </div>
        <div class="down-content">
            <span>Lifestyle</span>
            <a href="post-details.html"><h4>Mauris ac dolor ornare</h4></a>
            <ul class="post-info">
                <li><a href="#">Admin</a></li>
                <li><a href="#">May 16, 2020</a></li>
                <li><a href="#">28 Comments</a></li>
            </ul>
            <p>Nullam nibh mi, tincidunt sed sapien ut, rutrum hendrerit velit. Integer auctor a mauris sit amet eleifend.</p>
            <div class="post-options">
                <div class="row">
                    <div class="col-lg-12">
                        <ul class="post-tags">
                            <li><i class="fa fa-tags"></i></li>
                            <li><a href="#">Best Templates</a>,</li>
                            <li><a href="#">TemplateMo</a></li>
                        </ul>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div> --}}

```

```

        {{-- <div class="col-lg-12">
            <ul class="page-numbers">
                <li><a href="#">1</a></li>
                <li class="active"><a href="#">2</a></li>
                <li><a href="#">3</a></li>
                <li><a href="#"><i class="fa fa-angle-double-right"></i></a></li>
            </ul>
        </div> --}}
    </div>
</div>
<div class="pagination-js">
    {{-- {{ $posts->links("pagination::bootstrap-4") }} --}}

</div>

</div>
<div class="col-lg-4">
    <div class="sidebar">
        <div class="row">
            <div class="col-lg-12">
                <div class="sidebar-item search">
                    <form id="search_form" name="gs" method="GET" action="#">
                        <input id="search" type="text" name="q" class="searchText" placeholder=
"type to search..." autocomplete="on">
                    </form>
                </div>
            </div>

            <div class="col-lg-12">
                <div class="sidebar-item categories">
                    <div class="sidebar-heading">
                        <h2>Categories</h2>
                    </div>
                    <div class="content">
                        {{-- <ul>
                            <li><a href="#">- Nature Lifestyle</a></li>
                            <li><a href="#">- Awesome Layouts</a></li>
                            <li><a href="#">- Creative Ideas</a></li>
                            <li><a href="#">- Responsive Templates</a></li>
                            <li><a href="#">- HTML5 / CSS3 Templates</a></li>
                            <li><a href="#">- Creative & Unique</a></li>
                        </ul> --}}

                        <ul class="">
                            @foreach($categories as $category)
                                <li class="">

```

[illegible]

[pages/posts/show.blade.php](#)

```
@extends('layouts.app.layout')
@section('content')
    <!-- Page Content -->
    <!-- Banner Starts Here -->
    <div class="heading-page header-text">

    </div>

    <!-- Banner Ends Here -->

<section class="blog-posts grid-system">
```

```

<div class="container">
  <div class="row">
    <div class="col-lg-8">
      <div class="all-blog-posts">
        <div class="row">
          <div class="col-lg-12">
            <div class="blog-post">
              <div class="blog-thumb">
                title }}">
              </div>
              <div class="down-content">
                <span>
                  @foreach ($post->categories as $category)
                    {{ $category->name }}
                  @endforeach
                </span>
                <a href="#"><h4>{{ $post->title }}</h4></a>
                <ul class="post-info">
                  <li><a href="#">{{ $post->user->username }}</a></li>
                  <li><a href="#">{{ $post->created_at->diffForHumans() }}</a></li>
                  <li><a href="#">{{ $post->comments-
>count() }} {{ Str::plural('comment', $post->comments->count()) }}</a></li>
                </ul>
                <p>{{ $post->body }}</p>

              </div>
              <br/>

              @can('delete', $post)
                <div class="row mx-1">
                  <form action="{{ route('posts.delete', $post) }}" method="post">
                    @csrf
                    @method('DELETE')
                    <button type="submit" class="btn btn-danger">Delete</button>
                  </form>
                  <a href="{{ route('posts.edit', $post) }}" class="btn btn-
warning">Edit</a>
                </div>
              @endcan

            </div>
          </div>
          <div class="col-lg-12">
            <div class="sidebar-item comments">
              <div class="sidebar-heading">
                <h2>{{ $post->comments->count() }} {{ Str::plural('comment', $post-
>comments->count()) }}</h2>

```

```

</div>
<div class="content">
  <ul>
    @if ($comments->count() != null)
      @foreach ($comments as $comment)
        <li>
          <div class="right-content">
            <h4>{{ $comment->user->username }}<span>{{ $comment->created_at->diffForHumans() }}</span></h4>
            <p>{{ $comment->content }}</p>
          </div>
        </li>
      @endforeach
    <div>
      {{ $comments->links("pagination::bootstrap-4") }}
    </div>
  @else
    <li>
      <div class="right-content">
        <p></p>
      </div>
    </li>
  @endif

  {{-- <li class="replied">
    <div class="author-thumb">
      
    </div>
    <div class="right-content">
      <h4>Thirteen Man<span>May 20, 2020</span></h4>
      <p>In porta urna sed venenatis sollicitudin. Praesent urna sem, p
ulvinar vel mattis eget.</p>
    </div>
  </li> --}}
  {{-- <li>
    <div class="author-thumb">
      
    </div>
    <div class="right-content">
      <h4>Belisimo Mama<span>May 16, 2020</span></h4>
      <p>Nullam nec pharetra nibh. Cras tortor nulla, faucibus id tinci
dunt in, ultrices eget ligula. Sed vitae suscipit ligula. Vestibulum id turpis volutpat, lobo
rtis turpis ac, molestie nibh.</p>
    </div>
  </li> --}}
  {{-- <li class="replied">
    <div class="author-thumb">

```



```

        
    </div>
    <div class="right-content">
        <h4>Thirteen Man<span>May 22, 2020</span></h4>
        <p>Mauris sit amet justo vulputate, cursus massa congue, vestibul
um odio. Aenean elit nunc, gravida in erat sit amet, feugiat viverra leo.</p>
    </div>
</li> --}}
</ul>
</div>
</div>
</div>
<div class="col-lg-12">
    @auth
    <div class="sidebar-item submit-comment">
        <div class="sidebar-heading">
            <h2>Your comment</h2>
        </div>
        <div class="content">
            <form id="comment" action="{{ route('comments.store', $post) }}" meth
od="post">
                @csrf
                <div class="row">
                    <div class="col-lg-12">
                        <fieldset>
                            <textarea name="content" rows="6" id="message" @error('conten
t') class="border border-danger" @enderror placeholder="Type your comment" ></textarea>
                        </fieldset>
                        @error('content')
                            <span class="feedback-error" role="alert">
                                <strong>{{ $message }}</strong>
                            </span>
                        @enderror
                    </div>
                    <div class="col-lg-12">
                        <fieldset>
                            <button type="submit" id="form-submit" class="main-
button">Submit</button>
                        </fieldset>
                    </div>
                </div>
            </form>
        </div>
    </div>
    @endauth
</div>
</div>
</div>

```

```
</div>
<div class="col-lg-4">
  <div class="sidebar">
    <div class="row">
      <div class="col-lg-12">
        <div class="sidebar-item recent-posts">
          <div class="sidebar-heading">
            <h2>Recent Posts</h2>
          </div>
          <div class="content">
            <ul>
              @foreach ($posts as $post)
                <li><a href="{ route('post', $post->id)}" >
                  <h5>{{ $post->title }}</h5>
                  <span>{{ $post->created_at->diffForHumans() }}</span>
                </a></li>
              @endforeach

              {{-- <li><a href="post-details.html">
                <h5>Suspendisse et metus nec libero ultrices varius eget in risus</h5>

                <span>May 28, 2020</span>
              </a></li>
              <li><a href="post-details.html">
                <h5>Swag hella echo park leggings, shaman cornhole ethical coloring</h5>

                <span>May 14, 2020</span>
              </a></li> --}}
            </ul>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
</div>
</div>
</div>
</section>
@endsection
```

[partials/error-message.blade.php](#)

```
@endif
```

partials/success-message.blade.php

```
@if (session('success'))
    <div class="alert alert-success">
        {{ session('success') }}
    </div>
@endif
```

JavaScript

Posts.js

```
$(document).ready(function(){
    sortAndFilter()
    $(".page-link-item").click(loadMorePosts);
    $(".categories").click(sortAndFilter);
    $(".btnDate").click(sortAndFilter);
    $("#search").keyup(sortAndFilterWithSearch);

});

var categories = [];

function loadMorePosts(e){
    categories = [];
    $.each($("input[name='categories']:checked"), function(){
        categories.push($(this).val());
    });
    let sortValue = $("input[name=btnDate]:checked").val();
    e.preventDefault();
    let page = $(this).data("page");
    //console.log(page);
    getPosts(page, categories, sortValue);
}

function sortAndFilter() {
    let sortValue = $("input[name=btnDate]:checked").val();
    categories = [];
    $.each($("input[name='categories']:checked"), function(){
        categories.push($(this).val());
    });
    let srcKey = $("#search").val();
    getPosts(1, categories, sortValue);
}

function sortAndFilterWithSearch() {
    let sortValue = $("input[name=btnDate]:checked").val();
```

```

categories = [];
$.each($("#input[name='categories']:checked"), function(){
    categories.push($(this).val());
});
let srcKey = $("#search").val();
searchPosts(1, categories, srcKey, sortValue);
}

function getPosts(page, categories, sortValue){
    //console.log(categories);
    const caller = arguments.callee.caller.name;
    $.ajax({
        url: "/posts/fetch",
        method: "GET",
        data: {
            page,
            categories,
            sortValue
        },
        dataType: "json",
        success: function (response) {
            // console.log(response.data);

            showPosts(response.data);

            if(caller == 'sortAndFilter'){
                changePagination(response.last_page, response.current_page);
            }
            if(caller == 'loadMorePosts'){
                changeActivePageLink(response.current_page);
            }
        }
    });
}

function searchPosts(page, categories, srcKey, sortValue){
    //console.log(categories);
    const caller = arguments.callee.caller.name;
    $.ajax({
        url: "/posts/search",
        method: "GET",
        data: {
            page,
            categories,
            srcKey,
            sortValue
        },
        dataType: "json",

```

```

    success: function (response) {
        console.log(response.data);

        showPosts(response.data);

        if(caller == 'sortAndFilterWithSearch'){
            changePagination(response.last_page, response.current_page);
        }
        if(caller == 'loadMorePosts'){
            changeActivePageLink(response.current_page);
        }
    }
});
}

function changePagination(totalLinks, currentPage){
    let html = "";
    for(let i = 1; i <= totalLinks; i++){
        if(i != currentPage){
            html += `<li class="page-item"><a class="page-link-item" id="link${i}" data-
page="${i}" href="#">${i}</a></li>`;
        }else{
            html += `<li class="page-item active"><a class="page-link-
item" id = "link${i}" data-page="${i}" href="#">${i}</a></li>`;
        }
    }
    $(".pagination-js").html(html);
    $(".page-link-item").click(loadMorePosts);
}

function changeActivePageLink(currentPage){
    $('.page-item').removeClass('active');
    $('#link' + currentPage).parent().addClass('active');
}

function showPosts(posts){
    let html = "";
    let date = "";
    for(let post of posts) {
        date = new Date(post.created_at);
        html += `
        <div class="col-lg-6">
            <div class="blog-post">
                <div class="blog-thumb">
                    
                </div>

```

```

        <div class="down-content">
            <a href="/posts/${post.id}"><h4>${post.title}</h4></a>
            <ul class="post-info">
                <li><a href="#">${post.user.username}</a></li>
                <li><a href="#">${date.getDate() + '-' + (date.getMonth()+1) + '-'
' + date.getFullYear()}</a></li>
                <li><a href="#">${post.comments.length} comments</a></li>
            </ul>
            <hr/>
            <div class="post-options">
                <div class="row">
                    <div class="col-lg-12">
                        <ul class="post-tags">
                            <li><i class="fa fa-tags"></i></li>
                            <li><a href="#">`;
                            for (category in post.categories) {
                                html += `${post.categories[category].name}`;
                            }
                            html += `
                        </a></li>

                    </ul>
                </div>
            </div>
        </div>
    </div>
</div>`;
}
$("#posts").html(html);
}

```