Table 14.2/1 Progression-Free Survival by Remission Status Randomized Subjects

			-2nd remission-		-3rd remission-		-Overall-	
			Placebo (N= 26)	CMP_135 (N= 26)	Placebo (N= 6)	CMP_135 (N= 7)	Placebo (N= 32)	CMP_135 (N= 33)
		No.of subjects	26	26	6	7	32	33
		No.of subjects with an event (%)	15(57.7%)	12(46.2%)	3(50.0%)	3(42.9%)	18(56.3%)	15(45.5%)
		Ealiest Contributing event						
		DISEASE PROGRESSION	15	12	3	3	18	15
		No.of subjects without an event (%)	11(42.3%)	14(53.8%)	3(50.0%)	4(57.1%)	14(43.8%)	18(54.5%)
		Progression_Free survival (month)						
		Median	5.6	7.7	7.4	5.6	5.8	7.7
		(95% CI)	(3.78, 7.43)	(5.59, NA)	(2.07, NA)	(3.48, NA)	(3.88, 7.43)	(5.59, NA)
		25th - 75th percentile	3.6-NA	5.3-13.3	5.8-NA	5.6-NA	3.6-NA	5.6-13.3
		Minimum- maximum	0.8-9.2 +	1.1-13.3 +	2.1-12.9 +	1.9-9.2 +	0.8-12.9 +	1.1-13.3 +
		Unstratified analysis						
		p-value(relative to placebo)						
		Log-Rank		0.2890		0.8440		0.3857
		Wilcoxon		0.3815		0.7768		0.4234
		Stratified analysis						
		Hazard ratio (relative to placebo)						0.730
		(95% CI)						(0.444,1.201)
		p-value(relative to placebo)						
		Log-Rank						0.7282
		Wilcoxon						0.6569