ISWC 2026 · HALF-DAY TUTORIAL

Façade-X: Querying Any Format as a Knowledge Graph

Session 5: Guided Excercises

📍 Bari, Italy · 📅 25 October 2026 · ⏱️ 14:10–18:00

SPARQL | Knowledge Graphs | Data Integration | Hands-on

Two notebooks: pick one

Both cover the same basics: CLI and Python, CSV → KG (`csv.headers` , `fx:entity`), templates (`?_` , `-v` , `-p`), reuse (`-l` , `query=`).
They differ in the features they touch:

	Tate	Nobel
Sources	Local files: CSV, JSON, Markdown	Local CSV + live JSON API
Remote data	A JSON file on the Web	An HTTP API: `media-type` , `http.query.*`
Many sources	A folder as a source: `archive.matches` , nested `SERVICE`	Paging an API: `limit` / `offset` , `VALUES` , `http.sleep`
Large data	Slicing ~69,000 rows: `slice` , `-st`	—
Text	A Markdown file as document or as text: `txt.regex`	Values inside JSON as text: nested `SERVICE` , `txt.split` , `txt.regex` + `txt.group`

Tate · bit.ly/fx-tutorial-adv **Nobel · bit.ly/fx-tutorial-adv2**

✋ **Show of hands: files and scale (Tate) or APIs and HTTP (Nobel)?**