ISWC 2026 · HALF-DAY TUTORIAL

# Façade-X: Querying Any Format as a Knowledge Graph

Integrate CSV, JSON, XML, spreadsheets and more using SPARQL alone.

📍 Bari, Italy · 📅 25 October 2026 · ⏱️ 14:10–18:00

SPARQL | Knowledge Graphs | Data Integration | Hands-on

# FX ISWC Tutorial - Hands-on with SPARQL Anything: guided exercises

In these exercises you build data integration pipelines with the **SPARQL Anything command line interface (CLI)**, using real data from the Tate collection: artists and artworks published as CSV, JSON and Markdown (CC0).

Each step is shown twice: as a terminal command (`!java -jar …`) and with PySPARQL Anything, the Python library that runs the same engine.

**You need:** a Google account to run the notebook in Colab, and basic SPARQL (`SELECT`, `CONSTRUCT`, `SERVICE`). Nothing to install on your machine.


bitly

# Exercises

| # | Exercise | You will learn to… | Key features |
|---|---|---|---|
| 0 | Install the CLI | run SPARQL Anything from a single jar, and from Python | `-q`, `-f`, `fxe:content` |
| 1 | From a CSV file to a knowledge graph | see how Façade-X represents a table, and map it to your own vocabulary | `csv.headers`, `csv.null-string`, `fx:cardinal`, `fx:entity`, `-o` |
| 2 | Two formats, one query | join JSON from the Web with a local CSV in a single query | `rdfs:member`, remote `location`, datatypes in joins |
| 3 | From a query to a pipeline | turn a query into a template and run it once per row of a result set | `?_` parameters, `-v`, `-p` |
| 4 | A folder as a data source | query every file in a folder with one query | folders, `archive.matches`, nested `SERVICE` |
| 5 | Reuse what you built | query the RDF you produced and use a saved query as a source | `-l`, `query=` |
| 6 | Scaling up | convert ~69,000 rows with limited memory, and turn the graph back into a table | `slice`, `-st`, `-f CSV` |
| 7 | Documents and text | read the same file as a structured document or as plain text | Markdown, `media-type`, `txt.regex` |