

PHYS12 CH:20 The Invisible Force That Powers Your Life

From Aurora to Electric Motors


Mr. Gullo

December 2025


Outline

- 1 Introduction
- 2 20.1 Magnetic Fields and Force
- 3 20.2 Motors, Generators, and Transformers
- 4 20.3 Electromagnetic Induction
- 5 Summary

The Aurora's Secret



The Aurora's Secret



The Connection

Same physics that creates northern lights powers your phone, lights your home, and makes your car move.

Learning Objectives

By the end of this lesson, you will be able to:

- **20.1:** Calculate magnetic force on moving charges and current-carrying wires

Learning Objectives

By the end of this lesson, you will be able to:

- **20.1:** Calculate magnetic force on moving charges and current-carrying wires
- **20.2:** Explain how electric motors, generators, and transformers work

Learning Objectives

By the end of this lesson, you will be able to:

- **20.1:** Calculate magnetic force on moving charges and current-carrying wires
- **20.2:** Explain how electric motors, generators, and transformers work
- **20.2:** Describe how commercial electric power is produced and transmitted

Learning Objectives

By the end of this lesson, you will be able to:

- **20.1:** Calculate magnetic force on moving charges and current-carrying wires
- **20.2:** Explain how electric motors, generators, and transformers work
- **20.2:** Describe how commercial electric power is produced and transmitted
- **20.3:** Explain how changing magnetic fields produce current

Learning Objectives

By the end of this lesson, you will be able to:

- **20.1:** Calculate magnetic force on moving charges and current-carrying wires
- **20.2:** Explain how electric motors, generators, and transformers work
- **20.2:** Describe how commercial electric power is produced and transmitted
- **20.3:** Explain how changing magnetic fields produce current
- **20.3:** Calculate induced electromotive force and current

20.1 Magnetic Poles

Every magnet has two poles:

- North pole (points toward geographic North)

20.1 Magnetic Poles

Every magnet has two poles:

- North pole (points toward geographic North)
- South pole (points toward geographic South)

20.1 Magnetic Poles

Every magnet has two poles:

- North pole (points toward geographic North)
- South pole (points toward geographic South)

The Paradox

Civilian: "Opposites attract, same poles repel."

Physicist: "True, but you can NEVER isolate a single pole."

20.1 The Universal Law: Magnetic Force

Nature's Rule for Moving Charges

$$F = qvB \sin \theta$$

Force on a charge moving through a magnetic field.

20.1 The Universal Law: Magnetic Force

Nature's Rule for Moving Charges

$$F = qvB \sin \theta$$

Force on a charge moving through a magnetic field.

Variables:

- F = force (N)
- q = charge (C)
- v = velocity (m/s)
- B = magnetic field strength (T, tesla)
- θ = angle between \vec{v} and \vec{B}

20.1 Right-Hand Rule for Force

To find **force** direction on positive **charge**:

- 1 Point fingers in direction of **velocity** \vec{v}

20.1 Right-Hand Rule for Force

To find **force** direction on positive **charge**:

- 1 Point fingers in direction of **velocity** \vec{v}
- 2 Curl fingers toward magnetic field \vec{B}

20.1 Right-Hand Rule for Force

To find **force** direction on positive **charge**:

- 1 Point fingers in direction of **velocity** \vec{v}
- 2 Curl fingers toward magnetic field \vec{B}
- 3 Thumb points in direction of **force** \vec{F}

20.1 Right-Hand Rule for Force

To find **force** direction on positive **charge**:

- 1 Point fingers in direction of **velocity** \vec{v}
- 2 Curl fingers toward magnetic field \vec{B}
- 3 Thumb points in direction of **force** \vec{F}

Key Insight

For negative **charges**, **force** is OPPOSITE the thumb direction.

20.1 Maximum Force Condition

When is Force Maximum?

$\sin \theta$ is maximum when $\theta = 90$

20.1 Maximum Force Condition

When is Force Maximum?

$\sin \theta$ is maximum when $\theta = 90$

Maximum force: $F_{\max} = qvB$ (when $v \perp B$)

20.1 Maximum Force Condition

When is **Force** Maximum?

$\sin \theta$ is maximum when $\theta = 90$

Maximum force: $F_{\max} = qvB$ (when $v \perp B$)

Zero force: $F = 0$ (when $v \parallel B$, $\theta = 0$ or 180)

20.1 Maximum Force Condition

When is Force Maximum?

$\sin \theta$ is maximum when $\theta = 90$

Maximum force: $F_{\max} = qvB$ (when $v \perp B$)

Zero force: $F = 0$ (when $v \parallel B$, $\theta = 0$ or 180)

The Mental Model

Charge moving parallel to field lines feels no force. Moving perpendicular to field lines feels maximum force.

20.2 The Force on Current in Magnetic Field

Universal Law: Magnetic Force on Wire

$$F = I\ell B \sin \theta$$

Current-carrying wire in magnetic field experiences force.

20.2 The Force on Current in Magnetic Field

Universal Law: Magnetic Force on Wire


$$F = I\ell B \sin \theta$$

Current-carrying wire in magnetic field experiences force.


The Mental Model

Think of electricity as water flowing through a hose. Put that hose in a magnetic field, and the field *pushes* the hose sideways.

20.2 Electric Motor: Converting Energy



20.2 Electric Motor: Converting Energy




The Paradox


Civilian: "Motors are complicated machines."

Physicist: "Just a **current** loop in a magnetic field."

20.2 Motor Torque Analysis



20.2 Motor Torque Analysis




Universal Law: Torque on Current Loop


$$\tau = N I A B \sin \theta$$

Where N = turns, I = current, A = loop area, B = magnetic field

20.2 Keeping the Motor Spinning




20.2 Keeping the Motor Spinning




The Problem

Torque reverses every half turn. Without **brushes** to reverse **current**, motor oscillates instead of rotating.

20.2 Run Motor in Reverse: Generator



20.2 Run Motor in Reverse: Generator




The Symmetry

Motor: Electrical energy \rightarrow Mechanical energy

Generator: Mechanical energy \rightarrow Electrical energy


20.2 Generator: The Math

Velocity of wire makes angle θ with magnetic field:



20.2 Generator: The Math

Velocity of wire makes angle θ with magnetic field:




Universal Law: Generator EMF


$$\varepsilon = NAB\omega \sin \omega t$$

Peak emf: $\varepsilon_0 = NAB\omega$

20.2 AC Power from Generator



20.2 AC Power from Generator



Civilian View vs. Reality

Civilian: "Why don't lights flicker 120 times per second?"

Physicist: "Faster than eye refresh rate. We don't notice."


20.2 Real Generators: Steam Turbines




Energy Chain

Coal/Nuclear/Gas → Heat → Steam → Turbine → Generator → Electricity

20.2 Transformers: Changing Voltage




(a)




(b)

20.2 Transformers: Changing Voltage



(a)




(b)

What Transformers Do


Change AC **voltage** from one value to another

Phone chargers, laptop adapters, power tools

20.2 How Transformers Work



20.2 How Transformers Work



The Principle

- 1 AC **current** in primary coil creates changing magnetic field
- 2 Iron core traps and amplifies magnetic field
- 3 Changing field passes through secondary coil
- 4 Induces AC **voltage** in secondary coil

20.2 Transformer Equation

Universal Law: Voltage Transformation

$$\frac{V_S}{V_P} = \frac{N_S}{N_P}$$

Secondary voltage / Primary voltage = Turns ratio

20.2 Transformer Equation

Universal Law: Voltage Transformation

$$\frac{V_S}{V_P} = \frac{N_S}{N_P}$$

Secondary voltage / Primary voltage = Turns ratio

Step-Up vs. Step-Down

Step-Up: $N_S > N_P \rightarrow$ Increases voltage (power transmission)

Step-Down: $N_S < N_P \rightarrow$ Decreases voltage (home delivery)

20.2 Power Transmission: Why High Voltage?

Power Transmitted

$$P_{\text{transmitted}} = I_{\text{transmitted}} V_{\text{transmitted}}$$

20.2 Power Transmission: Why High Voltage?

Power Transmitted

$$P_{\text{transmitted}} = I_{\text{transmitted}} V_{\text{transmitted}}$$

The Problem: Joule Losses

$$P_{\text{lost}} = I_{\text{transmitted}}^2 R_{\text{wire}}$$

Power lost as heat proportional to **current squared**

20.2 Power Transmission: Why High Voltage?

Power Transmitted

$$P_{\text{transmitted}} = I_{\text{transmitted}} V_{\text{transmitted}}$$

The Problem: Joule Losses


$$P_{\text{lost}} = I_{\text{transmitted}}^2 R_{\text{wire}}$$

Power lost as heat proportional to **current squared**

The Solution

Increase **voltage** → Decrease **current** → Minimize losses

20.2 The Power Grid



20.3 Nature's Symmetry

We Already Know

Electric **current** creates magnetic field (electromagnet)

20.3 Nature's Symmetry

We Already Know

Electric **current** creates magnetic field (electromagnet)

Faraday's Question (1831)

Can magnetic field create electric **current**?

20.3 Nature's Symmetry

We Already Know

Electric **current** creates magnetic field (electromagnet)


Faraday's Question (1831)

Can magnetic field create electric **current**?

The Answer

Yes - but only when magnetic field *changes*

20.3 Faraday's Experiment



20.3 What is EMF?

Terrible Name

Electromotive Force is NOT a **force**

It's a *potential difference* (**voltage**)

20.3 What is EMF?

Terrible Name


Electromotive Force is NOT a **force**
It's a *potential difference* (**voltage**)

Universal Law: EMF Definition


Energy added per unit **charge** by source

Symbol: \mathcal{E} Units: Volts (V)

20.3 Understanding Magnetic Flux



20.3 Understanding Magnetic Flux




Universal Law: Magnetic Flux

$$\Phi = BA \cos \theta$$


Number of field lines perpendicular through **area A**

Unit: Weber (Wb) = $\text{T} \cdot \text{m}^2 = \text{V} \cdot \text{s}$

20.3 Flux and Loop Orientation



20.3 Flux and Loop Orientation



The Sail Analogy

Loop = Sail, Magnetic Field = Wind

Maximum **flux** when perpendicular ($\theta = 0$)

Zero **flux** when parallel ($\theta = 90$)

20.3 Faraday's Law of Induction

Universal Law: Faraday's Law

$$\varepsilon = -N \frac{\Delta \phi}{\Delta t}$$

EMF induced equals rate of change of magnetic flux

20.3 Faraday's Law of Induction

Universal Law: Faraday's Law

$$\varepsilon = -N \frac{\Delta \phi}{\Delta t}$$

EMF induced equals rate of change of magnetic **flux**

Three Ways to Induce EMF

- 1 Change magnetic field strength B
- 2 Change loop **area** A
- 3 Change orientation angle θ

20.3 Lenz's Law: The Minus Sign

Universal Law: Lenz's Law

Induced **current** flows in direction that *opposes* the change in **flux**

20.3 Lenz's Law: The Minus Sign

Universal Law: Lenz's Law


Induced **current** flows in direction that *opposes* the change in **flux**

Nature Resists Change

Flux increasing? → Induced field opposes increase

Flux decreasing? → Induced field opposes decrease

20.3 Applying Lenz's Law



Attempt: EMF in Moving Coil

Try this on your own (3 min, silent):

A magnetic field passes through a 16-turn coil with diameter 2.0 cm. The magnetic field decreases from 0.020 T to 0.010 T in 34 s. The coil has resistance $0.1\ \Omega$.

Given:

- $N = 16$ turns
- $d = 0.020$ m
- $\Delta B = -0.010$ T
- $\Delta t = 34$ s
- $R = 0.1\ \Omega$

Find: Magnitude and direction of induced **current**

Work individually. It's okay to get stuck.

Compare: EMF in Moving Coil

Turn and talk (2 min):

- 1 What equation did you use for EMF?
- 2 How did you calculate the magnetic flux?
- 3 How did you find current from EMF?
- 4 What direction does current flow?

Compare: EMF in Moving Coil

Turn and talk (2 min):

- 1 What equation did you use for EMF?
- 2 How did you calculate the magnetic flux?
- 3 How did you find current from EMF?
- 4 What direction does current flow?

Name wheel: One pair share your approach (not your answer).

Reveal: Solution

Self-correct in a different color:

G - Given: See problem

Reveal: Solution

Self-correct in a different color:

G - Given: See problem

U - Unknown: $/ = ?$

Reveal: Solution

Self-correct in a different color:

G - Given: See problem

U - Unknown: $I = ?$

E - Equations:

$$\varepsilon = -N \frac{\Delta \Phi}{\Delta t} = -N \frac{\Delta B \pi d^2}{4 \Delta t}$$
$$I = \frac{\varepsilon}{R}$$

Reveal: Solution

Self-correct in a different color:

G - Given: See problem

U - Unknown: $I = ?$

E - Equations:

$$\varepsilon = -N \frac{\Delta \Phi}{\Delta t} = -N \frac{\Delta B \pi d^2}{4 \Delta t}$$
$$I = \frac{\varepsilon}{R}$$

S - Substitute:

$$I = -16 \frac{(-0.010 \text{ T}) \pi (0.020 \text{ m})^2}{4(0.10 \Omega)(34 \text{ s})} = 15 \mu\text{A}$$

Reveal: Solution

Self-correct in a different color:

G - Given: See problem

U - Unknown: $I = ?$

E - Equations:

$$\varepsilon = -N \frac{\Delta \Phi}{\Delta t} = -N \frac{\Delta B \pi d^2}{4 \Delta t}$$
$$I = \frac{\varepsilon}{R}$$

S - Substitute:


$$I = -16 \frac{(-0.010 \text{ T}) \pi (0.020 \text{ m})^2}{4(0.10 \Omega)(34 \text{ s})} = 15 \mu\text{A}$$

S - Statement: $I = 15 \mu\text{A}$ to the right (opposes decrease in field)

Attempt: Sliding Rod Circuit

Try this on your own (3 min, silent):

A U-shaped wire with a $20\ \Omega$ resistor has a conducting rod sliding on it at 0.50 m/s . The circuit is in a constant 0.010 T magnetic field pointing into the page. The rod is 0.10 m long.



Given: $B = 0.010\text{ T}$, $v = 0.50\text{ m/s}$, $\ell = 0.10\text{ m}$, $R = 20\ \Omega$

Find: Current magnitude and direction

Work individually. It's okay to get stuck.

Compare: Sliding Rod Circuit

Turn and talk (2 min):

- 1 What changes: B , A , or θ ?
- 2 How fast does area change?
- 3 What's the rate of flux change?
- 4 Direction of induced current ?

Compare: Sliding Rod Circuit

Turn and talk (2 min):

- 1 What changes: B , A , or θ ?
- 2 How fast does area change?
- 3 What's the rate of flux change?
- 4 Direction of induced current ?

Name wheel: One pair share your approach (not your answer).

Reveal: Sliding Rod Solution

Self-correct in a different color:

E - Equation:

$$\frac{\Delta\phi}{\Delta t} = B \frac{\Delta A}{\Delta t} = B v \ell$$

Reveal: Sliding Rod Solution

Self-correct in a different color:

E - Equation:

$$\frac{\Delta\phi}{\Delta t} = B \frac{\Delta A}{\Delta t} = B v \ell$$

$$\varepsilon = -B v \ell$$

Reveal: Sliding Rod Solution

Self-correct in a different color:

E - Equation:

$$\frac{\Delta\Phi}{\Delta t} = B \frac{\Delta A}{\Delta t} = Bv\ell$$

$$\varepsilon = -Bv\ell$$

S - Substitute:

$$I = \frac{\varepsilon}{R} = \frac{Bv\ell}{R} = \frac{(0.010 \text{ T})(0.50 \text{ m/s})(0.10 \text{ m})}{20 \Omega}$$

Reveal: Sliding Rod Solution

Self-correct in a different color:

E - Equation:

$$\frac{\Delta\Phi}{\Delta t} = B \frac{\Delta A}{\Delta t} = Bv\ell$$

$$\varepsilon = -Bv\ell$$

S - Substitute:

$$I = \frac{\varepsilon}{R} = \frac{Bv\ell}{R} = \frac{(0.010 \text{ T})(0.50 \text{ m/s})(0.10 \text{ m})}{20 \Omega}$$

$$I = 25 \mu\text{A}$$

flowing **clockwise**

Reveal: Sliding Rod Solution

Self-correct in a different color:

E - Equation:

$$\frac{\Delta\Phi}{\Delta t} = B \frac{\Delta A}{\Delta t} = Bv\ell$$

$$\varepsilon = -Bv\ell$$

S - Substitute:

$$I = \frac{\varepsilon}{R} = \frac{Bv\ell}{R} = \frac{(0.010 \text{ T})(0.50 \text{ m/s})(0.10 \text{ m})}{20 \Omega}$$

$$I = 25 \mu\text{A}$$

flowing **clockwise**

Check: Lenz's law - **flux** into page increasing, so induced field out of page (**current** is clockwise)

Key Equations Summary

Motors and Generators

$$F = IlB \sin \theta \quad (\text{Force on wire})$$

$$\tau = NIAB \sin \theta \quad (\text{Motor torque})$$

$$\varepsilon = NAB\omega \sin \omega t \quad (\text{Generator EMF})$$

Transformers and Power

$$\frac{V_S}{V_P} = \frac{N_S}{N_P} \quad (\text{Transformer equation})$$

$$P_{\text{lost}} = I^2 R \quad (\text{Joule heating})$$

Key Equations Summary (continued)

Electromagnetic Induction

$$\Phi = BA \cos \theta \quad (\text{Magnetic flux})$$

$$\mathcal{E} = -N \frac{\Delta \Phi}{\Delta t} \quad (\text{Faraday's Law})$$

$$\mathcal{E} = B\ell v \quad (\text{Motional EMF})$$

Lenz's Law (Direction)

Induced **current** opposes the change in magnetic **flux**

Symmetry of Electromagnetism

Electricity \leftrightarrow Magnetism

Symmetry of Electromagnetism

Electricity \leftrightarrow Magnetism

- Electric **current** creates magnetic field (electromagnet)

Symmetry of Electromagnetism

Electricity \leftrightarrow Magnetism

- Electric **current** creates magnetic field (electromagnet)
- Changing magnetic field creates electric **current** (induction)

Symmetry of Electromagnetism

Electricity \leftrightarrow Magnetism

- Electric **current** creates magnetic field (electromagnet)
- Changing magnetic field creates electric **current** (induction)
- Motors convert electrical \rightarrow mechanical **energy**

Symmetry of Electromagnetism

Electricity \leftrightarrow Magnetism

- Electric **current** creates magnetic field (electromagnet)
- Changing magnetic field creates electric **current** (induction)
- Motors convert electrical \rightarrow mechanical **energy**
- Generators convert mechanical \rightarrow electrical **energy**

Symmetry of Electromagnetism

Electricity \leftrightarrow Magnetism

- Electric **current** creates magnetic field (electromagnet)
- Changing magnetic field creates electric **current** (induction)
- Motors convert electrical \rightarrow mechanical **energy**
- Generators convert mechanical \rightarrow electrical **energy**
- Transformers change **voltage** using induction

Symmetry of Electromagnetism

Electricity \leftrightarrow Magnetism

- Electric **current** creates magnetic field (electromagnet)
- Changing magnetic field creates electric **current** (induction)
- Motors convert electrical \rightarrow mechanical **energy**
- Generators convert mechanical \rightarrow electrical **energy**
- Transformers change **voltage** using induction
- **Power** grid uses transformers to transmit **energy** efficiently

Complete the assigned problems
posted on the LMS