

PHYS11 CH:2 Reading the Story of Motion

Position and Velocity Graphs

Mr. Gullo

December 2025

Outline

The Mystery

How can a single line
tell the complete story of motion?

The Mystery

How can a single line
tell the complete story of motion?

Position, velocity, acceleration—all encoded in curves and slopes.

The Mystery

How can a single line
tell the complete story of motion?

Position, velocity, acceleration—all encoded in curves and slopes.

A graph is worth a thousand equations.

Learning Objectives

By the end of this lesson, you will be able to:

- **2.3:** Explain the meaning of slope in position vs. time graphs

Learning Objectives

By the end of this lesson, you will be able to:

- **2.3:** Explain the meaning of slope in position vs. time graphs
- **2.3:** Solve problems using position vs. time graphs

2.3 The Language of Graphs

The Mental Model

A graph is like a picture—worth a thousand words. It reveals relationships between physical quantities.

2.3 The Language of Graphs

The Mental Model

A graph is like a picture—worth a thousand words. It reveals relationships between physical quantities.

Standard graph anatomy:

- Horizontal axis = independent variable (usually **time**)

2.3 The Language of Graphs

The Mental Model

A graph is like a picture—worth a thousand words. It reveals relationships between physical quantities.

Standard graph anatomy:

- Horizontal axis = independent variable (usually **time**)
- Vertical axis = dependent variable (**position**, **velocity**)

2.3 The Language of Graphs


The Mental Model

A graph is like a picture—worth a thousand words. It reveals relationships between physical quantities.

Standard graph anatomy:


- Horizontal axis = independent variable (usually **time**)
- Vertical axis = dependent variable (**position**, **velocity**)
- Straight line: $y = mx + b$ where m = slope, b = y-intercept

2.3 Drive to School



Graph of position vs. time for 5 km drive to school

2.3 Drive to School



Graph of position vs. time for 5 km drive to school

What does this line tell us?

- Starts at home ($d_0 = 0$)
- Ends at school ($d_f = 5$ km)
- Takes 10 minutes

2.3 Reading the Slope

Universal Law: Slope is Velocity

In a position vs. time graph:

$$\text{slope} = \frac{\text{rise}}{\text{run}} = \frac{\Delta d}{\Delta t} = v_{\text{avg}}$$

2.3 Reading the Slope

Universal Law: Slope is **Velocity**

In a **position** vs. **time** graph:

$$\text{slope} = \frac{\text{rise}}{\text{run}} = \frac{\Delta d}{\Delta t} = v_{\text{avg}}$$

For the drive to school:

$$v_{\text{avg}} = \frac{5 \text{ km}}{10 \text{ min}} = 0.5 \text{ km/min}$$

2.3 Reading the Slope

Universal Law: Slope is **Velocity**

In a **position** vs. **time** graph:

$$\text{slope} = \frac{\text{rise}}{\text{run}} = \frac{\Delta d}{\Delta t} = v_{\text{avg}}$$


For the drive to school:

$$v_{\text{avg}} = \frac{5 \text{ km}}{10 \text{ min}} = 0.5 \text{ km/min}$$

The Anchor


Steeper slope = faster motion. Flat line = at rest.

2.3 Round Trip



What does the graph look like with the return trip?

2.3 Round Trip




What does the graph look like with the return trip?

Second leg:


- Negative slope = moving backward
- Returns to $d = 0$ (back home)
- Net displacement = 0 km

2.3 Jet Car on Salt Flats



Position vs. time for jet-powered car

2.3 Jet Car on Salt Flats



Position vs. time for jet-powered car

Reading the graph:

- At $t = 0$ s: $d = 400$ m
- At $t = 1$ s: $d = 650$ m
- Slope = velocity = 250 m/s

2.3 The Position Equation

Universal Law: Linear Motion

From the graph equation $y = mx + b$, we get:

$$d = vt + d_0$$

or equivalently

$$d = d_0 + vt$$

2.3 The Position Equation

Universal Law: Linear Motion

From the graph equation $y = mx + b$, we get:

$$d = vt + d_0$$


or equivalently

$$d = d_0 + vt$$

Where:


- m (slope) = velocity v
- b (y-intercept) = initial position d_0

2.3 Curved Position Graphs



Jet car speeding up - curved graph

2.3 Curved Position Graphs




Jet car speeding up - curved graph

The Conflict

When the graph curves, **velocity** is changing. Slope is not constant!

2.3 Curved Position Graphs




Jet car speeding up - curved graph

The Conflict

When the graph curves, **velocity** is changing. Slope is not constant!


Solution: Use tangent line to find instantaneous **velocity** at any point.

2.3 Instantaneous Velocity from Tangent



Slope of tangent line = instantaneous velocity

2.3 Instantaneous Velocity from Tangent




Slope of tangent line = instantaneous velocity

At point Q ($t = 25$ s):

$$v_Q = \frac{3120 - 1300 \text{ m}}{32 - 19 \text{ s}} = \frac{1820 \text{ m}}{13 \text{ s}} = 140 \text{ m/s}$$

Attempt: Reading a Position Graph

The Challenge (3 min, silent)



Position vs. time graph showing motion with direction change

Given: The graph above

Find: Average **velocity** over entire **time** interval (0 to 20 min)

Can you decode this motion? Work silently.

Compare: Graph Reading Strategy

Turn and talk (2 min):

- 1 What two points did you choose?
- 2 How did you calculate the slope?
- 3 What units did you get?

Compare: Graph Reading Strategy

Turn and talk (2 min):

- 1 What two points did you choose?
- 2 How did you calculate the slope?
- 3 What units did you get?

Name wheel: One pair share your approach (not your answer).

Reveal: Slope Equals Velocity

Self-correct in a different color:

Step 1: Identify endpoints: $(t_0, d_0) = (0, 0)$ km and $(t_f, d_f) = (20, 0)$ km

Reveal: Slope Equals Velocity

Self-correct in a different color:

Step 1: Identify endpoints: $(t_0, d_0) = (0, 0)$ km and $(t_f, d_f) = (20, 0)$ km

Step 2: Calculate slope

$$v_{\text{avg}} = \frac{\Delta d}{\Delta t} = \frac{d_f - d_0}{t_f - t_0}$$

Reveal: Slope Equals Velocity

Self-correct in a different color:

Step 1: Identify endpoints: $(t_0, d_0) = (0, 0)$ km and $(t_f, d_f) = (20, 0)$ km

Step 2: Calculate slope

$$v_{\text{avg}} = \frac{\Delta d}{\Delta t} = \frac{d_f - d_0}{t_f - t_0}$$

Step 3: Substitute

$$v_{\text{avg}} = \frac{0 - 0 \text{ km}}{20 - 0 \text{ min}} = \boxed{0 \text{ km/min}}$$

Reveal: Slope Equals Velocity

Self-correct in a different color:

Step 1: Identify endpoints: $(t_0, d_0) = (0, 0)$ km and $(t_f, d_f) = (20, 0)$ km

Step 2: Calculate slope

$$v_{\text{avg}} = \frac{\Delta d}{\Delta t} = \frac{d_f - d_0}{t_f - t_0}$$

Step 3: Substitute

$$v_{\text{avg}} = \frac{0 - 0 \text{ km}}{20 - 0 \text{ min}} = \boxed{0 \text{ km/min}}$$

Check: Zero! Started and ended at same position - net displacement is zero!

Learning Objectives

By the end of this lesson, you will be able to:


- **2.4:** Explain the meaning of slope and area in velocity vs. time graphs

Learning Objectives

By the end of this lesson, you will be able to:


- **2.4:** Explain the meaning of slope and area in velocity vs. time graphs
- **2.4:** Solve problems using velocity vs. time graphs

2.4 From Position to Velocity Graph




Position graph: drive to and from school

2.4 From Position to Velocity Graph




Position graph: drive to and from school




Velocity graph: two constant velocities

2.4 From Position to Velocity Graph



Position graph: drive to and from school



Velocity graph: two constant velocities

Key insight: Slope of **position** graph becomes height of **velocity** graph!

2.4 Reading Velocity Graphs

Universal Law: The Dual Nature

In a **velocity** vs. **time** graph:

- 1 **Slope** = **acceleration** (rate of **velocity** change)
- 2 **Area under curve** = **displacement**

2.4 Reading Velocity Graphs

Universal Law: The Dual Nature


In a **velocity** vs. **time** graph:

- 1 **Slope** = **acceleration** (rate of **velocity** change)
- 2 **Area under curve** = **displacement**

The Anchor


Position graphs give **velocity**. **Velocity** graphs give **acceleration** AND **displacement**.

2.4 Area Equals Displacement



Velocity graph for drive to school

2.4 Area Equals Displacement




Velocity graph for drive to school

Calculate **displacement**:

$$d = v \times t = 0.5 \text{ km/min} \times 10 \text{ min} = 5 \text{ km}$$

2.4 Area Equals Displacement



Velocity graph for drive to school


Calculate **displacement**:

$$d = v \times t = 0.5 \text{ km/min} \times 10 \text{ min} = 5 \text{ km}$$

Return trip:

$$d = (-0.5 \text{ km/min}) \times 10 \text{ min} = -5 \text{ km}$$

2.4 Area Equals Displacement



Velocity graph for drive to school

Calculate **displacement**:

$$d = v \times t = 0.5 \text{ km/min} \times 10 \text{ min} = 5 \text{ km}$$

Return trip:

$$d = (-0.5 \text{ km/min}) \times 10 \text{ min} = -5 \text{ km}$$

2.4 The Velocity Equation

Universal Law: Velocity with Acceleration

From the velocity graph equation $y = mx + b$, we get:

$$v = v_0 + at$$

2.4 The Velocity Equation

Universal Law: Velocity with Acceleration

From the velocity graph equation $y = mx + b$, we get:

$$v = v_0 + at$$

Where:

- m (slope) = acceleration a
- b (y-intercept) = initial velocity v_0

2.4 The Velocity Equation

Universal Law: **Velocity** with **Acceleration**

From the **velocity** graph equation $y = mx + b$, we get:

$$v = v_0 + at$$


Where:

- m (slope) = **acceleration** a
- b (y-intercept) = initial **velocity** v_0

And from area:


$$d = vt \quad (\text{for constant velocity})$$

2.4 Jet Car Velocity Graph



Jet car speeding up - straight line with positive slope

2.4 Jet Car Velocity Graph




Jet car speeding up - straight line with positive slope

What we can read:


- Starts at $v_0 = 20$ m/s at $t = 0$
- Ends at $v_f = 160$ m/s at $t = 30$ s
- Slope = **acceleration** (constant)

2.4 Zero Slope Means Constant Velocity



Horizontal line in velocity graph

2.4 Zero Slope Means Constant Velocity




Horizontal line in velocity graph

Key Insight

Slope = 0 means **acceleration** = 0. Object moves at constant **velocity**.

2.4 Zero Slope Means Constant Velocity



Horizontal line in velocity graph


Key Insight

Slope = 0 means **acceleration** = 0. Object moves at constant **velocity**.

This is what we saw in the drive to school example!

Attempt: Calculating from Velocity Graph

The Challenge (3 min, silent)



Jet car velocity vs. time

Given: Velocity graph above (jet car from 0 to 30 s)

Find:

- (a) Displacement
- (b) Acceleration

Use both slope and area. Work silently.

Compare: Dual Extraction

Turn and talk (2 min):

- 1 How did you find **displacement**? (Hint: area)
- 2 How did you find **acceleration**? (Hint: slope)
- 3 Did you break the area into shapes?

Compare: Dual Extraction

Turn and talk (2 min):

- 1 How did you find **displacement**? (Hint: area)
- 2 How did you find **acceleration**? (Hint: slope)
- 3 Did you break the area into shapes?

Name wheel: One pair share your approach (not your answer).

Reveal: Area and Slope

Self-correct in a different color:

(a) **Displacement** = Area under curve

Reveal: Area and Slope

Self-correct in a different color:

(a) **Displacement** = Area under curve

Rectangle: $20 \text{ m/s} \times 30 \text{ s} = 600 \text{ m}$

Reveal: Area and Slope

Self-correct in a different color:

(a) **Displacement** = Area under curve

Rectangle: $20 \text{ m/s} \times 30 \text{ s} = 600 \text{ m}$

Triangle: $\frac{1}{2} \times 30 \text{ s} \times 140 \text{ m/s} = 2100 \text{ m}$

Reveal: Area and Slope

Self-correct in a different color:

(a) **Displacement** = Area under curve

Rectangle: $20 \text{ m/s} \times 30 \text{ s} = 600 \text{ m}$

Triangle: $\frac{1}{2} \times 30 \text{ s} \times 140 \text{ m/s} = 2100 \text{ m}$

Total: $d = 2700 \text{ m}$

Reveal: Area and Slope

Self-correct in a different color:

(a) **Displacement** = Area under curve

Rectangle: $20 \text{ m/s} \times 30 \text{ s} = 600 \text{ m}$

Triangle: $\frac{1}{2} \times 30 \text{ s} \times 140 \text{ m/s} = 2100 \text{ m}$

Total: $d = 2700 \text{ m}$

(b) **Acceleration** = Slope

Reveal: Area and Slope

Self-correct in a different color:

(a) **Displacement** = Area under curve

Rectangle: $20 \text{ m/s} \times 30 \text{ s} = 600 \text{ m}$


Triangle: $\frac{1}{2} \times 30 \text{ s} \times 140 \text{ m/s} = 2100 \text{ m}$

Total: $d = 2700 \text{ m}$

(b) **Acceleration** = Slope


$$a = \frac{\Delta v}{\Delta t} = \frac{140 \text{ m/s}}{30 \text{ s}} = 4.67 \text{ m/s}^2$$

2.4 Curved Velocity Graphs



More realistic jet car - curved velocity graph

2.4 Curved Velocity Graphs




More realistic jet car - curved velocity graph

The Complication


When **velocity** graph curves, **acceleration** is changing! Use tangent for instantaneous **acceleration**.

2.4 Negative Velocity



Velocity graph going below zero

2.4 Negative Velocity



Velocity graph going below zero

Interpretation:

- Positive **velocity** = moving forward
- Negative **velocity** = moving backward
- Zero crossing = turning point (changes direction)

2.4 Position from Velocity Graph

The Connection

From **position** graph: slope \rightarrow **velocity**

From **velocity** graph: area \rightarrow **displacement**

2.4 Position from Velocity Graph

The Connection

From **position** graph: slope \rightarrow **velocity**

From **velocity** graph: area \rightarrow **displacement**

Circular Relationship

Position $\xrightarrow{\text{slope}}$ Velocity $\xrightarrow{\text{slope}}$ Acceleration

Position $\xleftarrow{\text{area}}$ Velocity $\xleftarrow{?}$ Acceleration

2.4 Position from Velocity Graph

The Connection

From **position** graph: slope \rightarrow **velocity**

From **velocity** graph: area \rightarrow **displacement**

Circular Relationship

Position $\xrightarrow{\text{slope}}$ **Velocity** $\xrightarrow{\text{slope}}$ **Acceleration**

Position $\xleftarrow{\text{area}}$ **Velocity** $\xleftarrow{?}$ **Acceleration**

We'll learn about **acceleration** graphs in the next chapter!

What You Now Know

The Revelations

- 1 Graphs are the visual language of motion

What You Now Know

The Revelations

- 1 Graphs are the visual language of motion
- 2 **Position** graph: slope = **velocity**

What You Now Know

The Revelations

- 1 Graphs are the visual language of motion
- 2 **Position** graph: slope = **velocity**
- 3 **Velocity** graph: slope = **acceleration**, area = **displacement**

What You Now Know

The Revelations

- 1 Graphs are the visual language of motion
- 2 **Position** graph: slope = **velocity**
- 3 **Velocity** graph: slope = **acceleration**, area = **displacement**
- 4 Tangent lines extract instantaneous values

What You Now Know

The Revelations

- 1 Graphs are the visual language of motion
- 2 **Position** graph: slope = **velocity**
- 3 **Velocity** graph: slope = **acceleration**, area = **displacement**
- 4 Tangent lines extract instantaneous values
- 5 Negative slopes/areas show direction

What You Now Know

The Revelations

- 1 Graphs are the visual language of motion
- 2 **Position** graph: slope = **velocity**
- 3 **Velocity** graph: slope = **acceleration**, area = **displacement**
- 4 Tangent lines extract instantaneous values
- 5 Negative slopes/areas show direction
- 6 One graph encodes multiple quantities

Key Equations

$$\text{Position graph slope} = \frac{\Delta d}{\Delta t} = v_{\text{avg}} \quad (1)$$

$$\text{Position equation : } d = d_0 + vt \quad (2)$$

$$\text{Velocity graph slope} = \frac{\Delta v}{\Delta t} = a \quad (3)$$

$$\text{Velocity equation : } v = v_0 + at \quad (4)$$

$$\text{Displacement from velocity} = \text{area under } v\text{-}t \text{ curve} \quad (5)$$

Complete the assigned problems
posted on the LMS

Temporary page!

\LaTeX was unable to guess the total number of pages correctly. There was some unprocessed data that should have been added to the document, so this extra page has been added to receive it.

If you rerun the document (without altering it) this surplus page will disappear, because \LaTeX now knows how many pages to expect for the document.