

# PHYS11 CH7: Power, Energy & Human Systems

## Sections 7.7-7.9: Power, Human Energy, and World Energy Use

Mr. Gullo

Fall Semester 2024

# Learning Objectives

After this lesson, you will be able to:

- Calculate power by analyzing changes in energy over time
- Explain human body energy consumption at rest vs. during activity
- Calculate the conversion of chemical energy in food to useful work
- Describe the distinction between renewable and nonrenewable energy sources
- Explain why energy conservation is necessary despite total energy being conserved

# Power: Rate of Energy Transfer

## Definition

Power ( $P$ ) is the rate at which work is done or energy is transferred:

$$P = \frac{W}{t} = \frac{\Delta E}{\Delta t}$$

SI unit: Watt (W) = 1 Joule/second

## Key Equations

- Average Power:  $P_{avg} = \frac{\Delta E}{\Delta t}$
- Instantaneous Power:  $P = \frac{dE}{dt}$
- Relation to Force:  $P = \vec{F} \cdot \vec{v}$

# Human Energy Systems

CH7/CH7.7-7.9/Screenshot 2024-11-28 120054.png

# Human Energy Systems

## Basal Metabolic Rate (BMR)

- Energy used at rest
- Typical adult: 70-100 W
- Major users:
  - Liver & Spleen (27%)
  - Brain (19%)
  - Muscles (18%)

## Active Power Output

- Walking: 280 W
- Cycling: 400 W
- Sprinting: 2415 W
- Efficiency: 15-30%

# World Energy Use

CH7/CH7.7-7.9/Screenshot 2024-11-28 120155.png

# World Energy Use

CH7/CH7.7-7.9/Screenshot 2024-11-28 1202152.png

# World Energy Use

CH7/CH7.7-7.9/Screenshot 2024-11-28 120215.png



# Example: Calculating Power Output

## Problem

A 60.0-kg person climbs stairs at a rate of 116 stairs per minute. If each stair is 0.15 m high, what is their power output?

# Example: Calculating Power Output

## Problem

A 60.0-kg person climbs stairs at a rate of 116 stairs per minute. If each stair is 0.15 m high, what is their power output?

## Solution

$$\begin{aligned}\text{Work per stair} &= mgh = (60.0 \text{ kg})(9.80 \text{ m/s}^2)(0.15 \text{ m}) \\ &= 88.2 \text{ J}\end{aligned}$$

$$\begin{aligned}\text{Power} &= \frac{\text{Work}}{\text{time}} = \frac{88.2 \text{ J} \times 116}{60 \text{ s}} \\ &= 170 \text{ W}\end{aligned}$$

# Practice Problem - Together

## Problem

A person consumes a 250 Calorie (1047 kJ) snack. How long would they need to cycle at 400 W to burn off this energy, assuming 20% efficiency?

# Practice Problem - Together

## Problem

A person consumes a 250 Calorie (1047 kJ) snack. How long would they need to cycle at 400 W to burn off this energy, assuming 20% efficiency?

## Work Together

Let's solve this step by step:

- 1 Convert food energy to Joules
- 2 Account for efficiency
- 3 Use power equation to find time

# Practice Problem - Independent

## Your Turn

Calculate the power output of a wind turbine that lifts 1000 kg of water 100 m high in 5 minutes.

- Use  $g = 9.80 \text{ m/s}^2$
- Calculate work done first
- Convert to power using time

# Practice Problem - Independent

## Your Turn

Calculate the power output of a wind turbine that lifts 1000 kg of water 100 m high in 5 minutes.

- Use  $g = 9.80 \text{ m/s}^2$
- Calculate work done first
- Convert to power using time

## Check

Answer: 32.7 kW

# Summary

## Key Takeaways

- Power is the rate of energy transfer
- Human power output varies by activity
- Body efficiency typically 15-30%
- World energy use dominated by nonrenewables
- Energy conservation crucial for sustainability

## Next Steps

- Practice power calculations
- Consider personal energy usage
- Think about renewable energy solutions