Kinematic Equations as Quadratic Analogies

Mr. Gullo

September 2024

Table of Contents

Standard Form of Quadratic Equation

- Standard form of a quadratic equation:

$$ax^2 + bx + c = 0$$

- Analogous kinematic equation:

$$x = x_0 + v_0 t + \frac{1}{2} a t^2$$

- Where:
  - x is the position (analogous to y in the quadratic)
  - t is time (analogous to x in the quadratic)
  - x_0 is the initial position (analogous to c)
  - v_0 is the initial velocity (analogous to b)
  - $\frac{1}{2}a$ is half the acceleration (analogous to a)

Standard Form - Interpretation

- This equation describes the position of an object at any given time
- It considers:
  - Initial position
  - Initial velocity
  - Acceleration
- Useful for analyzing motion in one dimension

Table of Contents

Vertex Form of Quadratic Equation

- Vertex form of a quadratic equation:

$$y = a(x - h)^2 + k$$

- Analogous kinematic equation:

$$x = x_0 + v_0 t + \frac{1}{2} a(t - t_p)^2$$

- Where:
  - t_p is the time at which the position reaches its peak (analogous to h)
  - $x_0 + v_0 t$ represents the position at the peak (analogous to k)

Vertex Form - Applications

- Particularly useful for describing projectile motion
- t_p represents the time at which the projectile reaches its highest point
- Helps in analyzing:
  - Maximum height
  - Time of flight
  - Range of the projectile

Table of Contents

Factored Form of Quadratic Equation

- Factored form of a quadratic equation:

$$y = a(x - r_1)(x - r_2)$$

- Analogous kinematic equation:

$$x - x_0 = v_0(t - t_1)(t - t_2)$$

- Where:
  - t_1 and t_2 are the times when the object is at its initial position x_0 (analogous to roots r_1 and r_2)
  - v_0 is a scaling factor (analogous to a)

Factored Form - Applications

- Less common in kinematics
- Useful in specific scenarios:
  - Describing an object that returns to its starting position twice
  - Example: A ball thrown vertically upward
- Helps in analyzing:
  - Time of flight
  - Return times to initial position

Table of Contents

Conclusion

- These analogies illustrate mathematical similarities between:
  - Quadratic equations
  - Motion in one dimension
- Provides a different perspective on both topics
- Helps in understanding:
  - The mathematical nature of motion
  - The physical interpretation of quadratic equations
- Encourages interdisciplinary thinking in mathematics and physics