

# PHYS11 CH:6.1-6.2

## Circular & Rotational Motion

Mr. Gullo

October 2024

# Learning Objectives

By the end of this lesson, you will be able to:

- Define and calculate angle of rotation and angular velocity
- Understand uniform circular motion
- Calculate centripetal acceleration and force
- Solve problems involving circular motion

# Table of Contents

1 Key Concepts

2 I Do

3 We Do

4 You Do


# Key Terms & Definitions

- **Angle of Rotation ( $\Delta\theta$ ):** Angular displacement measured in radians
- **Arc Length ( $\Delta s$ ):** Distance traveled along circular path
- **Radius of Curvature ( $r$ ):** Radius of circular path

Screenshot 2024-11-21 125544.png

# Key Terms & Definitions

- **Angular Velocity** ( $\omega$ ): Rate of change of angle with time



Screenshot 2024-11-21 125846.png

Screenshot 2024-11-21 132156.png

# Key Terms & Definitions

- **Centripetal Acceleration** ( $a_c$ ): Acceleration toward center of circle
- **Centripetal Force** ( $F_c$ ): Force causing circular motion

Screenshot 2024-11-21 130344.png

# The Fictitious Centrifugal Force

## What is the centrifugal "force"?

- Not a real force!
- Appears in rotating reference frames
- Feels like you're being "thrown outward"




# The Fictitious Centrifugal Force

## What is the centrifugal "force"?

- Not a real force!
- Appears in rotating reference frames
- Feels like you're being "thrown outward"

## Examples in daily life:

- Car turning a corner
- Tea leaves gathering in center of cup
- Clothes in a washing machine



## Remember:

- Objects want to travel in straight lines (Newton's 1st Law)
- What we feel as "outward force" is actually inertia
- Real force is centripetal (inward), causing circular motion

[https://en.wikipedia.org/wiki/Centrifugal\\_force](https://en.wikipedia.org/wiki/Centrifugal_force)

# Important Equations

Angle of Rotation:  $\Delta\theta = \frac{\Delta s}{r}$

Angular Velocity:  $\omega = \frac{\Delta\theta}{\Delta t}$

Tangential Velocity:  $v = r\omega$

Centripetal Acceleration:  $a_c = \frac{v^2}{r} = r\omega^2$

Centripetal Force:  $F_c = \frac{mv^2}{r} = mr\omega^2$

# Table of Contents

1 Key Concepts

2 I Do

3 We Do

4 You Do

# I Do - Example

A car drives around a circular track of radius 100 m at a constant speed of 20 m/s.

- 1 Calculate the centripetal acceleration
- 2 Find the centripetal force if the car's mass is 1500 kg

# I Do - Example

A car drives around a circular track of radius 100 m at a constant speed of 20 m/s.

- 1 Calculate the centripetal acceleration
- 2 Find the centripetal force if the car's mass is 1500 kg

Solution:

$$a_c = \frac{v^2}{r} = \frac{(20 \text{ m/s})^2}{100 \text{ m}} = 4 \text{ m/s}^2$$

$$F_c = ma_c = (1500 \text{ kg})(4 \text{ m/s}^2) = 6000 \text{ N}$$

# Table of Contents

1 Key Concepts

2 I Do

3 We Do

4 You Do

# We Do - Together

Let's solve this together: A CD spins at 300 rpm (revolutions per minute).

- 1 Convert rpm to angular velocity in rad/s
- 2 Calculate the tangential velocity at  $r = 6$  cm



# We Do - Together

Let's solve this together: A CD spins at 300 rpm (revolutions per minute).

- 1 Convert rpm to angular velocity in rad/s
- 2 Calculate the tangential velocity at  $r = 6 \text{ cm}$

Step 1: Convert rpm to rad/s

$$\omega = 300 \text{ rev/min} \times \frac{2\pi \text{ rad}}{1 \text{ rev}} \times \frac{1 \text{ min}}{60 \text{ s}} = 31.4 \text{ rad/s}$$

# We Do - Together

Let's solve this together: A CD spins at 300 rpm (revolutions per minute).

- 1 Convert rpm to angular velocity in rad/s
- 2 Calculate the tangential velocity at  $r = 6 \text{ cm}$

Step 1: Convert rpm to rad/s

$$\omega = 300 \text{ rev/min} \times \frac{2\pi \text{ rad}}{1 \text{ rev}} \times \frac{1 \text{ min}}{60 \text{ s}} = 31.4 \text{ rad/s}$$

Step 2: Calculate tangential velocity

$$v = r\omega = (0.06 \text{ m})(31.4 \text{ rad/s}) = 1.88 \text{ m/s}$$

# Table of Contents

1 Key Concepts

2 I Do

3 We Do

4 You Do

# You Do - Practice Problem

A ball attached to a string is swung in a horizontal circle with radius 0.5 m. If the ball makes one complete revolution in 1.2 seconds:

- 1 Calculate the angular velocity
- 2 Find the centripetal acceleration
- 3 Determine the tension in the string if the ball's mass is 0.2 kg

# You Do - Solution

- ① Angular velocity:

$$\omega = \frac{2\pi}{T} = \frac{2\pi \text{ rad}}{1.2 \text{ s}} = 5.24 \text{ rad/s}$$

- ② Centripetal acceleration:

$$a_c = r\omega^2 = (0.5 \text{ m})(5.24 \text{ rad/s})^2 = 13.7 \text{ m/s}^2$$

- ③ Tension (centripetal force):

$$F_c = ma_c = (0.2 \text{ kg})(13.7 \text{ m/s}^2) = 2.74 \text{ N}$$

# Summary

Key takeaways:

- Circular motion requires centripetal force
- $a_c$  and  $F_c$  always point toward center
- Angular quantities can be converted to linear quantities using radius
- Uniform circular motion means constant speed but changing velocity direction