

CC Practical – 2


Name: Sagar Wavhal

Roll No.: 81


Class & Div: TE - B

Title: Installation and configure Google app engine


Step 1: Search Google Cloud Platform in a any search engine& Click on Console.




Step 2:- Click on select new project.




Step3:- Give Project name and click on create.




Step4:- Click on select project




Step5:- In a search bar type search App Engine




Step 6:-Click on App Engine and Following screen will appear& Click on Create Application.




Step 7:- Click on next




Step 8:- Scroll down and click on I'll do this later.




Step 9:- In search bar type App Engine Admin API.




Step 10:- Click Enables




Step 11:- Click Activate Cloud Shell:-




Step 12 :- Following screen will appear:-




Step 13:- Login into your GitHub account and click on new repository.




Step 14 :- Give name to your repository and click create.




Step 15:- Click on creating new file




Step 16 :- Give name to the python file & type your code.



Step 17:- Click on code and copy URL.



Step 18:- Go to cloud and type – git clone and paste url.



Step 19 :- Type ls

The screenshot shows the Google Cloud Console interface. The top navigation bar includes the Google Cloud logo, a dropdown menu for 'TECOA6', and a search bar. The main content area displays the 'App Engine Admin API' details, including its service name 'appengine.googleapis.com', type 'Public API', and status 'Enabled'. A 'CREATE CREDENTIALS' button is visible. Below the API details, there are tabs for 'METRICS', 'QUOTAS', and 'CREDENTIALS'. At the bottom, a terminal window is open, showing the output of a 'git clone' command and the execution of 'ls' in the 'LP2' directory.

```
Welcome to Cloud Shell! Type "help" to get started.
Your cloud Platform project in this session is set to tecoa6-386308.
Use "gcloud config set project [PROJECT_ID]" to change to a different project.
tejasmodkar@cloudshell:~ (tecoa6-386308) $ git clone https://github.com/Tejas1605/LP2.git
Cloning into 'LP2'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.
tejasmodkar@cloudshell:~ (tecoa6-386308) $ ls
LP2 LP2-Program README-cloudshell.txt
tejasmodkar@cloudshell:~ (tecoa6-386308) $
```

Step 20 :- Enter cd-repository name.

The screenshot shows the Google Cloud Console interface, similar to the previous one. The terminal window now shows the execution of 'cd LP2' and 'ls' in the 'LP2' directory, displaying the contents of the repository.

```
Use "gcloud config set project [PROJECT_ID]" to change to a different project.
tejasmodkar@cloudshell:~ (tecoa6-386308) $ git clone https://github.com/Tejas1605/LP2.git
Cloning into 'LP2'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.
tejasmodkar@cloudshell:~ (tecoa6-386308) $ ls
LP2 LP2-Program README-cloudshell.txt
tejasmodkar@cloudshell:~ (tecoa6-386308) $ cd LP2
tejasmodkar@cloudshell:~/LP2 (tecoa6-386308) $ ls
prgm.py
tejasmodkar@cloudshell:~/LP2 (tecoa6-386308) $
```

Step 21:- Type ls and to run python code type python-program name.

The screenshot displays the Google Cloud Console interface with the 'App Engine Admin API' details page. The API is listed as 'Enabled' with the service name 'appengine.googleapis.com' and type 'Public API'. Below the API details, the 'CREDENTIALS' tab is selected. At the bottom, the Cloud Shell terminal is open, showing the execution of 'ls' and 'python prgm.py' commands. The terminal output for 'ls' shows a file named 'prgm.py', and the output for 'python prgm.py' is 'Hello World'.

API/Service Details

To use this API, you may need credentials. [CREATE CREDENTIALS](#)

App Engine Admin API
Provisions and manages developers' App Engine applications.
By Google Enterprise API

Service name	Type	Status
appengine.googleapis.com	Public API	Enabled

[LEARN MORE](#) [TRY IN API EXPLORER](#)

Cloud Shell Terminal

```
Cloning into 'LP2'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.
tejasmodkar@cloudshell:~ (tecoa6-386308)$ ls
LP2 LP2-Program README-cloudshell.txt
tejasmodkar@cloudshell:~ (tecoa6-386308)$ cd LP2
tejasmodkar@cloudshell:~/LP2 (tecoa6-386308)$ ls
prgm.py
tejasmodkar@cloudshell:~/LP2 (tecoa6-386308)$ python prgm.py
Hello World
tejasmodkar@cloudshell:~/LP2 (tecoa6-386308)$
```