



Hematocrit | ebi-a-GCST90002304

IVW (multiplicative random effects); BH p=0.98; excluded target/region n=5




Mean platelet volume | ebi-a-GCST90002346

IVW (multiplicative random effects); BH p=0.95; excluded target/region n=8




Eosinophil counts | ebi-a-GCST90002381

IVW (multiplicative random effects); BH p=0.98; excluded target/region n=4




Platelet count | ebi-a-GCST90002402

IVW (multiplicative random effects); BH p=0.095; excluded target/region n=8




Low density lipoprotein cholesterol levels | ebi-a-GCST90002412

IVW (multiplicative random effects); BH p=0.95; excluded target/region n=5




Sex hormone-binding globulin levels adjusted for BMI | ebi-a-GCST90012110

IVW (multiplicative random effects); BH p=0.56; excluded target/region n=3




Urate levels (UKB data field 30880) | ebi-a-GCST90014015

IVW (multiplicative random effects); BH p=0.76; excluded target/region n=1




Type 1 diabetes | ebi-a-GCST90014023

IVW (multiplicative random effects); BH p=0.98; excluded target/region n=5




Cholelithiasis | ebi-a-GCST90018819

IVW (multiplicative random effects); BH p=0.051; excluded target/region n=6




Alanine aminotransferase levels | ebi-a-GCST90018943

IVW (multiplicative random effects); BH p=0.56; excluded target/region n=1




Aspartate aminotransferase levels | ebi-a-GCST90018944

IVW (multiplicative random effects); BH p=0.98; excluded target/region n=1




Total cholesterol levels | ebi-a-GCST90018974

IVW (multiplicative random effects); BH p=0.79; excluded target/region n=2




Height | ebi-a-GCST90029008

IVW (multiplicative random effects); BH p=0.56; excluded target/region n=1




Thyroid problem (not cancer) | ebi-a-GCST90038635

IVW (multiplicative random effects); BH p=0.95; excluded target/region n=5




Diabetic retinopathy (DM_RETINOPATHY) | finn-b-DM_RETINOPATHY

IVW (multiplicative random effects); BH p=0.98; excluded target/region n=2




Disorders of gallbladder, biliary tract and pancreas | finn-b-K11_GALLBILPANC

IVW (multiplicative random effects); BH p=0.051; excluded target/region n=5




Rheumatoid arthritis | ieu-a-832

IVW (multiplicative random effects); BH p=0.073; excluded target/region n=5




systolic blood pressure | ieu-b-38

IVW (multiplicative random effects); BH p=0.98; excluded target/region n=2




diastolic blood pressure | ieu-b-39

IVW (multiplicative random effects); BH p=0.084; excluded target/region n=2




Age at menarche | ieu-b-5136

IVW (multiplicative random effects); BH p=0.79; excluded target/region n=2




Hip circumference | ukb-b-15590

IVW (multiplicative random effects); BH p=0.98; excluded target/region n=2




Pulse rate, automated reading | ukb-b-18103

IVW (multiplicative random effects); BH p=0.76; excluded target/region n=1




Body mass index (BMI) | ukb-b-19953

IVW (multiplicative random effects); BH p=0.62; excluded target/region n=2




Trunk fat mass | ukb-b-20044

IVW (multiplicative random effects); BH p=0.95; excluded target/region n=1



Mean corpuscular volume | ukb-d-30040_irnt

IVW (multiplicative random effects); BH p=0.98; excluded target/region n=2



Apolipoprotein B | ukb-d-30640_raw

IVW (multiplicative random effects); BH p=0.98; excluded target/region n=2

