Hematocrit | ebi-a-GCST90002304

IVW (multiplicative random effects); BH p=0.95; excluded target/region n=7



Mean platelet volume | ebi-a-GCST90002346

IVW (multiplicative random effects); BH p=0.92; excluded target/region n=11



Eosinophil counts | ebi-a-GCST90002381

IVW (multiplicative random effects); BH p=0.95; excluded target/region n=7



Platelet count | ebi-a-GCST90002402

IVW (multiplicative random effects); BH p=0.098; excluded target/region n=10



Low density lipoprotein cholesterol levels | ebi-a-GCST90002412

IVW (multiplicative random effects); BH p=0.92; excluded target/region n=7



Sex hormone-binding globulin levels adjusted for BMI | ebi-a-GCST90012110

IVW (multiplicative random effects); BH p=0.55; excluded target/region n=7



95% CIs; All known GBC lead loci excluded before harmonisation; BH family: pooled mediators.

Urate levels (UKB data field 30880) | ebi-a-GCST90014015

IVW (multiplicative random effects); BH p=0.74; excluded target/region n=2



Type 1 diabetes | ebi-a-GCST90014023

IVW (multiplicative random effects); BH p=0.95; excluded target/region n=5



Cholelithiasis | ebi-a-GCST90018819

IVW (multiplicative random effects); BH p=0.05; excluded target/region n=7



Alanine aminotransferase levels | ebi-a-GCST90018943

IVW (multiplicative random effects); BH p=0.33; excluded target/region n=4



Aspartate aminotransferase levels | ebi-a-GCST90018944

IVW (multiplicative random effects); BH p=0.95; excluded target/region n=7



Total cholesterol levels | ebi-a-GCST90018974

IVW (multiplicative random effects); BH p=0.92; excluded target/region n=5



95% CIs; All known GBC lead loci excluded before harmonisation; BH family: pooled mediators.

Height | ebi-a-GCST90029008

IVW (multiplicative random effects); BH p=0.55; excluded target/region n=7



Thyroid problem (not cancer) | ebi-a-GCST90038635

IVW (multiplicative random effects); BH p=0.92; excluded target/region n=5



Diabetic retinopathy (DM_RETINOPATHY) | finn-b-DM_RETINOPATHY

IVW (multiplicative random effects); BH p=0.96; excluded target/region n=2



Disorders of gallbladder, biliary tract and pancreas | finn-b-K11_GALLBILPANC

IVW (multiplicative random effects); BH p=0.05; excluded target/region n=6

Rheumatoid arthritis | ieu-a-832

IVW (multiplicative random effects); BH p=0.055; excluded target/region n=5



systolic blood pressure | ieu-b-38

IVW (multiplicative random effects); BH p=0.95; excluded target/region n=7



95% CIs; All known GBC lead loci excluded before harmonisation; BH family: pooled mediators.

diastolic blood pressure | ieu-b-39

IVW (multiplicative random effects); BH p=0.05; excluded target/region n=6



Age at menarche | ieu-b-5136

IVW (multiplicative random effects); BH p=0.82; excluded target/region n=5



Hip circumference | ukb-b-15590

IVW (multiplicative random effects); BH p=0.95; excluded target/region n=5



Pulse rate, automated reading | ukb-b-18103

IVW (multiplicative random effects); BH p=0.76; excluded target/region n=1



Body mass index (BMI) | ukb-b-19953

IVW (multiplicative random effects); BH p=0.65; excluded target/region n=5



Trunk fat mass | ukb-b-20044

IVW (multiplicative random effects); BH p=0.92; excluded target/region n=3



95% CIs; All known GBC lead loci excluded before harmonisation; BH family: pooled mediators.

Pooled mediator MR | page 5/5

Mean corpuscular volume | ukb-d-30040_irnt

IVW (multiplicative random effects); BH p=0.95; excluded target/region n=4



Apoliprotein B | ukb-d-30640_raw

IVW (multiplicative random effects); BH p=0.95; excluded target/region n=3



95% CIs; All known GBC lead loci excluded before harmonisation; BH family: pooled mediators.