

NAME : M R GANGAMMA

USN : 1RUA25BCA0056

SQL FUNCTIONS

STRING FUCTION

1.UPPER

queries.sql × +

```
1 CREATE TABLE STUDENT (
2   Student_ID INT,
3   Student_Name VARCHAR(50),
4   Class VARCHAR(10),
5   Marks INT,
6   Fee_Paid DECIMAL(10,2),
7   Date_of_Birth DATE,
8   Admission_Date DATE
9 );
10
11 INSERT INTO STUDENT VALUES
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-06-10'),
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-06-12'),
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-06-11'),
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-06-15'),
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-06-13');
17
18 SELECT * FROM STUDENT;
19
20 SELECT Student_Name,
21        UPPER(Student_Name) AS Uppercase_Name
22 FROM STUDENT;
```

I/O AI Agent 340 ms

STDIN

Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-06-10
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-06-12
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-06-11
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-06-15
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-06-13

Student_Name	Uppercase_Name
Rahul Sharma	RAHUL SHARMA
Priya Singh	PRIYA SINGH
Amit Kumar	AMIT KUMAR
Sneha Gupta	SNEHA GUPTA
Rohit Verma	ROHIT VERMA

ready Light Wiki Microsoft SQL Server

2.LOWER

queries.sql × +

```
1 CREATE TABLE STUDENT (
2   Student_ID INT,
3   Student_Name VARCHAR(50),
4   Class VARCHAR(10),
5   Marks INT,
6   Fee_Paid DECIMAL(10,2),
7   Date_of_Birth DATE,
8   Admission_Date DATE
9 );
10
11 INSERT INTO STUDENT VALUES
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-06-10'),
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-06-12'),
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-06-11'),
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-06-15'),
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-06-13');
17
18 SELECT * FROM STUDENT;
19
20
21 SELECT Student_Name,
22        LOWER(Student_Name) AS Lowercase_Name
23 FROM STUDENT;
```

I/O AI Agent 327 ms

STDIN

Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-06-10
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-06-12
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-06-11
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-06-15
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-06-13

Student_Name	Lowercase_Name
Rahul Sharma	rahul sharma
Priya Singh	priya singh
Amit Kumar	amit kumar
Sneha Gupta	sneha gupta
Rohit Verma	rohit verma

ready Light Wiki Microsoft SQL Server

3. LENGTH

queries.sql × +

SQL AI Agent

332 ms

```
1 CREATE TABLE STUDENT (
2   Student_ID INT,
3   Student_Name VARCHAR(50),
4   Class VARCHAR(10),
5   Marks INT,
6   Fee_Paid DECIMAL(10,2),
7   Date_of_Birth DATE,
8   Admission_Date DATE
9 );
10
11 INSERT INTO STUDENT VALUES
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-06-10')
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-06-12')
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-06-11')
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-06-15')
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-06-13')
17
18 SELECT * FROM STUDENT;
19
20 SELECT Student_Name,
21        LEN(Student_Name) AS Name_Length
22 FROM STUDENT;
```

STDIN

Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-06-10
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-06-12
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-06-11
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-06-15
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-06-13

Student_Name	Name_Length
Rahul Sharma	12
Priya Singh	11
Amit Kumar	10
Sneha Gupta	11
Rohit Verma	11

ready

Light Wiki Microsoft SQL Server

4.CONCAT

queries.sql × +

SQL AI Agent

311 ms

```
1 CREATE TABLE STUDENT (
2   Student_ID INT,
3   Student_Name VARCHAR(50),
4   Class VARCHAR(10),
5   Marks INT,
6   Fee_Paid DECIMAL(10,2),
7   Date_of_Birth DATE,
8   Admission_Date DATE
9 );
10
11 INSERT INTO STUDENT VALUES
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-06-10')
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-06-12')
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-06-11')
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-06-15')
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-06-13')
17
18 SELECT * FROM STUDENT;
19
20 SELECT CONCAT(Student_Name, ' - Class ', Class) AS Student_Details
21 FROM STUDENT;
```

STDIN

Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-06-10
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-06-12
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-06-11
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-06-15
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-06-13

Student_Details
Rahul Sharma - Class 10A
Priya Singh - Class 10A
Amit Kumar - Class 10B
Sneha Gupta - Class 10B
Rohit Verma - Class 10A

ready

Light Wiki Microsoft SQL Server

5.SUBSTRING

queries.sql × +

SQL AI Agent

333 ms

```
1 CREATE TABLE STUDENT (
2   Student_ID INT,
3   Student_Name VARCHAR(50),
4   Class VARCHAR(10),
5   Marks INT,
6   Fee_Paid DECIMAL(10,2),
7   Date_of_Birth DATE,
8   Admission_Date DATE
9 );
10
11 INSERT INTO STUDENT VALUES
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-06-10')
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-06-12')
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-06-11')
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-06-15')
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-06-13')
17
18 SELECT * FROM STUDENT;
19
20 SELECT Student_Name,
21        SUBSTRING(Student_Name, 1, 5) AS First_Five_Characters
22 FROM STUDENT;
```

STDIN

Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admiss
101	Rahul Sharma	10A	85	50000.00	2008-05-15	
102	Priya Singh	10A	92	50000.00	2008-11-20	
103	Amit Kumar	10B	76	45000.00	2009-02-10	
104	Sneha Gupta	10B	88	48000.00	2008-08-25	
105	Rohit Verma	10A	65	40000.00	2009-01-30	

Student_Name	First_Five_Characters
Rahul Sharma	Rahul
Priya Singh	Priya
Amit Kumar	Amit
Sneha Gupta	Sneha
Rohit Verma	Rohit

ready

Light Wiki Microsoft SQL Server

6.TRIM

queries.sql × +

1 CREATE TABLE STUDENT (
2 Student_ID INT,
3 Student_Name VARCHAR(50),
4 Class VARCHAR(10),
5 Marks INT,
6 Fee_Paid DECIMAL(10,2),
7 Date_of_Birth DATE,
8 Admission_Date DATE
9);
10
11 INSERT INTO STUDENT VALUES
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-06-10')
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-06-12')
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-06-11')
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-06-15')
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-06-13')
17
18 SELECT * FROM STUDENT;
19
20 SELECT Student_Name,
21 TRIM(Student_Name) AS Trimmed_Name
22 FROM STUDENT;

AI Agent 335 ms

STDIN
Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admiss
101	Rahul Sharma	10A	85	50000.00	2008-05-15	
102	Priya Singh	10A	92	50000.00	2008-11-20	
103	Amit Kumar	10B	76	45000.00	2009-02-10	
104	Sneha Gupta	10B	88	48000.00	2008-08-25	
105	Rohit Verma	10A	65	40000.00	2009-01-30	

Student_Name	Trimmed_Name
Rahul Sharma	Rahul Sharma
Priya Singh	Priya Singh
Amit Kumar	Amit Kumar
Sneha Gupta	Sneha Gupta
Rohit Verma	Rohit Verma

NUMERIC FUNCTION

1.ROUND

queries.sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);

INSERT INTO STUDENT VALUES
(101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15',
(102, 'Priya Singh', '10A', 92, 50000, '2008-11-20',
(103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10',
(104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25',
(105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30',

SELECT * FROM STUDENT;

SELECT Student_Name,
Marks,
ROUND(Marks * 1.05, 0) AS Bonus_Marks
FROM STUDENT;

I/O

AI Agent

341 ms

STDIN

Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-06-10
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-06-12
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-06-11
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-06-15
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-06-13

Student_Name	Marks	Bonus_Marks
Rahul Sharma	85	89.00
Priya Singh	92	97.00
Amit Kumar	76	80.00
Sneha Gupta	88	92.00
Rohit Verma	65	68.00

2. CEIL

queries.sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);

INSERT INTO STUDENT VALUES
(101, 'Rahul sharma', '10A', 85, 50000, '2008-05-15',
(102, 'Priya Singh', '10A', 92, 50000, '2008-11-20',
(103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10',
(104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25',
(105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30',

SELECT * FROM STUDENT;

SELECT Student_Name,
Marks / 10.0 AS Marks_Value,
CEILING(Marks / 10.0) AS Rounded_Up
FROM STUDENT;

I/O

AI Agent

332 ms

STDIN

Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-06-10
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-06-12
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-06-11
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-06-15
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-06-13

Student_Name	Marks_Value	Rounded_Up
Rahul Sharma	8.500000	9
Priya Singh	9.200000	10
Amit Kumar	7.600000	8
Sneha Gupta	8.800000	9
Rohit Verma	6.500000	7

3.FLOOR

queries.sql × +

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23

CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);

INSERT INTO STUDENT VALUES
(101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15',
(102, 'Priya Singh', '10A', 92, 50000, '2008-11-20',
(103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10',
(104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25',
(105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30',

SELECT * FROM STUDENT;

SELECT Student_Name,
Marks / 10.0 AS Marks_Value,
FLOOR(Marks / 10.0) AS Rounded_Down
FROM STUDENT;

AI Agent

331 ms

STDIN

Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-06-10
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-06-12
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-06-11
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-06-15
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-06-13

Student_Name	Marks_Value	Rounded_Down
Rahul Sharma	8.500000	8
Priya Singh	9.200000	9
Amit Kumar	7.600000	7
Sneha Gupta	8.800000	8
Rohit Verma	6.500000	6

Light Wiki Microsoft SQL Server

4.ABS

queries.sql × +

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23

CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);

INSERT INTO STUDENT VALUES
(101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15',
(102, 'Priya Singh', '10A', 92, 50000, '2008-11-20',
(103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10',
(104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25',
(105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30',

SELECT * FROM STUDENT;

SELECT Student_Name,
Marks,
ABS(Marks - 80) AS Difference_From_80
FROM STUDENT;

AI Agent

1.1s

STDIN

Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-06-10
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-06-12
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-06-11
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-06-15
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-06-13

Student_Name	Marks	Difference_From_80
Rahul Sharma	85	5
Priya Singh	92	12
Amit Kumar	76	4
Sneha Gupta	88	8
Rohit Verma	65	15

Light Wiki Microsoft SQL Server

5.MOD

queries.sql × +

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23

CREATE TABLE STUDENT (
Student_ID INT,
Student_Name VARCHAR(50),
Class VARCHAR(10),
Marks INT,
Fee_Paid DECIMAL(10,2),
Date_of_Birth DATE,
Admission_Date DATE
);

INSERT INTO STUDENT VALUES
(101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15',
(102, 'Priya Singh', '10A', 92, 50000, '2008-11-20',
(103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10',
(104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25',
(105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30',

SELECT * FROM STUDENT;

SELECT Student_Name,
Marks,
Marks % 10 AS Remainder
FROM STUDENT;

AI Agent

328 ms

STDIN

Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-06-10
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-06-12
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-06-11
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-06-15
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-06-13

Student_Name	Marks	Remainder
Rahul Sharma	85	5
Priya Singh	92	2
Amit Kumar	76	6
Sneha Gupta	88	8
Rohit Verma	65	5

Light Wiki Microsoft SQL Server

6.POWER

queries.sql × +

1 CREATE TABLE STUDENT (
2 Student_ID INT,
3 Student_Name VARCHAR(50),
4 Class VARCHAR(10),
5 Marks INT,
6 Fee_Paid DECIMAL(10,2),
7 Date_of_Birth DATE,
8 Admission_Date DATE
9);
10
11 INSERT INTO STUDENT VALUES
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15',
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20',
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10',
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25',
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30',
17
18 SELECT * FROM STUDENT;
19 SELECT Student_Name,
20 Marks,
21 POWER(Marks, 2) AS Marks_Squared
22 FROM STUDENT;

STDIN
Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-06-10
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-06-12
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-06-11
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-06-15
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-06-13

Student_Name	Marks	Marks_Squared
Rahul Sharma	85	7225
Priya Singh	92	8464
Amit Kumar	76	5776
Sneha Gupta	88	7744
Rohit Verma	65	4225

315 ms

Light Wiki Microsoft SQL Server

DATE FUNCTION

1.YEAR

queries.sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

```
CREATE TABLE STUDENT (  
  Student_ID INT,  
  Student_Name VARCHAR(50),  
  Class VARCHAR(10),  
  Marks INT,  
  Fee_Paid DECIMAL(10,2),  
  Date_of_Birth DATE,  
  Admission_Date DATE  
);  
  
INSERT INTO STUDENT VALUES  
(101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15',  
(102, 'Priya Singh', '10A', 92, 50000, '2008-11-20',  
(103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10',  
(104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25',  
(105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30',  
  
SELECT * FROM STUDENT;  
SELECT Student_Name,  
       Date_of_Birth,  
       YEAR(Date_of_Birth) AS Birth_Year  
FROM STUDENT;
```

I/O

AI Agent

338 ms

STDIN
Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-06-10
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-06-12
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-06-11
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-06-15
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-06-13

Student_Name	Date_of_Birth	Birth_Year
Rahul Sharma	2008-05-15	2008
Priya Singh	2008-11-20	2008
Amit Kumar	2009-02-10	2009
Sneha Gupta	2008-08-25	2008
Rohit Verma	2009-01-30	2009

eady

Light Wiki Microsoft SQL Server

2.MONTH

queries.sql

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

```
CREATE TABLE STUDENT (  
  Student_ID INT,  
  Student_Name VARCHAR(50),  
  Class VARCHAR(10),  
  Marks INT,  
  Fee_Paid DECIMAL(10,2),  
  Date_of_Birth DATE,  
  Admission_Date DATE  
);  
  
INSERT INTO STUDENT VALUES  
(101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15',  
(102, 'Priya Singh', '10A', 92, 50000, '2008-11-20',  
(103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10',  
(104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25',  
(105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30',  
  
SELECT * FROM STUDENT;  
SELECT Student_Name,  
       Date_of_Birth,  
       MONTH(Date_of_Birth) AS Birth_Month  
FROM STUDENT;
```

I/O

AI Agent

337 ms

STDIN
Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-06-10
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-06-12
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-06-11
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-06-15
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-06-13

Student_Name	Date_of_Birth	Birth_Month
Rahul Sharma	2008-05-15	5
Priya Singh	2008-11-20	11
Amit Kumar	2009-02-10	2
Sneha Gupta	2008-08-25	8
Rohit Verma	2009-01-30	1

eady

Light Wiki Microsoft SQL Server

3.DAY

queries.sql

```
1 CREATE TABLE STUDENT (
2   Student_ID INT,
3   Student_Name VARCHAR(50),
4   Class VARCHAR(10),
5   Marks INT,
6   Fee_Paid DECIMAL(10,2),
7   Date_of_Birth DATE,
8   Admission_Date DATE
9 );
10
11 INSERT INTO STUDENT VALUES
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-06-10'),
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-06-12'),
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-06-11'),
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-06-15'),
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-06-13');
17
18 SELECT * FROM STUDENT;
19
20 SELECT Student_Name,
21        Date_of_Birth,
22        DAY(Date_of_Birth) AS Birth_Day
23 FROM STUDENT;
```

283 ms

AI Agent

STDIN

Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-06-10
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-06-12
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-06-11
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-06-15
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-06-13

Student_Name	Date_of_Birth	Birth_Day
Rahul Sharma	2008-05-15	15
Priya Singh	2008-11-20	20
Amit Kumar	2009-02-10	10
Sneha Gupta	2008-08-25	25
Rohit Verma	2009-01-30	30

ready

Light Wiki Microsoft SQL Server

4.DATE DIFF

queries.sql

```
1 CREATE TABLE STUDENT (
2   Student_ID INT,
3   Student_Name VARCHAR(50),
4   Class VARCHAR(10),
5   Marks INT,
6   Fee_Paid DECIMAL(10,2),
7   Date_of_Birth DATE,
8   Admission_Date DATE
9 );
10
11 INSERT INTO STUDENT VALUES
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-06-10'),
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-06-12'),
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-06-11'),
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-06-15'),
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-06-13');
17
18 SELECT * FROM STUDENT;
19
20 SELECT Student_Name,
21        Date_of_Birth,
22        DATEDIFF(YEAR, Date_of_Birth, GETDATE()) AS Age
23 FROM STUDENT;
```

273 ms

AI Agent

STDIN

Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-06-10
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-06-12
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-06-11
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-06-15
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-06-13

Student_Name	Date_of_Birth	Age
Rahul Sharma	2008-05-15	18
Priya Singh	2008-11-20	18
Amit Kumar	2009-02-10	17
Sneha Gupta	2008-08-25	18
Rohit Verma	2009-01-30	17

ready

Light Wiki Microsoft SQL Server

5.CURRDATE

queries.sql

```
1 CREATE TABLE STUDENT (
2   Student_ID INT,
3   Student_Name VARCHAR(50),
4   Class VARCHAR(10),
5   Marks INT,
6   Fee_Paid DECIMAL(10,2),
7   Date_of_Birth DATE,
8   Admission_Date DATE
9 );
10
11 INSERT INTO STUDENT VALUES
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-06-10'),
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-06-12'),
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-06-11'),
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-06-15'),
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-06-13');
17
18 SELECT * FROM STUDENT;
19
20 SELECT CAST(GETDATE() AS DATE) AS Today;
```

437 ms

AI Agent

STDIN

Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Date
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-06-10
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-06-12
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-06-11
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-06-15
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-06-13

Today

2026-09-04

ready

Light Wiki Microsoft SQL Server

AGGREGATE FUNTION

1.COUNT

queries.sql

```
1 CREATE TABLE STUDENT (  
2     Student_ID INT,  
3     Student_Name VARCHAR(50),  
4     Class VARCHAR(10),  
5     Marks INT,  
6     Fee_Paid DECIMAL(10,2),  
7     Date_of_Birth DATE,  
8     Admission_Date DATE  
9 );  
10  
11 INSERT INTO STUDENT VALUES  
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-01-01', '2023-01-01'),  
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-01-01', '2023-01-01'),  
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-01-01', '2023-01-01'),  
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-01-01', '2023-01-01'),  
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-01-01', '2023-01-01');  
17  
18 SELECT * FROM STUDENT;  
19 SELECT COUNT(*) AS Total_Students  
20 FROM STUDENT;
```

I/O AI Agent 364 ms

STDIN
Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Da
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-0
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-0
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-0
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-0
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-0
Total_Students			5			

Ready Light Wiki Microsoft SQL Server

2.SUM

queries.sql

```
1 CREATE TABLE STUDENT (  
2     Student_ID INT,  
3     Student_Name VARCHAR(50),  
4     Class VARCHAR(10),  
5     Marks INT,  
6     Fee_Paid DECIMAL(10,2),  
7     Date_of_Birth DATE,  
8     Admission_Date DATE  
9 );  
10  
11 INSERT INTO STUDENT VALUES  
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-01-01', '2023-01-01'),  
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-01-01', '2023-01-01'),  
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-01-01', '2023-01-01'),  
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-01-01', '2023-01-01'),  
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-01-01', '2023-01-01');  
17  
18 SELECT * FROM STUDENT;  
19 SELECT SUM(Marks) AS Total_Marks  
20 FROM STUDENT;
```

I/O AI Agent 324 ms

STDIN
Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Da
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-0
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-0
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-0
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-0
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-0
Total_Marks			406			

Ready Light Wiki Microsoft SQL Server

3.AVG

queries.sql × +

```
1 CREATE TABLE STUDENT (  
2   Student_ID INT,  
3   Student_Name VARCHAR(50),  
4   Class VARCHAR(10),  
5   Marks INT,  
6   Fee_Paid DECIMAL(10,2),  
7   Date_of_Birth DATE,  
8   Admission_Date DATE  
9 );  
10  
11 INSERT INTO STUDENT VALUES  
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-01-01', '2023-01-01'),  
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-01-01', '2023-01-01'),  
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-01-01', '2023-01-01'),  
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-01-01', '2023-01-01'),  
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-01-01', '2023-01-01');  
17  
18 SELECT * FROM STUDENT;  
19 SELECT AVG(Marks) AS Average_Marks  
20 FROM STUDENT;
```

I/O AI Agent 375 ms ✓

STDIN
Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Da
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-01-01
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-01-01
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-01-01
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-01-01
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-01-01
Average_Marks			81			

4.MAX

queries.sql × +

```
1 CREATE TABLE STUDENT (  
2   Student_ID INT,  
3   Student_Name VARCHAR(50),  
4   Class VARCHAR(10),  
5   Marks INT,  
6   Fee_Paid DECIMAL(10,2),  
7   Date_of_Birth DATE,  
8   Admission_Date DATE  
9 );  
10  
11 INSERT INTO STUDENT VALUES  
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-01-01', '2023-01-01'),  
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-01-01', '2023-01-01'),  
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-01-01', '2023-01-01'),  
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-01-01', '2023-01-01'),  
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-01-01', '2023-01-01');  
17  
18 SELECT * FROM STUDENT;  
19 SELECT MAX(Marks) AS Highest_Marks  
20 FROM STUDENT;
```

I/O AI Agent 438 ms ✓

STDIN
Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Da
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-01-01
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-01-01
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-01-01
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-01-01
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-01-01
Highest_Marks			92			

5.MIN

queries.sql × +

```
1 CREATE TABLE STUDENT (  
2   Student_ID INT,  
3   Student_Name VARCHAR(50),  
4   Class VARCHAR(10),  
5   Marks INT,  
6   Fee_Paid DECIMAL(10,2),  
7   Date_of_Birth DATE,  
8   Admission_Date DATE  
9 );  
10  
11 INSERT INTO STUDENT VALUES  
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-01-01', '2023-01-01'),  
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-01-01', '2023-01-01'),  
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-01-01', '2023-01-01'),  
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-01-01', '2023-01-01'),  
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-01-01', '2023-01-01');  
17  
18 SELECT * FROM STUDENT;  
19 SELECT MIN(Marks) AS Lowest_Marks  
20 FROM STUDENT;
```

I/O AI Agent 338 ms ✓

STDIN
Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Da
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-01-01
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-01-01
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-01-01
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-01-01
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-01-01
Lowest_Marks			65			

6.COUNT+GROUP BY

queries.sql

```
1 CREATE TABLE STUDENT (  
2   Student_ID INT,  
3   Student_Name VARCHAR(50),  
4   Class VARCHAR(10),  
5   Marks INT,  
6   Fee_Paid DECIMAL(10,2),  
7   Date_of_Birth DATE,  
8   Admission_Date DATE  
9 );  
10  
11 INSERT INTO STUDENT VALUES  
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-01-01', '2023-01-01'),  
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-01-01', '2023-01-01'),  
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-01-01', '2023-01-01'),  
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-01-01', '2023-01-01'),  
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-01-01', '2023-01-01');  
17  
18 SELECT * FROM STUDENT;  
19  
20 SELECT Class,  
21        COUNT(*) AS Total_Students  
22 FROM STUDENT  
23 GROUP BY Class;
```

I/O AI Agent 355 ms

STDIN
Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Da
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-01-01
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-01-01
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-01-01
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-01-01
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-01-01
Class		Total_Students				
10A		3				
10B		2				

eady Light Wiki Microsoft SQL Server

7.AVG + GROUP BY

queries.sql

```
1 CREATE TABLE STUDENT (  
2   Student_ID INT,  
3   Student_Name VARCHAR(50),  
4   Class VARCHAR(10),  
5   Marks INT,  
6   Fee_Paid DECIMAL(10,2),  
7   Date_of_Birth DATE,  
8   Admission_Date DATE  
9 );  
10  
11 INSERT INTO STUDENT VALUES  
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-01-01', '2023-01-01'),  
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-01-01', '2023-01-01'),  
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-01-01', '2023-01-01'),  
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-01-01', '2023-01-01'),  
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-01-01', '2023-01-01');  
17  
18 SELECT * FROM STUDENT;  
19  
20 SELECT Class,  
21        AVG(Marks) AS Average_Marks  
22 FROM STUDENT  
23 GROUP BY Class;
```

I/O AI Agent 340 ms

STDIN
Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Da
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-01-01
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-01-01
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-01-01
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-01-01
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-01-01
Class		Average_Marks				
10A		80				
10B		82				

lead Light Wiki Microsoft SQL Server

8.UPPER+ABS+YEAR

queries.sql

```
1 CREATE TABLE STUDENT (  
2   Student_ID INT,  
3   Student_Name VARCHAR(50),  
4   Class VARCHAR(10),  
5   Marks INT,  
6   Fee_Paid DECIMAL(10,2),  
7   Date_of_Birth DATE,  
8   Admission_Date DATE  
9 );  
10  
11 INSERT INTO STUDENT VALUES  
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-01-01', '2023-01-01'),  
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-01-01', '2023-01-01'),  
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-01-01', '2023-01-01'),  
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-01-01', '2023-01-01'),  
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-01-01', '2023-01-01');  
17  
18 SELECT * FROM STUDENT;  
19  
20 SELECT  
21   UPPER(Student_Name) AS Student_Name,  
22   Class,  
23   Marks,  
24   ABS(Marks - 80) AS Difference_From_Target,  
25   YEAR(Date_of_Birth) AS Birth_Year  
FROM STUDENT;
```

I/O AI Agent 329 ms

STDIN
Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Da
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-01-01
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-01-01
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-01-01
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-01-01
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-01-01
Student_Name		Class	Marks	Difference_From_Target Birth_Year		
RAHUL SHARMA		10A	85	5	2008	
PRIYA SINGH		10A	92	12	2008	
AMIT KUMAR		10B	76	4	2009	
SNEHA GUPTA		10B	88	8	2008	
ROHIT VERMA		10A	65	15	2009	

Light Wiki Microsoft SQL Server

9.SUM ON FEES

queries.sql

```
1 CREATE TABLE STUDENT (  
2     Student_ID INT,  
3     Student_Name VARCHAR(50),  
4     Class VARCHAR(10),  
5     Marks INT,  
6     Fee_Paid DECIMAL(10,2),  
7     Date_of_Birth DATE,  
8     Admission_Date DATE  
9 );  
10  
11 INSERT INTO STUDENT VALUES  
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-01-30'),  
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-01-30'),  
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-01-30'),  
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-01-30'),  
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-01-30');  
17  
18 SELECT * FROM STUDENT;  
19 SELECT SUM(Fee_Paid) AS Total_Fees_collected  
20 FROM STUDENT;
```

I/O AI Agent

334 ms

STDIN
Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Da
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-0
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-0
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-0
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-0
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-0
Total_Fees_Collected				233000.00		

10.MAX ON FEES

queries.sql

```
1 CREATE TABLE STUDENT (  
2     Student_ID INT,  
3     Student_Name VARCHAR(50),  
4     Class VARCHAR(10),  
5     Marks INT,  
6     Fee_Paid DECIMAL(10,2),  
7     Date_of_Birth DATE,  
8     Admission_Date DATE  
9 );  
10  
11 INSERT INTO STUDENT VALUES  
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-01-30'),  
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-01-30'),  
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-01-30'),  
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-01-30'),  
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-01-30');  
17  
18 SELECT * FROM STUDENT;  
19 SELECT MAX(Fee_Paid) AS Highest_Fee_Paid  
20 FROM STUDENT;
```

I/O AI Agent

309 ms

STDIN
Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Da
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-0
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-0
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-0
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-0
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-0
Highest_Fee_Paid				50000.00		

11.MIN ON FEES

queries.sql

```
1 CREATE TABLE STUDENT (  
2     Student_ID INT,  
3     Student_Name VARCHAR(50),  
4     Class VARCHAR(10),  
5     Marks INT,  
6     Fee_Paid DECIMAL(10,2),  
7     Date_of_Birth DATE,  
8     Admission_Date DATE  
9 );  
10  
11 INSERT INTO STUDENT VALUES  
12 (101, 'Rahul Sharma', '10A', 85, 50000, '2008-05-15', '2023-01-30'),  
13 (102, 'Priya Singh', '10A', 92, 50000, '2008-11-20', '2023-01-30'),  
14 (103, 'Amit Kumar', '10B', 76, 45000, '2009-02-10', '2023-01-30'),  
15 (104, 'Sneha Gupta', '10B', 88, 48000, '2008-08-25', '2023-01-30'),  
16 (105, 'Rohit Verma', '10A', 65, 40000, '2009-01-30', '2023-01-30');  
17  
18 SELECT * FROM STUDENT;  
19 SELECT MIN(Fee_Paid) AS Lowest_Fee_Paid  
20 FROM STUDENT;
```

I/O AI Agent

276 ms

STDIN
Input for the program (Optional)

Output:

Student_ID	Student_Name	Class	Marks	Fee_Paid	Date_of_Birth	Admission_Da
101	Rahul Sharma	10A	85	50000.00	2008-05-15	2023-0
102	Priya Singh	10A	92	50000.00	2008-11-20	2023-0
103	Amit Kumar	10B	76	45000.00	2009-02-10	2023-0
104	Sneha Gupta	10B	88	48000.00	2008-08-25	2023-0
105	Rohit Verma	10A	65	40000.00	2009-01-30	2023-0
Lowest_Fee_Paid				40000.00		

