Engage: Product Requirements Document

Product	Engage
Document status	Draft v0.1, for review
Date	13 October 2026
Scope	Phase 1 in detail. Phases 1.5 to 3 at roadmap level
Primary device	Laptop, in a second browser window beside the meeting
Related documents	`docs/phase1-spec.md`, `docs/product-plan.md`, `docs/engage-product-plan-report.pdf`

How to read the status column. *Built* means it exists in the current prototype and has been tested. *Planned* means it is a requirement that is not built yet. *Later* means it is deliberately outside Phase 1.

Priority. P0 is required for the pilot. P1 is required before wider rollout. P2 is desirable.

1. Summary

Engage is a meeting engagement layer that runs beside any video meeting (Google Meet, Zoom, Teams, Zoho Meeting). It is not a video platform. The host creates a link and pastes it into the meeting chat. Attendees open it in a second window and take small, optional actions: reactions, questions, polls, quick recall checks and light games. The host sees how the room is doing as a group, with no per-person tracking.

The goal is to turn passive attendees in long corporate meetings into small, frequent contributors, without anyone feeling watched or pulled out of the meeting.

2. Problem

In 1 to 2 hour corporate meetings, most attendees take part for about five minutes and sit idle for the rest. Hosts and senior people want everyone engaged. Attendees do not want that engagement to feel like micromanagement.

Evidence status. The "five minutes of participation" figure is a working hypothesis from the product brief. We have no measured data yet. Validating it is part of the pilot (Section 14).

Why existing approaches fall short

Approach	Gap
Meeting tools' built-in polls and reactions	Host-driven, one-off, no view of participation over time, differs by platform
Notetaker bots (for example Read AI)	Observe and score people after the fact. Face and voice analysis creates a feeling of being watched. Little effect during the meeting
Standalone polling and quiz tools	Built for events and classrooms, not for working meetings. Heavy to set up, easy to distract

3. Goals and non-goals

Goals

1. Raise the share of attendees who contribute at least once in a meeting.

2. Spread participation more evenly across the room.
3. Give hosts a live, honest read of the room that leads to action, such as clarifying or taking a break.
4. Do all of this without making attendees feel monitored and without pulling attention from the meeting or the presenter.
5. Work with any meeting tool, with no install and no account for attendees.

Non-goals (Phase 1)

- A video, audio or screen-sharing platform.
- Recording, transcription or speech analysis.
- Face, voice or body-language analysis.
- Detecting who is speaking, idle, or looking at another window.
- Individual engagement scores, rankings or public leaderboards.
- Platform integrations (Meet, Zoom, Teams apps), calendar integration, SSO, admin console.
- A native mobile app. Phones work but are secondary.

4. Users

User	Needs	Fears	What Engage must do
Host (meeting owner, team lead)	A room that stays engaged. Little or no extra work. Safe failure	A tool that breaks mid-meeting. Wasted setup time	Start in one click, run on its own if needed, never block the meeting
Attendee	A reason to stay present. Small, useful interactions. A private notepad	Being tracked or judged. Being pulled out of the meeting	Be optional, private by default, and quiet
Presenter (any attendee who is sharing)	No interruptions	Seeing or showing a pop-up while sharing	Provide a presenting mode that shows and queues nothing
Sponsor (senior leader, HR or L&D)	Meetings that produce decisions. Visible participation	Dashboards that become micromanagement	Show aggregate trends only
IT and security (later)	Safe data handling	Unapproved tools holding sensitive content	Minimal data, no recording, clear retention

First buyer assumption: team leads and meeting owners (bottom-up). HR, L&D and executive sponsors follow.

5. Principles

These are review criteria for every feature.

1. **The meeting always wins.** One click pauses all prompts and games. Prompts expire and never repeat.
2. **Measure only what Engage can see.** Engagement means actions inside Engage. No guessing about speaking or idleness.
3. **Transparent by default.** Attendees see, before joining, exactly what the host can see.
4. **Aggregate first, never ranked.** Group results only. No leaderboards. Poll answers are never tied to names.
5. **Invitations, not accusations.** Suggestions go to the host. Nudges go to everyone, never to chosen people.
6. **Zero friction.** No account, no install, under 10 seconds to join. The host does almost nothing.
7. **Low pull.** Engage never draws attention on its own. No sound, no notifications, no pop-ups over other windows.

6. Key scenarios and user stories

S1. Host starts a meeting. As a host, I create a meeting in under 30 seconds and paste one message into the meeting chat so attendees can join. *Acceptance:* a link, a six-character code and a ready-to-paste chat message are shown. Copy buttons work. No attendee account is needed.

S2. Attendee joins. As an attendee, I join with a first name or anonymously and understand what the host can see. *Acceptance:* the join screen lists what the host can and cannot see before I join. I reach the live view in under 10 seconds. Reopening the link restores my identity.

S3. Attendee takes part without leaving the call. As an attendee, I answer a prompt, react or ask a question in one or two clicks. *Acceptance:* prompts need one click for polls, pulse checks and quizzes. No sound or notification accompanies any prompt.

S4. Host sees the room and acts. As a host, I see how engaged the room is and get a suggestion when participation drops. *Acceptance:* the engagement chart updates at least every 30 seconds. A drop of 20 points or more from the 10-minute peak shows a suggestion with one-click actions. Nothing is sent to attendees until I choose.

S5. Host pauses everything. As a host, I pause all prompts and games for everyone at once. *Acceptance:* one click starts Focus. Attendees see a plain banner. Responses to prompts and game actions are rejected on the server while Focus is on. One click resumes.

S6. Attendee presents. As a presenter, I stop Engage from showing or queuing anything on my screen. *Acceptance (planned):* one click on "I'm presenting" closes the floating window and suppresses all prompts for me until I turn it off. Nothing queues.

S7. Host reads the outcome. As a host, I get a summary after the meeting that I can copy or download. *Acceptance:* the summary has duration, participation, average engagement, how evenly people took part, every prompt's results, top questions and reaction totals.

S8. Attendee keeps their takeaways. As an attendee, I keep private notes and action items and download them. *Acceptance:* notes never leave my device. A Markdown download works.

7. Scope by release

Release	Purpose	Contents
Phase 0: Validate (2 to 3 weeks)	Prove the idea with real hosts before building more	Clickable prototype, 5 to 8 host interviews, 3 manual test meetings
Phase 1: Companion app (about 10 to 12 weeks)	A working product for real meetings	Section 8. Core is built
Phase 1.5: Pilot and harden (4 to 6 weeks)	Make it trustworthy	Persistence, host access from any browser, retention, accessibility, load test, privacy review
Phase 2: Integrations	Add what a web app cannot see	In-meeting apps for the pilot company's meeting tool, speaker and presenter data, calendar-created meetings
Phase 3: Organization layer	Make it buyable	SSO, admin console, recurring-meeting history, org-level trends

Estimates assume a team of about three people.

8. Functional requirements (Phase 1)

8.1 Meeting setup and invite

ID	Requirement	Pri	Status
FR-1.1	Host creates a meeting with a title (up to 80 characters) and an optional expected attendee count	P0	Built
FR-1.2	Engage shows a join link and a six-character code (letters and digits that avoid look-alikes)	P0	Built
FR-1.3	Engage offers a ready-to-paste chat message and one-click copy for link and message	P0	Built
FR-1.4	Host can restart the meeting clock when the meeting actually begins, which also clears the engagement chart	P1	Built
FR-1.5	Host can reopen the host console from a different browser or device	P1	Planned
FR-1.6	Templates for common meeting types (standup, all-hands, review, workshop) that preload prompts and game windows	P2	Planned
FR-1.7	Host enters an agenda with times, and Engage ties the chart to agenda segments	P1	Planned

8.2 Join and identity

ID	Requirement	Pri	Status
FR-2.1	Attendees join from the link or by typing the code. No account	P0	Built
FR-2.2	Attendee joins with a first name (up to 30 characters) or as Anonymous	P0	Built
FR-2.3	The join screen lists what the host can see and cannot see, before joining	P0	Built
FR-2.4	A returning attendee on the same browser keeps their identity, score, bingo card and answers	P0	Built
FR-2.5	A meeting that has ended cannot be joined. An unknown code shows a clear message	P0	Built
FR-2.6	Host can remove a participant	P2	Built (server only, no UI)
FR-2.7	Maximum 500 participants per meeting, with a clear message when full	P0	Built

8.3 Reactions

ID	Requirement	Pri	Status
FR-3.1	One-tap reactions: Agree, Question, Lost me, Too fast, Move on	P0	Built
FR-3.2	Each reaction is limited to one per three seconds per person	P0	Built
FR-3.3	Host sees reaction counts for the last two minutes, never who sent them	P0	Built

8.4 Questions

ID	Requirement	Pri	Status
FR-4.1	Attendee asks a question (up to 280 characters), named or anonymous	P0	Built
FR-4.2	Attendees upvote and un-vote. The queue is ordered by answered state, then votes, then time	P0	Built
FR-4.3	Host marks a question answered or reopens it, and can remove it	P0	Built

ID	Requirement	Pri	Status
FR-4.4	An anonymous author is never exposed to the host or other attendees, including in data sent to their browsers	P0	Built, covered by automated test
FR-4.5	Up to 200 questions per meeting	P1	Built

8.5 Moments (prompts the host launches)

ID	Requirement	Pri	Status
FR-5.1	**Poll:** a question with 2 to 6 options. One answer per person	P0	Built
FR-5.2	**Pulse check:** a 1 to 5 rating. One answer per person	P0	Built
FR-5.3	**Recall quiz:** a question with 2 to 6 options and one correct answer, revealed after close	P0	Built
FR-5.4	**Word cloud:** short answers (up to 24 characters), up to three per person	P1	Built
FR-5.5	Each moment closes automatically after 30 seconds, 1 minute or 2 minutes, or when the host closes it	P0	Built
FR-5.6	Only one moment is open at a time. Launching another closes the first	P0	Built
FR-5.7	Attendees see group results only after the host closes a moment. The host sees live results	P0	Built
FR-5.8	A "Missed that" option on recall quizzes, reported separately from wrong answers	P0	Planned
FR-5.9	Recall check cap: at most one per 15 minutes unless the host overrides	P1	Planned
FR-5.10	Closing takeaway: one minute at the end to pick or write the main takeaway	P2	Planned

8.6 Room pulse and engagement

ID	Requirement	Pri	Status
FR-6.1	**Room engagement** is the share of connected participants with at least one Engage action in the last 5 minutes. The definition is shown in the product	P0	Built
FR-6.2	Host sees: room engagement, how many joined people have taken part, and how many are connected (with joined versus expected)	P0	Built
FR-6.3	An engagement chart samples every 30 seconds and marks pulse checks and floor invitations	P0	Built
FR-6.4	A dip is a sample at least 20 points below the 10-minute peak and below 70%. Dips are shaded on the chart	P0	Built
FR-6.5	**Dip suggestion:** with at least four samples, a dip shows the host a suggestion with one-click actions: run a pulse check, open the floor, start a break block	P0	Built
FR-6.6	**Confusion suggestion:** with at least three people connected, "Lost me" plus "Too fast" in the last two minutes at or above 25% of the room (minimum two) shows a suggestion	P1	Built
FR-6.7	Suggestions are suppressed for five minutes after the host launches a moment or opens the floor	P1	Built
FR-6.8	**Open the floor:** a 30-second banner invites everyone, never named individuals, to share a view or question	P1	Built
FR-6.9	The host never sees who is idle, quiet, or on another window. No such measurement exists	P0	Built (by design)
FR-6.10	Chart ties dips to agenda segments, for example "dipped during Budget"	P1	Planned

8.7 Focus and presenter safety

ID	Requirement	Pri	Status
FR-7.1	**Focus moment:** one click pauses all prompts and games for everyone. One click resumes	P0	Built
FR-7.2	While Focus is on, the server rejects moment responses, bingo marks and predictions	P0	Built, covered by automated test
FR-7.3	Attendees see a plain banner explaining the pause	P0	Built
FR-7.4	**Floating mini window** (browser picture-in-picture) with three states: pill (default), card, and presenting	P0	Planned
FR-7.5	The pill shows a dot when something is waiting. Prompts never expand it, except the recall check (FR-7.7)	P0	Planned
FR-7.6	**Presenting mode:** one click closes the window and suppresses and discards all prompts for that attendee until turned off	P0	Planned
FR-7.7	The recall check may expand the pill into a compact card for up to 20 seconds, never in presenting mode. *Open decision D2*	P1	Planned
FR-7.8	A minimum gap between prompts, which the host can override	P1	Planned
FR-7.9	Browsers without picture-in-picture support (Safari, Firefox) fall back to the second-window layout, with a badge in the tab title	P0	Planned
FR-7.10	On first use of the mini window, show a note that sharing the entire screen will show the window to the audience	P0	Planned

8.8 Games

ID	Requirement	Pri	Status
FR-8.1	Games open only inside host-set game windows (start minute and length, up to 10) or when the host opens them	P0	Built
FR-8.2	**Bingo:** a 3 by 3 card chosen at random from a host-editable word list (9 to 40 words). Self-marked. Marking requires listening	P1	Built
FR-8.3	**Topic bingo:** the word list is drawn from agenda terms instead of jargon	P2	Planned
FR-8.4	**Prediction:** a host-set yes/no question, such as "Will this run over?". One tap, resolved later by the host	P0	Built
FR-8.5	**Points** are private to each attendee. Scoring: question 20, upvote 2, pulse 5, poll 10, word cloud 10, correct quiz 30, bingo square 10, bingo line 50, prediction 5, correct prediction 25	P1	Built
FR-8.6	No leaderboard, ranking or public score exists anywhere in the product	P0	Built (by design)
FR-8.7	Games are never required. Every prompt is skippable with no penalty	P0	Built
FR-8.8	Buzzword bingo (jargon) is a casual-meeting template only, not the default	P1	Planned

8.9 Notes and recap

ID	Requirement	Pri	Status
FR-9.1	Private notes and action items live only in the attendee's browser and are never sent to the server	P0	Built
FR-9.2	Attendee downloads notes and action items as Markdown	P1	Built

ID	Requirement	Pri	Status
FR-9.3	After the meeting, each attendee sees a personal recap: their action items, their questions, and results of the prompts	P0	Built

8.10 Host summary and coaching

ID	Requirement	Pri	Status
FR-10.1	Host ends the meeting and gets a summary: duration, participation rate, average engagement, spread of participation, all prompt results, top questions, reaction totals, prediction outcome	P0	Built
FR-10.2	The host copies the summary as text or downloads it as Markdown	P1	Built
FR-10.3	**Participation spread** is the share of all actions made by the top 20% of participants. Lower is more even	P1	Built
FR-10.4	**Host coach summary:** a host-only set of tips after each meeting, such as when engagement dipped, unanswered questions, and one suggestion	P1	Planned
FR-10.5	Compare a meeting to the host's own previous meetings, never to other people	P2	Planned (needs persistence)
FR-10.6	Send action items and unanswered questions to email or chat tools	P2	Later

8.11 Automation

ID	Requirement	Pri	Status
FR-11.1	**Quiet mode:** automatic pulse checks every 10, 20, 30 or 45 minutes. A pulse check lasts 45 seconds. Off by default	P1	Built
FR-11.2	Quiet mode never launches during Focus or while another moment is open	P1	Built
FR-11.3	Create a meeting from a calendar event and add the Engage link to the invite	P1	Later (Phase 2)

8.12 Organization layer (later)

ID	Requirement	Pri	Status
FR-12.1	Single sign-on and host accounts	P1	Later (Phase 3)
FR-12.2	Admin console: retention settings, allowed domains, disable features	P1	Later (Phase 3)
FR-12.3	Recurring-meeting history and org-level aggregate trends	P2	Later (Phase 3)
FR-12.4	In-meeting apps for Meet, Zoom, Teams. Speaker and presenter data	P1	Later (Phase 2)

9. Non-functional requirements

ID	Requirement	Target
NFR-1	**Scale:** concurrent participants per meeting	Designed for 5 to 50. Load tested to 200 before wider pilots. Hard cap 500
NFR-2	**Latency:** time from an action to the host and attendee views updating	Under 1 second at the 95th percentile. The server batches updates every 150 ms
NFR-3	**Reliability:** network drops	Clients reconnect automatically with backoff and restore their identity. No lost attendees on a short drop

ID	Requirement	Target
NFR-4	**Availability** during meeting hours	99.5% during pilots. Measured by meetings with no host-visible failure (target 95% or better)
NFR-5	**Join speed**	Under 10 seconds from link click to the live view on a normal connection
NFR-6	**Browsers**	Latest two versions of Chrome, Edge, Safari, Firefox. Mini window requires a Chromium browser
NFR-7	**Accessibility**	WCAG 2.1 AA target. Full keyboard use, visible focus, screen-reader labels, reduced-motion support, no information by colour alone. Currently partly done (focus rings, labels, reduced motion), with no formal audit
NFR-8	**Layout**	Laptop-first. Two columns at 860 px and wider, tabs below that. A half-width window on a 1,440 px laptop is 720 px, so the tab layout is the common case beside a meeting. No horizontal scrolling down to 360 px
NFR-9	**Language**	English first. Text kept out of logic to allow translation later
NFR-10	**Observability**	Privacy-safe logs and a live health view for the team. No meeting content in logs

10. Privacy, data and security

10.1 Data handled

Data	Held where	Seen by	Retention (target)	Current prototype
Meeting title, settings	Server	Host	30 days after the meeting	In memory, dropped 24 hours after the meeting ends
Participant display name	Server	Host only through their own questions	30 days	Same as above
Actions (reactions, answers, marks)	Server	Host as group counts only	30 days, then deleted	Same as above
Questions	Server	Host and attendees, with name unless anonymous	30 days	Same as above
Summary	Computed from meeting data	Host	Until the host deletes it	Available while the meeting data is kept
Notes and action items	Attendee's browser only	Attendee	Until the attendee clears the browser	Built
Points, bingo card, predictions	Server	Attendee only (prediction totals to host)	30 days	Same as above

Not collected in Phase 1: audio, video, screen content, transcripts, tab focus, IP-based profiles, or any inferred emotion.

10.2 Requirements

ID	Requirement	Pri	Status
PR-1	Attendees see what the host can see, in plain language, before joining	P0	Built
PR-2	Anonymous participation is supported for questions and for joining	P0	Built

ID	Requirement	Pri	Status
PR-3	The server never sends one attendee's points, card, answers or predictions to another	P0	Built, covered by automated test
PR-4	Poll, pulse and word-cloud answers are shown to the host as group results only	P0	Built
PR-5	Data retention is defined per meeting and deletable by the host on request	P0	Planned
PR-6	A named per-person participation list for hosts does not exist. If ever added, it is off by default and disclosed at join	P0	Built (not present)
PR-7	Join links are unguessable, with codes from a 32-character alphabet, and meetings expire (12 hours live, 24 hours after ending in the prototype)	P0	Built
PR-8	Host identity is proven by a secret token held by the browser that created the meeting	P0	Built (single browser only)
PR-9	Security headers on all pages (content security policy, no sniffing, no referrer), rate limits on message volume (25 per second per connection), meeting creation (30 per hour per address), and message size (8 KB)	P0	Built
PR-10	All user-supplied text is escaped on display	P0	Built
PR-11	A short privacy summary suitable for enterprise security review	P1	Planned
PR-12	Encryption in transit for all traffic in any hosted environment	P0	Planned (deployment)

11. UX requirements

Host console. One page. From top to bottom: invite card, three room tiles, engagement chart, then a two-column area with moment launcher, current moment results and questions on the left, and reactions, games, and quiet mode on the right. Suggestions appear above the invite card and carry one-click actions.

Attendee view. Header with title, clock and private points. Below: banners (Focus, open floor), then "Right now" for the current prompt, quick reactions, and questions. A second tab or column holds games and notes. Narrow windows use tabs. Wide windows use two columns.

Mini window (planned).

State	Content	Trigger
Pill	About 150 by 40 pixels. A dot when something is waiting	Default on join
Card	The current prompt, reactions, questions	Attendee clicks the pill
Presenting	Window closed. Nothing shows or queues	Attendee clicks "I'm presenting"

Low-pull rules. No sound. No browser notifications. No pop-ups over other windows. Prompts expire and never repeat. Quiet mode is off by default. Animations are minimal and respect reduced-motion settings.

Tone. Plain and neutral. Games are restrained and optional. No confetti, flashing or timers that create pressure.

12. Constraints and assumptions

Hard constraints of a web-only product

- A web page cannot see who is speaking or presenting in Meet, Zoom or Teams. These need in-meeting apps (Phase 2).

- The floating mini window uses browser picture-in-picture, which only Chromium browsers support. It also opens only after a user click.
- A floating window can appear on a shared full screen. Users must share a single window or tab. Engage can only warn about this.
- In-meeting apps are built and approved separately for each platform.

Assumptions to validate

- Attendees will keep a second window open for a long meeting.
- Hosts will launch prompts, or accept automatic ones.
- A recall check with a "Missed that" option feels safe, not like a test.
- Companies will approve a tool that holds no recordings and little data.

13. Success metrics

Metric	Definition	Starting target
Join rate	Joined divided by invited (needs expected count)	Above 60%
Participation rate	Share of joined people with at least one action	Above 70%
Participation spread	Share of actions from the top 20% of people	Falling over a meeting
Repeat intent	Survey: "I would use this again"	Above 70% of attendees, all hosts
Distraction	Survey: "Engage pulled me out of the meeting"	Below 10% yes
Host effort	Host clicks per meeting after setup	Under 10
Reliability	Meetings with no host-visible failure	95% or better
Recall check result	Share correct, share "Missed that"	Tracked, no target in the pilot

These targets are starting guesses and will be reset after the first pilot meeting.

Guardrails. If distraction exceeds 10% or repeat intent falls below 50%, stop adding features and fix the interaction design first.

Instrumentation. Count actions by type and meeting, without storing who did what beyond what is already in the meeting. Distraction and intent come from a short survey shown after the meeting, not from tracking.

14. Release plan and pilot

Phase 1 milestones

Milestone	Scope	Status
M0 Foundations	Decisions, deployment, error tracking	Prototype built, deployment not done
M1 Core loop	Link, join, reactions, questions, room pulse	Built
M2 Moments and control	Polls, pulse, quiz, word cloud, Focus, dip suggestions, summary	Built
M3 Games and personal value	Bingo, predictions, game windows, private points, notes	Built
M4 Polish	Quiet mode built. Templates, mini window, recall check not yet	Partly built

Exit criteria for the pilot

- Three real meetings run end to end with no host-visible failure.
- Participation, distraction and repeat intent measured using Section 13.
- Decision rule: if participation is high and distraction is low, proceed to hardening. If participation is low, fix the interactions before adding features.

Phase 1.5 exit criteria. Ten or more meetings across three or more teams. No critical incidents. Persistence, host access from any browser, retention and deletion, accessibility audit, and a load test to 200 participants completed.

15. Risks

Risk	Likelihood	Impact	Mitigation
Attendees see Engage as monitoring and ignore it	High	High	Disclosure at join, group results only, anonymous option, no rankings
Hosts forget to launch moments, so there is no value	High	High	Quiet mode, templates, agenda-driven suggestions, calendar setup
The second screen distracts or does not fit	High	High	Low-pull rules, mini window with presenting mode, measure distraction
Realtime breaks in a large meeting	Medium	High	Load test to 200 before wider pilots, automatic reconnect
Enterprise security review blocks pilots	Medium	Medium	Minimal data, no recording, short retention, privacy summary
Games feel childish	Medium	Medium	Optional, restrained, host can disable, recall check as the core
Meeting platforms ship similar built-in features	Medium	Medium	Stay platform-neutral and focused on engagement across tools
Mini window appears on a shared full screen	Medium	Medium	Warn on first use, presenting mode, in-meeting app later

16. Decisions and open questions

Decided

#	Decision
D-1	The product is named Engage
D-2	Laptop-first, as a second window beside the meeting
D-3	Engage measures only actions inside Engage
D-4	The host sees group results, never rankings
D-5	Floating mini window with a minimised state is the next layout
D-6	Prototype stack: Node, WebSocket, plain HTML and JavaScript

Open

#	Question	Recommendation
D1	Final game set	Recall check and prediction as core. Topic bingo and closing takeaway optional
D2	May the recall check expand the mini window on its own?	Yes, for up to 20 seconds, never in presenting mode
D3	Are the presenting button plus Focus enough until in-meeting apps exist?	Yes for the pilot
D4	Which meeting tool does the first pilot company use?	Decides the first in-meeting app
D5	Who are the first pilot hosts, and what is the real team size?	Needed to confirm the timeline
D6	Retention period and enterprise requirements	30 days with host deletion, then review with the first customer
D7	Is a named participation view ever needed?	No for Phase 1

17. Out of scope for Phase 1

Recording or transcription of any kind. Face, voice or tab-focus tracking. Per-person scores or rankings. Public leaderboards. Platform apps. Calendar integration. SSO and admin. Native mobile apps. Cross-meeting analytics. Languages other than English.

18. Appendix

A. Glossary

Term	Meaning
Moment	Any prompt the host launches: poll, pulse check, recall quiz, word cloud
Pulse check	A 1 to 5 rating question
Recall check	A quiz question about what was just said, used to see whether the message landed
Focus moment	A host action that pauses all prompts and games for everyone
Open the floor	A host action that invites everyone to share a view for 30 seconds
Game window	A time range in which games open automatically
Room engagement	Share of connected people with at least one action in the last 5 minutes
Participation spread	Share of all actions made by the top 20% of participants
Pill, card	The collapsed and expanded states of the floating mini window

B. Learning from Read AI

Read AI joins meetings as a bot, records them, and infers engagement and sentiment from faces, voices and talk time (per third-party reviews and its own pages, with no independent check of accuracy). Engage borrows the ideas of calendar-driven setup, highlights tied to key moments, private coaching, benchmarks against the user's own history, and follow-up to chat and email. It avoids face and voice analysis, per-person scores shown to others, a single opaque score, and a bot that records by default.

C. Prototype limits (as of this version)

Meetings are held in server memory and a restart ends them. The host console works only from the browser that created the meeting. There is one server process. There is no deployment, accounts, or admin controls. The accessibility pass and load test have not been done. 26 automated tests pass.