### 2021 NATIONAL HEALTH INTERVIEW SURVEY (NHIS)

Codebook for Sample Adult file (Document Version: 25 July 2022)

PUBLIC USE

Variable: RECTYPE

Module: General

Section: IDN : Identifier

File(s): Adult, Adultinc, Child, Childinc, Paradata

Data Type: Numeric

Length: 2

Question Text:

**Description:** Record type

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

**RECTYPE** Record type

Code	Description	Frequency	Percent
10	Sample Adult	29482	100.00
20	Sample Child	0	0.00
30	Sample Adult Income	0	0.00
40	Sample Child Income	0	0.00
50	Paradata	0	0.00

Variable: SRVY\_YR

Module: General

Section: IDN : Identifier

File(s): Adult, Child, Paradata

Data Type: Numeric

Length:

Question Text:

**Description:** Year of the National Health Interview Survey

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

SRVY\_YR Year of the National Health Interview Survey

Code	Description	Frequency	Percent
1963-current	Survey year	29482	100.00
year			

Variable: HHX

Module: General

Section: IDN : Identifier

File(s): Adult, Adultinc, Child, Childinc, Paradata

Data Type: Character

Length: 7

Question Text:

Description: Randomly assigned household number unique to a household

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

HHX Randomly assigned household number unique to a household

Code	Description	Frequency	Percent	
	Range of values	29482	100.00	

Variable: WTFA\_A

Module: General

Section: IDN : Identifier

File(s): Adult
Data Type: Numeric
Length: 10

Question Text:

Description: Weight - Final Annual

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:
Question ID:
Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

WTFA\_A Weight - Final Annual

Code	Description	Frequency	Percent
	Range of values	29482	100.00

Variable: URBRRL

Module: General

Section: UCF : Unit Control File

File(s): Adult, Child

Data Type: Numeric

Length:

Question Text:

Description: 2013 NCHS Urban-Rural Classification Scheme for Counties

Recode: Yes

Universe: HHX ne ' '

Universe Description: All households

Sources: Question ID: Keywords:

Notes: Information about the 2013 NCHS Urban-Rural classification scheme for

counties is available at https://www.cdc.gov/nchs/data\_access/urban\_rural.htm. Large central metro are counties (or county equivalents) in metropolitan statistical areas (MSA) of 1 million or more population that 1) contain the entire population of the largest principal city of the MSA, or 2) are completely contained in the largest principal city of the MSA, or 3) contain at least 250,000 residents of any principal city of the MSA. Large fringe metro are counties (or county equivalents) in MSAs of 1 million or more population that do not qualify as large central. Medium and small metro are counties (or county equivalents) in MSAs of 250,000 to 999,999 population or in MSAs of less than 250,000 population. Nonmetropolitan are counties (or county equivalents) in micropolitan statistical areas and non-core counties.

**Evaluation Report:** 

#### Unweighted frequencies:

URBRRL 2013 NCHS Urban-Rural Classification Scheme for Counties

Code	Description	Frequency	Percent
1	Large central metro	8945	30.34
2	Large fringe metro	6949	23.57
3	Medium and small metro	9315	31.60
4	Nonmetropolitan	4273	14.49

Variable: REGION

Module: General

Section: UCF : Unit Control File File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Household region

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

**REGION** Household region

Code	Description	Frequency	Percent
1	Northeast	4775	16.20
2	Midwest	6327	21.46
3	South	10731	36.40
4	West	7649	25.94

Variable: PSTRAT

Module: General

Section: UCF : Unit Control File File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 3

Question Text:

**Description:** Pseudo-stratum for public-use file variance estimation

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

PSTRAT Pseudo-stratum for public-use file variance estimation

Code	Description	Frequency	Percent	
	Range of values	29482	100.00	

Variable: PPSU

Module: General

Section: UCF : Unit Control File
File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 3

Question Text:

**Description:** Pseudo-PSU for public-use file variance estimation

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

PPSU Pseudo-PSU for public-use file variance estimation

Code	Description	Frequency	Percent	
	Range of values	29482	100.00	

Variable: HHRESPSA\_FLG Module: General Section: FLG : Flag File(s): Adult Data Type: Numeric Length: \*\* Instrument Flag \*\* Question Text: Description: Sample Adult is the household respondent or the proxy who lives in the household Recode: Universe: A11 Universe Description: Sources: Question ID: GEN.0650.00.1 Keywords: Notes: **Evaluation Report:** 

#### Unweighted frequencies:

HHRESPSA\_FLG Sample Adult is the household respondent or the proxy who lives in the household

Code	Description	Frequency	Percent
1	Yes	20707	100.00

Variable: INTV\_QRT

Module: General

**Section:** GEN : Miscellaneous

File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 1

Question Text:

**Description:** Interview quarter

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

Code	Description	Frequency	Percent
1	Quarter 1	7524	25.52
2	Quarter 2	6788	23.02
3	Quarter 3	7604	25.79
4	Quarter 4	7566	25.66

Variable: INTV\_MON

Module: General

Section: GEN : Miscellaneous
File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 2

Question Text: \*\* SCIF Variable \*\*

Description: Interview month

Recode:

Universe: HHX ne .

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

Code	Description	Frequency	Percent
01	January	2475	8.39
02	February	2437	8.27
03	March	2612	8.86
04	April	2303	7.80
05	May	2253	7.64
06	June	2234	7.58
07	July	2645	8.97
08	August	2583	8.76
09	September	2376	8.06
10	October	2649	8.99
11	November	2516	8.51
12	December	2407	8.16

Variable: HHSTAT\_A

Module: General

Section: GEN : Miscellaneous

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \*\* Instrument Variable \*\*

**Description:** Indicates person is the Sample Adult

Recode:

Universe: All
Universe Description: All

Sources:

**Question ID:** GEN.0540.00.1

Keywords: Notes:

**Evaluation Report:** 

### Unweighted frequencies:

Code	Description	Frequency	Percent
1	Person is sample adult	29482	100.00

Variable: ASTATNEW

Module: General

Section: GEN : Miscellaneous

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Recoded ASTAT

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:
Question ID:
Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

ASTATNEW Recoded ASTAT

Code	Description	Frequency	Percent
0	Not applicable/None eligible	0	0.00
1	Completed	28305	96.01
2	HH member selected	0	0.00
3	Reached Sample Adult	0	0.00
4	Started HIS section	0	0.00
5	Sufficient Partial	1177	3.99
6	HH member selected and no longer eligible	0	0.00
7	Refused	0	0.00

Variable: AVAIL\_A

Module: General

Section: GEN : Miscellaneous

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: \* The next questions must be answered by ^SANAME. Probe as necessary to

determine the availability of ^SANAME.

\* If Sample Adult refuses to participate enter CTRL-R.

\* Read if necessary: The next questions are about ^SANAME.

^Awayschool ^IshesheArethey\_A ^stayinghere available now?

^ONCAMPSA

Fills: ^SANAME Sample Adult's name

^Awayschool Earlier, you said ^SANAME is living away at school or

college.

^stayinghere staying here and

^ONCAMPSA FR instructions for on-campus SA

**Description:** Sample Adult Available

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: VFY.0020.00.1

Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

AVAIL\_A Sample Adult Available

Code	Description	Frequency	Percent
1	Available	28250	95.82
2	Not Available or not able to answer right now	123	0.42
3	Physical or mental condition prohibits responding	587	1.99
7	Refused	0	0.00
8	Not Ascertained	522	1.77

Variable: PROXY\_A

Module: General

Section: GEN : Miscellaneous

1

File(s): Adult
Data Type: Numeric

Question Text: \* Proxy interviews can be done for sample adults that have a mental or

physical condition that prevents them from responding for themselves.

Is a family member or caregiver that is knowledgeable about ^SANAME's health

available?

**Fills:** ^SANAME Sample Adult's name

**Description:** Proxy Available

Recode:

Length:

Universe: HHSTAT\_A=1 and AVAIL\_A=3

Universe Description: Sample adults 18+ and sample adult's physical or mental condition prohibits

responding

Sources:

Question ID: VFY.0030.00.1

Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

PROXY\_A Proxy Available

Code	Description	Frequency	Percent
1	Yes	582	99.15
2	No	5	0.85
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: PROXYREL\_A

Module: General

Section: GEN : Miscellaneous

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: What is this person's relationship to ^SANAME?

**Fills:** ^SANAME Sample Adult's name

**Description:** Proxy's Relationship to Sample Adult

Recode:

Universe: HHSTAT\_A=1 and PROXY\_A=1

Universe Description: Sample adults 18+ and knowledgeable proxy is available

Sources:

Question ID: VFY.0040.00.1

Keywords: Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PROXYREL\_A Proxy's Relationship to Sample Adult

Code	Description	Frequency	Percent
1	Relative who lives in household	431	74.05
2	Relative who doesn't live in household	121	20.79
3	Nonrelative who lives in household	26	3.44
4	Nonrelative who does not live in household	16	1.72
7	Refused	6	0.00
8	Not Ascertained	6	0.00
9	Don't Know	6	0.00

Variable: AGEP\_A

Module: Roster

Section: HHC : Household Composition

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age of SA (top coded)

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:
Question ID:
Keywords:

Notes: Top-coded for public use

**Evaluation Report:** 

### Unweighted frequencies:

AGEP\_A Age of SA (top coded)

Code	Description	Frequency	Percent
18-84	18-84 years	28364	96.21
85	85+ years	1032	3.50
97	Refused	76	0.26
98	Not Ascertained	0	0.00
99	Don't Know	10	0.03

Variable: AGE65

Module: Roster

Section: HHC : Household Composition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^AreIs ^youALIAS less than 65 years old or 65 years or older?

Fills: ^AreIs Are/Is

^youALIAS you/^ALIASNAME

^ALIASNAME {Value of ALIAS}

**Description:** Age 65 or older

Recode:

Universe: AGE18=2

Universe Description: Person is 18 years or older but refused or don't know specific age

Sources:

Question ID: HHC.0240.00.1

Keywords:

Notes: This variable is collected during rostering from a household respondent who

answered refuse or don't know to the age of a household member who is subsequently selected as the Sample Adult, and for whom the household respondent indicated that the person is 18 and over. AGE65 may be

inconsistent with AGEP\_A because AGEP\_A is confirmed with the Sample Adult respondent and uses date of birth to verify age. Analysts may use AGE65 when AGEP\_A is unknown for categorizing Sample Adults less than age 65 and 65 and

over.

**Evaluation Report:** 

#### Unweighted frequencies:

AGE65 Age 65 or older

Code	Description	Frequency	Percent
1	Less than 65	101	66.01
2	65 or older	49	32.03
7	Refused	2	1.31
8	Not Ascertained	0	0.00
9	Don't Know	1	0.65

Variable: SEX\_A

Module: Roster

Section: HHC : Household Composition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Sex of Sample Adult

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:
Question ID:
Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SEX\_A Sex of Sample Adult

Code	Description	Frequency	Percent
1	Male	13378	45.38
2	Female	16102	54.62
7	Refused	1	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.00

Variable: EDUCP\_A

Module: Roster

Section: HHC : Household Composition

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Educational level of sample adult

Recode: Yes
Universe: HHSTAT=1

Universe Description: Sample adults 18+

Sources:
Question ID:

**Keywords:** schooling; education

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

EDUCP\_A Educational level of sample adult

Code	Description	Frequency	Percent
00	Never attended/kindergarten only	0	0.00
01	Grade 1-11	2069	7.02
02	12th grade, no diploma	464	1.57
03	GED or equivalent	645	2.19
04	High School Graduate	6606	22.41
05	Some college, no degree	4453	15.10
06	Associate degree: occupational, technical, or vocational program	1126	3.82
07	Associate degree: academic program	2566	8.70
08	Bachelor's degree (Example: BA, AB, BS, BBA)	6968	23.63
09	Master's degree (Example: MA, MS, MEng, MEd, MBA)	3284	11.14
10	Professional School or Doctoral degree (Example: MD, DDS, DVM, JD, PhD, EdD)	1149	3.90
97	Refused	51	0.17
98	Not Ascertained	0	0.00
99	Don't Know	101	0.34

Variable: Module: Roster Section: HHC: Household Composition File(s): Adult, Child Data Type: Numeric Length: ^AreyouIsALIASIsanyone now on full-time active duty with the Armed Forces? Question Text: \*Read if necessary: Active duty does not include training for the Reserves or National Guard, but DOES include activation, for example, for service in the U.S. or in a foreign country, in support of military or humanitarian operations. Fills: ^AreyouIsALIASIsanyone Are you/Is ^ALIASNAME/Is anyone in the household ^ALIASNAME {Value of ALIAS} Description: Full-time active duty screener Recode: Universe: PCNT18PLUS gt 0 and PCNT gt PCNTAGEGUESS and PCNTAGEAF gt 0  $\,$ Universe Description: At least one person in the household is greater than 18 and at least one person's age is not guessed and at least one non-deleted person age 17-64 years old or who is greater than or equal to 18 or whose age was guessed to be

greater than or equal to 18

Sources:

HHC.0330.00.1 Question ID:

AFNOW

Keywords: Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

**AFNOW** Full-time active duty screener

Code	Description	Frequency	Percent
1	Yes	219	0.99
2	No	21898	99.01
7	Refused	1	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: HISP\_A

Module: Roster

Section: HHC : Household Composition

File(s): Adult
Data Type: Numeric

Question Text:

Length:

**Description:** Recode: Hispanic ethnicity of SA

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:
Question ID:
Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

HISP\_A Recode: Hispanic ethnicity of SA

Code	Description	Frequency	Percent
1	Yes	4081	13.84
2	No	25401	86.16
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: HISPALLP\_A

Module: Roster

Section: HHC : Household Composition

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Single and multiple race groups with Hispanic origin

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+
Sources: RACEFULL; HISP\_FINAL

Question ID:

Keywords: race; Hispanic origin

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

HISPALLP\_A Single and multiple race groups with Hispanic origin

Code	Description	Frequency	Percent
01	Hispanic	4081	13.84
02	Non-Hispanic White only	19658	66.68
03	Non-Hispanic Black/African American only	3160	10.72
04	Non-Hispanic Asian only	1810	6.14
05	Non-Hispanic AIAN only	182	0.62
06	Non-Hispanic AIAN and any other group	224	0.76
07	Other single and multiple races	367	1.24
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Variable: HISDETP\_A

Module: Roster

Section: HHC : Household Composition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Hispanic origin detail

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HISP\_FINAL

Question ID:

**Keywords:** ethnicity; origin

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

HISDETP\_A Hispanic origin detail

Code	Description	Frequency	Percent
1	Hispanic (Mexican/Mexican American)	2323	7.88
2	Hispanic (all other groups)	1693	5.74
3	Not Hispanic	25405	86.17
7	Refused	6	0.00
8	Not Ascertained	46	0.14
9	Don't Know	21	0.07

Variable: RACEALLP\_A

Module: Roster

Section: HHC : Household Composition

File(s): Adult
Data Type: Numeric

Length:

Question Text:

**Description:** Single and multiple race groups

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: Question ID:

**Keywords:** race

Notes: The "not ascertained" responses on RACEALLP\_A are predominantly from

Hispanic/Latino sample adults and sample children who did not identify with

one of the race categories available.

**Evaluation Report:** 

#### Unweighted frequencies:

RACEALLP\_A Single and multiple race groups

Code	Description	Frequency	Percent
1	White only	21948	74.45
2	Black/African American only	3282	11.13
3	Asian only	1831	6.21
4	AIAN only	235	0.80
5	AIAN and any other group	266	0.90
6	Other single and multiple races	435	1.48
7	Refused	17	0.06
8	Not Ascertained	1444	4.90
9	Don't know	24	0.08

Variable: PCNT18UPTC

Module: Roster

Section: HHC : Household Composition

File(s): Adult, Child

Data Type: Numeric

Length: 1

Question Text:

Description: Top-coded count of persons 18 or older in the household

Recode: Yes

Universe: HHX ne ' '

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PCNT18UPTC Top-coded count of persons 18 or older in the household

Code	Description	Frequency	Percent
0	0 adults	0	0.00
1	1 adult	10366	35.16
2	2 adults	14660	49.73
3	3+ adults	4456	15.11
8	Not Ascertained	0	0.00

Variable: PCNTLT18TC

Module: Roster

Section: HHC : Household Composition

File(s): Adult, Child

Data Type: Numeric

Length: 1

Question Text:

**Description:** Top-coded count of persons under 18 in the household

Recode: Yes

Universe: HHX ne ' '

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

PCNTLT18TC Top-coded count of persons under 18 in the household

Code	Description	Frequency	Percent
0	0 children	21597	73.25
1	1 child	3316	11.25
2	2 children	2947	10.00
3	3+ children	1622	5.50
8	Not Ascertained	0	0.00

Variable: PCNTADLT\_A

Module: Roster

Section: FAM : Family Composition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Number of adults in Sample Adult family, top-coded 3+

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: PCNTADLTI\_A

Question ID:

**Keywords:** family; adults per family

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PCNTADLT\_A Number of adults in Sample Adult family, top-coded 3+

Code	Description	Frequency	Percent
1	1 adult	10899	36.97
2	2 adults	14401	48.85
3	3+ adults	4182	14.18
8	Not Ascertained	0	0.00

Variable: PCNTKIDS\_A

Module: Roster

Section: FAM : Family Composition

1

File(s): Adult
Data Type: Numeric

Question Text:

Length:

Description: Number of children in Sample Adult family, top-coded 3+

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: PCNTKIDSI\_A

Question ID:

**Keywords:** family; children per family

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

PCNTKIDS\_A Number of children in Sample Adult family, top-coded 3+

Code	Description	Frequency	Percent
0	0 children	21622	73.34
1	1 child	3308	11.22
2	2 children	2942	9.98
3	3+ children	1610	5.46
8	Not Ascertained	0	0.00

Variable: OVER65FLG\_A

Module: Roster

Section: FAM : Family Composition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Indicator for at least 1 person aged 65+ in SA family

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: AGE\_FINAL; AGEGUESS; AGE18; FAMILYA\_FLG

Question ID:

**Keywords:** family

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

OVER65FLG\_A Indicator for at least 1 person aged 65+ in SA family

Code	Description	Frequency	Percent
0	None	19020	64.51
1	1 or more	10462	35.49

Variable: MLTFAMFLG\_A

Module: Roster

Section: FAM : Family Composition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Indicator for multifamily households

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+
Sources: ONEFAM\_FLG; TOTPERS

Question ID:

Keywords: family; more than 1 family in household; household structure

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

MLTFAMFLG\_A Indicator for multifamily households

Code	Description	Frequency	Percent
1	Multiple families in household	695	2.36
2	Only one family in household	28787	97.64
9	Unknown	0	0.00

Variable: MAXEDUCP\_A

Module: Roster

**Section:** FAM : Family Composition

2

File(s): Adult
Data Type: Numeric

Question Text:

Length:

Description: Highest level of education of all the adults in the SA's family

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: EDUC; AGE18PLUS; FAMILYA\_FLG; HHSTAT\_A;

Question ID:

**Keywords:** family; schooling; educational attainment

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

MAXEDUCP\_A Highest level of education of all the adults in the SA's family

Code	Description	Frequency	Percent
00	Never attended/kindergarten only	0	0.00
01	Grade 1-11	1283	4.36
02	12th grade, no diploma	349	1.19
03	GED or equivalent	469	1.60
04	High School Graduate	5172	17.59
05	Some college, no degree	4130	14.05
06	Associate degree: occupational, technical, or vocational program	1181	4.02
07	Associate degree: academic program	2839	9.66
08	Bachelor's degree (Example: BA, AB, BS, BBA)	7715	26.24
09	Master's degree (Example: MA, MS, MEng, MEd, MBA)	4516	15.36
10	Professional School or Doctoral degree (Example: MD, DDS, DVM, JD, PhD, EdD)	1743	5.93
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Variable: PHSTAT\_A

Module: Adult

Section: HIS : Health Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Would you say your health in general is excellent, very good, good, fair, or

poor?

**Description:** General health status

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: HIS.0010.00.1

Keywords: respondent-assessed health; well-being; overall health

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### Unweighted frequencies:

### PHSTAT\_A General health status

Code	Description	Frequency	Percent
1	Excellent	6657	22.58
2	Very Good	10105	34.28
3	Good	8350	28.32
4	Fair	3353	11.37
5	Poor	1004	3.41
7	Refused	6	0.02
8	Not Ascertained	0	0.00
9	Don't Know	7	0.02

Variable: LSATIS11R\_A Module: Adult Section: LS3 : Satisfaction with life File(s): Adult Data Type: Numeric Length: Question Text: Using a scale of 0 to 10, where 0 means "very dissatisfied" and 10 means "very satisfied", how do you feel about your life as a whole these days? Description: Life satisfaction - 11 category question Recode: Yes Universe: HHSTAT\_A=1 Universe Description: Sample adults 18+ Sources: LSATIS11\_A; LSATORDER1\_A Question ID: Keywords: subjective well-being; quality of life Notes: In 2021, two similar life satisfaction questions were fielded in the LS1 and LS2 sections of the Sample Adult module, one consisting of an 11-point answer scale (LSATIS11\_A) and the other consisting of a 4-point answer scale (LSATIS4 A). The LS1 and LS2 sections were combined into the LS3 section in this codebook. Starting in quarter 2, an experiment was embedded in the survey to randomly change the order of which question the sample adult received first. See variable LSROTATE\_FLG for rotation order. This recode combines responses to question LSATIS11\_A administered in quarters 1-4. Note that because the LS2 section was administered later in the survey, more not ascertained (98) values are observed due to drop-offs when LSATIS11 $\_$ A was administered in the LS2 than LS1 section. Evaluation Report:

#### Unweighted frequencies:

LSATIS11R\_A Life satisfaction - 11 category question

Code	Description	Frequency	Percent
00-10	Range of values	28987	98.32
97	Refused	61	0.21
98	Not Ascertained	314	1.07
99	Don't Know	120	0.41

Variable: LSATIS4R\_A

Module: Adult

Section: LS3 : Satisfaction with life

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In general, how satisfied are you with your life? Would you say very

satisfied, satisfied, dissatisfied, or very dissatisfied?

**Description:** Life satisfaction - 4 category question

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: LSATIS4\_A; LSATORDER2\_A

Question ID:

**Keywords:** subjective well-being; quality of life

Notes: In 2021, two similar life satisfaction questions were fielded in the LS1 and

LS2 sections of the Sample Adult module, one consisting of an 11-point answer scale (LSATIS11\_A) and the other consisting of a 4-point answer scale (LSATIS4\_A). The LS1 and LS2 sections were combined into the LS3 section in this codebook. Starting in quarter 2, an experiment was embedded in the survey to randomly change the order of which question the sample adult received first. See variable LSROTATE\_FLG for rotation order. This recode combines responses to question LSATIS4\_A administered in quarters 1-4. Note that because the LS2 section was administered later in the survey, more not ascertained (8) values are observed due to drop-offs when LSATIS4\_A was

administered in the LS2 than LS1 section.

**Evaluation Report:** 

### Unweighted frequencies:

LSATIS4R\_A Life satisfaction - 4 category question

Code	Description	Frequency	Percent
1	Very satisfied	1358	46.09
2	Satisfied	1365	46.33
3	Dissatisfied	118	7 4.03
4	Very dissatisfied	33	1.15
7	Refused	5	0.19
8	Not Ascertained	57	1.95
9	Don't Know	8	0.27

Variable: LSROTATE\_FLG

Module: Adult

Section: LS3 : Satisfaction with life

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \*\* Instrument Flag \*\*

**Description:** Life Satisfaction section rotation flag

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: GEN.2070.00.1

**Keywords:** subjective well-being; quality of life

Notes: Variable administered in quarters 2-4 of 2021.

**Evaluation Report:** 

#### Unweighted frequencies:

LSROTATE\_FLG Life Satisfaction section rotation flag

	Code	Description	Frequency	Percent
	1	LSATIS11_A asked first in SA	11026	50.21
Ī	2	LSATIS4_A asked first in SA	10932	49.79

Variable: HYPEV\_A

Module: Adult

Section: HYP: Hypertension

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER been told by a doctor or other health professional that you had

... Hypertension, also called high blood pressure?

\* Enter '1' if respondent is taking medication to control his/her high blood

pressure.

**Description:** Ever been told you had hypertension

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: HYP.0020.00.1

Keywords: HBP

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

### Unweighted frequencies:

HYPEV\_A Ever been told you had hypertension

Code	Description	Frequency	Percent
1	Yes	10657	36.15
2	No	18777	63.69
7	Refused	29	0.10
8	Not Ascertained	0	0.00
9	Don't Know	19	0.06

Variable: HYPDIF\_A

Module: Adult

**Section:** HYP: Hypertension

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Were you told on two or more DIFFERENT visits that you had hypertension or

high blood pressure?

\* Enter '1' if respondent is taking medication to control his/her high blood

pressure.

**Description:** Told had hypertension on two or more visits

Recode:

Universe: HHSTAT\_A=1 and HYPEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had hypertension

Sources:

Question ID: HYP.0030.00.1

Keywords: HBP

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

HYPDIF\_A
Told had hypertension on two or more visits

Code	Description	Frequency	Percent
1	Yes	9173	86.07
2	No	1453	13.63
7	Refused	2	0.02
8	Not Ascertained	0	0.00
9	Don't Know	29	0.27

Variable: HYP12M\_A

Module: Adult

Section: HYP: Hypertension

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you had hypertension or high blood pressure?

\* Enter '1' if respondent is taking medication to control his/her high blood

pressure.

**Description:** Hypertension, past 12 months

Recode:

Universe: HHSTAT\_A=1 and HYPDIF\_A=1

Universe Description: Sample adults 18+ who were told they had hypertension on 2 or more visits

Sources:

Question ID: HYP.0040.00.1

Keywords: HBP

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

HYP12M\_A Hypertension, past 12 months

Code	Description	Frequency	Percent
1	Yes	7502	81.78
2	No	1627	17.74
7	Refused	1	0.01
8	Not Ascertained	0	0.00
9	Don't Know	43	0.47

Variable: HYPMED\_A

Module: Adult

Section: HYP : Hypertension

File(s): Adult
Data Type: Numeric
Length: 1

Question Text: Are you NOW taking any medication prescribed by a doctor for your high blood

pressure?

**Description:** Now taking high blood pressure medication

Recode:

Universe: HHSTAT\_A=1 and HYPEV\_A=1

Universe Description: Sample adults 18+ who were ever told they have hypertension

Sources:

Question ID: HYP.0050.00.1

Keywords: HBP; antihypertensive drugs

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### Unweighted frequencies:

HYPMED\_A Now taking high blood pressure medication

Code	Description	Frequency	Percent
1	Yes	8736	81.97
2	No	1910	17.92
7	Refused	1	0.01
8	Not Ascertained	0	0.00
9	Don't Know	10	0.09

Variable: CHLEV\_A

Module: Adult

Section: CHL : Cholesterol

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER been told by a doctor or other health professional that you had

high cholesterol?

\* Enter '1' if respondent is taking medication to control his/her high

cholesterol.

**Description:** Ever told you had high cholesterol

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CHL.0010.00.1

**Keywords:** hypercholesterolemia; hyperlipidemia

Notes:

Evaluation Report: https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### Unweighted frequencies:

CHLEV\_A Ever told you had high cholesterol

Code	Description	Frequency	Percent
1	Yes	9088	30.83
2	No	20303	68.87
7	Refused	28	0.09
8	Not Ascertained	0	0.00
9	Don't Know	63	0.21

Variable: CHL12M\_A

Module: Adult

Section: CHL : Cholesterol

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you had high cholesterol?

\* Enter '1' if respondent is taking medication to control his/her high

cholesterol.

**Description:** High cholesterol, past 12 months

Recode:

Universe: HHSTAT\_A=1 and CHLEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had high cholesterol

Sources:

Question ID: CHL.0020.00.1

**Keywords:** hypercholesterolemia; hyperlipidemia

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

### Unweighted frequencies:

CHL12M\_A High cholesterol, past 12 months

Code	Description	Frequency	Percent
1	Yes	6085	66.96
2	No	2807	30.89
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	196	2.16

Variable: CHLMED\_A

Module: Adult

Section: CHL : Cholesterol

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Are you NOW taking any medication prescribed by a doctor to help lower your

cholesterol?

**Description:** Now taking cholesterol medication

Recode:

Universe: HHSTAT\_A=1 and CHLEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had high cholesterol

Sources:

Question ID: CHL.0030.00.1

**Keywords:** hypercholesterolemia; hyperlipidemia

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### Unweighted frequencies:

CHLMED\_A Now taking cholesterol medication

Code	Description	Frequency	Percent
1	Yes	6046	66.53
2	No	3033	33.37
7	Refused	1	0.01
8	Not Ascertained	0	0.00
9	Don't Know	8	0.09

Variable: CHDEV\_A Module: Adult Section: CVC : Cardiovascular Conditions File(s): Adult Data Type: Numeric Length: Question Text: Have you EVER been told by a doctor or other health professional that you had ...Coronary heart disease? Description: Ever been told you had coronary heart disease Recode: Universe: HHSTAT\_A=1 Universe Description: Sample adults 18+ Sources: Question ID: CVC.0010.00.1 Keywords: atherosclerotic heart disease; coronary artery disease Notes: **Evaluation Report:** 

#### Unweighted frequencies:

CHDEV\_A Ever been told you had coronary heart disease

Code	Description	Frequency	Percent
1	Yes	1796	6.09
2	No	27610	93.65
7	Refused	23	0.08
8	Not Ascertained	0	0.00
9	Don't Know	53	0.18

Variable: ANGEV\_A

Module: Adult

Section: CVC : Cardiovascular Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

...Angina, also called angina pectoris?

**Description:** Ever been told you had angina

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CVC.0020.00.1

**Keywords:** ischemic chest pain; coronary artery disease

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

ANGEV\_A Ever been told you had angina

Code	Description	Frequency	Percent
1	Yes	543	1.84
2	No	28861	97.89
7	Refused	21	0.07
8	Not Ascertained	0	0.00
9	Don't Know	57	0.19

Variable: MIEV\_A

Module: Adult

Section: CVC : Cardiovascular Conditions

File(s): Adult
Data Type: Numeric

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

...A heart attack, also called myocardial infarction?

**Description:** Ever been told you had a heart attack

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** CVC.0030.00.1

**Keywords:** myocardial infarction; coronary artery disease

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

MIEV\_A Ever been told you had a heart attack

Code	Description	Frequency	Percent
1	Yes	1078	3.66
2	No	28378	96.26
7	Refused	15	0.05
8	Not Ascertained	0	0.00
9	Don't Know	11	0.04

Variable: STREV\_A

Module: Adult

Section: CVC : Cardiovascular Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

...A stroke?

**Description:** Ever been told you had a stroke

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CVC.0040.00.1

Keywords: cerebrovascular accident; artery disease

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

STREV\_A Ever been told you had a stroke

Code	Description	Frequency	Percent
1	Yes	1010	3.43
2	No	28437	96.46
7	Refused	17	0.06
8	Not Ascertained	0	0.00
9	Don't Know	18	0.06

Variable: ASPMEDEV\_A

Module: Adult

Section: ASP : Aspirin

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Has a doctor or other health professional EVER told you to take a low-dose

aspirin each day to prevent or control heart disease?

\* If the respondent volunteers they have been told to take an aspirin every

other day or "regularly" for these reasons, enter 1 for "yes."

**Description:** Told to take low-dose aspirin

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85)</pre>

Universe Description: Sample adults 40+

Sources:

Question ID: ASP.0010.00.2

Keywords: low-dose aspirin; heart disease; prevention
Notes: Question fielded since quarters 2-4 of 2021.

**Evaluation Report:** 

#### Unweighted frequencies:

ASPMEDEV\_A Told to take low-dose aspirin

Code	Description	Frequency	Percent
1	Yes	4522	28.99
2	No	11045	70.81
7	Refused	10	0.06
8	Not Ascertained	0	0.00
9	Don't Know	20	0.13

Variable: ASPMEDNOWN\_A

Module: Adult

Section: ASP : Aspirin

File(s): Adult Data Type: Numeric

Length: 1

Question Text: Are you NOW following this advice?

 $^{\ast}$  If the respondent provides an answer such as "sometimes," "occasionally," or "from time to time," enter '1' for "yes."

Description: Now following aspirin advice

Recode:

Universe: HHSTAT\_A=1 and  $(40 <= AGEP_A <= 85)$  and  $ASPMEDEV_A=1$ 

Sample adults 40+ who have ever been advised to take a low-dose aspirin every Universe Description:

day to prevent or control heart disease

Sources:

Question ID: ASP.0020.00.2

Keywords: low-dose aspirin; heart disease; prevention Notes: Question fielded since quarters 2-4 of 2021.

**Evaluation Report:** 

#### Unweighted frequencies:

ASPMEDNOWN\_A Now following aspirin advice

Code	Description	Frequency	Percent
1	Yes	3451	76.32
2	No	1070	23.66
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.02

Variable: ASPMEDSTP\_A

Module: Adult

Section: ASP : Aspirin

File(s): Adult

Data Type: Numeric

Question Text: Did a doctor or other health professional advise you to stop taking a low-dose

aspirin every day?

**Description:** Advise to stop taking aspirin

1

Recode:

Length:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and ASPMEDNOWN\_A=2

Universe Description: Sample adults 40+ who have ever been advised to take aspirin every day, but

are not currently following that advice

Sources:

Question ID: ASP.0030.00.2

**Keywords:** low-dose aspirin; heart disease

Notes: Question fielded since quarters 2-4 of 2021.

**Evaluation Report:** 

#### Unweighted frequencies:

ASPMEDSTP\_A Advise to stop taking aspirin

Code	Description	Frequency	Percent
1	Yes	526	49.16
2	No	537	50.19
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	7	0.65

Variable: ASPONOWN\_A

Module: Adult

Section: ASP : Aspirin

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: On your own, are you now taking a low-dose aspirin each day to prevent or

control heart disease?

**Description:** Taking low dose-aspirin on own

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and ASPMEDEV\_A IN (2,7,9)

Universe Description: Sample adults 40+ who have not been advised to take aspirin every day or

refused or don't know

Sources:

Question ID: ASP.0040.00.2

**Keywords:** low-dose aspirin; heart disease

Notes: Question fielded since quarters 2-4 of 2021.

**Evaluation Report:** 

#### Unweighted frequencies:

ASPONOWN\_A Taking low dose-aspirin on own

Code	Description	Frequency	Percent
1	Yes	610	5.51
2	No	10451	94.37
7	Refused	10	0.09
8	Not Ascertained	0	0.00
9	Don't Know	4	0.04

Variable: ASEV\_A

Module: Adult

Section: AST : Asthma

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER been told by a doctor or other health professional that you had

asthma?

**Description:** Ever had asthma

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: AST.0010.00.1

Keywords: respiratory condition; trouble breathing; breathing problem; lungs

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### Unweighted frequencies:

#### ASEV\_A Ever had asthma

Code	Description	Frequency	Percent
1	Yes	4055	13.75
2	No	25403	86.16
7	Refused	15	0.05
8	Not Ascertained	0	0.00
9	Don't Know	9	0.03

Variable: ASTILL\_A

Module: Adult

Section: AST : Asthma

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Do you still have asthma?

**Description:** Still have asthma

Recode:

Universe: HHSTAT\_A=1 and ASEV\_A=1

Universe Description: Sample adults 18+ who were ever told they have asthma

Sources:

Question ID: AST.0020.00.1

**Keywords:** current asthma; respiratory condition; trouble breathing; breathing problem;

lungs

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

### Unweighted frequencies:

ASTILL\_A Still have asthma

Code	Description	Frequency	Percent
1	Yes	2469	60.89
2	No	1556	38.37
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	30	0.74

Variable: ASAT12M\_A

Module: Adult

Section: AST : Asthma

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you had an episode of asthma or an asthma

attack?

**Description:** Asthma episode

Recode:

Universe: HHSTAT\_A=1 and ASEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had asthma

Sources:

Question ID: AST.0030.00.1

**Keywords:** respiratory condition; trouble breathing; breathing problem; lungs

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

### Unweighted frequencies:

ASAT12M\_A Asthma episode

Code	Description	Frequency	Percent
1	Yes	980	24.17
2	No	3065	75.59
7	Refused	1	0.02
8	Not Ascertained	0	0.00
9	Don't Know	9	0.22

Variable: ASER12M\_A

Module: Adult

Section: AST : Asthma

File(s): Adult
Data Type: Numeric

Question Text: During the past 12 months, have you had to visit an emergency room or urgent

care center because of asthma?

**Description:** Asthma ER visit

Recode:

Length:

Universe: HHSTAT\_A=1 and ASEV\_A=1

1

Universe Description: Sample adults 18+ who were ever told they had asthma

Sources:

Question ID: AST.0040.00.1

**Keywords:** asthma emergency; asthma episode; asthma attack; respiratory condition;

trouble breathing; breathing problem; lungs

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### Unweighted frequencies:

ASER12M\_A Asthma ER visit

Code	Description	Frequency	Percent
1	Yes	218	5.38
2	No	3832	94.50
7	Refused	1	0.02
8	Not Ascertained	0	0.00
9	Don't Know	4	0.10

Variable: CANEV\_A Module: Adult Section: CAN : Cancer File(s): Adult Data Type: Numeric Length: Question Text: Have you EVER been told by a doctor or other health professional that you had ...Cancer or a malignancy of any kind? Description: Ever been told you had cancer Recode: Universe: HHSTAT\_A=1 Universe Description: Sample adults 18+ Sources: Question ID: CAN.0010.00.1

#### Unweighted frequencies:

**Evaluation Report:** 

Keywords:

Notes:

CANEV\_A Ever been told you had cancer

malignant growth

Code	Description	Frequency	Percent
1	Yes	3654	12.39
2	No	25799	87.51
7	Refused	20	0.07
8	Not Ascertained	0	0.00
9	Don't Know	9	0.03

Variable: BLADDCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Bladder cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: urinary tract cancer; bladder carcinoma

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that bladder cancer was one of those cancers mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

BLADDCAN\_A Bladder cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	121	3.31
2	Not mentioned	3510	96.06
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: BLADDAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had bladder cancer

Recode: Yes

Universe: HHSTAT\_A=1 and BLADDCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had bladder cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: urinary tract cancer; bladder carcinoma

Notes: Top-coded for public use.

**Evaluation Report:** 

#### Unweighted frequencies:

BLADDAGETC\_A Age when first told had bladder cancer

Code	Description	Frequency	Percent
01-84	1-84 years	115	95.04
85	85+ years	5	4.13
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	1	0.83

Variable: BLOODCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Question Text:

Length:

Description: Blood cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** leukemia; lymphoma; myeloma

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that blood cancer was one of those cancers mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

BLOODCAN\_A Blood cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	25	0.68
2	Not mentioned	3606	98.69
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: BLOODAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had blood cancer

Recode: Yes

Universe: HHSTAT\_A=1 and BLOODCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had blood cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

**Keywords:** leukemia ; lymphoma ; myeloma

Notes: Top-coded for public use

**Evaluation Report:** 

#### Unweighted frequencies:

BLOODAGETC\_A Age when first told had blood cancer

Code	Description	Frequency	Percent
01-84	1-84 years	25	100.00
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Variable: BONECAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Bone cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** bone neoplasm; sarcoma

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that bone cancer was one of those cancers mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

BONECAN\_A Bone cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	30	0.82
2	Not mentioned	3601	98.55
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: BONEAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had bone cancer

Recode: Yes

Universe: HHSTAT\_A=1 and BONECAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had bone cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: bone neoplasm; sarcoma
Notes: Top-coded for public use

**Evaluation Report:** 

#### Unweighted frequencies:

BONEAGETC\_A Age when first told had bone cancer

Code	Description	Frequency	Percent
01-84	1-84 years	28	93.33
85	85+ years	1	3.33
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	1	3.33

Variable: BRAINCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Brain cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: central nervous system (CNS) and spinal cord

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that brain cancer was one of those cancers mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

BRAINCAN\_A Brain cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	23	0.63
2	Not mentioned	3608	98.74
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: BRAINAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had brain cancer

Recode: Yes

Universe: HHSTAT\_A=1 and BRAINCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had brain cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: central nervous system (CNS) and spinal cord

Notes: Top-coded for public use

**Evaluation Report:** 

#### Unweighted frequencies:

BRAINAGETC\_A Age when first told had brain cancer

Code	Description	Frequency	Percent
01-84	1-84 years	23	100.00
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Variable: BREASCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult Data Type: Numeric Length: 1

Question Text:

Description: Breast cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: breast carcinoma; breast adenocarcinomas; malignant breast tumor

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that breast cancer was one of those cancers mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

BREASCAN\_A Breast cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	698	19.10
2	Not mentioned	2933	80.27
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: BREASAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had breast cancer

Recode: Yes

Universe: HHSTAT\_A=1 and BREASCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had breast cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: breast carcinoma; breast adenocarcinomas; malignant breast tumor

Notes: This is bottom-coded at 18 and top-coded at 85 for public use.

**Evaluation Report:** 

#### Unweighted frequencies:

BREASAGETC\_A Age when first told had breast cancer

Code	Description	Frequency	Percent
18	18 years or younger		6 0.86
19-84	19-84 years	67	7 96.99
85	85+ years		6 0.86
97	Refused		0.14
98	Not Ascertained		0.00
99	Don't Know		8 1.15

Variable: CERVICAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Question Text:

Length:

**Description:** Cervical cancer mentioned

1

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1 and SEX\_A=2

Universe Description: Female sample adults 18+ who were ever told they have cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: high-risk HPV strains; gynecologic cancer; reproductive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that cervical cancer was one of those cancers mentioned

among females.

**Evaluation Report:** 

#### Unweighted frequencies:

CERVICAN A Cervical cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	160	7.59
2	Not mentioned	1935	91.79
7	Refused	8	0.38
8	Not Ascertained	0	0.00
9	Don't Know	5	0.24

Variable: CERVIAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had cervical cancer

Recode: Yes

Universe: HHSTAT\_A=1 and CERVICAN\_A=1

Universe Description: Female sample adults 18+ who were ever told they had cervical cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: high-risk HPV strains; gynecologic cancer; reproductive cancer

Notes: This is bottom-coded at 18 and top-coded at 85 for public use.

**Evaluation Report:** 

#### Unweighted frequencies:

CERVIAGETC\_A Age when first told had cervical cancer

Code	Description	Frequency	Percent
18	18 years or younger	!	3.13
19-84	19-84 years	154	96.25
85	85+ years		0.63
97	Refused		0.00
98	Not Ascertained		0.00
99	Don't Know		0.00

Variable: COLONCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Colon cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** large intestine; bowel; gastrointestinal (GI); digestive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that colon cancer was one of those cancers mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

COLONCAN\_A Colon cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	185	5.06
2	Not mentioned	3446	94.31
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: COLONAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had colon cancer

Recode: Yes

Universe: HHSTAT\_A=1 and COLONCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had colon cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

**Keywords:** large intestine; bowel; gastrointestinal (GI); digestive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### Unweighted frequencies:

COLONAGETC\_A Age when first told had colon cancer

Code	Description	Frequency	Percent
01-84	1-84 years	172	92.97
85	85+ years	9	4.86
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	4	2.16

Variable: ESOPHCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Esophageal cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** esophagus; esophageal carcinoma; digestive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that esophageal cancer was one of those cancers

mentioned.

**Evaluation Report:** 

#### Unweighted frequencies:

ESOPHCAN\_A Esophageal cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	11	0.30
2	Not mentioned	3620	99.07
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: ESOPHAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had esophageal cancer

Recode: Yes

Universe: HHSTAT\_A=1 and ESOPHCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had esophageal cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

**Keywords:** esophagus; esophageal carcinoma; digestive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### Unweighted frequencies:

ESOPHAGETC\_A Age when first told had esophageal cancer

Code	Description	Frequency	Percent
01-84	1-84 years	11	100.00
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Variable: GALLBCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Gallbladder cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** Carcinoma of the gallbladder; digestive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that gallbladder cancer was one of those cancers

mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

GALLBCAN A Gallbladder cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	5	0.14
2	Not mentioned	3626	99.23
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: GALLBAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had gallbladder cancer

Recode: Yes

Universe: HHSTAT\_A=1 and GALLBCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had gallbladder cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: Carcinoma of the gallbladder; digestive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

### Unweighted frequencies:

GALLBAGETC\_A Age when first told had gallbladder cancer

Code	Description	Frequency	Percent
01-84	1-84 years	5	100.00
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Variable: LARYNCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Larynx-trachea cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: laryngeal; tracheal carcinomas; head and neck cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that larynx-tracheal cancer was one of those cancers

mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

LARYNCAN\_A Larynx-trachea cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	4	0.11
2	Not mentioned	3627	99.26
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: LARYNAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had larynx-trachea cancer

Recode: Yes

Universe: HHSTAT\_A=1 and LARYNCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had larynx-trachea cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: laryngeal; tracheal carcinomas; head and neck cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### Unweighted frequencies:

LARYNAGETC\_A Age when first told had larynx-trachea cancer

Code	Description	Frequency	Percent
01-84	1-84 years	4	100.00
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Variable: LEUKECAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 1

Question Text:

Description: Leukemia mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: bone marrow; blood cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that leukemia was one of those cancers mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

LEUKECAN\_A Leukemia mentioned

Code	Description	Frequency	Percent
1	Mentioned	54	1.48
2	Not mentioned	3577	97.89
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: LEUKEAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2
Question Text:

Description: Age when first told had leukemia

Recode: Yes

Universe: HHSTAT\_A=1 and LEUKECAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had leukemia

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: bone marrow; blood cancer

Notes: Top-coded for public use

**Evaluation Report:** 

### Unweighted frequencies:

LEUKEAGETC\_A Age when first told had leukemia

Code	Description	Frequency	Percent
01-84	1-84 years	53	98.15
85	85+ years	1	1.85
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Variable: LIVERCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 1

Question Text:

**Description:** Liver cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** hepatic cancer; hepatocellular carcinoma; bile duct cancer; digestive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that liver cancer was one of those cancers mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

LIVERCAN\_A Liver cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	21	0.57
2	Not mentioned	3610	98.80
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: LIVERAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had liver cancer

Recode: Yes

Universe: HHSTAT\_A=1 and LIVERCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had liver cancer

Sources: CANKIND1\_A- CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

**Keywords:** hepatic cancer; hepatocellular carcinoma; bile duct cancer; digestive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

### Unweighted frequencies:

LIVERAGETC\_A Age when first told had liver cancer

Code	Description	Frequency	Percent
01-84	1-84 years	19	90.48
85	85+ years	2	9.52
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Variable: LUNGCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Lung cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: lung carcinoma; pulmonary cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that lung cancer was one of those cancers mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

LUNGCAN\_A Lung cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	115	3.15
2	Not mentioned	3516	96.22
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: LUNGAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had lung cancer

Recode: Yes

Universe: HHSTAT\_A=1 and LUNGCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had lung cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: lung carcinoma; pulmonary cancer

Notes: Top-coded for public use

**Evaluation Report:** 

### Unweighted frequencies:

LUNGAGETC\_A Age when first told had lung cancer

Code	Description	Frequency	Percent
01-84	1-84 years	109	94.78
85	85+ years	3	2.61
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	3	2.61

Variable: LYMPHCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Lymphoma cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** Lymphatic; lymph nodes; Hodgkin or non-Hodgkin lymphoma; blood cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that lymphoma was one of those cancers mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

LYMPHCAN\_A Lymphoma cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	122	3.34
2	Not mentioned	3509	96.03
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: LYMPHAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had lymphoma

Recode: Yes

Universe: HHSTAT\_A=1 and LYMPHCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had lymphoma

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

**Keywords:** Lymphatic; lymph nodes; Hodgkin or non-Hodgkin lymphoma; blood cancer

Notes: Top-coded for public use

**Evaluation Report:** 

### Unweighted frequencies:

LYMPHAGETC\_A Age when first told had lymphoma

Code	Description	Frequency	Percent
01-84	1-84 years	119	97.54
85	85+ years	1	0.82
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	2	1.64

Variable: MELANCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Melanoma cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** malignant melanocytes anywhere on the body

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that melanoma cancer was one of those cancers mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

MELANCAN\_A Melanoma cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	189	5.17
2	Not mentioned	3442	94.20
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: MELANAGETC\_A

Module:

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had melanoma cancer

Recode: Yes

Universe: HHSTAT\_A=1 and MELANCAN\_A=1

Adult

Universe Description: Sample adults 18+ who were ever told they had melanoma cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

**Keywords:** malignant melanocytes anywhere on the body

Notes: Top-coded for public use

**Evaluation Report:** 

### Unweighted frequencies:

MELANAGETC\_A Age when first told had melanoma cancer

Code	Description	Frequency	Percent
01-84	1-84 years	183	96.83
85	85+ years	3	1.59
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	3	1.59

Variable: MOUTHCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 1

Question Text:

Description: Mouth, tongue or lip cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: high-risk HPV strains ; oral cavity; oropharyngeal

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that mouth, tongue or lip cancer were one of those

cancers mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

MOUTHCAN\_A Mouth, tongue or lip cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	14	0.38
2	Not mentioned	3617	98.99
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: MOUTHAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had mouth, tongue or lip cancer

Recode: Yes

Universe: HHSTAT\_A=1 and MOUTHCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had mouth, tongue or lip cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: high-risk HPV strains ; oral cavity; oropharyngeal

Notes: Top-coded for public use

**Evaluation Report:** 

#### Unweighted frequencies:

MOUTHAGETC\_A Age when first told had mouth, tongue or lip cancer

Code	Description	Frequency	Percent
01-84	1-84 years	13	92.86
85	85+ years	1	7.14
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Variable: OVARYCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 1

Question Text:

**Description:** Ovarian cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1 and SEX\_A=2

Universe Description: Female sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** gynecologic cancer; reproductive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that ovarian cancer was one of those cancers mentioned

among females.

**Evaluation Report:** 

### Unweighted frequencies:

OVARYCAN A Ovarian cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	80	3.80
2	Not mentioned	2015	95.59
7	Refused	8	0.38
8	Not Ascertained	0	0.00
9	Don't Know	5	0.24

Variable: OVARYAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had ovarian cancer

Recode: Yes

Universe: HHSTAT\_A=1 and OVARYCAN\_A=1

Universe Description: Female sample adults 18+ who were ever told they had ovarian cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

**Keywords:** gynecologic cancer; reproductive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

### Unweighted frequencies:

OVARYAGETC\_A Age when first told had ovarian cancer

Code	Description	Frequency	Percent
01-84	1-84 years	79	98.75
85	85+ years	6	0.00
97	Refused	6	0.00
98	Not Ascertained	6	0.00
99	Don't Know	1	1.25

Variable: PANCRCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 1

Question Text:

**Description:** Pancreatic cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** pancreatic adenocarcinoma; digestive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that pancreatic cancer was one of those cancers

mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

PANCRCAN A Pancreatic cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	15	0.41
2	Not mentioned	3616	98.96
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: PANCRAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had pancreatic cancer

Recode: Yes

Universe: HHSTAT\_A=1 and PANCRCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had pancreatic cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

**Keywords:** pancreatic adenocarcinoma; digestive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

### Unweighted frequencies:

PANCRAGETC\_A Age when first told had pancreatic cancer

Code	Description	Frequency	Percent
01-84	1-84 years	15	100.00
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Variable: PROSTCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 1

Question Text:

**Description:** Prostate cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1 and SEX\_A=1

Universe Description: Male sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: Prostatic carcinoma; male reproductive cancers

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that prostrate cancer was one of those cancers mentioned

among males.

**Evaluation Report:** 

### Unweighted frequencies:

PROSTCAN A Prostate cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	445	28.78
2	Not mentioned	1091	70.57
7	Refused	2	0.13
8	Not Ascertained	0	0.00
9	Don't Know	8	0.52

Variable: PROSTAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had prostate cancer

Recode: Yes

Universe: HHSTAT\_A=1 and PROSTCAN\_A=1

Universe Description: Male sample adults 18+ who were ever told they had prostate cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: prostatic carcinoma; male reproductive cancers

Notes: This is bottom-coded at 18 and top-coded at 85 for public use.

**Evaluation Report:** 

#### Unweighted frequencies:

PROSTAGETC\_A Age when first told had prostate cancer

Code	Description	Frequency	Percent
18	18 years or younger		0.00
19-84	19-84 years	430	96.63
85	85+ years		9 2.02
97	Refused		0.00
98	Not Ascertained		0.00
99	Don't Know		1.35

Variable: RECTUCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Rectal cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** rectum; bowel cancer; digestive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that rectal cancer was one of those cancers mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

RECTUCAN\_A Rectal cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	16	0.44
2	Not mentioned	3615	98.93
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: RECTUAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had rectal cancer

Recode: Yes

Universe: HHSTAT\_A=1 and RECTUCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had rectal cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

**Keywords:** rectum; bowel cancer; digestive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

### Unweighted frequencies:

RECTUAGETC\_A Age when first told had rectal cancer

Code	Description	Frequency	Percent
01-84	1-84 years	15	93.75
85	85+ years	1	6.25
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Variable: SKNMCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Skin melanoma cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** malignant melanocytes of the skin; skin cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that skin melanoma cancer was one of those cancers

mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

SKNMCAN A Skin melanoma cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	328	8.98
2	Not mentioned	3304	90.42
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	12	0.33

Variable: SKNMAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had skin melanoma cancer

Recode: Yes

Universe: HHSTAT\_A=1 and SKNMCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had skin melanoma cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

**Keywords:** malignant melanocytes of the skin; skin cancer

Notes: This is bottom-coded at 18 and top-coded at 85 for public use.

**Evaluation Report:** 

#### Unweighted frequencies:

SKNMAGETC\_A Age when first told had skin melanoma cancer

Code	Description	Frequency	Percent
18	18 years or younger		1.52
19-84	19-84 years	30	93.90
85	85+ years		9 2.74
97	Refused		0.00
98	Not Ascertained		0.00
99	Don't Know		1.83

Variable: SKNNMCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Skin non-melanoma cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** Basal or squamous cells of the skin ; skin cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that skin non-melanoma cancer was one of those cancers

mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

**SKNNMCAN A** Skin non-melanoma cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	789	21.59
2	Not mentioned	2842	77.78
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: SKNNMAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told skin non-melanoma cancer

Recode: Yes

Universe: HHSTAT\_A=1 and SKNNMCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had skin non-melanoma cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A- CANAGE3\_A

Question ID:

Keywords: Basal or squamous cells of the skin; skin cancer

Notes: This is bottom-coded at 18 and top-coded at 85 for public use.

**Evaluation Report:** 

#### Unweighted frequencies:

SKNNMAGETC\_A Age when first told skin non-melanoma cancer

Code	Description	Frequency	Percent
18	18 years or younger		9 1.14
19-84	19-84 years	75	95.82
85	85+ years	1	1 1.39
97	Refused		0.00
98	Not Ascertained		0.00
99	Don't Know	1	3 1.65

Variable: SKNDKCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Skin cancer (don't know what kind) mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: skin cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that skin cancer but don't know what kind was one of

those cancers mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

SKNDKCAN\_A Skin cancer (don't know what kind) mentioned

Code	Description	Frequency	Percent
1	Mentioned	195	5.34
2	Not mentioned	3436	94.03
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: SKNDKAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had skin cancer (don't know what kind)

Recode: Yes

Universe: HHSTAT\_A=1 and SKNDKCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had skin cancer (don't know what

kind)

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: skin cancer

Notes: This is bottom-coded at 18 and top-coded at 85 for public use.

**Evaluation Report:** 

#### Unweighted frequencies:

 $\textbf{SKNDKAGETC\_A} \quad \textbf{Age when first told had skin cancer (don't know what kind)}$ 

Code	Description	Frequency	Percent
18	18 years or younger	3	1.54
19-84	19-84 years	179	91.79
85	85+ years	7	3.59
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	6	3.08

Variable: STOMACAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Stomach cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: gastric; digestive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that stomach cancer was one of those cancers mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

STOMACAN\_A Stomach cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	19	0.52
2	Not mentioned	3612	98.85
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: STOMAAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had stomach cancer

Recode: Yes

Universe: HHSTAT\_A=1 and STOMACAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had stomach cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: gastric; digestive cancer
Notes: Top-coded for public use

**Evaluation Report:** 

### Unweighted frequencies:

STOMAAGETC\_A Age when first told had stomach cancer

Code	Description	Frequency	Percent
01-84	1-84 years	18	94.74
85	85+ years	1	5.26
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	0	0.00

Variable: THROACAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Throat - pharynx cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: head and neck cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that throat (pharyngeal) cancer was one of those cancers

mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

THROACAN\_A Throat - pharynx cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	31	0.85
2	Not mentioned	3600	98.52
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: THROAAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had throat-pharynx cancer

Recode: Yes

Universe: HHSTAT\_A=1 and THROACAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had throat-pharynx cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANKIND3\_A

Question ID:

Keywords: head and neck cancer

Notes: Top-coded for public use

**Evaluation Report:** 

### Unweighted frequencies:

 $\textbf{THROAAGETC\_A} \quad \textbf{Age when first told had throat-pharynx cancer}$ 

Code	Description	Frequency	Percent
01-84	1-84 years	30	96.77
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	1	3.23

Variable: THYROCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Thyroid cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: thyroid gland carcinoma; head and neck cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that thyroid cancer was one of those cancers mentioned.

**Evaluation Report:** 

### Unweighted frequencies:

THYROCAN\_A Thyroid cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	119	3.26
2	Not mentioned	3512	96.11
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: THYROAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had thyroid cancer

Recode: Yes

Universe: HHSTAT\_A=1 and THYROCAN\_A =1

Universe Description: Sample adults 18+ who were ever told they had thyroid cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: thyroid gland carcinoma; head and neck cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### Unweighted frequencies:

THYROAGETC\_A Age when first told had thyroid cancer

Code	Description	Frequency	Percent
01-84	1-84 years	117	98.32
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	2	1.68

Variable: UTERUCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Uterine cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1 and SEX\_A=2

Universe Description: Female sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: endometrial cancer; gynecologic cancer; reproductive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that uterine cancer was one of those cancers mentioned

among females.

**Evaluation Report:** 

#### Unweighted frequencies:

UTERUCAN A Uterine cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	117	5.55
2	Not mentioned	1978	93.83
7	Refused	8	0.38
8	Not Ascertained	0	0.00
9	Don't Know	5	0.24

Variable: UTERUAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age when first told had uterine cancer

Recode: Yes

Universe: HHSTAT\_A=1 and UTERUCAN\_A=1

Universe Description: Female sample adults 18+ who were ever told they had uterine cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: endometrial cancer; gynecologic cancer; reproductive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### Unweighted frequencies:

UTERUAGETC\_A Age when first told had uterine cancer

Code	Description	Frequency	Percent
01-84	1-84 years	116	99.15
85	85+ years	0	0.00
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	1	0.85

Variable: HDNCKCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Head and neck cancers mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: Cancers of the mouth; tongue; lip; larynx; trachea; throat or pharynx

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that larynx-tracheal, mouth/tongue/lip, or throat

(pharyngeal) cancer were mentioned.

**Evaluation Report:** 

#### Unweighted frequencies:

HDNCKCAN A Head and neck cancers mentioned

Code	Description	Frequency	Percent
1	Mentioned	48	1.31
2	Not mentioned	3583	98.06
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: HDNCKAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had head or neck cancer

Recode: Yes

Universe: HHSTAT\_A=1 and HDNCKCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had head or neck cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: Cancers of the mouth; tongue; lip; larynx; trachea; throat or pharynx

Notes: Top-coded for public use

**Evaluation Report:** 

#### Unweighted frequencies:

HDNCKAGETC\_A Age when first told had head or neck cancer

Code	Description	Frequency	Percent
01-84	1-84 years	46	95.83
85	85+ years		2.08
97	Refused		0.00
98	Not Ascertained		0.00
99	Don't Know		1 2.08

Variable: COLRCCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult

Data Type: Numeric

Length: 1

Question Text:

**Description:** Colorectal cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

Keywords: large intestine or rectum; bowel; digestive cancer

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This recode indicates that colon or rectal cancer was one of those cancers

mentioned.

**Evaluation Report:** 

#### Unweighted frequencies:

COLRCCAN A Colorectal cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	198	5.42
2	Not mentioned	3433	93.95
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: COLRCAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Age when first told had colon or rectal cancer

Recode: Yes

Universe: HHSTAT\_A=1 and COLRCCAN\_A=1

Universe Description: Sample adults 18+ who were ever told they had colon or rectal cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

Keywords: large intestine or rectum; bowel; digestive cancer

Notes: Top-coded for public use

**Evaluation Report:** 

#### Unweighted frequencies:

COLRCAGETC\_A Age when first told had colon or rectal cancer

Code	Description	Frequency	Percent
01-84	1-84 years	184	92.93
85	85+ years	10	5.05
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	4	2.02

Variable: OTHERCANP\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Other cancer mentioned

Recode: Yes

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources: CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** malignant growth

Notes: Up to three different kinds of cancers could be mentioned by the sample adult.

This is a public use recode that indicates that other kind of cancer, not included in previous cancer kind recodes, was mentioned. This recode also includes kidney and testicular cancer, which are not available as separate

variables in the public-use file.

**Evaluation Report:** 

#### Unweighted frequencies:

OTHERCANP\_A Other cancer mentioned

Code	Description	Frequency	Percent
1	Mentioned	310	8.48
2	Not mentioned	3321	90.89
7	Refused	10	0.27
8	Not Ascertained	0	0.00
9	Don't Know	13	0.36

Variable: OTHERAGETC\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length:

Question Text:

Description: Age when first told had other cancer

Recode: Yes

Universe: HHSTAT\_A=1 and OTHERCANP\_A=1

Universe Description: Sample adults 18+ who were ever told they had other cancer, including kidney

or testicular cancer

Sources: CANKIND1\_A-CANKIND3\_A and CANAGE1\_A-CANAGE3\_A

Question ID:

**Keywords:** malignant growth

Notes: This is bottom-coded at 18 and top-coded at 85 for public use. This recode

includes sample adults who provided an age when first told to have other kind of cancer, kidney, or testicular cancer, and those who answered refused or don't know to kind of cancer but provided an age for that unspecified cancer.

**Evaluation Report:** 

#### Unweighted frequencies:

OTHERAGETC\_A Age when first told had other cancer

Code	Description	Frequency	Percent
18	18 years or younger	10	3.23
19-84	19-84 years	290	93.55
85	85+ years	!	1.61
97	Refused		0.32
98	Not Ascertained		0.00
99	Don't Know		1.29

Variable: NUMCAN\_A

Module: Adult

Section: CAN : Cancer

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Number of reported types of cancers

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: CANEV\_A and CANKIND1\_A-CANKIND3\_A

Question ID:

**Keywords:** multiple types of malignant growth

Notes: This recode indicates the number of different kinds of cancer mentioned.

**Evaluation Report:** 

#### Unweighted frequencies:

NUMCAN\_A Number of reported types of cancers

Code	Description	Frequenc	у	Percent
0	No cancer	2	25799	87.51
1-3	1-3 cancers		3643	12.36
4	4 or more cancers		11	0.04
7	Refused		20	0.07
8	Not Ascertained		0	0.00
9	Don't Know		9	0.03

Variable: PREDIB\_A
Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Has a doctor or other health professional EVER told you that you had

prediabetes or borderline diabetes?

**Description:** Ever had prediabetes

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: DIB.0010.00.1

**Keywords:** borderline diabetes; prediabetic; impaired fasting glucose; impaired glucose

tolerance; high blood sugar

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### Unweighted frequencies:

PREDIB\_A Ever had prediabetes

Code	Description	Frequency	Percent
1	Yes	4587	15.56
2	No	24852	84.30
7	Refused	18	0.06
8	Not Ascertained	0	0.00
9	Don't Know	25	0.08

Variable: GESDIB\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Has a doctor or other health professional EVER told you that you had

gestational diabetes, a type of diabetes that occurs ONLY during pregnancy?

\* Read if necessary: Gestational diabetes is diabetes that you did not have prior to being pregnant and goes away after you are pregnant. Pregnant women are usually screened for gestational diabetes during the 24th to 28th week of

pregnancy.

**Description:** Gestational diabetes

Recode:

Universe: HHSTAT\_A=1 and SEX\_A=2
Universe Description: Female sample adults 18+

Sources:

Question ID: DIB.0020.00.1

**Keywords:** diabetes during pregnancy; sugar in the blood; high blood sugar; sugar

diabetes; endocrine

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

### Unweighted frequencies:

GESDIB\_A Gestational diabetes

Code	Description	Frequency	Percent
1	Yes	91;	5.67
2	No	15156	94.09
7	Refused		0.04
8	Not Ascertained		0.01
9	Don't Know	32	0.20

Variable: DIBEV\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^NOTPREGDM a doctor or other health professional EVER told you that you had

diabetes?

Fills: ^NOTPREGDM Has/Not including (gestational diabetes, prediabetes),

has

**Description:** Ever had diabetes

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: DIB.0030.00.1

Keywords: onset diabetes; sugar diabetes; high blood sugar; diabetic; endocrine

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

DIBEV\_A Ever had diabetes

Code	Description	Frequency	Percent
1	Yes	3134	10.63
2	No	26318	89.27
7	Refused	18	0.06
8	Not Ascertained	0	0.00
9	Don't Know	12	0.04

Variable: DIBAGETC\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age first diagnosed w/diabetes

Recode: Yes

Universe: HHSTAT\_A=1 and DIBEV\_A=1

Universe Description: Sample adults 18+ who were told they had diabetes

Sources: DIBAGE\_A

Question ID:

**Keywords:** age of diagnosis; sugar diabetes; sugar in the blood; endocrine

Notes: This recode is the age first diagnosed with diabetes and is top-coded at 85

for confidentiality.

**Evaluation Report:** 

#### Unweighted frequencies:

DIBAGETC\_A Age first diagnosed w/diabetes

Code	Description	Frequency	Percent
01-84	1-84 years	3023	96.46
85	85+ years	11	0.35
97	Refused	1	0.03
98	Not Ascertained	0	0.00
99	Don't Know	99	3.16

Variable: DIFYRSTC1\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

**Description:** Years since first diagnosed w/diabetes

Recode: Yes

Universe: HHSTAT\_A=1 and DIBEV\_A=1

Universe Description: Sample adults 18+ who were told they had diabetes

Sources: DIBAGE\_A; AGE\_FINAL

Question ID:

**Keywords:** years since diagnosis; duration of diabetes; years/time with diabetes; sugar

in the blood; endocrine

Notes: This recode is the calculation of years since first diagnosed with diabetes

(the difference between age at diabetes onset and current age). For persons  $85\,$ 

or older, this difference may be underestimated because age and age of

diabetes diagnosis are top-coded at 85. For some with 1 year difference, onset

will be within the past year.

**Evaluation Report:** 

#### Unweighted frequencies:

DIFYRSTC1\_A Years since first diagnosed w/diabetes

Code	Description	Frequency	Percent
00	Within past year	84	2.68
01-84	1-84 years	2935	93.65
96	Age 85+ and diagnosed at age 85+	11	0.35
97	Refused	1	0.03
98	Not Ascertained	0	0.00
99	Don't Know	103	3.29

Variable: DIBPILL\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Are you NOW taking diabetic pills to lower your blood sugar? These are

sometimes called oral agents or oral hypoglycemic agents.

**Description:** Taking diabetic pills

Recode:

Universe: HHSTAT\_A=1 and (PREDIB\_A=1 or DIBEV\_A=1)

Universe Description: Sample adults 18+ who were told they had prediabetes and/or diabetes

Sources:

Question ID: DIB.0050.00.1

**Keywords:** prediabetes; oral medication; diabetes treatment; high blood sugar; endocrine

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### Unweighted frequencies:

DIBPILL\_A Taking diabetic pills

Code	Description	Frequency	Percent
1	Yes	2805	49.19
2	No	2888	50.65
7	Refused	2	0.04
8	Not Ascertained	0	0.00
9	Don't Know	7	0.12

Variable: DIBINS\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Insulin can be taken by shot or pump. Are you NOW taking insulin?

**Description:** Taking insulin

Recode:

Universe: HHSTAT\_A=1 and (PREDIB\_A=1 or DIBEV\_A=1)

Universe Description: Sample adults 18+ who were told they had prediabetes and/or diabetes

Sources:

Question ID: DIB.0060.00.1

**Keywords:** insulin use; insulin shot; insulin pump; high blood sugar; diabetes treatment

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### Unweighted frequencies:

DIBINS\_A Taking insulin

Code	Description	Frequency	Percent
1	Yes	1004	17.61
2	No	4694	82.32
7	Refused	2	0.04
8	Not Ascertained	0	0.00
9	Don't Know	2	0.04

Variable: DIBINSTIME\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Thinking back to when you were first diagnosed with diabetes, how long was it

before you started taking insulin?

**Description:** Time from diabetes to insulin

Recode:

Universe: HHSTAT\_A=1 and DIBEV\_A=1 and DIBINS\_A=1

Universe Description: Sample adults 18+ who have diabetes and take insulin

Sources:

Question ID: DIB.0070.00.3

**Keywords:** insulin use; duration; diabetes treatment; insulin therapy; high blood sugar

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

 $\label{limit} \textbf{DIBINSTIME\_A} \quad \text{Time from diabetes to insulin}$ 

Code	Description	Frequency	Percent
1	Less than 1 month	257	26.17
2	1 month to less than 6 months	65	6.62
3	6 months to less than 1 year	45	4.58
4	1 year or more	592	60.29
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	23	2.34

Variable: DIBINSSTOP\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Since you started taking insulin, have you ever stopped taking it for more

than 6 months?

**Description:** Ever stop using insulin

Recode:

Universe: HHSTAT\_A=1 and DIBEV\_A=1 and DIBINS\_A=1

Universe Description: Sample adults 18+ who have diabetes and take insulin

Sources:

Question ID: DIB.0080.00.3

**Keywords:** insulin use; diabetes treatment; high blood sugar; not on insulin; diabetic

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

DIBINSSTOP\_A Ever stop using insulin

Code	Description	Frequency	Percent
1	Yes	60	6.11
2	No	921	93.79
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.10

Variable: DIBINSSTYR\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Was this only during the first year after you were diagnosed with diabetes?

**Description:** Only stop insulin in first year

Recode:

Universe: HHSTAT\_A=1 and DIBINSTIME\_A IN (1,2,3) and DIBINSSTOP\_A=1

Universe Description: Sample adults 18+ who have diabetes, who started taking insulin less than 1

year from when they were diagnosed with diabetes, and who stopped taking

insulin for more than 6 months.

Sources:

Question ID: DIB.0090.00.3

Keywords: insulin use; not on insulin; diabetes treatment; high blood sugar; diabetic

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

DIBINSSTYR\_A Only stop insulin in first year

Code	Description	Frequency	Percent
1	Yes	9	32.14
2	No	18	64.29
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	3.57

Variable: INSSKIP12M\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, were any of the following true for you?

 $\dots$ You skipped insulin doses to save money.

**Description:** Skipped insulin, past 12m

Recode:

Universe: HHSTAT\_A=1 and DIBINS\_A=1

Universe Description: Sample adults 18+ who take insulin

Sources:

Question ID: DIB.0100.00.3

**Keywords:** diabetes treatment; medication adherence; cost; high blood sugar; diabetic

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

 $\textbf{INSSKIP12M\_A} \quad \textbf{Skipped insulin, past } \textbf{12m}$ 

Code	Description	Frequency	Percent
1	Yes	95	9.46
2	No	909	90.54
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: INSLESS12M\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: During the past 12 months, were any of the following

true for you?

...You took less insulin than needed to save money.

**Description:** Took less insulin, past 12m

Recode:

Universe: HHSTAT\_A=1 and DIBINS\_A=1

Universe Description: Sample adults 18+ who take insulin

Sources:

Question ID: DIB.0110.00.3

**Keywords:** diabetes treatment; medication adherence; cost; high blood sugar; diabetic

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

INSLESS12M\_A Took less insulin, past 12m

Code	Description	Frequency	Percent
1	Yes	101	10.06
2	No	903	89.94
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: INSDLY12M\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: During the past 12 months, were any of the following

true for you?

...You DELAYED buying insulin to save money.

**Description:** Delayed buying insulin, past 12m

Recode:

Universe: HHSTAT\_A=1 and DIBINS\_A=1

Universe Description: Sample adults 18+ who take insulin

Sources:

Question ID: DIB.0120.00.3

**Keywords:** diabetes treatment; medication adherence; cost; high blood sugar; diabetic

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

INSDLY12M\_A Delayed buying insulin, past 12m

Code	Description	Frequency	Percent
1	Yes	118	11.75
2	No	886	88.25
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: DIBTYPE\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: According to your doctor or other health professional, what type of diabetes

do you have? Is it type 1, type 2, or some other type? If you don't remember

or weren't told, that's OK.

**Description:** Diabetes type

Recode:

Universe: HHSTAT\_A=1 and DIBEV\_A=1

Universe Description: Sample adults 18+ who were told they had diabetes

Sources:

Question ID: DIB.0130.00.1

**Keywords:** type of diabetes; sugar diabetes; onset diabetes; high blood sugar; endocrine

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

DIBTYPE\_A Diabetes type

Code	Description	Frequency	Percent
1	Type 1	24	7.95
2	Type 2	265	84.56
3	Other type of diabetes	6	5 2.07
7	Refused		0.00
8	Not Ascertained		0.00
9	Don't Know	17	5.42

Variable: DIBSTRESS\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past month, how often have you felt overwhelmed by the demands of

living with diabetes? Would you say always, usually, sometimes, rarely, or

never?

**Description:** Overwhelmed by diabetes

Recode:

Universe: HHSTAT\_A=1 and DIBEV\_A=1

Universe Description: Sample adults 18+ who were told they had diabetes

Sources:

Question ID: DIB.0140.00.3

Keywords: diabetic; high blood sugar; stress; distress; burden

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

 ${\bf DIBSTRESS\_A} \quad \hbox{ Overwhelmed by diabetes}$ 

Code	Description	Frequency	Percent
1	Always	202	6.45
2	Usually	123	3.92
3	Sometimes	606	19.34
4	Rarely	638	20.36
5	Never	1552	49.52
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	13	0.41

Variable: DIBCSTRESS\_A

Module: Adult

Section: DIB : Diabetes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Compared with the time before the coronavirus pandemic, would you say that you

now feel more overwhelmed by the demands of living with diabetes, less

overwhelmed, or about the same as before the pandemic?

**Description:** Change in diabetes distress

Recode:

Universe: HHSTAT\_A=1 and DIBEV\_A=1

Universe Description: Sample adults 18+ who were told they had diabetes

Sources:

Question ID: DIB.0150.00.3

Keywords: diabetic; high blood sugar; stress; burden; COVID-19

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

DIBCSTRESS\_A Change in diabetes distress

Code	Description	Frequency	Percent
1	Less overwhelmed	180	5.74
2	More overwhelmed	370	11.81
3	About the same	2567	81.91
7	Refused	4	0.13
8	Not Ascertained	0	0.00
9	Don't Know	13	0.41

Variable:	COPDEV_A
Module:	Adult
Section:	CON : Other Chronic Conditions
File(s):	Adult
Data Type:	Numeric
Length:	1
Question Text:	Have you EVER been told by a doctor or other health professional that you had
	Chronic Obstructive Pulmonary Disease, C.O.P.D., emphysema, or chronic bronchitis?
Description:	Ever been told you had COPD, emphysema, or chronic bronchitis?
Recode:	
Universe:	HHSTAT_A=1
Universe Description:	Sample adults 18+
Sources:	
Question ID:	CON.0010.00.1
Keywords:	breathing difficulty; pulmonary
Notes:	
Evaluation Report:	https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

### Unweighted frequencies:

COPDEV\_A Ever been told you had COPD, emphysema, or chronic bronchitis?

Code	Description	Frequency	Percent
1	Yes	1683	5.71
2	No	27760	94.16
7	Refused	19	0.06
8	Not Ascertained	0	0.00
9	Don't Know	20	0.07

Variable: ARTHEV\_A

Module: Adult

Section: CON : Other Chronic Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

...Some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

(fy-bro-my-AL-jee-uh)?

**Description:** Ever had arthritis

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

ARTHEV\_A Ever had arthritis

Code	Description	Frequency	Percent
1	Yes	760	8 25.81
2	No	2183	74.06
7	Refused	2	0.07
8	Not Ascertained		0.00
9	Don't Know	2	0.07

Variable: DEMENEV\_A

Module: Adult

Section: CON : Other Chronic Conditions

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

...Dementia, including Alzheimer's disease?

**Description:** Ever had dementia

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CON.0030.00.1

**Keywords:** memory; forgetful; Alzheimer's disease

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

**DEMENEV\_A** Ever had dementia

Code	Description	Frequency	Percent
1	Yes	375	1.27
2	No	29078	98.63
7	Refused	15	0.05
8	Not Ascertained	0	0.00
9	Don't Know	14	0.05

Variable: ANXEV\_A

Module: Adult

Section: CON : Other Chronic Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

... Any type of anxiety disorder?

\* Read if necessary: Some common types of anxiety disorders include generalized anxiety disorder, social anxiety disorder, panic disorder, post-traumatic stress disorder, obsessive-compulsive disorder, and phobias.

**Description:** Ever had anxiety disorder

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CON.0040.00.1

**Keywords:** panic disorder; PTSD; OCD; phobia

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

ANXEV\_A Ever had anxiety disorder

Code	Description	Frequency	Percent
1	Yes	4866	16.48
2	No	24582	83.38
7	Refused	23	0.08
8	Not Ascertained	6	0.00
9	Don't Know	17	0.06

Variable: DEPEV\_A

Module: Adult

Section: CON : Other Chronic Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

... Any type of depression?

\* Read if necessary: Some common types of depression include major depression (or major depressive disorder), bipolar depression, dysthymia, post-partum

depression, and seasonal affective disorder.

**Description:** Ever had depression

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CON.0050.00.1

**Keywords:** post-partum depression; bipolar; seasonal affective disorder

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

DEPEV\_A Ever had depression

Code	Description	Frequency	Percent
1	Yes	5367	18.20
2	No	24063	81.62
7	Refused	23	0.08
8	Not Ascertained	0	0.00
9	Don't Know	29	0.10

Variable: KIDWEAKEV\_A Module: Adult Section: RCN : Rotating Conditions File(s): Adult Data Type: Numeric Length: Question Text: \* Read if necessary: Have you EVER been told by a doctor or other health professional that you had ...Weak or failing kidneys? \* Read if necessary: Do not include kidney stones, bladder infections, or incontinence. Description: Ever had weak/failing kidneys Recode: Universe: HHSTAT\_A=1 Universe Description: Sample adults 18+ Sources: Question ID: RCN.0010.00.4 Keywords: renal failure Notes: Question fielded since quarter 3 and quarter 4 of 2020. **Evaluation Report:** 

#### Unweighted frequencies:

KIDWEAKEV\_A Ever had weak/failing kidneys

Code	Description	Frequency	Percent
1	Yes	998	3.39
2	No	28452	96.51
7	Refused	15	0.05
8	Not Ascertained	0	0.00
9	Don't Know	17	0.06

Variable: HEPEV\_A

Module: Adult

Section: RCN : Rotating Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

...Hepatitis?

**Description:** Ever had hepatitis

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: RCN.0020.00.4
Keywords: liver inflammation

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

**Evaluation Report:** 

#### Unweighted frequencies:

HEPEV\_A Ever had hepatitis

Code	Description	Frequency	Percent
1	Yes	564	1.91
2	No	28889	97.99
7	Refused	18	0.06
8	Not Ascertained	0	0.00
9	Don't Know	11	0.04

Variable: LIVEREV\_A

Module: Adult

Section: RCN : Rotating Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

...Cirrhosis (suh-ROE-siss) or any other kind of long-term liver condition?

**Description:** Ever had cirrhosis/liver condition

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: RCN.0030.00.4

**Keywords:** hepatic cirrhosis; liver damage

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

**Evaluation Report:** 

### Unweighted frequencies:

LIVEREV\_A Ever had cirrhosis/liver condition

Code	Description	Frequency	Percent
1	Yes	285	0.97
2	No	29168	98.93
7	Refused	16	0.05
8	Not Ascertained	0	0.00
9	Don't Know	13	0.04

Variable: CFSEV\_A

Module: Adult

Section: RCN : Rotating Conditions

1

File(s): Adult
Data Type: Numeric

Question Text: Read if necessary: Have you EVER been told by a doctor or other health

professional that you had

...Chronic Fatigue Syndrome (CFS) or Myalgic Encephalomyelitis (My-AL-jick In-

seff-ah-low-my-uh-LIE-tiss) (ME)?

**Description:** Ever had Chronic Fatigue Syndrome

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** RCN.0040.00.3

**Keywords:** myalgic encephelomyelitis; extreme tiredness

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CFSEV\_A Ever had Chronic Fatigue Syndrome

Code	Description	Frequency	Percent
1	Yes	429	1.46
2	No	29005	98.38
7	Refused	18	0.06
8	Not Ascertained	0	0.00
9	Don't Know	30	0.10

Variable: CFSNOW\_A

Module: Adult

Section: RCN : Rotating Conditions

1

File(s): Adult
Data Type: Numeric

Question Text: Do you still have Chronic Fatigue Syndrome (CFS) or ME?

\* Read if necessary: ME is also known as Myalgic Encephalomyelitis (My-AL-jick

In-seff-ah-low-my-uh-LIE-tiss).

**Description:** Still have Chronic Fatigue Syndrome

Recode:

Length:

Universe: HHSTAT\_A=1 and CFSEV\_A=1

Universe Description: Sample adults 18+ who have been told by a doctor or other health professional

that they had Chronic Fatigue Syndrome or Myalgic Encephalomyelitis

Sources:

Question ID: RCN.0050.00.3

**Keywords:** myalgic encephelomyelitis; extreme tiredness

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CFSNOW\_A Still have Chronic Fatigue Syndrome

Code	Description	Frequency	Percent
1	Yes	350	81.59
2	No	71	16.55
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	8	1.86

Variable: COLDFLU12M\_A

Module: Adult

Section: RCN : Rotating Conditions

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you had a head cold or flu for longer than a

month:

Description: Cold or flu 12m

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: RCN.0060.00.3
Keywords: influenza

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

 $\begin{tabular}{ll} \textbf{COLDFLU12M\_A} & \textbf{Cold or flu 12m} \end{tabular}$ 

Code	Description	Frequency	Percent
1	Yes	650	2.20
2	No	28816	97.74
7	Refused	10	0.03
8	Not Ascertained	0	0.00
9	Don't Know	6	0.02

Variable: DRYMTH12M\_A

Module: Adult

Section: RCN : Rotating Conditions

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you had persistent dry mouth?

Description: Dry mouth 12m

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: RCN.0070.00.3
Keywords: xerostomia

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

DRYMTH12M\_A Dry mouth 12m

Code	Description	Frequency	Percent
1	Yes	1755	5.95
2	No	27698	93.95
7	Refused	10	0.03
8	Not Ascertained	0	0.00
9	Don't Know	19	0.06

Variable: MEDRXTRT\_A Module: Adult Section:  ${\tt ISN} \, : \, {\tt Immunosuppression}$ File(s): Adult Data Type: Numeric Length: Question Text: In the past 12 months, have you taken prescription medication or had any medical treatments that a doctor or other health professional told you would weaken your immune system? \* Read if necessary: Examples include steroid or corticosteroid (Core-tih-coe-STAIR-oid) pills, such as prednisone (PRED-nuh-sown), or other oral or injected medications for treating many types of autoimmune conditions or certain cancers. Description: Weakened immune system due to prescriptions Recode: Universe: HHSTAT\_A=1 Universe Description: Sample adults 18+ Sources: Question ID: ISN.0010.00.4 Keywords: took medicine; drugs; rx; immunosuppression; immunocompromised Notes: Question fielded since quarter 3 and quarter 4 of 2020. **Evaluation Report:** 

#### Unweighted frequencies:

MEDRXTRT\_A Weakened immune system due to prescriptions

Code	Description	Frequency	Percent
1	Yes	1263	4.28
2	No	28111	95.35
7	Refused	15	0.05
8	Not Ascertained	0	0.00
9	Don't Know	93	0.32

Variable: HLTHCOND\_A

Module: Adult

Section: ISN : Immunosuppression

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Do you currently have a health condition that a doctor or other health

professional told you weakens the immune system^MEDTRT?

\* Read if necessary: Examples include certain kinds of leukemia, lymphoma, or

HIV infection.

Fills: ^MEDTRT , even without related medications or treatments

**Description:** Weakened immune system due to health condition

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: ISN.0020.00.4

**Keywords:** immunosuppression; immunocompromised; underlying health conditions

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

**Evaluation Report:** 

#### Unweighted frequencies:

HLTHCOND\_A Weakened immune system due to health condition

Code	Description	Frequency	Percent
1	Yes	1425	4.83
2	No	27948	94.80
7	Refused	16	0.05
8	Not Ascertained	0	0.00
9	Don't Know	93	0.32

Variable: EPIEV\_A

Module: Adult

Section: EPI : Epilepsy

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you ever been told by a doctor or other health professional that you have

a seizure disorder or epilepsy?

**Description:** Ever had epilepsy

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: EPI.0010.00.3

Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

EPIEV\_A Ever had epilepsy

Code	Description	Frequency	Percent
1	Yes	511	1.73
2	No	28953	98.21
7	Refused	12	0.04
8	Not Ascertained	0	0.00
9	Don't Know	6	0.02

Variable: EPIMED\_A

Module: Adult

Section: EPI : Epilepsy

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Are you currently taking any medicine to control your seizure disorder or

epilepsy?

**Description:** Take medication for epilepsy

Recode:

Universe: HHSTAT\_A=1 and EPIEV\_A=1

Universe Description: Sample adults 18+ who ever had epilepsy

Sources:

Question ID: EPI.0020.00.3

Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

EPIMED\_A Take medication for epilepsy

Code	Description	Frequency	Percent
1	Yes	269	52.64
2	No	241	47.16
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.20

Variable: EPINUMSEZP\_A

Module: Adult

**Section:** EPI : Epilepsy

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Today is ^CURRENTDATE. Think back to the last year about the same time. About

how many seizures of any type have you had during the past 12 months?

\* Read if necessary: Some people may call it a "convulsion," "fit," "falling out spell," "episode," "attack," "drop attack," "staring spell," or "out-of-

touch."

\* If the respondent mentions and counts "auras" as seizures accept the

response.

\* If the respondent indicates that he/she has had nothing more than an aura and is unsure about counting the aura(s), do NOT count auras as seizures.

Fills: ^CURRENTDATE This fill will show the current date

**Description:** How many seizures past 12 months

Recode: Yes

Universe: HHSTAT\_A=1 and EPIEV\_A=1

Universe Description: Sample adults 18+ who ever had epilepsy

Sources: EPINUMSEIZ\_A

Question ID:

Keywords: seizure

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

EPINUMSEZP\_A How many seizures past 12 months

Code	Description	Frequency	Percent
0	0	350	68.49
1	1	36	7.05
2	2 or 3	60	11.74
3	4 or more	59	11.55
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't know	6	1.17

Variable: EPIDR\_A

Module: Adult

Section: EPI : Epilepsy

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you seen a neurologist or epilepsy specialist

for your seizure disorder or epilepsy?

**Description:** See a doctor for epilepsy

Recode:

Universe: HHSTAT\_A=1 and EPIEV\_A=1

Universe Description: Sample adults 18+ who ever had epilepsy

Sources:

Question ID: EPI.0040.00.3

Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

EPIDR\_A See a doctor for epilepsy

Code	Description	Frequency	Percent
1	Yes	205	40.12
2	No	306	59.88
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: CURRESP\_A Module: Adult

Section: ALG : Allergies

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Do you get symptoms such as sneezing, runny nose, or itchy or watery eyes due

to hay fever, seasonal or year-round allergies?

\* Read if necessary: Hay fever, seasonal or year-round allergies may also be

known as environmental allergies, allergic rhinitis or allergic

conjunctivitis.

**Description:** Current respiratory allergy

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: ALG.0020.00.2
Keywords: hayfever; allergy

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

CURRESP\_A Current respiratory allergy

Code	Description	Frequency	Percent
1	Yes	14617	49.58
2	No	14827	50.29
7	Refused	9	0.03
8	Not Ascertained	0	0.00
9	Don't Know	29	0.10

Variable: DXRESP\_A

Module: Adult

Section: ALG : Allergies

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you ever been told by a doctor or other health professional that you had

hay fever, seasonal or year-round allergies?

\* Read if necessary: Hay fever, seasonal or year-round allergies may also be

known as environmental allergies, allergic rhinitis or allergic

conjunctivitis.

**Description:** Respiratory allergy diagnosis

Recode:

Universe: HHSTAT\_A=1 and CURRESP\_A=1

Universe Description: Sample adults 18+ with a current respiratory allergy

Sources:

Question ID: ALG.0030.00.2
Keywords: hayfever; allergy

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

DXRESP\_A Respiratory allergy diagnosis

Code	Description	Frequency	Percent
1	Yes	7753	53.04
2	No	6825	46.69
7	Refused	(	0.00
8	Not Ascertained	(	0.00
9	Don't Know	39	0.27

Variable: CURFOOD\_A

Module: Adult

Section: ALG : Allergies

File(s): Adult
Data Type: Numeric

Length: 1

**Question Text:** The next question is about food allergies. People with food allergies have

reactions such as hives, vomiting, trouble breathing, or throat tightening

that occur within two hours of eating a specific food.

Do you have an allergy to one or more foods?

\* Read if necessary: Food allergies are different from food intolerances, such as lactose and gluten intolerance, and other digestive disorders, including

irritable bowel syndrome.

**Description:** Current food allergy

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: ALG.0040.00.2
Keywords: food allergy

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CURFOOD\_A Current food allergy

Code	Description	Frequency	Percent
1	Yes	2950	10.01
2	No	26489	89.85
7	Refused	9	0.03
8	Not Ascertained	0	0.00
9	Don't Know	34	0.12

Variable: DXFOOD\_A

Module: Adult

Section: ALG : Allergies

File(s): Adult
Data Type: Numeric

Question Text: Have you ever been told by a doctor or other health professional that you had

an allergy to one or more foods?

\* Read if necessary: Food allergies are different from food intolerances, such

as lactose and gluten intolerance, and other digestive disorders, including

 $irritable\ bowel\ syndrome.$ 

**Description:** Food allergy diagnosis

1

Recode:

Length:

Universe: HHSTAT\_A=1 and CURFOOD\_A=1

Universe Description: Sample adults 18+ with a current food allergy

Sources:

Question ID: ALG.0050.00.2
Keywords: food allergy

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

DXFOOD\_A Food allergy diagnosis

Code	Description	Frequency	Percent	
1	Yes	1	855 6	2.88
2	No	1	992 3°	7.02
7	Refused		0	0.00
8	Not Ascertained		0	0.00
9	Don't Know		3	0.10

Variable: CURSKIN\_A

Module: Adult

Section: ALG : Allergies

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: The next question is about an allergic skin condition. Do you get an itchy

rash due to eczema or atopic dermatitis?

\* Read if necessary: The rash can be dry, scaly, bumpy, or crusty and lasts for several days or longer without treatment. Eczema is different from hives

which come and go in a few hours.

**Description:** Current skin allergy

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: ALG.0060.00.2

**Keywords:** eczema; skin allergy; skin condition

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CURSKIN\_A Current skin allergy

Code	Description	Frequency	Percent
1	Yes	323	1 10.96
2	No	2620	0 88.87
7	Refused		8 0.03
8	Not Ascertained		0.00
9	Don't Know	4	3 0.15

Variable: DXSKIN\_A

Module: Adult

Section: ALG : Allergies

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Have you ever been told by a doctor or other health professional that you had

eczema or atopic dermatitis?

**Description:** Skin allergy diagnosis

Recode:

Universe: HHSTAT\_A=1 and CURSKIN\_A=1

Universe Description: Sample adults 18+ with a current skin allergy

Sources:

Question ID: ALG.0070.00.2

**Keywords:** eczema; skin allergy; skin condition

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

DXSKIN\_A Skin allergy diagnosis

Code	Description	Frequency	Percent
1	Yes	2171	67.19
2	No	1042	32.25
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	18	0.56

**PUBLIC USE** 

Variable: PREGNOW\_A

Module: Adult

Section: BMI : Current pregnancy, height, weight

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Are you currently pregnant?

**Description:** Pregnant now

Recode:

Universe: HHSTAT\_A=1 and SEX\_A=2 and ((18<=AGEP\_A<=49) or AGEP\_A IN (97,99))

Universe Description: Female sample adults 18-49 or age is don't know or refused

Sources:

Question ID: BMI.0010.00.1

Keywords: antenatal; prenatal

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PREGNOW\_A Pregnant now

Code	Description	Frequency	Percent
1	Yes	206	2.97
2	No	6711	96.91
7	Refused	1	0.01
8	Not Ascertained	2	0.03
9	Don't Know	5	0.07

Variable: HEIGHTTC\_A

Module: Adult

Section: BMI : Current pregnancy, height, weight

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Height without shoes (inches), public use

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HEIGHT\_A

Question ID:

**Keywords:** height without shoes; stature

Notes: HEIGHTTC\_A includes values of 63-76 inches for men and 59-70 inches for women.

Not available (96) refers to persons who had extreme values in either height or weight or both. Additionally since 2019, all sample adults for whom sex was answered as don't know or refused were also coded as 96 for height and 996 for weight due to the sex-specific height and weight limits for public data

release. See Survey Description Document for details.

**Evaluation Report:** 

#### Unweighted frequencies:

HEIGHTTC\_A Height without shoes (inches), public use

Code	Description	Frequency	Percent
59-76	59-76 inches	2741	7 93.00
96	Not available	194	9 6.61
97	Refused	3	0 0.10
98	Not Ascertained	1	9 0.06
99	Don't Know	6	7 0.23

Variable: WEIGHTLBTC\_A

Module: Adult

Section: BMI : Current pregnancy, height, weight

File(s): Adult
Data Type: Numeric

Length: 3

Question Text:

**Description:** Weight without shoes (pounds), public use

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+
Sources: WEIGHTLB\_A; WTLB\_A

Question ID:

**Keywords:** body weight; weight in lbs.

Notes: Not available (996) refers to persons who had (sex-specific) extreme values

for either height or weight or both, that cannot be released for reasons of confidentiality. Additionally since 2019, all sample adults for whom sex was answered as don't know or refused were also coded as 96 for height and 996 for weight due to the sex-specific height and weight limits for public data release. WEIGHTLBTC\_A includes values of 126-299 lbs for men and 100-274 lbs for women. Pregnant women, aged 18-49 years, were not excluded from this question and they may be identified using the variable PREGNOW\_A. See Survey

Description Document for details.

**Evaluation Report:** 

#### Unweighted frequencies:

WEIGHTLBTC\_A Weight without shoes (pounds), public use

Code	Description	Frequency	Percent
100-299	100-299 pounds	26887	91.20
996	Not available	1949	6.61
997	Refused	383	1.30
998	Not Ascertained	0	0.00
999	Don't Know	263	0.89

Variable: BMICAT\_A

Module: Adult

Section: BMI : Current pregnancy, height, weight

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Categorical Body Mass Index, public use

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+
Sources: BMI A; BMI A 1

Question ID:

Keywords: Body Mass Index; height; BMI category; underweight; healthy weight;

overweight; obese; obesity

Notes: BMI was calculated using the in-house version of the height and weight

variables, which contain the greater range of height and weight values than are available on the public use file. The range of possible BMI values listed (0001-9994) does not reflect actual calculated BMI values at the extremes of the range, but rather, allows for the theoretical possibility of such unlikely values. BMI = [Weight (kg)/[Height (m) squared]] rounded to 2 decimal places. Conversion factors: 1 kilogram (kg) = 2.20462 pounds; 1 meter (m) = 39.37008 inches. For both men and women, underweight is BMI < 18.5; healthy weight is

BMI 18.5 to <25; overweight is BMI >= 25 to <30; obese is BMI >= 30.

**Evaluation Report:** 

#### Unweighted frequencies:

BMICAT\_A Categorical Body Mass Index, public use

Code	Description	Frequency	Percent
1	Underweight	463	1.57
2	Healthy weight	9144	31.02
3	Overweight	9917	33.64
4	Obese	9225	31.29
9	Unknown	733	2.49

Variable: WEARGLSS\_A

Module: Adult

Section: VIS : Vision

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Do you wear glasses or contact lenses?

\* Read if necessary: Persons who wear glasses to read or to do other

occasional tasks should answer yes to this question.

**Description:** Wear glasses/contact lenses

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: VIS.0020.00.1

**Keywords:** vision problems; contacts; eyeglasses; corrective lenses; eyesight; visual

acuity; functional limitation

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

WEARGLSS\_A Wear glasses/contact lenses

Code	Description	Frequency	Percent
1	Yes	19635	66.60
2	No	9840	33.38
7	Refused	6	0.02
8	Not Ascertained	0	0.00
9	Don't Know	1	0.00

Variable: VISIONDF\_A

Module: Adult

Section: VIS : Vision

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Do you have difficulty ^AGLASSCNTS? Would you say no difficulty, some

difficulty, a lot of difficulty, or you cannot do this at all?

Fills: ^AGLASSCNTS seeing, even when wearing glasses or contact

lenses/seeing

**Description:** Difficulty seeing

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: VIS.0030.00.1

**Keywords:** vision problems; difficulty seeing; trouble seeing; eyeglasses; contacts;

corrective lenses; eyesight; visual acuity; functional limitation; disability

Notes: This question is part of the Washington Group Composite Disability Indicator

for adults.

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Report.aspx?1216

#### Unweighted frequencies:

VISIONDF\_A Difficulty seeing

Code	Description	Frequency	Percent
1	No difficulty	24172	81.99
2	Some difficulty	4788	16.24
3	A lot of difficulty	460	1.56
4	Cannot do at all	44	0.15
7	Refused	5	0.02
8	Not Ascertained	0	0.00
9	Don't Know	13	0.04

Variable: HEARAID\_A

Module: Adult

Section: HEA : Hearing

File(s): Adult
Data Type: Numeric

Length: 1

**Question Text:** Do you use a hearing aid?

**Description:** Use hearing aid

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: HEA.0010.00.1

**Keywords:** assistive device; special equipment; medical technology; disability;

functional limitation; auditory

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

HEARAID\_A Use hearing aid

Code	Description	Frequency	Percent
1	Yes	1626	5.52
2	No	27851	94.47
7	Refused	4	0.01
8	Not Ascertained	0	0.00
9	Don't Know	1	0.00

Variable: HEARAIDFR\_A

Module: Adult

Section: HEA : Hearing

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How often do you use your hearing aid(s)? Would you say all of the time, some

of the time, rarely, or never?

**Description:** How often use hearing aid

Recode:

Universe: HHSTAT\_A=1 and HEARAID\_A=1

Universe Description: Sample adults 18+ who use a hearing aid

Sources:

Question ID: HEA.0020.00.1

**Keywords:** assistive device; special equipment; auditory difficulty; voices; music;

functional limitation; disability

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

 $\label{eq:hearaldfr} \textbf{HEARAIDFR\_A} \qquad \text{How often use hearing aid}$ 

Code	Description	Frequency	Percent
1	All of the time	88	54.49
2	Some of the time	50	31.24
3	Rarely	15	9.59
4	Never	7	4.67
7	Refused		0.00
8	Not Ascertained		0.00
9	Don't Know		0.00

Variable: HEARINGDF\_A

Module: Adult

Section: HEA : Hearing

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Do you have difficulty hearing^HEARAID? Would you say no difficulty, some

difficulty, a lot of difficulty, or you cannot do this at all?

Fills: ^HEARAID , even when using your hearing aid(s)

**Description:** Difficulty hearing

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: HEA.0030.00.1

**Keywords:** auditory difficulty; voices; music; functional limitation; disability

Notes: This question is part of the Washington Group Composite Disability Indicator

for adults.

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Report.aspx?1216

#### Unweighted frequencies:

#### HEARINGDF\_A Difficulty hearing

Code	Description	Frequency	Percent
1	No difficulty	24604	83.45
2	Some difficulty	4376	14.84
3	A lot of difficulty	458	1.55
4	Cannot do at all	29	0.10
7	Refused	5	0.02
8	Not Ascertained	0	0.00
9	Don't Know	10	0.03

Variable: HEARQTRM\_A

Module: Adult

Section: HEA : Hearing

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Do you have difficulty hearing what is said in a conversation with one other

person in a quiet room^HEARAID? Would you say no difficulty, some difficulty,

a lot of difficulty, or you cannot do this at all?

Fills: ^HEARAID , even when using your hearing aid(s)

**Description:** Hearing conversation in quiet room

Recode:

Universe: HHSTAT\_A=1 and HEARINGDF\_A IN (1,2,3,7,9)

Universe Description: Sample adults 18+ who have no difficulty, some difficulty or a lot of

difficulty hearing, even when using a hearing aid or refused or don't know

Sources:

Question ID: HEA.0040.00.2

**Keywords:** auditory difficulty; functional limitation; disability; hearing; Washington

Group

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

HEARQTRM\_A Hearing conversation in quiet room

Code	Description	Frequency	Percent
1	No difficulty	2738	92.99
2	Some difficulty	185	6.30
3	A lot of difficulty	18	9.62
4	Cannot do at all	1	0.04
7	Refused		9.01
8	Not Ascertained		0.00
9	Don't Know		0.03

Variable: HEARNYRM\_A

Module: Adult

Section: HEA : Hearing

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Do you have difficulty hearing what is said in a conversation with one other

person in a noisier room^HEARAID?

Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

Fills: ^HEARAID , even when using your hearing aid(s)

**Description:** Hearing conversation in noisy room

Recode:

Universe: HHSTAT\_A=1 and HEARQTRM\_A IN (1,2,3,7,9)

Universe Description: Sample adults 18+ who have no difficulty, some difficulty, or a lot of

difficulty, hearing what is said in a conversation with one other person in a quiet room, even when wearing their hearing aid(s) or refuse or don't know

Sources:

Question ID: HEA.0050.00.2

**Keywords:** auditory difficulty; functional limitation; disability; hearing; Washington

Group

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

HEARNYRM\_A Hearing conversation in noisy room

Code	Description	Frequency	Percent
1	No difficulty	20825	70.73
2	Some difficulty	7303	24.80
3	A lot of difficulty	1194	4.06
4	Cannot do at all	71	0.24
7	Refused	6	0.02
8	Not Ascertained	0	0.00
9	Don't Know	43	0.15

Variable: DIFF\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have difficulty walking or climbing steps? Would you say no difficulty,

some difficulty, a lot of difficulty, or you cannot do this at all?

**Description:** Difficulty walking/steps

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: MOB.0010.00.1

**Keywords:** ambulatory problem; difficulty; functional limitation

Notes: This question is part of the Washington Group Composite Disability Indicator

for adults.

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Report.aspx?1216

#### Unweighted frequencies:

DIFF\_A Difficulty walking/steps

Code	Description	Frequency	Percent
1	No difficulty	23298	79.02
2	Some difficulty	4294	14.56
3	A lot of difficulty	1565	5.31
4	Cannot do at all	313	1.06
7	Refused	6	0.02
8	Not Ascertained	0	0.00
9	Don't Know	6	0.02

Variable: EQUIP\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you use any equipment or receive help for getting around?

**Description:** Use equipment to get around

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: MOB.0020.00.1

Keywords: difficulty; mobility aids; assistance; functional limitation

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

**EQUIP\_A** Use equipment to get around

Code	Description	Frequency	Percent
1	Yes	2536	8.60
2	No	26938	91.37
7	Refused	8	0.03
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: WLK100\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Do you have difficulty walking 100 yards on level ground, that would be about

the length of one football field or one city block? Would you say no difficulty, some difficulty, a lot of difficulty, or you cannot do this at

all?

**Description:** Difficulty walking 100 yards

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A IN (2,7,9)

Universe Description: Sample adults 18+ who do not use equipment or receive help for getting around

or refused or don't know

Sources:

Question ID: MOB.0030.00.1

**Keywords:** ambulatory problem; difficulty; no equipment; mobility; functional limitation

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

WLK100\_A Difficulty walking 100 yards

Code	Description	Frequency	Percent
1	No difficulty	24595	91.28
2	Some difficulty	1693	6.28
3	A lot of difficulty	455	1.69
4	Cannot do at all	177	0.66
7	Refused	8	0.03
8	Not Ascertained	0	0.00
9	Don't Know	18	0.07

Variable: WLK13M\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have difficulty walking a third of a mile on level ground, that would

be the length of five football fields or five city blocks?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty walking 1/3 mile

Recode:

Universe: HHSTAT\_A=1 and WLK100\_A IN (1,2,3,7,9)

Universe Description: Sample adults 18+ who have no difficulty, some difficulty, or a lot of

difficulty walking 100 yards or refused or don't know

Sources:

Question ID: MOB.0040.00.1

**Keywords:** ambulatory problem; difficulty; no equipment; mobility; functional limitation

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

WLK13M\_A Difficulty walking 1/3 mile

Code	Description	Frequency	Percent
1	No difficulty	22962	85.78
2	Some difficulty	2364	8.83
3	A lot of difficulty	797	2.98
4	Cannot do at all	535	2.00
7	Refused	9	0.03
8	Not Ascertained	0	0.00
9	Don't Know	102	0.38

Variable: STEPS\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have difficulty walking up or down 12 steps?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, you cannot do this at all?

**Description:** Difficulty walking steps

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A IN (2,7,9)

Universe Description: Sample adults 18+ who do not use equipment or receive help for getting around

or refused or don't know

Sources:

Question ID: MOB.0050.00.1

Keywords: ambulatory problem; difficulty; no equipment; mobility; functional limitation

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

STEPS\_A Difficulty walking steps

Code	Description	Frequency	Percent
1	No difficulty	23594	87.56
2	Some difficulty	2574	9.55
3	A lot of difficulty	631	2.34
4	Cannot do at all	119	0.44
7	Refused	7	0.03
8	Not Ascertained	0	0.00
9	Don't Know	21	0.08

Variable: CANEWLKR\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you use any of the following...

...Cane or walker?

**Description:** Use cane or walker

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A=1

Universe Description: Sample adults 18+ who use equipment or receive help for getting around

Sources:

**Question ID:** MOB.0060.00.1

Keywords: difficulty walking or climbing stairs; walking stick; Zimmer frame; mobility

aid; equipment; assistance; functional limitation

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CANEWLKR\_A Use cane or walker

Code	Description	Frequency	Percent
1	Yes	2257	89.00
2	No	279	11.00
7	Refused	(	0.00
8	Not Ascertained	(	0.00
9	Don't Know	(	0.00

Variable: WCHAIR\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Do you use any of the following?

...Wheelchair or scooter?

**Description:** Use wheelchair/scooter

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A=1

Universe Description: Sample adults 18+ who use equipment or receive help for getting around

Sources:

Question ID: MOB.0070.00.1

Keywords: difficulty walking or climbing stairs; electric chair; mobility aid;

equipment; assistance; functional limitation

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

WCHAIR\_A Use wheelchair/scooter

Code	Description	Frequency	Percent
1	Yes	635	25.04
2	No	1901	74.96
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: PERASST\_A

Module: Adult

**Section:** MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Do you use any of the following?

...Someone's assistance?

**Description:** Use someone's assistance

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A=1

Universe Description: Sample adults 18+ who use equipment or receive help for getting around

Sources:

Question ID: MOB.0080.00.1

Keywords: difficulty walking or climbing stairs; use help; mobility aid; functional

limitation

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PERASST\_A Use someone's assistance

Code	Description	Frequency	Percent
1	Yes	1049	41.36
2	No	1486	58.60
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.04

Variable: NOEQWLK100\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length:

Question Text: WITHOUT THE USE OF YOUR AID, do you have difficulty walking 100 yards on level

ground, that would be about the length of one football field or one city block? Would you say no difficulty, some difficulty, a lot of difficulty, or

you cannot do this at all?

**Description:** Difficulty walking 100 yards without aid

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A=1

Universe Description: Sample adults 18+ who use equipment or receive help for getting around

Sources:

Question ID: MOB.0090.00.1

**Evaluation Report:** 

#### Unweighted frequencies:

NOEQWLK100\_A Difficulty walking 100 yards without aid

Code	Description	Frequency	Percent
1	No difficulty	468	18.45
2	Some difficulty	579	22.83
3	A lot of difficulty	540	21.29
4	Cannot do at all	940	37.07
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	9	0.35

Variable: NOEQWLK13M\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: WITHOUT THE USE OF YOUR AID, do you have difficulty walking a third of a mile

on level ground, that would be the length of five football fields or five city

blocks?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty walking 1/3 mile without aid

Recode:

Universe: HHSTAT\_A=1 and NOEQWLK100\_A IN (1,2,3,7,9)

Universe Description: Sample adults 18+ who have no difficulty, some difficulty, or a lot of

difficulty walking 100 yards without the use of their aid or refused or don't

know

Sources:

Question ID: MOB.0100.00.1

**Keywords:** ambulatory problem; difficulty; no equipment; mobility; functional limitation

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

NOEQWLK13M\_A Difficulty walking 1/3 mile without aid

Code	Description	Frequency	Percent
1	No difficulty	263	16.48
2	Some difficulty	375	23.50
3	A lot of difficulty	473	29.64
4	Cannot do at all	471	29.51
7	Refused	1	0.06
8	Not Ascertained	0	0.00
9	Don't Know	13	0.81

Variable: NOEQSTEPS\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: WITHOUT THE USE OF YOUR AID, do you have difficulty walking up or down 12

steps?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty walking steps without equipment

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A=1

Universe Description: Sample adults 18+ who use equipment or receive help for getting around

Sources:

Question ID: MOB.0110.00.1

**Keywords:** ambulatory problem; difficulty; no equipment; mobility; functional limitation

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

NOEQSTEPS\_A Difficulty walking steps without equipment

Code	Description	Frequency	Percent
1	No difficulty	430	16.96
2	Some difficulty	664	26.18
3	A lot of difficulty	653	25.75
4	Cannot do at all	776	30.60
7	Refused	2	0.08
8	Not Ascertained	0	0.00
9	Don't Know	11	0.43

Variable: EQWLK100\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: WHEN USING YOUR AID, do you have difficulty walking 100 yards on level

ground, that would be about the length of one football field or one city

block?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

Description: Difficulty walking 100 yards with aid

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A=1 and WCHAIR\_A IN (2,7,9)

Universe Description: Sample adults 18+ who use equipment or receive help for getting around but do

not use a wheelchair or scooter or refused or don't know

Sources:

Question ID: MOB.0120.00.1

Keywords: ambulatory problem; difficulty; with equipment; mobility; functional

limitation

Notes: ambulatory problem; difficulty; no equipment; mobility; functional limitation

**Evaluation Report:** 

#### Unweighted frequencies:

EQWLK100\_A Difficulty walking 100 yards with aid

Code	Description	Frequency	Percent
1	No difficulty	648	34.09
2	Some difficulty	593	31.19
3	A lot of difficulty	309	16.25
4	Cannot do at all	339	17.83
7	Refused	<u> </u>	0.05
8	Not Ascertained	6	0.00
9	Don't Know	11	0.58

Variable: EQWLK13M\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: WHEN USING YOUR AID, do you have difficulty walking a third of a mile on level

ground, that would be the length of five football fields or five city blocks?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty walking 1/3 mile with aid

Recode:

Universe: HHSTAT\_A=1 and EQWLK100\_A IN (1,2,3,7,9)

Universe Description: Sample adults 18+ who have no difficulty, some difficulty, or a lot of

difficulty walking 100 yards, when using their aid or refused or don't know

Sources:

Question ID: MOB.0130.00.1

**Keywords:** ambulatory problem; difficulty; with equipment; mobility; functional

limitation

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

EQWLK13M\_A Difficulty walking 1/3 mile with aid

Code	Description	Frequency	Percent
1	No difficulty	39	5 25.29
2	Some difficulty	43	9 28.10
3	A lot of difficulty	35	6 22.79
4	Cannot do at all	34	8 22.28
7	Refused		2 0.13
8	Not Ascertained		0.00
9	Don't Know	2	2 1.41

Variable: EQSTEPS\_A

Module: Adult

Section: MOB : Mobility

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: WHEN USING YOUR AID, do you have difficulty walking up or down 12 steps?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty walking steps with equipment

Recode:

Universe: HHSTAT\_A=1 and EQUIP\_A=1 and WCHAIR\_A IN (2,7,9)

Universe Description: Sample adults 18+ who use equipment or receive help for getting around but do

not use a wheelchair or scooter or refused or don't know

Sources:

Question ID: MOB.0140.00.1

**Keywords:** ambulatory problem; difficulty; with equipment; mobility; functional

limitation

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

EQSTEPS\_A Difficulty walking steps with equipment

Code	Description	Frequency	Percent
1	No difficulty	523	27.51
2	Some difficulty	601	31.61
3	A lot of difficulty	419	22.04
4	Cannot do at all	350	18.41
7	Refused	1	0.05
8	Not Ascertained	0	0.00
9	Don't Know	7	0.37

Variable: COMDIFF\_A
Module: Adult

Section: COM : Communication

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Using your usual language, do you have difficulty communicating, for example,

understanding or being understood?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

Description: Difficulty communicating

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** COM.0010.00.1

**Keywords:** communication; speech; speaking; Washington Group; disability

Notes: This question is part of the Washington Group Composite Disability Indicator

for adults.

**Evaluation Report:** 

#### Unweighted frequencies:

COMDIFF\_A Difficulty communicating

Code	Description	Frequency	Percent
1	No difficulty	27959	94.83
2	Some difficulty	1300	4.41
3	A lot of difficulty	182	0.62
4	Cannot do at all	37	0.13
7	Refused	3	0.01
8	Not Ascertained	0	0.00
9	Don't Know	1	0.00

Variable: COMUSESL\_A

Module: Adult

Section: COM : Communication

File(s): Adult
Data Type: Numeric

Length: 1

**Question Text:** Do you use sign language?

**Description:** Use sign language

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** COM.0020.00.2

Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

COMUSESL\_A Use sign language

Code	Description	Frequency	Percent
1	Yes	689	2.34
2	No	28789	97.65
7	Refused	1	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.01

Variable:	COGMEMDFF_A
Module:	Adult
Section:	COG : Cognition
File(s):	Adult
Data Type:	Numeric
Length:	1
Question Text:	Do you have difficulty remembering or concentrating?
	*Read if necessary: Would you say no difficulty, some difficulty, a lot of difficulty, or you cannot do this at all?
Description:	Difficulty remembering/concentrating
Recode:	
Universe:	HHSTAT_A=1
Universe Description:	Sample adults 18+
Sources:	
Question ID:	COG.0010.00.1
Keywords:	cognition; memory; attention; Washington Group; disability
Notes:	This question is part of the Washington Group Composite Disability Indicator for adults.
Evaluation Report:	https://wwwn.cdc.gov/QBank/Report.aspx?1216

### Unweighted frequencies:

### COGMEMDFF\_A Difficulty remembering/concentrating

Code	Description	Frequency	Percent
1	No difficulty	23019	78.08
2	Some difficulty	5678	19.26
3	A lot of difficulty	740	2.51
4	Cannot do at all	32	0.11
7	Refused	4	0.01
8	Not Ascertained	0	0.00
9	Don't Know	9	0.03

Variable: COGTYPEDFF\_A

Module: Adult

Section: COG : Cognition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Is that a difficulty with remembering, concentrating, or both?

**Description:** Remembering/concentrating or both

Recode:

Universe: HHSTAT\_A=1 and COGMEMDFF\_A IN (2,3,4)

Universe Description: Sample adults 18+ who have some difficulty, a lot of difficulty, or are unable

to remember or concentrate

Sources:

Question ID: COG.0020.00.1

**Keywords:** cognition; memory; attention; Washington Group; disability

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

 ${\bf COGTYPEDFF\_A} \quad {\bf Remembering/concentrating} \ {\bf or} \ {\bf both}$ 

Code	Description	Frequency	Percent
1	Difficulty remembering only	243	37.72
2	Difficulty concentrating only	82	12.79
3	Difficulty with both remembering and concentrating	318	49.33
7	Refused		0.00
8	Not Ascertained		0.00
9	Don't Know	1	.0 0.16

Variable: COGFRQDFF\_A

Module: Adult

Section: COG : Cognition

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How often do you have difficulty remembering? Would you say sometimes, often

or all of the time?

**Description:** Difficulty remembering-how often

Recode:

Universe: HHSTAT\_A=1 and COGTYPEDFF\_A IN (1,3)

Universe Description: Sample adults 18+ who have difficulty remembering or remembering and

concentrating

Sources:

**Question ID:** COG.0030.00.1

**Keywords:** cognition; memory; attention; Washington Group; disability

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

COGFRQDFF\_A Difficulty remembering-how often

Code	Description	Frequer	ıcy	Percent
1	Sometimes		4183	74.50
2	Often		972	17.31
3	All of the time		456	8.12
7	Refused		2	0.04
8	Not Ascertained		0	0.00
9	Don't Know		2	0.04

Variable: COGAMTDFF\_A

Module: Adult

Section: COG : Cognition

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Do you have difficulty remembering a few things, a lot of things, or almost

everything?

**Description:** Difficulty remembering-how much

Recode:

Universe: HHSTAT\_A=1 and COGTYPEDFF\_A IN (1,3)

Universe Description: Sample adults 18+ who have difficulty remembering or remembering and

concentrating

Sources:

Question ID: COG.0040.00.1

**Keywords:** cognition; memory; attention; Washington Group; disability

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

COGAMTDFF\_A Difficulty remembering-how much

Code	Description	Frequency	Percent
1	A few things	4709	83.86
2	A lot of things	641	11.42
3	Almost everything	258	4.59
7	Refused	3	0.05
8	Not Ascertained	0	0.00
9	Don't Know	4	0.07

Variable: UPPSLFCR\_A

Module: Adult

Section: UPP : Self-care and Upper Body

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have difficulty with self care, such as washing all over or dressing?

Would you say no difficulty, some difficulty, a lot of difficulty, or you

cannot do this at all?

**Description:** Difficulty with self care

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: UPP.0010.00.1

**Keywords:** difficulty with care; washing; dressing; bathing; disability; upper body

Notes: This question is part of the Washington Group Composite Disability Indicator

for adults.

**Evaluation Report:** 

### Unweighted frequencies:

UPPSLFCR\_A Difficulty with self care

Code	Description	Frequency	Percent
1	No difficulty	28186	95.60
2	Some difficulty	965	3.27
3	A lot of difficulty	205	0.70
4	Cannot do at all	118	0.40
7	Refused	6	0.02
8	Not Ascertained	(	0.00
9	Don't Know		0.01

Variable: UPPRAISE\_A

Module: Adult

Section: UPP : Self-care and Upper Body

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Do you have difficulty raising a 2 liter bottle of water or soda from waist

to eye level?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty raising soda bottle

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: UPP.0020.00.1

Keywords: difficulty with self-care; raising water bottle; difficulty lifting; 2 liter

bottle; difficulty raising arms; disability

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

UPPRAISE\_A Difficulty raising soda bottle

Code	Description	Frequency	Percent
1	No difficulty	27973	94.88
2	Some difficulty	1055	3.58
3	A lot of difficulty	243	0.82
4	Cannot do at all	187	0.63
7	Refused	7	0.02
8	Not Ascertained	0	0.00
9	Don't Know	17	0.06

Variable: UPPOBJCT\_A

Module: Adult

Section: UPP : Self-care and Upper Body

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Do you have difficulty using your hands and fingers, such as picking up small

objects, for example, a button or pencil, or opening or closing containers or

bottles?

\*Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty using hands and fingers

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: UPP.0030.00.1

**Keywords:** difficulty with self-care; upper body; grasping; opening bottles; motor

skills; disability

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

UPPOBJCT\_A Difficulty using hands and fingers

Code	Description	Frequency	Percent
1	No difficulty	26607	90.25
2	Some difficulty	2317	7.86
3	A lot of difficulty	469	1.59
4	Cannot do at all	82	0.28
7	Refused	5	0.02
8	Not Ascertained	0	0.00
9	Don't Know	2	0.01

Variable: DISAB3\_A

Module: Adult

Section: UPP : Self-care and Upper Body

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** The Washington Group Short Set Composite Disability Indicator

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: VISIONDF\_A; HEARINGDF\_A; DIFF\_A; COMDIFF\_A; UPPSLFCR\_A; COGMEMDFF\_A

Question ID:

**Keywords:** Washington Group Questions; disability; composite disability indicator;

disability index

Notes: The final recode variable created for Washington Group Adult Composite

Disability Indicator

**Evaluation Report:** 

#### Unweighted frequencies:

DISAB3\_A The Washington Group Short Set Composite Disability Indicator

Code	Description	Frequency	Percent
1	Yes	3012	10.22
2	No	26469	89.78
9	Don't Know	1	0.00

Variable: SOCERRNDS\_A

Module: Adult

Section: SOC : Social Functioning

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Because of a physical, mental, or emotional condition, do you have difficulty

doing errands alone such as visiting a doctor's office or shopping?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty doing errands alone

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** SOC.0010.00.1

**Keywords:** functional limitation; disability; independent living

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

SOCERRNDS\_A Difficulty doing errands alone

Code	Description	Frequency	Percent
1	No difficulty	2690	91.26
2	Some difficulty	126	8 4.30
3	A lot of difficulty	51	1 1.73
4	Cannot do at all	78	9 2.68
7	Refused		6 0.02
8	Not Ascertained		0.00
9	Don't Know		4 0.01

Variable: SOCSCLPAR\_A

Module: Adult

Section: SOC : Social Functioning

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Because of a physical, mental, or emotional condition, do you have difficulty

participating in social activities such as visiting friends, attending clubs

and meetings, or going to parties?

\* Read if necessary: Would you say no difficulty, some difficulty, a lot of

difficulty, or you cannot do this at all?

**Description:** Difficulty participating in social activities

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: SOC.0020.00.1

**Keywords:** functional limitation; disability; independent living

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SOCSCLPAR\_A Difficulty participating in social activities

Code	Description	Frequency	Percent
1	No difficulty	26508	89.91
2	Some difficulty	1751	5.94
3	A lot of difficulty	689	2.34
4	Cannot do at all	506	1.72
7	Refused	11	0.04
8	Not Ascertained	0	0.00
9	Don't Know	17	0.06

Variable: SOCWRKLIM\_A

Module: Adult

Section: SOC : Social Functioning

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Are you limited in the kind OR amount of work you can do because of a

physical, mental or emotional problem?

\* Read if necessary: Work includes paid work, volunteer work, school work, and

homework.

**Description:** Work limited due to health problem

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** SOC.0030.00.1

**Keywords:** functional limitation; disability; independent living

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SOCWRKLIM\_A Work limited due to health problem

Code	Description	Frequency	Percent
1	Yes	5836	19.80
2	No	23613	80.09
7	Refused	11	0.04
8	Not Ascertained	0	0.00
9	Don't Know	22	0.07

Variable:	DEVDONSET_A		
Module:	Adult		
Section:	ADO : Age of Disabili	ty Onset	
File(s):	Adult		
Data Type:	Numeric		
Length:	1		
Question Text:	You said that you have 22?	e difficulty with ^DIFF. Did ^THISDIFF begin before age	
Fills:	^DIFF	walking/climbing steps/walking or climbing steps/communicating/remembering/concentrating/remembering or concentrating/self-care/doing errands alone	
	^THISDIFF	this difficulty/any of these difficulties	
Description:	Description: Difficulty doing activities before age 22		
Recode:			
Universe:	HHSTAT_A=1 and (22<=AGEP_A<=85) and (DIFF_A IN (3,4) or WLK100_A IN (3,4) or WLK13M_A IN (3,4) or NOEQWLK100_A IN (3,4) or NOEQWLK13M_A IN (3,4) or STEPS_A IN (3,4) or NOEQSTEPS_A IN (3,4) or COMDIFF_A IN (3,4) or COGMEMDFF_A IN (3,4) or UPPSLFCR A IN (3,4) or SOCERRNDS A IN (3,4))		
Universe Description:	the following activit:	who said they had a lot of difficulty or could not do les at all: Walking or climbing stairs, communicating, trating, self-care, or doing errands alone	
Sources:			
Question ID:	AD0.0010.00.3		
Keywords:	functional limitation	; disability; age of onset	
Notes:			
Evaluation Report:			

### Unweighted frequencies:

**DEVDONSET\_A** Difficulty doing activities before age 22

Code	Description	Frequency	Percent
1	Yes	504	11.54
2	No	3851	88.20
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	11	0.25

Variable: NOTCOV\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Coverage status as used in Health United States

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: MEDICARE\_A; MEDICAID\_A; PRIVATE\_A; CHIP\_A; OTHPUB\_A; OTHGOV\_A; MILITARY\_A

Question ID:

Keywords: Uninsured; insured

Notes: Adults are considered uninsured if they did not have private health insurance,

Medicare, Medicaid, State Children's Health Insurance Program (CHIP), a statesponsored health plan, other government programs, or military health plan (includes TRICARE, VA, and CHAMP-VA) at the time of interview. This definition

of uninsured matches that used in Health United States.

**Evaluation Report:** 

### Unweighted frequencies:

NOTCOV\_A Coverage status as used in Health United States

Code	Description	Frequency	Percent
1	Not covered	2313	7.85
2	Covered	27072	91.83
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	97	0.33

Variable: COVER\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Health insurance hierarchy under 65

Recode: Yes

Universe: HHSTAT\_A=1 and (AGEP\_A <=64 or AGE65=1)</pre>

Universe Description: Sample adults 18-64

Sources: MEDICARE\_A; MEDICAID\_A; PRIVATE\_A; CHIP\_A; OTHPUB\_A; OTHGOV\_A; MILITARY\_A

Question ID:

Keywords: Hierarchy Private; Medicaid; Other Coverage; Uninsured

Notes: This is a hierarchical variable. Adults under age 65 are assigned the first

type of insurance in the list that they have.

**Evaluation Report:** 

#### Unweighted frequencies:

COVER\_A Health insurance hierarchy under 65

Code	Description	Frequency	Percent
1	Private	14403	70.01
2	Medicaid and other public	2816	13.69
3	Other coverage	999	4.86
4	Uninsured	2274	11.05
5	Don't Know	82	0.40

Variable: COVER65\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Health Insurance hierarchy 65+

Recode: Yes

Universe: HHSTAT\_A=1 and (AGEP\_A>=65 or AGE65=2)

Universe Description: Sample adults 65+

Sources: MEDICARE\_A; MEDICAID\_A; PRIVATE\_A; CHIP\_A; OTHPUB\_A; OTHGOV\_A; MILITARY\_A;

MCCHOICE\_A; MCHMO\_A; MCADVR\_A; PLN1PAY4\_A; PLN2PAY4\_A

Question ID:

Keywords: Hierarchy; Private; Medicare Advantage; Dual-eligible; Medicaid

Notes: This is a hierarchical variable for adults aged 65 and over. This hierarchy de-

duplicates reports of both private and Medicare Advantage coverage giving

preference to Medicare Advantage in the hierarchy.

**Evaluation Report:** 

#### Unweighted frequencies:

COVER65\_A Health Insurance hierarchy 65+

Code	Description	Frequency	Percent
1	Private	3410	38.28
2	Dual eligible	585	6.57
3	Medicare Advantage	3031	34.03
4	Medicare only excluding Medicare Advantage	1079	12.11
5	Other coverage	742	8.33
6	Uninsured	39	0.44
7	Don't Know	21	0.24

Variable: SINCOVDE\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

 ${}^{\smallfrown}\text{INADDITIONARE}$  you covered by a SEPARATE plan that only pays for dental

services?

Fills: ^INADDITIONARE In addition to ^HITYPEANOSS, are/Are

^HITYPEANOSS Type of health care plans without single service plans

**Description:** Single service plan - dental

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INS.0050.00.1
Keywords: Single service

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

SINCOVDE\_A Single service plan - dental

Code	Description	Frequency	Percent
1	Yes	10925	37.06
2	No	18222	61.81
7	Refused	33	0.11
8	Not Ascertained	0	0.00
9	Don't Know	302	1.02

Variable: SINCOVVS\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

Are you covered by a SEPARATE plan that only pays for vision services?

**Description:** Single service plan - vision

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INS.0060.00.1
Keywords: Single service

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SINCOVVS\_A Single service plan - vision

Code	Description	Frequency	Percent
1	Yes	8024	27.22
2	No	21052	71.41
7	Refused	34	0.12
8	Not Ascertained	0	0.00
9	Don't Know	372	1.26

Variable: SINCOVRX\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

Are you covered by a SEPARATE plan that only pays for prescriptions?

**Description:** Single service plan - prescription

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INS.0070.00.1
Keywords: Single service

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

**SINCOVRX\_A** Single service plan - prescription

Code	Description	Frequency	Percent
1	Yes	4627	15.69
2	No	24502	83.11
7	Refused	33	0.11
8	Not Ascertained	0	0.00
9	Don't Know	320	1.09

Variable: MEDICARE\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Medicare recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND02\_A; MCAREPRB\_A

Question ID:

**Keywords:** Medicare

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

MEDICARE\_A Medicare recode

Code	Description	Frequency	Percent
1	Yes, information	9365	31.77
2	Yes, but no information	20	0.07
3	No	19999	67.83
7	Refused	44	0.15
8	Not Ascertained	0	0.00
9	Don't Know	54	0.18

Variable: MCPART\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

What type of Medicare coverage do you have? Is it Part A - hospital insurance,

Part B - medical insurance, or both?

**Description:** Type of Medicare coverage

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A in (1,2)

Universe Description: Sample adults 18+ with Medicare

Sources:

Question ID: INS.0090.00.1

Keywords: Medicare

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

MCPART\_A Type of Medicare coverage

Code	Description	Frequency	Percent
1	Part A- hospital only	443	4.72
2	Part B- medical only	141	1.50
3	Both Part A and Part B	8579	91.41
7	Refused	5	0.05
8	Not Ascertained	36	0.38
9	Don't Know	181	1.93

Variable: MCCHOICE\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

Are you enrolled in a Medicare Advantage plan?

**Description:** Enrolled in Medicare Advantage Plan

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A in (1,2) and MCPART\_A in (2,3,7,8,9)

Universe Description: Sample adults 18+ with Medicare with Part B coverage or not known if they have

Part B coverage

Sources:

Question ID: INS.0100.00.1

Keywords: Medicare Advantage; Medicare Part C; Medicare Plus Choice; HMO

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

MCCHOICE\_A Enrolled in Medicare Advantage Plan

Code	Description	Frequency	Percent
1	Yes	3268	36.55
2	No	5156	57.66
7	Refused	9	0.10
8	Not Ascertained	20	0.22
9	Don't Know	489	5.47

Variable: MCHMO\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

Are you under a Medicare managed care arrangement, such as an HMO, that is, a

Health Maintenance Organization?

**Description:** Medicare HMO

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A in (1,2) and MCPART\_A in (2,3,7,8,9)

Universe Description: Sample adults 18+ with Medicare with Part B coverage or not known if they have

Part B coverage

Sources:

Question ID: INS.0110.00.1

Keywords: Medicare Advantage; Medicare Part C; Medicare Plus Choice; HMO

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

MCHMO\_A Medicare HMO

Code	Description	Frequency	Percent
1	Yes	1944	21.74
2	No	6361	71.14
7	Refused	8	0.09
8	Not Ascertained	35	0.39
9	Don't Know	594	6.64

Variable: MCADVR\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Medicare Advantage Plan

Recode: Yes

Universe: HHSTAT\_A=1 and MEDICARE\_A in (1,2) and MCPART\_A in (2,3,7,8,9) and (MCCHOICE\_A

 $= 1 \text{ or MCHMO\_A} = 1)$ 

Universe Description: Sample adults 18+ with a Medicare Advantage or Medicare HMO plan

Sources: MCANAME\_A

Question ID:

Keywords: Medicare Advantage; Medicare Part C; Medicare Plus Choice; Supplemental

Notes: Verbatim responses to MCANAME\_A are coded to Medicare Advantage or private

plan not Medicare Advantage (e.g. Medicare supplemental plan)

**Evaluation Report:** 

#### Unweighted frequencies:

MCADVR\_A Medicare Advantage Plan

Code	Description	Frequency	Percent
1	Medicare Advantage	3440	92.10
2	Private plan not Medicare Advantage	76	2.03
7	Refused	21	0.56
8	Not Ascertained	32	0.86
9	Don't Know	166	4.44

Variable: MCPARTD\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

Are you enrolled in Medicare Part D, also known as the Medicare Prescription

Drug Plan?

**Description:** Medicare Part D

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A in (1,2)

Universe Description: Sample adults 18+ with Medicare

Sources:

Question ID: INS.0130.00.1

**Keywords:** Medicare; Prescription drug benefit; Part D

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

MCPARTD\_A Medicare Part D

Code	Description	Frequency	Percent
1	Yes	4455	47.47
2	No	4443	47.34
7	Refused	7	0.07
8	Not Ascertained	33	0.35
9	Don't Know	447	4.76

Variable: MEDICAID\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Medicaid recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND03\_A; MCAIDPRB\_A

Question ID:

**Keywords:** Medicaid; Title 19; Title XIX

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

MEDICAID\_A Medicaid recode

Code	Description	Frequency	Percent
1	Yes, information	3395	11.52
2	Yes, but no information	18	0.06
3	No	26003	88.20
7	Refused	34	0.12
8	Not Ascertained	0	0.00
9	Don't Know	32	0.11

Variable: MAXCHNG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

Was your Medicaid obtained through Healthcare.gov or the ^MARKETPLACE?

Fills: ^MARKETPLACE Health Insurance marketplace names

**Description:** Medicaid through Marketplace

Recode:

Sources:

Question ID: INS.0150.00.1

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

MAXCHNG\_A Medicaid through Marketplace

Code	Description	Frequency	Percent
1	Yes	1205	35.31
2	No	1929	56.52
7	Refused	4	0.12
8	Not Ascertained	22	0.64
9	Don't Know	253	7.41

Variable: MAPREM\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

A health insurance premium is the amount you or a family member pay each month

for health care coverage. Do you or a family member pay a premium for this

Medicaid plan?

Description: Medicaid premium

Recode:

Universe: HHSTAT\_A=1 and MEDICAID\_A in (1,2)

Universe Description: Sample adults 18+ with Medicaid

Sources:

Question ID: INS.0160.00.1

Keywords: Premium

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

MAPREM\_A Medicaid premium

Code	Description	Frequency	Percent
1	Yes	17	5.16
2	No	315	92.41
7	Refused		5 0.15
8	Not Ascertained	1	8 0.53
9	Don't Know	6	0 1.76

Variable: MADEDUC\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does

your Medicaid plan have an annual deductible?

\* Read if necessary: A deductible is different from a copay (copayment).

**Description:** Medicaid deductible

Recode:

Universe: HHSTAT\_A=1 and MEDICAID\_A in (1,2)
Universe Description: Sample adults 18+ with Medicaid

Sources:

Question ID: INS.0170.00.1
Keywords: Deductible

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

MADEDUC\_A Medicaid deductible

Code	Description	Frequency	Percent
1	Yes	15	7 4.60
2	No	303	2 88.84
7	Refused		7 0.21
8	Not Ascertained	1	8 0.53
9	Don't Know	19	9 5.83

Variable: MAHDHP\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible

amounts here.

Fills: ^HDHPDED Deductible threshold (may change in future year)

**Description:** Medicaid HDHP

Recode:

Sources:

Question ID: INS.0180.00.1

Keywords: High deductible

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

MAHDHP\_A Medicaid HDHP

Code	Description	Frequency	Percent
1	Deductible is less than \$1,400	92	58.60
2	Deductible is \$1,400 or more	31	19.75
7	Refused	1	0.64
8	Not Ascertained	0	0.00
9	Don't Know	33	21.02

Variable: MAFLG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Question Text:

Length:

**Description:** Medicaid reassignment flag

1

Recode: Yes

Sources: HIPNAM1\_A; HIPNAM2\_A

Question ID: Keywords:

Notes: Flag indicating Sample Adult was reassigned from private health insurance to

Medicaid

**Evaluation Report:** 

### Unweighted frequencies:

MAFLG\_A Medicaid reassignment flag

Code	Description	Frequency	Percent	
1	Reassigned to Medicaid from private	43	100.00	

Variable: PRIVATE\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Private health insurance recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND01\_A; HIKIND03\_A

Question ID:

**Keywords:** Private health insurance

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

PRIVATE\_A Private health insurance recode

Code	Description	Frequency	Percent
1	Yes, information	18757	63.62
2	Yes, but no information	1	0.00
3	No	10619	36.02
7	Refused	46	0.16
8	Not Ascertained	0	0.00
9	Don't Know	59	0.20

Variable: EXCHANGE\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Plan through Health Insurance Exchange, NCHS algorithm

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A = 1

Universe Description: Sample adults 18+ with private health insurance with information

Sources: HIPNAM1\_A; HIPNAM2\_A; MACHMN\_A; CHNAME\_A; OPNAME\_A; OGNAME\_A

Question ID:

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes: Indicates Sample Adult is on an exchange plan based on NCHS algorithm

**Evaluation Report:** 

#### Unweighted frequencies:

EXCHANGE\_A Plan through Health Insurance Exchange, NCHS algorithm

Code	Description	Frequency	Percent
1	Exchange plan	1165	6.21
2	Not exchange plan	17592	93.79
8	Not Ascertained	0	0.00

Variable: POLHLD1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1
Question Text: ?

Question Text: ?[F1]

I am going to ask you some questions about ^FIR

I am going to ask you some questions about ^FIRSTPLANA. Health insurance plans are usually obtained in one person's name even if other family members are covered by that plan. That person is called the policyholder. Are you the

policyholder for  $^THISPLANA$ ?

Fills: ^FIRSTPLANA this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

^HIPNAM1\_A {Value of HIPNAM1\_A} ^HIPNAM2\_A {Value of HIPNAM2\_A}

^THISPLANA this plan/^HIPNAM1\_A/^HIPNAM2\_A

**Description:** Policyholder for private plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources:

Question ID: INS.0370.01.1

Keywords: Policyholder

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

POLHLD1\_A Policyholder for private plan 1

Code	Description	Frequency	Percent
1	Yes	14133	75.34
2	No	4053	21.61
7	Refused	12	0.06
8	Not Ascertained	540	2.88
9	Don't Know	20	0.11

Variable: PRPLCOV1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Does this plan cover someone other than yourself?

**Description:** Plan coverage for others - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and POLHLD1\_A in (1,7,9)

Universe Description: Sample adults 18+ with private health insurance who are the policyholder or do

not know or refused if they are the policyholder for plan  ${\bf 1}$ 

Sources:

Question ID: INS.0380.01.1
Keywords: Policyholder

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

PRPLCOV1\_A Plan coverage for others - plan 1

Code	Description	Frequency	Percent
1	Yes	4937	34.85
2	No	9208	65.01
7	Refused	9	0.06
8	Not Ascertained	2	0.01
9	Don't Know	9	0.06

Variable: PRPOLH1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

How are you related to the policyholder? Are you the policyholder's child,

spouse, former spouse, or are you related in some other way?

**Description:** Relation to policyholder - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and POLHLD1\_A=2

Universe Description: Sample adults 18+ with private health insurance who are not the policyholder

for plan 1

Sources:

Question ID: INS.0390.01.1

**Keywords:** Relation to policyholder

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PRPOLH1\_A Relation to policyholder - plan 1

Code	Description	Frequency	Percent
1	Child	82	20.38
2	Spouse	302	74.69
3	Former spouse	3	0.89
4	Some other relationship	16	3.95
7	Refused		3 0.07
8	Not Ascertained		0.00
9	Don't Know		1 0.02

Variable: PRPLCOV1\_C\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Does this plan cover someone other than ^SCNAME?

Fills: ^SCNAME Sample child's name

Description: Response to PRPLCOV1\_C or PRPLCOV2\_C from child - plan 1

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and (FRMCP1\_1\_A=1 or FRMCP2\_1\_A=1)

Universe Description: Sample adults 18+ with private health insurance (plan 1) who share the sample

child's plan 1 or plan 2, response to PRPLCOV1\_C or PRPLCOV2\_C from sample

child

Sources: PRPLCOV1\_C; PRPLCOV2\_C

Question ID:

Keywords: Policyholder

Notes: Sample child's plan is shared with sample adult. Response to PRPLCOV1\_C or

PRPLCOV2\_C (unedited)

**Evaluation Report:** 

### Unweighted frequencies:

PRPLCOV1\_C\_A Response to PRPLCOV1\_C or PRPLCOV2\_C from child - plan 1

Code	Description	Frequency	Percent
1	Yes	28	100.00
2	No	0	0.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: PLNWRKR1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 2

Question Text: ?[F1]

Which one of these categories best describes how this plan was obtained? Was it obtained through an employer or union, purchased directly, obtained through Healthcare.gov or the Affordable Care Act, also known as Obamacare, obtained through a state or local government or community program or obtained in some

other way?

Description: How plan was originally obtained - plan 1

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources: PLNWRK1\_A; PLNWKSP1\_A

Question ID:

**Keywords:** Employer-based; directly purchase

Notes: Includes both responses to PLNWRK1\_A and additional answer categories based

on editing of verbatim responses in PLNWKSP1\_A

**Evaluation Report:** 

### Unweighted frequencies:

PLNWRKR1\_A How plan was originally obtained - plan 1

Code	Description	Frequency	Percent
01	Through an employer, union, or professional organization	14232	75.87
02	Purchased directly	3005	16.02
03	Through Healthcare.gov or the Affordable Care Act, also known as Obamacare	595	3.17
04	Through a state or local government or community program	246	1.31
05	Other	85	0.45
06	Through school	28	0.15
07	Through parents	6	0.03
08	Through other relative	0	0.00
97	Refused	19	0.10
98	Not Ascertained	438	2.34
99	Don't Know	104	0.55

Variable: PLNEXCHG1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1
Question Text: ?[F1]

Was the plan obtained through Healthcare.gov or the ^MARKETPLACE?

Fills: ^MARKETPLACE Health Insurance marketplace names

Description: Health plan obtained through Marketplace - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and PLNWRKR1\_A in (2,4,5,6,7,8,97,99)

Universe Description: Sample adults 18+ with private health insurance who indicated that their plan

was directly purchased, obtained through a state, local, government or community program, obtained in some other way, or refused/don't know how it

was obtained - plan 1

Sources:

Question ID: INS.0420.01.1

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes: Do not use this variable alone to determine whether a private plan was

obtained through an exchange.

**Evaluation Report:** 

#### Unweighted frequencies:

PLNEXCHG1\_A Health plan obtained through Marketplace - plan 1

Code	Description	Frequency	Percent
1	Yes	494	14.14
2	No	2753	78.81
7	Refused	17	0.49
8	Not Ascertained	0	0.00
9	Don't Know	229	6.56

Variable: PLN1PAY1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

Description: Paid for by self or family - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources:

Question ID: INS.0430.11.1

Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PLN1PAY1\_A Paid for by self or family - plan 1

Code	Description	Frequency	Percent
1	Mentioned	15274	81.43
2	Not mentioned	2668	14.22
7	Refused	28	0.15
8	Not Ascertained	539	2.87
9	Don't Know	249	1.33

Variable: PLN1PAY2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

Description: Paid for by employer or union - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources:

Question ID: INS.0430.12.1

Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PLN1PAY2\_A Paid for by employer or union - plan 1

Code	Description	Frequency	Percent
1	Mentioned	11158	59.48
2	Not mentioned	6784	36.17
7	Refused	28	0.15
8	Not Ascertained	539	2.87
9	Don't Know	249	1.33

Variable: PLN1PAY3\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by someone outside the household - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources:

Question ID: INS.0430.13.1

Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PLN1PAY3\_A Paid for by someone outside the household - plan 1

Code	Description	Frequency	Percent
1	Mentioned	172	0.92
2	Not mentioned	17770	94.73
7	Refused	28	0.15
8	Not Ascertained	539	2.87
9	Don't Know	249	1.33

Variable: PLN1PAY4\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by Medicare - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources:

Question ID: INS.0430.14.1

Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PLN1PAY4\_A Paid for by Medicare - plan 1

Code	Description	Frequency	Percent
1	Mentioned	306	1.63
2	Not mentioned	17636	94.02
7	Refused	28	0.15
8	Not Ascertained	539	2.87
9	Don't Know	249	1.33

Variable: PLN1PAY5\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

Description: Paid for by Medicaid - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources:

Question ID: INS.0430.15.1

Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PLN1PAY5\_A Paid for by Medicaid - plan 1

Code	Description	Frequency	Percent
1	Mentioned	55	0.29
2	Not mentioned	17887	95.36
7	Refused	28	0.15
8	Not Ascertained	539	2.87
9	Don't Know	249	1.33

Variable: PLN1PAY6\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by other government program - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources:

**Question ID:** INS.0430.16.1

Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PLN1PAY6\_A Paid for by other government program - plan 1

Code	Description	Frequency	Percent
1	Mentioned	159	0.85
2	Not mentioned	17783	94.80
7	Refused	28	0.15
8	Not Ascertained	539	2.87
9	Don't Know	249	1.33

Variable: HICOSTR1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 5

Question Text: ?[F1]

How much  $^{\rm DOYOUFAM}$  currently spend for health insurance premiums for

^FIRSTPLANA? Please include payroll deductions for premiums.

Fills: ^DOYOUFAM do you/does your family

^FIRSTPLANA this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

^HIPNAM1\_A {Value of HIPNAM1\_A} ^HIPNAM2\_A {Value of HIPNAM2\_A}

**Description:** Out-of-pocket premium cost - plan 1

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and PLN1PAY1\_A =1

Universe Description: Sample adults 18+ with private health insurance with plan paid by self or

family - plan 1

Sources: HICOSTN1\_A; HICOSTT1\_A

Question ID:

Keywords: Premium

Notes: This recode annualizes the amount spent on the sample adult's health insurance

premiums - plan 1

**Evaluation Report:** 

### Unweighted frequencies:

HICOSTR1\_A Out-of-pocket premium cost - plan 1

Code	Description	Frequency	Percent
00001-39999	\$1 - \$39,999	11296	73.96
40000	\$40,000 or more	51	0.33
99997	Refused	300	1.96
99998	Not Ascertained	0	0.00
99999	Don't Know	3627	23.75

Variable: PRDEDUC1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does

this health plan have an annual deductible?

\* Read if necessary: A deductible is different from a copay (copayment).

**Description:** Deductible - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources:

Question ID: INS.0450.01.1
Keywords: Deductible

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PRDEDUC1\_A Deductible - plan 1

Code	Description	Frequency	Percent
1	Yes	12832	68.41
2	No	4326	23.06
7	Refused	56	0.30
8	Not Ascertained	2	0.01
9	Don't Know	1542	8.22

**PUBLIC USE** 

Variable: PRHDHP1\_A

Module: Adult

Section: INS : Health Insurance

1

File(s): Adult
Data Type: Numeric

Question Text: ?[F1]

Is the ^FAM\_A annual deductible for medical care for this plan less than ^HDHPAMT\_A, or ^HDHPAMT\_A or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include

those deductible amounts here.

Fills: ^FAM\_A family

^HDHPDED\_family Family deductible threshold (may change in future

year)

^HDHPDED Deductible threshold (may change in future year)

Description: High deductible health plan - plan 1

Recode:

Length:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and PRDEDUC1\_A=1

Universe Description: Sample adults 18+ with private health insurance who have a deductible for plan

1

Sources:

Question ID: INS.0460.01.1

Keywords: Consumer directed; High deductible; HDHP; CDHP

Notes: For a plan that covers only one person the deductible threshold is \$1,400. For

a plan that covers two or more persons the deductible threshold is \$2,800

**Evaluation Report:** 

#### Unweighted frequencies:

PRHDHP1\_A High deductible health plan - plan 1

Code	Description	Frequency	Percent
1	Less than ^HDHPAMT_A	5752	44.83
2	^HDHPAMT_A or more	5637	43.93
7	Refused	36	0.28
8	Not Ascertained	0	0.00
9	Don't Know	1407	10.96

Variable: HSAHRA1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: There are special accounts or funds that can be used to pay for medical

expenses, sometimes referred to as Health Savings Accounts or HSAs, Health Reimbursement Accounts or HRAs, Personal Care accounts, Personal Medical funds, or Choice funds. These are DIFFERENT from Flexible Spending Accounts or

FSAs. Is there one of these accounts or funds with this plan?

Description: Health Savings Accounts / Health Reimbursement Accounts - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and PRDEDUC1\_A=1 and PRHDHP1\_A in (2,7,8,9)

Universe Description: Sample adults 18+ with private health insurance who have or do not know if

they have a high deductible for plan 1

Sources:

Question ID: INS.0470.01.1

Keywords: Consumer directed; CDHP; HSA; HRA

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

HSAHRA1\_A Health Savings Accounts / Health Reimbursement Accounts - plan 1

Code	Description	Frequency	Percent
1	Yes	2691	38.01
2	No	3962	55.96
7	Refused	10	0.14
8	Not Ascertained	167	2.36
9	Don't Know	250	3.53

Variable: PRRXCOV1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Does ^FIRSTPLANA pay for any of the costs for medications prescribed by a

doctor?

\* Read if necessary: Even if you have not used this benefit, please answer if

this plan would cover at least some of the costs if you were prescribed

medications.

Fills: ^FIRSTPLANA this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

^HIPNAM1\_A {Value of HIPNAM1\_A} ^HIPNAM2\_A {Value of HIPNAM2\_A}

Description: Plan pays for prescription drug - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources:

Question ID: INS.0480.01.1

**Keywords:** Medications; Prescriptions

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

 $\begin{tabular}{ll} \textbf{PRRXCOV1\_A} & Plan pays for prescription drug - plan 1 \\ \end{tabular}$ 

Code	Description	Frequency	Percent
1	Yes	15481	82.53
2	No	2227	11.87
7	Refused	26	0.14
8	Not Ascertained	539	2.87
9	Don't Know	485	2.59

Variable: PRDNCOV1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Does ^FIRSTPLANA pay for any of the costs for dental care?

\* Read if necessary: Even if you have not used this benefit, please answer if this plan would cover at least some of the costs if you did have dental care.

Fills: ^FIRSTPLANA this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

^HIPNAM1\_A {Value of HIPNAM1\_A} ^HIPNAM2\_A {Value of HIPNAM2\_A}

**Description:** Plan pays for dental care - plan 1

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources:

Question ID: INS.0490.01.1
Keywords: Dental care

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PRDNCOV1\_A Plan pays for dental care - plan 1

Code	Description	Frequency	Percent
1	Yes	6704	35.74
2	No	10990	58.59
7	Refused	26	0.14
8	Not Ascertained	539	2.87
9	Don't Know	499	2.66

Variable: PRVSCOV1\_A

Module: Adult

Section: INS : Health Insurance

1

File(s): Adult
Data Type: Numeric

Question Text: Does ^FIRSTPLANA pay for any of the costs for routine vision care, such as

glasses and contact lenses?

\* Read if necessary: Even if you have not used this benefit, please answer if this plan would cover at least some of the costs if you did have vision care.

Fills: ^FIRSTPLANA this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

^HIPNAM1\_A {Value of HIPNAM1\_A} ^HIPNAM2\_A {Value of HIPNAM2\_A}

**Description:** Plan pays for vision care - plan 1

Recode:

Length:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources:

Question ID: INS.0500.01.1
Keywords: Vision care

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PRVSCOV1\_A Plan pays for vision care - plan 1

Code	Description	Frequency	Percent
1	Yes	7573	40.37
2	No	9932	52.95
7	Refused	31	0.17
8	Not Ascertained	539	2.87
9	Don't Know	683	3.64

Variable: EXCHPR1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Exchange company coding NCHS - plan 1

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A=1 and (HIKIND01\_A=1 or HIKIND03\_A=1)

Universe Description: Sample adults 18+ with private health insurance who initially indicated

private health insurance - plan 1

Sources: HIPNAM1\_A

Question ID:

**Keywords:** Private health insurance; Exchange

Notes: Internal coding of insurance plan names from private plan verbatim fields into

four categories - plan 1

**Evaluation Report:** 

#### Unweighted frequencies:

EXCHPR1\_A Exchange company coding NCHS - plan 1

Code	Description	Frequency	Percent
1	Company provides exchange plans	9727	53.39
2	Not an exchange company	7456	40.92
3	Exchange Portal or exact exchange plan name	118	0.65
8	Not Ascertained	919	5.04

Variable: PRFLG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Private reassignment flag

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2)

Universe Description: Sample adults 18+ with private health insurance - plan 1

Sources: Question ID:

**Keywords:** Private health insurance

Notes: Flag indicating Sample Adult was reassigned from public health coverage

(Medicaid, CHIP, state-sponsored plan, other government) to private

**Evaluation Report:** 

### Unweighted frequencies:

PRFLG\_A Private reassignment flag

Code	Description	Frequency	Percent
1	Reassigned to private from public	537	100.00

Variable: PXCHNG1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Marketplace or state exchange, reassigned from public to private

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and PRFLG\_A=1

Universe Description: Sample adults 18+ with private health insurance whose information was

orginally collected in Medicaid, CHIP, state-sponsored plan, or other

government program

Sources: MAXCHNG\_A; CHXCHNG\_A; OPXCHNG\_A

Question ID:

**Keywords:** Private health insurance; Exchange

Notes: Indicates that plan was obtained on Healthcare.gov, Health Insurance

Marketplace or state-based exchange for a plan that has been reassigned from

public to private

Evaluation Report:

#### Unweighted frequencies:

PXCHNG1\_A Marketplace or state exchange, reassigned from public to private

Code	Description	Frequency	Percent
1	Yes	351	65.36
2	No	171	31.84
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	15	2.79

Variable: PRPREM1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Premium on plan reassigned from public to private

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and PRFLG\_A=1

Universe Description: Sample adults 18+ with private health insurance whose information was

orginally collected in Medicaid, CHIP, state-sponsored plan, or other

government program

Sources: MAPREM\_A; CHPREM\_A; OPPREM\_A; OGPREM\_A

Question ID:

Keywords: Private health insurance; Premium; Enrollment fee

Notes: Indicates that there is an enrollment fee or premium for a plan that has been

reassigned from public to private

**Evaluation Report:** 

#### Unweighted frequencies:

PRPREM1\_A Premium on plan reassigned from public to private

Code	Description	Frequency	Percent
1	Yes	361	67.23
2	No	166	30.91
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	10	1.86

Variable: PLEXCHPR1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Exchange company coding, NCHS, reassigned from public to private

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and PRFLG\_A=1

Universe Description: Sample adults 18+ with private health insurance whose information was

orginally collected in Medicaid, CHIP, state-sponsored plan, or other

government program

Sources: MACHMN\_A; CHNAME\_A; OPNAME\_A; OGNAME\_A

Question ID:

**Keywords:** Private health insurance; Exchange

Notes: Plan has been reassigned from public to private and this is the internal

coding from verbatim fields into four categories.

**Evaluation Report:** 

#### Unweighted frequencies:

PLEXCHPR1\_A Exchange company coding, NCHS, reassigned from public to private

Code	Description	Frequency	Percent
1	Company provides exchange plans	252	46.93
2	Not an exchange company	137	25.51
3	Exchange Portal or exact exchange plan name	110	20.48
8	Not Ascertained	38	7.08

Variable: POLHLD2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ?[F1]

I am going to ask you some questions about ^FIRSTPLANA. Health insurance plans are usually obtained in one person's name even if other family members are covered by that plan. That person is called the policyholder. Are you the

policyholder for ^THISPLANA?

Fills: ^FIRSTPLANA this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

^HIPNAM1\_A {Value of HIPNAM1\_A} ^HIPNAM2\_A {Value of HIPNAM2\_A}

^THISPLANA this plan/^HIPNAM1\_A/^HIPNAM2\_A

**Description:** Policyholder for private plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'

Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources:

Question ID: INS.0370.02.1
Keywords: Policyholder

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

POLHLD2\_A Policyholder for private plan 2

Code	Description	Frequency	Percent
1	Yes	358	70.33
2	No	148	29.08
7	Refused	2	0.39
8	Not Ascertained	0	0.00
9	Don't Know	1	0.20

Variable: PRPLCOV2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Does this plan cover someone other than yourself?

**Description:** Plan coverage for others - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl' and POLHLD2\_A in

(1,7,9)

Universe Description: Sample adults 18+ with private health insurance who are the policyholder or do

not know or refused if they are the policyholder for plan  ${\bf 2}$ 

Sources:

Question ID: INS.0380.02.1

Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PRPLCOV2\_A Plan coverage for others - plan 2

Code	Description	Frequency	Percent
1	Yes	132	36.57
2	No	227	62.88
7	Refused	1	0.28
8	Not Ascertained	0	0.00
9	Don't Know	1	0.28

Variable: PRPOLH2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

How are you related to the policyholder? Are you the policyholder's child,

spouse, former spouse, or are you related in some other way?

**Description:** Relation to policyholder - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'b1' and POLHLD2\_A =2

Universe Description: Sample adults 18+ with private health insurance who are not the policyholder

for plan 2

Sources:

Question ID: INS.0390.02.1

**Keywords:** Relation to policyholder

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PRPOLH2\_A Relation to policyholder - plan 2

Code	Description	Frequency	Percent
1	Child	3	23.65
2	Spouse	10	7 72.30
3	Former spouse		0.68
4	Some other relationship		3.38
7	Refused		0.00
8	Not Ascertained		0.00
9	Don't Know		0.00

Variable: PRPLCOV2\_C\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Does this plan cover someone other than ^SCNAME?

Fills: ^SCNAME Sample child's name

Description: Response to PRPLCOV1\_C or PRPLCOV2\_C from child - plan 2

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl' and (FRMCP1\_2\_A=1 or

FRMCP2\_2\_A=1)

Universe Description: Sample adults 18+ with private health insurance (plan 2) who share the sample

child's plan 1 or plan 2, response to PRPLCOV1\_C or PRPLCOV2\_C from sample

child

Sources: PRPLCOV1\_C; PRPLCOV2\_C

Question ID:

Keywords: Policyholder

Notes: Sample child's plan is shared with sample adult. Response to PRPLCOV1\_C or

PRPLCOV2\_C (unedited)

**Evaluation Report:** 

### Unweighted frequencies:

PRPLCOV2\_C\_A Response to PRPLCOV1\_C or PRPLCOV2\_C from child - plan 2

Code	Description	Frequency	Percent
1	Yes	0	
2	No	0	
7	Refused	0	
8	Not Ascertained	0	
9	Don't Know	0	

Variable: PLNWRKR2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 2

Question Text: ?[F1]

Which one of these categories best describes how this plan was obtained? Was it obtained through an employer or union, purchased directly, obtained through Healthcare.gov or the Affordable Care Act, also known as Obamacare, obtained through a state or local government or community program or obtained in some

other way?

**Description:** How plan was originally obtained - plan 2

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'
Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources: PLNWRK2\_A; PLNWKSP2\_A

Question ID:

**Keywords:** Employer-based; directly purchased

Notes: Includes both responses to PLNWRK2\_A and additional answer categories based

on editing of verbatim responses in PLNWKSP2\_A

**Evaluation Report:** 

### Unweighted frequencies:

PLNWRKR2\_A How plan was originally obtained - plan 2

Code	Description	Frequency	Percent
01	Through an employer, union, or professional organization	409	80.35
02	Purchased directly	76	14.93
03	Through Healthcare.gov or the Affordable Care Act, also known as Obamacare	6	1.18
04	Through a state or local government or community program	9	1.77
05	Other	1	0.20
06	Through school	3	0.59
07	Through parents	1	0.20
08	Through other relative	0	0.00
97	Refused	2	0.39
98	Not Ascertained	0	0.00
99	Don't Know	2	0.39

Variable: PLNEXCHG2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

Was the plan obtained through Healthcare.gov or the ^MARKETPLACE?

Fills: ^MARKETPLACE Health Insurance marketplace names

**Description:** Health plan obtained through Marketplace - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl' and PLNWRKR2\_A in

(2,4,5,6,7,8,97,99)

Universe Description: Sample adults 18+ with private health insurance who indicated that their plan

was directly purchased, obtained through a state, local, government or community program, obtained in some other way, or refused/don't know how it

was obtained - plan 2

Sources:

Question ID: INS.0420.02.1

**Keywords:** Health Insurance Exchange; Health Insurance Marketplace

Notes: Do not use this variable alone to determine whether a private plan was

obtained through an exchange.

Evaluation Report:

#### Unweighted frequencies:

PLNEXCHG2\_A Health plan obtained through Marketplace - plan 2

Code	Description	Frequency	Percent
1	Yes	10	10.64
2	No	74	78.72
7	Refused	2	2.13
8	Not Ascertained	0	0.00
9	Don't Know	8	8.51

Variable: PLN2PAY1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

Description: Paid for by self or family - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'
Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources:

Question ID: INS.0430.21.1

Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PLN2PAY1\_A Paid for by self or family - plan 2

Code	Description	Frequency	Percent
1	Mentioned	396	77.80
2	Not mentioned	98	19.25
7	Refused	2	0.39
8	Not Ascertained	0	0.00
9	Don't Know	13	2.55

Variable: PLN2PAY2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by employer or union - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'

Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources:

Question ID: INS.0430.22.1

Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PLN2PAY2\_A Paid for by employer or union - plan 2

Code	Description	Frequency	Percent
1	Mentioned	310	60.90
2	Not mentioned	184	36.15
7	Refused	2	0.39
8	Not Ascertained	0	0.00
9	Don't Know	13	2.55

Variable: PLN2PAY3\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by someone outside the household - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'
Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources:

Question ID: INS.0430.23.1

Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PLN2PAY3\_A Paid for by someone outside the household - plan 2

Code	Description	Frequency	Percent
1	Mentioned	12	2.36
2	Not mentioned	482	94.70
7	Refused	2	0.39
8	Not Ascertained	0	0.00
9	Don't Know	13	2.55

Variable: PLN2PAY4\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by Medicare - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'

Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources:

Question ID: INS.0430.24.1

Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PLN2PAY4\_A Paid for by Medicare - plan 2

Code	Description	Frequency	Percent
1	Mentioned	1	0.20
2	Not mentioned	493	96.86
7	Refused	2	0.39
8	Not Ascertained	0	0.00
9	Don't Know	13	2.55

Variable: PLN2PAY5\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by Medicaid - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'

Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources:

Question ID: INS.0430.25.1

Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PLN2PAY5\_A Paid for by Medicaid - plan 2

Code	Description	Frequency	Percent
1	Mentioned	5	0.98
2	Not mentioned	489	96.07
7	Refused	2	0.39
8	Not Ascertained	0	0.00
9	Don't Know	13	2.55

Variable: PLN2PAY6\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Who pays for this health insurance plan?

\* Enter all that apply, separate with commas.

**Description:** Paid for by other government program - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'

Universe Description:

Sample adults 18+ with private health insurance - plan 2

Sources:

Question ID: INS.0430.26.1

Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PLN2PAY6\_A Paid for by other government program - plan 2

Code	Description	Frequency	Percent
1	Mentioned	5	0.98
2	Not mentioned	489	96.07
7	Refused	2	0.39
8	Not Ascertained	0	0.00
9	Don't Know	13	2.55

Variable: HICOSTR2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 5

Question Text: ?[F1]

How much ^DOYOUFAM currently spend for health insurance premiums for

^FIRSTPLANA? Please include payroll deductions for premiums.

Fills: ^DOYOUFAM do you/does your family

^FIRSTPLANA this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

^HIPNAM1\_A {Value of HIPNAM1\_A} ^HIPNAM2\_A {Value of HIPNAM2\_A}

**Description:** Out-of-pocket premium cost - plan 2

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl' and PLN2PAY1\_A =1

Universe Description: Sample adults 18+ with private health insurance with plan paid by self or

family - plan 2

Sources: HICOSTN2\_A; HICOSTT2\_A

Question ID:

**Keywords:** Premium

Notes: This recode annualizes the amount spent on the sample adult's health insurance

premiums - plan 2

**Evaluation Report:** 

### Unweighted frequencies:

HICOSTR2\_A Out-of-pocket premium cost - plan 2

Code	Description	Frequency	Percent
00001-39999	\$1 - \$39,999	241	60.86
40000	\$40,000 or more	0	0.00
99997	Refused	10	2.53
99998	Not Ascertained	0	0.00
99999	Don't Know	145	36.62

Variable: PRDEDUC2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does

this health plan have an annual deductible?

\* Read if necessary: A deductible is different from a copay (copayment).

**Description:** Deductible - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'

Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources:

Question ID: INS.0450.02.1
Keywords: Deductible

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PRDEDUC2\_A Deductible - plan 2

Code	Description	Frequency	Percent
1	Yes	218	42.83
2	No	199	39.10
7	Refused	2	0.39
8	Not Ascertained	0	0.00
9	Don't Know	90	17.68

Variable: PRHDHP2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1
Question Text: ?[F1]

Is the ^FAM\_A annual deductible for medical care for this plan less than ^HDHPAMT\_A, or ^HDHPAMT\_A or more? If there is a separate deductible for

prescription drugs, hospitalization, or out-of-network care, do not include those deductible amounts here.

Fills: ^FAM\_A family

^HDHPDED\_family Family deductible threshold (may change in future

year)

^HDHPDED Deductible threshold (may change in future year)

**Description:** High deductible health plan - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'b1' and PRDEDUC2\_A=1

Universe Description: Sample adults 18+ with private health insurance who have a deductible for plan

2

Sources:

Question ID: INS.0460.02.1

Keywords: Consumer directed; High deductible; HDHP; CDHP

Notes: For a plan that covers only one person the deductible threshold is \$1,400. For

a plan that covers two or more persons the deductible threshold is \$2,800.

**Evaluation Report:** 

#### Unweighted frequencies:

PRHDHP2\_A High deductible health plan - plan 2

Code	Description	Frequency	Percent
1	Less than ^HDHPAMT_A	136	62.39
2	^HDHPAMT_A or more	53	24.31
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	29	13.30

Variable: HSAHRA2\_A

Module: Adult

Section: INS: Health Insurance

File(s): Adult Data Type: Numeric

Length: 1

Question Text: There are special accounts or funds that can be used to pay for medical

expenses, sometimes referred to as Health Savings Accounts or HSAs, Health Reimbursement Accounts or HRAs, Personal Care accounts, Personal Medical funds, or Choice funds. These are DIFFERENT from Flexible Spending Accounts or

Sample adults 18+ with private health insurance who have or do not know if

FSAs. Is there one of these accounts or funds with this plan?

Description: Health Savings Accounts / Health Reimbursement Accounts - plan 2

Recode:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl' and PRDEDUC2\_A=1 and

PRHDHP2\_A in (2,7,8,9)

they have a high deductible for plan  ${\bf 2}$ 

Sources:

Question ID: INS.0470.02.1

Keywords: Consumer directed; CDHP; HSA; HRA

Notes:

**Evaluation Report:** 

Universe Description:

### Unweighted frequencies:

HSAHRA2\_A Health Savings Accounts / Health Reimbursement Accounts - plan 2

Code	Description	Frequency	Percent
1	Yes	28	34.15
2	No	49	59.76
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	5	6.10

Variable: PRRXCOV2\_A

Module: Adult

Section: INS : Health Insurance

1

File(s): Adult
Data Type: Numeric

Question Text: Does ^FIRSTPLANA pay for any of the costs for medications prescribed by a

doctor?

\* Read if necessary: Even if you have not used this benefit, please answer if

this plan would cover at least some of the costs if you were prescribed

medications.

Fills: ^FIRSTPLANA this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

^HIPNAM1\_A {Value of HIPNAM1\_A} ^HIPNAM2\_A {Value of HIPNAM2\_A}

**Description:** Plan pays for prescription drug - plan 2

Recode:

Length:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'

Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources:

Question ID: INS.0480.02.1

**Keywords:** Medications; Prescriptions

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

PRRXCOV2\_A Plan pays for prescription drug - plan 2

Code	Description	Frequency	Percent
1	Yes	248	48.72
2	No	224	44.01
7	Refused	2	0.39
8	Not Ascertained	0	0.00
9	Don't Know	35	6.88

Variable: PRDNCOV2\_A

Module: Adult

Section: INS : Health Insurance

1

File(s): Adult
Data Type: Numeric

Question Text: Does ^FIRSTPLANA pay for any of the costs for dental care?

\* Read if necessary: Even if you have not used this benefit, please answer if this plan would cover at least some of the costs if you did have dental care.

Fills: ^FIRSTPLANA this plan/this first plan/this ^HIPNAM1\_A plan/this

second plan/this ^HIPNAM2\_A plan

^HIPNAM1\_A {Value of HIPNAM1\_A} ^HIPNAM2\_A {Value of HIPNAM2\_A}

**Description:** Plan pays for dental care - plan 2

Recode:

Length:

Universe: HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl'
Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources:

Question ID: INS.0490.02.1
Keywords: Dental care

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PRDNCOV2\_A Plan pays for dental care - plan 2

Code	Description	Frequency	Percent
1	Yes	300	58.94
2	No	189	37.13
7	Refused	2	0.39
8	Not Ascertained	0	0.00
9	Don't Know	18	3.54

Variable: PRVSCOV2\_A

Module: Adult

Section: INS: Health Insurance

File(s): Adult Data Type: Numeric

Length: 1

Question Text: Does ^FIRSTPLANA pay for any of the costs for routine vision care, such as

glasses and contact lenses?

\* Read if necessary: Even if you have not used this benefit, please answer if this plan would cover at least some of the costs if you did have vision care.

this plan/this first plan/this ^HIPNAM1\_A plan/this ^FIRSTPLANA Fills:

second plan/this ^HIPNAM2\_A plan

^HIPNAM1\_A {Value of HIPNAM1\_A} ^HIPNAM2 A {Value of HIPNAM2\_A}

Description: Plan pays for vision care - plan 2

Recode:

HHSTAT\_A=1 and PRIVATE\_A in (1,2) and HIPNAM2\_A ne 'bl' Universe: Universe Description:

Sample adults 18+ with private health insurance - plan 2

Sources:

Question ID: INS.0500.02.1 Keywords: Vision care

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PRVSCOV2\_A Plan pays for vision care - plan 2

Code	Description	Frequency	Percent
1	Yes	157	30.84
2	No	328	64.44
7	Refused	2	0.39
8	Not Ascertained	0	0.00
9	Don't Know	22	4.32

Variable: EXCHPR2\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Exchange company coding NCHS - plan 2

Recode: Yes

Universe: HHSTAT\_A=1 and PRIVATE\_A=1 and (HIKIND01\_A=1 or HIKIND03\_A=1) and HIPNAM2\_A ne

'b1'

Universe Description: Sample adults 18+ with private health insurance - plan 2

Sources: HIPNAM2\_A

Question ID:

**Keywords:** Private health insurance; Exchange

Notes: Internal coding of insurance plan names from private plan verbatim fields into

four categories - plan 2

**Evaluation Report:** 

#### Unweighted frequencies:

EXCHPR2\_A Exchange company coding NCHS - plan 2

Code	Description	Frequency	Percent
1	Company provides exchange plans	149	29.27
2	Not an exchange company	237	46.56
3	Exchange Portal or exact exchange plan name	1	0.20
8	Not Ascertained	122	23.97

Variable: CHIP\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Children's Health Insurance Program (CHIP) recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND05\_A

Question ID:

Keywords: CHIP

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

CHIP\_A Children's Health Insurance Program (CHIP) recode

Code	Description	Frequency	Percent
1	Yes, information	5	0.02
2	Yes, but no information	0	0.00
3	No	29372	99.63
7	Refused	46	0.16
8	Not Ascertained	0	0.00
9	Don't Know	59	0.20

Variable: CHXCHNG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

Was your CHIP plan obtained through Healthcare.gov or the ^MARKETPLACE?

Fills: ^MARKETPLACE Health Insurance marketplace names

**Description:** CHIP through Marketplace

Recode:

Universe: HHSTAT\_A=1 and CHIP\_A in (1,2)

Universe Description: Sample adults 18+ with Children's Health Insurance Program (CHIP)

Sources:

Question ID: INS.0520.00.1

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

CHXCHNG\_A CHIP through Marketplace

Code	Description	Frequency	Percent
1	Yes	4	80.00
2	No	0	0.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	20.00

Variable: CHPREM\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

A health insurance premium is the amount you or a family member pays each month for health care coverage. Do you or a family member pay a premium for

this CHIP plan?

Description: Pay CHIP premium

Recode:

Universe: HHSTAT\_A=1 and CHIP\_A in (1,2)

Universe Description: Sample adults 18+ with Children's Health Insurance Program (CHIP)

Sources:

Question ID: INS.0530.00.1

Keywords: Premium

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CHPREM\_A Pay CHIP premium

Code	Description	Frequency	Percent
1	Yes	2	40.00
2	No	3	60.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: CHDEDUC\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does

your CHIP plan have an annual deductible?

\* Read if necessary: A deductible is different from a copay (copayment).

**Description:** CHIP deductible

Recode:

Universe: HHSTAT\_A=1 and CHIP\_A in (1,2)

Universe Description: Sample adults 18+ with Children's Health Insurance Program (CHIP)

Sources:

Question ID: INS.0540.00.1
Keywords: Deductible

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CHDEDUC\_A CHIP deductible

Code	Description	Frequency	Percent
1	Yes	2	40.00
2	No	2	40.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	20.00

Variable: CHHDHP\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible

amounts here.

Fills: ^HDHPDED Deductible threshold (may change in future year)

Description: CHIP HDHP

Recode:

Universe: HHSTAT\_A=1 and CHIP\_A in (1,2) and CHDEDUC\_A=1

Universe Description: Sample adults 18+ with Children's Health insurance Program (CHIP) with a

deductible

Sources:

Question ID: INS.0550.00.1

Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

CHHDHP\_A CHIP HDHP

Code	Description	F	requency	Percent
1	Deductible is less than \$1,400		0	0.00
2	Deductible is \$1,400 or more		1	50.00
7	Refused		0	0.00
8	Not Ascertained		0	0.00
9	Don't Know		1	50.00

Variable: CHFLG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** CHIP reassignment flag

Recode: Yes

Universe: HHSTAT\_A=1 and CHIP\_A in (1,2)

Universe Description: Sample adults 18+ with Children's Health Insurance Program (CHIP)

Sources:
Question ID:
Keywords:

Notes: Flag indicating Sample Adult was reassigned from private health insurance to

State Children's Health Insurance Program (CHIP)

**Evaluation Report:** 

### Unweighted frequencies:

CHFLG\_A CHIP reassignment flag

C	ode	Description	Frequency	Percent
1		Reassigned to CHIP from private	0	

Variable: OTHPUB\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** State-sponsored health plan recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND08\_A

Question ID:

**Keywords:** State-sponsored health plan

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

OTHPUB\_A State-sponsored health plan recode

Code	Description	Frequency	Percent
1	Yes, information	168	0.57
2	Yes, but no information	0	0.00
3	No	29209	99.07
7	Refused	46	0.16
8	Not Ascertained	0	0.00
9	Don't Know	59	0.20

Variable: OPXCHNG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

Was your state-sponsored plan obtained through Healthcare.gov or the

^MARKETPLACE?

Fills: ^MARKETPLACE Health Insurance marketplace names

**Description:** State-sponsored plan through Marketplace

Recode:

Universe: HHSTAT\_A=1 and OTHPUB\_A in (1,2)

Universe Description: Sample adults 18+ with state-sponsored plan

Sources:

Question ID: INS.0570.00.1

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

OPXCHNG\_A State-sponsored plan through Marketplace

Code	Description	Frequency	Percent
1	Yes	22	13.10
2	No	128	76.19
7	Refused	3	1.79
8	Not Ascertained	0	0.00
9	Don't Know	15	8.93

Variable: OPPREM\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric
Length: 1

Question Text: ?[F1]

A health insurance premium is the amount you or a family member pays each month for health care coverage. Do you or a family member pay a premium for

this state-sponsored plan?

**Description:** Pay premium for state-sponsored plan

Recode:

Universe: HHSTAT\_A=1 and OTHPUB\_A in (1,2)

Universe Description: Sample adults 18+ with state-sponsored plan

Sources:

**Question ID:** INS.0580.00.1

Keywords: Premium

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

OPPREM\_A Pay premium for state-sponsored plan

Code	Description	Frequency	Percent
1	Yes	60	35.71
2	No	99	58.93
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	9	5.36

Variable: OPDEDUC\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric
Length: 1

Question Text: ?[F1]

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does

your state-sponsored plan have an annual deductible?

\* Read if necessary: A deductible is different from a copay (copayment).

**Description:** State-sponsored plan deductible

Recode:

Universe: HHSTAT\_A=1 and OTHPUB\_A in (1,2)

Universe Description: Sample adults 18+ with state-sponsored plan

Sources:

Question ID: INS.0590.00.1
Keywords: Deductible

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

OPDEDUC\_A State-sponsored plan deductible

Code	Description	Frequency	Percent
1	Yes	57	33.93
2	No	101	60.12
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	10	5.95

Variable: OPHDHP\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible

amounts here.

Fills: ^HDHPDED Deductible threshold (may change in future year)

**Description:** State-sponsored plan HDHP

Recode:

Universe: HHSTAT\_A=1 and OTHPUB\_A in (1,2) and OPDEDUC\_A=1

Universe Description: Sample adults 18+ with state-sponsored plan with a deductible

Sources:

Question ID: INS.0600.00.1

Keywords: Consumer directed; High deductible; HDHP; CDHP

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

OPHDHP\_A State-sponsored plan HDHP

Code	Description	Frequency	Percent
1	Deductible is less than \$1,400	28	49.12
2	Deductible is \$1,400 or more	19	33.33
7	Refused	1	1.75
8	Not Ascertained	0	0.00
9	Don't Know	9	15.79

Variable: PLEXCHOP\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Exchange company coding, NCHS (state-sponsored plan)

Recode: Yes

Universe: HHSTAT\_A=1 and OTHPUB\_A in (1,2)

Universe Description: Sample adults 18+ with state-sponsored plan

Sources: OPNAME\_A

Question ID:

**Keywords:** State-sponsored health plan

Notes: Internal coding of other state-sponsored plan name from verbatim field into

four categories

**Evaluation Report:** 

#### Unweighted frequencies:

PLEXCHOP\_A Exchange company coding, NCHS (state-sponsored plan)

Code	Description	Frequency	Percent
1	Company provides exchange plans	81	48.21
2	Not an exchange company	49	29.17
3	Exchange Portal or exact exchange plan name	0	0.00
8	Not Ascertained	38	22.62

Variable: OPFLG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** State-sponsored reassignment flag

Recode: Yes

Universe: HHSTAT\_A=1 and OTHPUB\_A in (1,2)

Universe Description: Sample adults 18+ with state-sponsored plan

Sources: Question ID:

**Keywords:** State-sponsored health plan

Notes: Flag indicating Sample Adult was reassigned from private health insurance to

other state-sponsored coverage

**Evaluation Report:** 

### Unweighted frequencies:

OPFLG\_A State-sponsored reassignment flag

C	ode	Description	Frequency	Percent
1		Reassigned to other public from private	0	

Variable: OTHGOV\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Other government program recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND09\_A

Question ID:

Keywords: Other government program

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

OTHGOV\_A Other government program recode

Code	Description	Frequency	Percent
1	Yes, information	80	0.27
2	Yes, but no information	0	0.00
3	No	29297	99.37
7	Refused	46	0.16
8	Not Ascertained	0	0.00
9	Don't Know	59	0.20

Variable: OGXCHNG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1
Question Text: ?[F1]

Was your other government plan obtained through Healthcare.gov or the

^MARKETPLACE?

Fills: ^MARKETPLACE Health Insurance marketplace names

**Description:** Other government program through Marketplace

Recode:

Universe: HHSTAT\_A=1 and OTHGOV\_A in (1,2)

Universe Description: Sample adults 18+ with other government coverage

Sources:

Question ID: INS.0620.00.1

Keywords: Health Insurance Exchange; Health Insurance Marketplace

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

OGXCHNG\_A Other government program through Marketplace

Code	Description	Frequency	Percent
1	Yes	12	15.00
2	No	64	80.00
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	5.00

Variable: OGPREM\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

A health insurance premium is the amount you or a family member pays each month for health care coverage. Do you or a family member pay a premium for

your other government plan?

**Description:** Pay premium for other government program

Recode:

Universe: HHSTAT\_A=1 and OTHGOV\_A in (1,2)

Universe Description: Sample adults 18+ with other government coverage

Sources:

Question ID: INS.0630.00.1

Keywords: Premium

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

OGPREM\_A Pay premium for other government program

Code	Description	Frequency	Percent
1	Yes	33	41.25
2	No	43	53.75
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	5.00

Variable: OGDEDUC\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

A deductible is the amount you have to pay for health care before your health insurance or health coverage plan will start paying your medical bills. Does

your other government plan have an annual deductible?

\* Read if necessary: A deductible is different from a copay (copayment).

**Description:** Other government program deductible

Recode:

Universe: HHSTAT\_A=1 and OTHGOV\_A in (1,2)

Universe Description: Sample adults 18+ with other government coverage

Sources:

Question ID: INS.0640.00.1
Keywords: Deductible

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

OGDEDUC\_A Other government program deductible

Code	Description	Frequency	Percent
1	Yes	3	0 37.50
2	No	4	1 51.25
7	Refused		0.00
8	Not Ascertained		0.00
9	Don't Know		9 11.25

Variable: OGHDHP\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

Is the annual deductible for medical care for this plan less than ^HDHPDED or ^HDHPDED or more? If there is a separate deductible for prescription drugs, hospitalization, or out-of-network care, do not include those deductible

amounts here.

Fills: ^HDHPDED Deductible threshold (may change in future year)

**Description:** Other government program HDHP

Recode:

Universe: HHSTAT\_A=1 and OTHGOV\_A in (1,2) and OGDEDUC\_A=1

Universe Description: Sample adults 18+ with other government coverage with a deductible

Sources:

Question ID: INS.0650.00.1

Keywords: Consumer directed; High deductible; HDHP; CDHP

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

OGHDHP\_A Other government program HDHP

Code	Description	Frequency	Percent
1	Deductible is less than \$1,400	20	66.67
2	Deductible is \$1,400 or more	5	16.67
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	5	16.67

Variable: PLEXCHOG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Exchange company coding, NCHS (other government program)

Recode: Yes

Universe: HHSTAT\_A=1 and OTHGOV\_A in (1,2)

Universe Description: Sample adults 18+ with other government coverage

Sources: OGNAME\_A

Question ID:

Keywords: Other government program

Notes: Internal coding of other government plan name from verbatim field into four

categories

**Evaluation Report:** 

#### Unweighted frequencies:

PLEXCHOG\_A Exchange company coding, NCHS (other government program)

Code	Description	Frequency	Percent
1	Company provides exchange plans	33	41.25
2	Not an exchange company	14	17.50
3	Exchange Portal or exact exchange plan name	0	0.00
8	Not Ascertained	33	41.25

Variable: OGFLG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Other government reassignment flag

Recode: Yes

Universe: HHSTAT\_A=1 and OTHGOV\_A in (1,2)

Universe Description: Sample adults 18+ with other government coverage

Sources: Question ID:

Keywords: Other government program

Notes: Flag indicating Sample Adult was reassigned from private health insurance to

other government coverage

**Evaluation Report:** 

### Unweighted frequencies:

OGFLG\_A Other government reassignment flag

Code	Description	Frequency	Percent
1	Reassigned to other government from private	1	100.00

Variable: MILITARY\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Question Text:

Length:

Description: Military health care coverage recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND06\_A; VAHOSP\_A; VACAREEV\_A

Question ID:

Keywords: VA; TRICARE(CHAMPUS); CHAMP-VA; Military health care

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

MILITARY\_A Military health care coverage recode

Code	Description	Frequency	Percent
1	Yes, information	1755	5.95
2	Yes, but no information	1	0.00
3	No	27622	93.69
7	Refused	45	0.15
8	Not Ascertained	0	0.00
9	Don't Know	59	0.20

Variable: MILSPC1R\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Types of military health care - VA health care

Recode: Yes

Universe: HHSTAT\_A=1 and MILITARY\_A in (1,2)

Universe Description: Sample adults 18+ with military health care coverage

Sources: MILSPC1\_A; VAHOSP\_A; VACAREEV\_A

Question ID:

Keywords: VA health care

Notes: This incorporates original response to VA coverage (from MILSPC1\_A) plus

positive responses to VAHOSP\_A or VACAREEV\_A in the VET section.

**Evaluation Report:** 

### Unweighted frequencies:

MILSPC1R\_A Types of military health care - VA health care

Code	Description	Frequency	Percent
1	Mentioned	1192	67.88
2	Not mentioned	562	32.00
7	Refused	0	0.00
8	Not Ascertained	1	0.06
9	Don't Know	1	0.06

Variable: MILSPC2\_A

Module: Adult

Section: INS : Health Insurance

?[F1]

File(s): Adult

Data Type: Numeric

Length: 1

Earlier I recorded that you are covered by military related health care. What

types of military related health care are you covered by?

\* Enter all that apply, separate with commas.

**Description:** Types of military health care - TRICARE

Recode:

Question Text:

Universe: HHSTAT\_A=1 and MILITARY\_A in (1,2)

Universe Description: Sample adults 18+ with military health care coverage

Sources:

Question ID: INS.0660.02.1

Keywords: TRICARE (CHAMPUS)

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

MILSPC2\_A Types of military health care - TRICARE

Code	Description	Frequency	Percent
1	Mentioned	968	55.13
2	Not mentioned	772	43.96
7	Refused	0	0.00
8	Not Ascertained	1	0.06
9	Don't Know	15	0.85

Variable: MILSPC3\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Earlier I recorded that you are covered by military related health care. What

types of military related health care are you covered by?

\* Enter all that apply, separate with commas.

**Description:** Types of military health care - CHAMP-VA

Recode:

Question Text:

Universe: HHSTAT\_A=1 and MILITARY\_A in (1,2)

?[F1]

Universe Description: Sample adults 18+ with military health care coverage

Sources:

Question ID: INS.0660.03.1
Keywords: CHAMP-VA

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

MILSPC3\_A Types of military health care - CHAMP-VA

Code	Description	Frequency	Percent
1	Mentioned	267	15.21
2	Not mentioned	1472	83.83
7	Refused	0	0.00
8	Not Ascertained	1	0.06
9	Don't Know	16	0.91

Variable: IHS\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Indian Health Service recode

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: HIKIND07\_A

Question ID:

Keywords: Indian Health Service

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

IHS\_A Indian Health Service recode

Code	Description	Frequency	Percent
1	Yes	115	0.39
2	No	29262	99.25
7	Refused	46	0.16
8	Not Ascertained	0	0.00
9	Don't Know	59	0.20

Variable: HILAST\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How long has it been since you last had health care coverage that paid for

doctor's visits or hospital stays?

**Description:** How long since last health coverage

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2

Universe Description: Sample adults 18+ without coverage

Sources:

Question ID: INS.0670.00.1

Keywords: Uninsured

Notes: Do not use HILAST\_A to estimate uninsured adults.

**Evaluation Report:** 

#### Unweighted frequencies:

HILAST\_A How long since last health coverage

Code	Description	Frequency	Percent
0	Never	316	13.88
1	Within the past year (anytime less than 12 months ago)	530	23.28
2	Within the last 2 years (1 year but less than 2 years ago)	307	13.48
3	Within the last 3 years (2 years but less than 3 years ago)	198	8.70
4	Within the last 5 years (3 years but less than 5 years ago)	228	10.01
5	Within the last 10 years (5 years but less than 10 years ago)	207	9.09
6	10 years ago or more	293	12.87
7	Refused	4	0.18
8	Not Ascertained	166	7.29
9	Don't Know	28	1.23

Variable: HILASTMY\_A

Module: Adult

Section: INS : Health Insurance

2

File(s): Adult
Data Type: Numeric

Question Text: In the past 12 months, how many months were you without coverage?

\* If less than 1 month, enter '1'.

**Description:** Number of months without coverage

Recode:

Length:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2 and HILAST\_A=1

Universe Description: Sample adults 18+ without coverage for less than a year

Sources:

**Question ID:** INS.0680.00.1

Keywords: Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

HILASTMY\_A Number of months without coverage

Code	Description	Frequency	Percent
01-12	Range of values	524	98.87
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	6	1.13

Variable: HISTOPJOB\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Question Text: ?[F1]

Think about the last time that you did have health care coverage that paid for doctor's visits or hospital stays. I am going to read a list of reasons why someone might no longer be enrolled in coverage. Please tell me, yes or no, if this is a reason why you are no longer enrolled in your last health care plan.

You or the policyholder retired, lost a job, or changed employers?

**Description:** Lost job or changed employers

Recode:

Length:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2 and HILAST\_A in (1,2,3)

Universe Description: Sample adults 18+ without coverage for less than 3 years

Sources:

Question ID: INS.0690.00.1

Keywords: Uninsured

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

HISTOPJOB\_A Lost job or changed employers

Code	Description	Frequency	Percent
1	Yes	547	52.85
2	No	484	46.76
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	0.39

Variable: HISTOPMISS\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Are you no longer enrolled in your last health care plan

ecause...

You missed a deadline for signing up or paying for the coverage?

**Description:** Missed deadline

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2 and HILAST\_A in (1,2,3)

Universe Description: Sample adults 18+ without coverage for less than 3 years

Sources:

Question ID: INS.0700.00.1

Keywords: Uninsured

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

### HISTOPMISS\_A Missed deadline

Code	Description	Frequency	Percent
1	Yes	117	11.30
2	No	913	88.21
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	5	0.48

Variable: HISTOPAGE\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Are you no longer enrolled in your last health care plan

ecause...

You became ineligible because of your age or because you left school?

**Description:** Ineligible because of age/left school

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2 and HILAST\_A in (1,2,3)

Universe Description: Sample adults 18+ without coverage for less than 3 years

Sources:

Question ID: INS.0710.00.1

Keywords: Uninsured

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

HISTOPAGE\_A Ineligible because of age/left school

Code	Description	Frequency	Percent
1	Yes	91	8.79
2	No	940	90.82
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	0.39

Variable: HISTOPCOST\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Question Text: \* Read if necessary: Are you no longer enrolled in your last health care plan

because..

The cost for your coverage increased?

**Description:** Cost increase

Recode:

Length:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2 and HILAST\_A in (1,2,3)

Universe Description: Sample adults 18+ without coverage for less than 3 years

Sources:

Question ID: INS.0720.00.1

Keywords: Uninsured

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

### **HISTOPCOST\_A** Cost increase

Code	Description	Frequency	Percent
1	Yes	198	19.13
2	No	833	80.48
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	0.39

Variable: HISTOPELIG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

\* Read if necessary: Are you no longer enrolled in your last health care plan

because...

You had Medicaid or other public coverage, but were no longer eligible?

Description: Not eligible for Medicaid, CHIP, or other public coverage

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2 and HILAST\_A in (1,2,3)

Universe Description: Sample adults 18+ without coverage for less than 3 years

Sources:

Question ID: INS.0730.00.1
Keywords: Uninsured

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

HISTOPELIG\_A Not eligible for Medicaid, CHIP, or other public coverage

Code	Description	Frequency	Percent
1	Yes	166	16.04
2	No	861	83.19
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	8	0.77

Variable: RSNHICOST\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^INSREASONS Are you currently uninsured because coverage is not affordable?

Fills: ^INSREASONS RSNHICOST\_A Introduction

**Description:** Not affordable

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2

Universe Description: Sample adults 18+ without coverage

Sources:

Question ID: INS.0740.00.1
Keywords: Uninsured

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

#### RSNHICOST\_A Not affordable

Code	Description	Frequency	Percent
1	Yes	1464	64.30
2	No	621	27.27
7	Refused	4	0.18
8	Not Ascertained	166	7.29
9	Don't Know	22	0.97

Variable: RSNHIWANT\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: There are other reasons that people do not have health insurance coverage.

^PLUSCOSTA you currently uninsured because...

...you do not need or want coverage?

Fills: ^PLUSCOSTA In addition to cost, are/Are

**Description:** Do not need or want coverage

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2

Universe Description: Sample adults 18+ without coverage

Sources:

Question ID: INS.0750.00.1
Keywords: Uninsured

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

RSNHIWANT\_A Do not need or want coverage

Code	Description	Frequency	Percent
1	Yes	474	20.82
2	No	1625	71.37
7	Refused	3	0.13
8	Not Ascertained	166	7.29
9	Don't Know	9	0.40

Variable: RSNHIELIG\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: There are other reasons that people do not have health

insurance coverage. ^PLUSCOSTA you currently uninsured because...

...you are not eligible for coverage?

Fills: ^PLUSCOSTA In addition to cost, are/Are

**Description:** Not eligible for coverage

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2

Universe Description: Sample adults 18+ without coverage

Sources:

Question ID: INS.0760.00.1
Keywords: Uninsured

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

 $\textbf{RSNHIELIG\_A} \quad \text{Not eligible for coverage}$ 

Code	Description	Frequency	Percent
1	Yes	513	22.53
2	No	1514	66.49
7	Refused	5	0.22
8	Not Ascertained	166	7.29
9	Don't Know	79	3.47

Variable: RSNHICONF\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: There are other reasons that people do not have health

insurance coverage. ^PLUSCOSTA you currently uninsured because...

...the process of signing up for coverage is too difficult or confusing?

Fills: ^PLUSCOSTA In addition to cost, are/Are

**Description:** Signing up too difficult or confusing

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2

Universe Description: Sample adults 18+ without coverage

Sources:

Question ID: INS.0770.00.1
Keywords: Uninsured

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

RSNHICONF\_A Signing up too difficult or confusing

Code	Description	Frequency	Percent
1	Yes	384	16.86
2	No	1689	74.18
7	Refused	3	0.13
8	Not Ascertained	166	7.29
9	Don't Know	35	1.54

Variable: RSNHIMEET\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: There are other reasons that people do not have health

insurance coverage. ^PLUSCOSTA you currently uninsured because...

...you cannot find a plan that meets your needs?

Fills: ^PLUSCOSTA In addition to cost, are/Are

**Description:** Cannot find a plan that meets the needs

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2

Universe Description: Sample adults 18+ without coverage

Sources:

Question ID: INS.0780.00.1
Keywords: Uninsured

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

RSNHIMEET\_A Cannot find a plan that meets the needs

Code	Description	Frequency	Percent
1	Yes	382	16.78
2	No	1680	73.78
7	Refused	3	0.13
8	Not Ascertained	166	7.29
9	Don't Know	46	2.02

Variable: RSNHIWAIT\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: There are other reasons that people do not have health

insurance coverage. ^PLUSCOSTA you currently uninsured because...

...you applied for coverage but it has not started yet?

Fills: ^PLUSCOSTA In addition to cost, are/Are

Description: Coverage has not started yet

Recode:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2

Universe Description: Sample adults 18+ without coverage

Sources:

Question ID: INS.0790.00.1
Keywords: Uninsured

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

RSNHIWAIT\_A Coverage has not started yet

Code	Description	Frequency	Percent
1	Yes	167	7.33
2	No	1928	84.67
7	Refused	3	0.13
8	Not Ascertained	166	7.29
9	Don't Know	13	0.57

Variable: RSNHIOTH\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Question Text: Is there another reason that you currently do not have health insurance

coverage?

**Description:** Another reason

Recode:

Length:

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2

Universe Description: Sample adults 18+ without coverage

Sources:

Question ID: INS.0800.00.1

Keywords: Uninsured

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

RSNHIOTH\_A Another reason

Code	Description	Frequency	Percent
1	Yes	129	5.67
2	No	1969	86.47
7	Refused	4	0.18
8	Not Ascertained	166	7.29
9	Don't Know	9	0.40

Variable: RSNHIJOB\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Is there another reason that you currently do not have health insurance

coverage?

**Description:** Lost job

Recode: Yes

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2

Universe Description: Sample adults 18+ without coverage

Sources: RSNHIOTHSP\_A

Question ID:

Keywords: Uninsured

Notes: This variable was added as a result of coding the verbatim responses in

RSNHIOTHSP\_A.

**Evaluation Report:** 

### Unweighted frequencies:

RSNHIJOB\_A Lost job

Code	Description	Frequency	Percent
1	Yes	89	3.91
2	No	2022	88.80
7	Refused		0.00
8	Not Ascertained	160	7.29
9	Don't Know		0.00

Variable: RSNHIMISS\_A

Module: Adult

Section: INS : Health Insurance

1

File(s): Adult
Data Type: Numeric

Question Text: Is there another reason that you currently do not have health insurance

coverage?

**Description:** Missed deadline

Recode: Yes

Universe: HHSTAT\_A=1 and MEDICARE\_A=3 and MEDICAID\_A=3 and PRIVATE\_A=3 and CHIP\_A=3 and

OTHPUB\_A=3 and OTHGOV\_A=3 and MILITARY\_A=3 and IHS\_A=2

Universe Description: Sample adults 18+ without coverage

Sources: RSNHIOTHSP\_A

Question ID:

Length:

Keywords: Uninsured

Notes: This variable was added as a result of coding the verbatim responses in

RSNHIOTHSP\_A.

**Evaluation Report:** 

### Unweighted frequencies:

### RSNHIMISS\_A Missed deadline

Code	Description	Frequency	Percent
1	Yes	10	0.44
2	No	2101	92.27
7	Refused	0	0.00
8	Not Ascertained	166	7.29
9	Don't Know	0	0.00

Variable: HINOTYR\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In the past 12 months, was there any time when you did NOT have ANY health

insurance or coverage?

**Description:** No health coverage during the past 12 months

Recode:

Universe: HHSTAT\_A=1 and (HIKIND01\_A=1 or HIKIND02\_A=1 or HIKIND03\_A=1 or HIKIND04\_A=1

or HIKIND05\_A=1 or HIKIND06\_A=1 or HIKIND07\_A=1 or HIKIND08\_A=1 or

HIKIND09\_A=1 or MCAIDPRB\_A=1 or MCAREPRB\_A=1)

Universe Description: Sample adults 18+ with health insurance coverage indicated at the time of data

collection

Sources:

Question ID: INS.0820.00.1

**Keywords:** Uninsured

Notes: Do not use HINOTYR\_A to estimate the uninsured or those with coverage. This

variable is based on the original responses to the questions about type of health insurance coverage. There are some adults for whom it is later determined through the editing process that they do not have coverage and are

included in the universe for this question.

**Evaluation Report:** 

#### Unweighted frequencies:

HINOTYR\_A No health coverage during the past 12 months

Code	Description	Frequency	Percent
1	Yes	927	3.40
2	No	26299	96.47
7	Refused	11	0.04
8	Not Ascertained	0	0.00
9	Don't Know	25	0.09

Variable: HINOTMYR\_A

Module: Adult

Section: INS : Health Insurance

2

File(s): Adult
Data Type: Numeric

Question Text: In the past 12 months, about how many months were you without coverage?

\* If less than 1 month, enter '1'.

**Description:** Months without coverage in the past 12 months

Recode:

Length:

Universe: HHSTAT\_A=1 and(HIKIND01\_A=1 or HIKIND02\_A=1 or HIKIND03\_A=1 or HIKIND04\_A=1 or

HIKIND05\_A=1 or HIKIND06\_A=1 or HIKIND07\_A=1 or HIKIND08\_A=1 or HIKIND09\_A=1

or MCAIDPRB\_A=1 or MCAREPRB\_A=1) and HINOTYR\_A = 1

Universe Description: Sample adults 18+ with health insurance coverage indicated at the time of data

collection who had a period of uninsurance in the past 12 months

Sources:

Question ID: INS.0830.00.1

Keywords: Uninsured

Notes: Do not use HINOTMYR\_A to estimate the uninsured or those with coverage. This

variable is based on the original responses to the questions about type of health insurance coverage. There are some adults for whom it is later determined through the editing process that they do not have coverage and are

included in the universe for this question.

**Evaluation Report:** 

### Unweighted frequencies:

HINOTMYR\_A Months without coverage in the past 12 months

Code	Description	Frequency	Percent
01-12	Range of values	914	98.60
97	Refused	1	0.11
98	Not Ascertained	0	0.00
99	Don't Know	12	1.29

Variable: MILSPC1\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

Earlier I recorded that you are covered by military related health care. What

types of military related health care are you covered by?

\* Enter all that apply, separate with commas.

Description: Types of military health care - VA health care original response

Recode:

Universe: HHSTAT\_A=1 and MILITARY\_A in (1,2)

Universe Description: Sample adults 18+ with military health care coverage

Sources:

Question ID: INS.0660.01.1
Keywords: VA health care

Notes: Use with caution. This is the original response to VA coverage in the INS

section, and does not take into account responses to VAHOSP\_A or VACAREEV\_A in

the VET section.

**Evaluation Report:** 

### Unweighted frequencies:

MILSPC1\_A Types of military health care - VA health care original response

Code	Description	Frequency	Percent
1	Mentioned	615	44.86
2	Not mentioned	739	53.90
7	Refused	0	0.00
8	Not Ascertained	1	0.07
9	Don't Know	16	1.17

Variable: HICOV\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

The next questions are about health insurance. Include health insurance obtained through employment or purchased directly as well as government programs like Medicare, Medicaid, and the Children's Health Insurance Program that provide medical care or help pay medical bills. Are you covered by any

kind of health insurance or some other kind of health care plan?

**Description:** Have health insurance

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INS.0010.00.1

Keywords:

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

### Unweighted frequencies:

HICOV\_A Have health insurance

Code	Description	Frequency	Percent
1	Yes	2748	2 93.22
2	No	196	1 6.65
7	Refused	2	0 0.07
8	Not Ascertained		0.00
9	Don't Know	1	9 0.06

Variable: HIKIND01\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - private health insurance

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INS.0020.01.1

**Keywords:** Private health insurance

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### Unweighted frequencies:

HIKIND01\_A Kind(s) of health insurance - private health insurance

Code	Description	Frequency	Percent
1	Mentioned	16735	56.76
2	Not mentioned	12642	42.88
7	Refused	46	0.16
8	Not Ascertained	0	0.00
9	Don't Know	59	0.20

Variable: HIKIND02\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - Medicare

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INS.0020.02.1
Keywords: Medicare

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### Unweighted frequencies:

HIKIND02\_A Kind(s) of health insurance - Medicare

Code	Description	Frequency	Percent
1	Mentioned	8799	29.85
2	Not mentioned	20578	69.80
7	Refused	46	0.16
8	Not Ascertained	0	0.00
9	Don't Know	59	0.20

Variable: HIKIND03\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - Medicare supplement (Medigap)

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INS.0020.03.1

Keywords: Medicare supplement (Medigap)

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### Unweighted frequencies:

HIKIND03\_A Kind(s) of health insurance - Medicare supplement (Medigap)

Code	Description	Frequency	Percent
1	Mentioned	2330	7.90
2	Not mentioned	27047	91.74
7	Refused	46	0.16
8	Not Ascertained	0	0.00
9	Don't Know	59	0.20

Variable: HIKIND04\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - Medicaid

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INS.0020.04.1

Keywords: Medicaid

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### Unweighted frequencies:

HIKIND04\_A Kind(s) of health insurance - Medicaid

Code	Description	Frequency	Percent
1	Mentioned	3053	10.36
2	Not mentioned	26324	89.29
7	Refused	46	0.16
8	Not Ascertained	0	0.00
9	Don't Know	59	0.20

Variable: HIKIND05\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - CHIP

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INS.0020.05.1

Keywords: CHIP

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

### Unweighted frequencies:

HIKIND05\_A Kind(s) of health insurance - CHIP

Code	Description	Frequency	Percent
1	Mentioned	10	0.03
2	Not mentioned	29367	99.61
7	Refused	46	0.16
8	Not Ascertained	0	0.00
9	Don't Know	59	0.20

Variable: HIKIND06\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - military related health care

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** INS.0020.06.1

Keywords: Military related health care: TRICARE (CHAMP-US); VA health care; CHAMP-VA

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### Unweighted frequencies:

HIKIND06\_A Kind(s) of health insurance - military related health care

Code	Description	Frequency	Percent
1	Mentioned	1314	4.46
2	Not mentioned	28063	95.19
7	Refused	46	0.16
8	Not Ascertained	0	0.00
9	Don't Know	59	0.20

Variable: HIKIND07\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - Indian Health Service

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INS.0020.07.1

Keywords: Indian Health Service

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### Unweighted frequencies:

HIKIND07\_A Kind(s) of health insurance - Indian Health Service

Code	Description	Frequency	Percent
1	Mentioned	111	0.38
2	Not mentioned	29266	99.27
7	Refused	46	0.16
8	Not Ascertained	0	0.00
9	Don't Know	59	0.20

Variable: HIKIND08\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - State-sponsored health plan

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INS.0020.08.1

**Keywords:** State-sponsored health plan

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### Unweighted frequencies:

HIKIND08\_A Kind(s) of health insurance - State-sponsored health plan

Code	Description	Frequency	Percent
1	Mentioned	813	2.76
2	Not mentioned	28564	96.89
7	Refused	46	0.16
8	Not Ascertained	0	0.00
9	Don't Know	59	0.20

Variable: HIKIND09\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - Other government program

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** INS.0020.09.1

Keywords: Other government program

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### Unweighted frequencies:

HIKIND09\_A Kind(s) of health insurance - Other government program

Code	Description	Frequency	Percent
1	Mentioned	358	1.21
2	Not mentioned	29019	98.43
7	Refused	46	0.16
8	Not Ascertained	0	0.00
9	Don't Know	59	0.20

Variable: HIKIND10\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

What kinds of health insurance or health care coverage do you have? Is it...Private health insurance, Medicare, Medicare supplement, Medicaid, Children's Health Insurance Program or CHIP, military related health care including TRICARE, CHAMPUS, VA health care and CHAMP-VA, Indian Health Service, a state-sponsored health plan, or an other government program?

\* Enter all that apply, separate with commas.

**Description:** Kind(s) of health insurance - No coverage of any type

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INS.0020.10.1
Keywords: Uninsured

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### Unweighted frequencies:

HIKIND10\_A Kind(s) of health insurance - No coverage of any type

Code	Description	Frequency	Percent
1	Mentioned	2236	7.58
2	Not mentioned	27141	92.06
7	Refused	46	0.16
8	Not Ascertained	0	0.00
9	Don't Know	59	0.20

Variable: MCAREPRB\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ?[F1]

Are you covered by Medicare?

**Description:** Medicare coverage probe

Recode:

Universe: HHSTAT\_A=1 and (AGEP\_A >=65 or AGE65=2) and (HIKIND02\_A in (2,7,8,9) or

HICOV\_A in (2,7,8,9))

Universe Description: Sample adults 65+ who did not indicate Medicare

Sources:

Question ID: INS.0030.00.1
Keywords: Medicare probe

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### Unweighted frequencies:

MCAREPRB\_A Medicare coverage probe

Code	Description	Frequency	Percent
1	Yes	578	57.00
2	No	414	40.83
7	Refused	10	0.99
8	Not Ascertained	0	0.00
9	Don't Know	12	1.18

Variable: MCAIDPRB\_A

Module: Adult

Section: INS : Health Insurance

File(s): Adult

Data Type: Numeric

Length: 1
Question Text: ?[F1]

There is a program called Medicaid that pays for health care for persons in

 ${\sf need.\ ^STATEMA\ Are\ you\ covered\ by\ Medicaid?}$ 

Fills: ^STATEMA In ^STATENAME it is also called ^STMEDICAID.

^STATENAME State name

^STMEDICAID State Medicaid name

**Description:** Medicaid coverage probe

Recode:

Universe: HHSTAT\_A=1 and (AGEP\_A <=64 or AGE65=1) and HIKIND10\_A in (1,7,8,9)

Universe Description: Sample adults 18-64 who have indicated they are uninsured or refused or don't

know their type of health insurance

Sources:

Question ID: INS.0040.00.1
Keywords: Medicaid probe

Notes: This variable does not take into account the editing process of the INS

section. Caution with the use of this variable.

**Evaluation Report:** 

#### Unweighted frequencies:

MCAIDPRB\_A Medicaid coverage probe

Code	Description	Frequency	Percent
1	Yes	66	2.95
2	No	2114	94.63
7	Refused	23	1.03
8	Not Ascertained	0	0.00
9	Don't Know	31	1.39

Variable: PAYBLL12M\_A

Module: Adult

Section: PAY: Difficulty Paying for Health Care

File(s): Adult
Data Type: Numeric

Length: 1
Question Text: ?[F1]

In the past 12 months did ^youanyone have problems paying or were unable to

pay any medical bills?

\* Read if necessary: Include bills for doctors, dentists, hospitals,

therapists, medication, equipment, nursing home or home care.

**Description:** Problems paying medical bills, past 12m

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: PAY.0020.00.1

**Keywords:** medical bills; cost

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PAYBLL12M\_A Problems paying medical bills, past 12m

Code	Description	Frequency	Percent
1	Yes	2864	9.71
2	No	26450	89.72
7	Refused	28	0.09
8	Not Ascertained	92	0.31
9	Don't Know	48	0.16

Variable: PAYNOBLLNW\_A

Module: Adult

Section: PAY: Difficulty Paying for Health Care

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ^DoyouDoesanyoneinfam currently have any medical bills that you are unable to

pay at all?

Fills: ^DoyouDoesanyoneinfam Do you/Does anyone in your family

**Description:** Unable to pay medical bills

Recode:

Universe: HHSTAT\_A=1 and PAYBLL12M\_A IN (1,7,9)

Universe Description: Sample adults 18+ who said they/anyone in their family had problems paying

their medical bills in the past 12 months or refused or don't know

Sources:

Question ID: PAY.0030.00.1

**Keywords:** medical bills; cost

Notes: In prior questions, respondents were asked to include bills for doctors,

dentists, hospitals, therapists, medication, equipment, nursing home or home

care.

**Evaluation Report:** 

### Unweighted frequencies:

PAYNOBLLNW\_A Unable to pay medical bills

Code	Description	Frequency	Percent
1	Yes	1717	58.40
2	No	1151	39.15
7	Refused	28	0.95
8	Not Ascertained	2	0.07
9	Don't Know	42	1.43

Variable: PAYWORRY\_A

Module: Adult

Section: PAY: Difficulty Paying for Health Care

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: If you get sick or have an accident, how worried are you that you will be able

to pay your medical bills? Are you very worried, somewhat worried, or not at

all worried?

**Description:** Get sick or have accident, worry about paying medical bills

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: PAY.0040.00.1

**Keywords:** medical bills; cost

Notes: In prior questions, respondents were asked to include bills for doctors,

dentists, hospitals, therapists, medication, equipment, nursing home or home

care.

**Evaluation Report:** 

#### Unweighted frequencies:

PAYWORRY\_A Get sick or have accident, worry about paying medical bills

Code	Description	Frequency	Percent
1	Very worried	3832	13.00
2	Somewhat worried	8660	29.37
3	Not at all worried	16801	56.99
7	Refused	28	0.09
8	Not Ascertained	105	0.36
9	Don't Know	56	0.19

Variable: CVDDIAG\_A
Module: Adult

Section: CVD : Positive COVID-19 Diagnosis

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Has a doctor or other health professional ever told you that you had or likely

had coronavirus or COVID-19?

**Description:** Ever had COVID-19

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** CVD.0020.00.4

Keywords: coronavirus; COVID-19

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

Evaluation Report: https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1214

#### Unweighted frequencies:

CVDDIAG\_A Ever had COVID-19

Code	Description	Frequency	Percent
1	Yes	3494	11.85
2	No	25797	87.50
7	Refused	32	0.11
8	Not Ascertained	143	0.49
9	Don't Know	16	0.05

Variable: COVIDTEST\_A

Module: Adult

Section: CVD : Positive COVID-19 Diagnosis

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you ever been tested for coronavirus or COVID-19?

**Description:** Ever been tested for COVID-19

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CVD.0030.00.4

Keywords: coronavirus; COVID-19; test

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

Evaluation Report: https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1214

### Unweighted frequencies:

COVIDTEST\_A Ever been tested for COVID-19

Code	Description	Frequency	Percent
1	Yes	17459	59.22
2	No	11816	40.08
7	Refused	36	0.12
8	Not Ascertained	146	0.50
9	Don't Know	25	0.08

Variable: CVDRSLT\_A

Module: Adult

Section: CVD : Positive COVID-19 Diagnosis

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did the test find that you had coronavirus or COVID-19?

\* If any test has shown they have COVID-19, enter '1' for yes.

\* If the respondent indicates they are waiting for their results, enter '3'

for Did not receive results.

\* If the respondent indicates the test was inconclusive, enter 'CTRL-D' for

Don't Know.

**Description:** Tested positive for COVID-19

Recode:

Universe: HHSTAT\_A=1 and COVIDTEST\_A=1

Universe Description: Sample adults 18+ who have been tested for COVID-19

Sources:

Question ID: CVD.0040.00.4

**Keywords:** coronavirus; COVID-19; test result

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

Evaluation Report: https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1214

#### Unweighted frequencies:

CVDRSLT\_A Tested positive for COVID-19

Code	Description	Frequency	Percent
1	Yes	3209	18.38
2	No	14155	81.08
3	Did not receive results	79	0.45
7	Refused	9	0.05
8	Not Ascertained	1	0.01
9	Don't Know	6	0.03

Variable: CVDSEV\_A

Module: Adult

Section: CVD : Positive COVID-19 Diagnosis

File(s): Adult
Data Type: Numeric
Length: 1

Question Text: How would you describe your coronavirus symptoms when they were at their

worst? Would you say no symptoms, mild symptoms, moderate symptoms, or severe

symptoms?

**Description:** Symptoms of COVID-19

Recode:

Universe: HHSTAT\_A=1 and (CVDDIAG\_A=1 or CVDRSLT\_A=1)

Universe Description: Sample adults 18+ who were ever told that they had coronavirus or COVID-19 or

tested positive for COVID-19

Sources:

Question ID: CVD.0050.00.4

**Keywords:** coronavirus; COVID-19; symptoms

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

Evaluation Report: https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1214

#### Unweighted frequencies:

CVDSEV\_A Symptoms of COVID-19

Code	Description	Frequency	Percent
1	No symptoms	338	9.26
2	Mild symptoms	1274	34.90
3	Moderate symptoms	1334	36.55
4	Severe symptoms	699	19.15
7	Refused	1	0.03
8	Not Ascertained	0	0.00
9	Don't Know	4	0.11

Variable: CVDSYMSM\_A

Module: Adult

Section: TSC : Taste and Smell - COVID

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When you had coronavirus, did you lose some or all of your sense of smell or

did you smell odors that were not there?

\* If the respondent indicates they lost some or all sense of smell or smelled

odors that were not there, enter '1' for yes.

**Description:** COVID-19 symptom - loss of smell

Recode:

Universe: HHSTAT\_A=1 and (CVDDIAG\_A=1 or CVDRSLT\_A=1)

Universe Description: Sample adults 18+ who were ever told that they had coronavirus or COVID-19 or

tested positive for COVID-19

Sources:

Question ID: TSC.0010.00.3

Keywords: coronavirus; COVID-19; loss of smell

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CVDSYMSM\_A COVID-19 symptom - loss of smell

Code	Description	Frequency	Percent
1	Yes	2137	58.55
2	No	1474	40.38
7	Refused	0	0.00
8	Not Ascertained	3	0.08
9	Don't Know	36	0.99

Variable: CVDSMREC\_A

Module: Adult

Section: TSC : Taste and Smell - COVID

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Has your sense of smell fully recovered, partially recovered, or not recovered

at all?

\* If the respondent's sense of smell has improved but is still worse than it

was before, or if they still smell things that are not there, but less

frequently than before, enter '2' for partially recovered.

**Description:** COVID-19 symptom - smell recovery

Recode:

Universe: HHSTAT\_A=1 and (CVDDIAG\_A=1 or CVDRSLT\_A=1) and CVDSYMSM\_A=1

Universe Description: Sample adults 18+ who were ever told that they had coronavirus or COVID-19 or

tested positive for COVID-19 and lost some or all of their sense of smell or

smelled odors that weren't there

Sources:

Question ID: TSC.0020.00.3

**Keywords:** coronavirus; COVID-19; loss of smell; smell recovery

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

CVDSMREC\_A COVID-19 symptom - smell recovery

Code	Description	Frequency	Percent
1	Fully recovered	1506	70.47
2	Partially recovered	541	25.32
3	Not recovered at all	89	4.16
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.05

Variable: CVDSYMTST\_A

Module: Adult

Section: TSC: Taste and Smell - COVID

1

File(s): Adult Data Type: Numeric

Length:

Question Text: When you had coronavirus, did you lose some or all of your ability to taste or

did you have unwanted tastes or sensations in your mouth that did not go away?

\* If the respondent indicates they lost some or all of their ability to taste

or had unwanted tastes or sensations in their mouth that did not go away,

enter '1' for yes.

Description: COVID-19 symptom - loss of taste

Recode:

Universe: HHSTAT\_A=1 and (CVDDIAG\_A=1 or CVDRSLT\_A=1)

Universe Description: Sample adults 18+ who were ever told that they had coronavirus or COVID-19 or

tested positive for COVID-19

Sources:

Question ID: TSC.0030.00.3

Keywords: COVID-19; coronavirus; loss of taste

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

CVDSYMTST\_A COVID-19 symptom - loss of taste

Code	Description	Frequency	Percent
1	Yes	2073	56.79
2	No	1556	42.63
7	Refused	0	0.00
8	Not Ascertained	3	0.08
9	Don't Know	18	0.49

Variable: CVDTSTREC\_A

Module: Adult

Section: TSC : Taste and Smell - COVID

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Has your ability to taste fully recovered, partially recovered, or not

recovered at all?

\* If the respondent's ability to taste has improved but is still worse than it was before, or if they still have unwanted tastes or sensations in their mouth, but less frequently than before, enter '2' for partially recovered.

**Description:** COVID-19 symptom - taste recovery

Recode:

Universe: HHSTAT\_A=1 and (CVDDIAG\_A=1 or CVDRSLT\_A=1) and CVDSYMTST\_A=1

Universe Description: Sample adults 18+ who were ever told that they had coronavirus or COVID-19 or

tested positive for COVID-19 and lost some or all of their ability to taste or

had unwanted tastes or sensations in their mouth that did not go away

Sources:

Question ID: TSC.0040.00.3

**Keywords:** coronavirus; COVID-19; loss of taste; taste recovery

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

CVDTSTREC\_A COVID-19 symptom - taste recovery

Code	Description	Frequency	Percent
1	Fully recovered	1553	74.92
2	Partially recovered	461	22.24
3	Not recovered at all	57	2.75
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	0.10

Variable: LASTDR\_A

Module: Adult

Section: UTZ : Utilization

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: About how long has it been since you last saw a doctor or other health

professional about your health?

\* Read if necessary: Include doctors seen while a patient in a hospital.

\* Read if necessary: Do not include dental care.

**Description:** Time since last saw doctor

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: UTZ.0020.00.1

Keywords: doctor visit; health care provider

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1192

#### Unweighted frequencies:

LASTDR\_A Time since last saw doctor

Code	Description	Frequency	Percent
0	Never	70	0.24
1	Within the past year (anytime less than 12 months ago)	24539	83.23
2	Within the last 2 years (1 year but less than 2 years ago)	2713	9.20
3	Within the last 3 years (2 years but less than 3 years ago)	802	2.72
4	Within the last 5 years (3 years but less than 5 years ago)	541	1.84
5	Within the last 10 years (5 years but less than 10 years ago)	295	1.00
6	10 years ago or more	270	0.92
7	Refused	18	0.06
8	Not Ascertained	185	0.63
9	Don't Know	49	0.17

Variable: WELLNESS\_A

Module: Adult

Section: UTZ : Utilization

1

File(s): Adult
Data Type: Numeric

Question Text: Was this a wellness visit, physical, or general purpose check-up?

\* Read if necessary: This kind of visit typically includes: blood pressure, cholesterol, and blood sugar checks, height and weight measurements, and vaccinations. The doctor or other health professional may also discuss topics related to your health such as smoking, alcohol use, diet and exercise. These visits are usually scheduled in advance and occur when you are not sick or injured.

\* Read if necessary: If a wellness exam was combined with a sick care visit,

\* Read if necessary: An obstetrician/gynecologist (OB/GYN) may perform this

visit.

**Description:** Was last visit a wellness visit

Recode:

Length:

Universe: HHSTAT\_A=1 and LASTDR\_A IN (1,2,3,4,5,6)

include this visit.

Universe Description: Sample adults 18+ who reported having seen a doctor

Sources:

Question ID: UTZ.0030.00.1

**Keywords:** preventive care; well visit

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

WELLNESS\_A Was last visit a wellness visit

Code	Description	Frequency	Percent
1	Yes	23328	80.00
2	No	5753	19.73
7	Refused	8	0.03
8	Not Ascertained	2	0.01
9	Don't Know	69	0.24

Variable: WELLVIS\_A

Module: Adult

Section: UTZ: Utilization

File(s): Adult Numeric Data Type:

Length:

Question Text: About how long has it been since you last saw a doctor or other health

professional for a wellness visit, physical, or general purpose check-up?

\* Read if necessary: This kind of visit typically includes: blood pressure, cholesterol, and blood sugar checks, height and weight measurements, and vaccinations. The doctor or other health professional may also discuss topics related to your health such as smoking, alcohol use, diet and exercise. These visits are usually scheduled in advance and occur when you are not sick or injured.

\* Read if necessary: If a wellness exam was combined with a sick care visit, include this visit.

\* Read if necessary: An obstetrician/gynecologist (OB/GYN) may perform this

visit.

Description: Time since last wellness visit

Recode:

Universe: HHSTAT\_A=1 and WELLNESS\_A IN (2,7,9)

Sample adults 18+ who reported having seen a doctor, but the last visit was Universe Description:

not a wellness visit or they didn't know or refused whether it was a wellness

visit

Sources:

Question ID: UTZ.0040.00.1

Keywords: preventive care; well visit

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

WELLVIS\_A Time since last wellness visit

Code	Description	Frequency	Percent
0	Never	99	1.70
1	Within the past year (anytime less than 12 months ago)	3015	51.72
2	Within the last 2 years (1 year but less than 2 years ago)	1149	19.71
3	Within the last 3 years (2 years but less than 3 years ago)	484	8.30
4	Within the last 5 years (3 years but less than 5 years ago)	379	6.50
5	Within the last 10 years (5 years but less than 10 years ago)	294	5.04
6	10 years ago or more	329	5.64
7	Refused	1	0.02
8	Not Ascertained	1	0.02
9	Don't Know	79	1.36

Variable: USUALPL\_A

Module: Adult

Section: UTZ : Utilization

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Is there a place that you USUALLY go to if you are sick and need health care?

**Description:** Have a usual place to go for care

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: UTZ.0050.00.1

**Keywords:** regular; doctor; access

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

USUALPL\_A Have a usual place to go for care

Code	Description	Frequency	Percent
1	Yes	2616	88.76
2	There is NO place	260	1 8.82
3	There is MORE THAN ONE place	49	1.68
7	Refused	1	0.03
8	Not Ascertained	19	9.66
9	Don't Know	1	0.04

Variable: USPLKIND\_A

Module: Adult

Section: UTZ : Utilization

File(s): Adult
Data Type: Numeric

Length:

Question Text: What kind of place ^ISITGOMSTOFT - a doctor's office or health center; an

urgent care center, a clinic in a drug store or grocery store; a hospital emergency room; a VA Medical Center or VA outpatient clinic; or some other

place?

\* Read if necessary: A doctor's office or health center is a place where you see the same doctor or the same group of doctors every visit, where you usually need to make an appointment ahead of time, and where your medical

records are on file.

\* Read if necessary: Urgent care centers and clinics in a drug store or grocery store are places where you do not need to make an appointment ahead of time, and do not usually see the same health care provider at each visit.

Fills: ^ISITGOMSTOFT is it/do you go to most often

**Description:** Type of place for usual care

Recode:

Universe: HHSTAT\_A=1 and USUALPL\_A IN (1,3,7,9)

Universe Description: Sample adults 18+ with 1+ usual place of care or don't know or refused

Sources:

Question ID: UTZ.0060.00.1
Keywords: usual place

Notes:

Evaluation Report:

#### Unweighted frequencies:

USPLKIND\_A Type of place for usual care

Code	Description	Frequency	Percent
1	A doctor's office or health center	23837	89.32
2	Urgent care center or clinic in a drug store or grocery store	1630	6.11
3	Hospital emergency room	415	1.56
4	A VA Medical Center or VA outpatient clinic	508	1.90
5	Some other place	174	0.65
6	Does not go to one place most often	101	0.38
7	Refused	10	0.04
8	Not Ascertained	3	0.01
9	Don't Know	9	0.03

Variable: URGNT12MTC\_A

Module: Adult

Section: UTZ : Utilization

File(s): Adult
Data Type: Numeric

Length:

**Question Text:** During the past 12 months, how many times have you gone to an urgent care

center or a clinic in a drug store or grocery store about your health?

\* Enter 96 if number is 96 or greater.

\* Read if necessary: Urgent care centers and clinics in drug stores or grocery stores are places where you do not need to make an appointment ahead of time,

and do not usually see the same health care provider at each visit.

\* Read if necessary: This is different from a hospital emergency room.

**Description:** Number of times visited urgent care, past 12m, top-coded

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: URGENT12M\_A

Question ID:

Keywords: urgent care

Notes: This is a top-code created for the Public Use file.

**Evaluation Report:** 

#### Unweighted frequencies:

URGNT12MTC\_A Number of times visited urgent care, past 12m, top-coded

Code	Description	Frequency	Percent
0	0 times	21620	73.33
1	1 time	4252	14.42
2	2 times	1998	6.78
3	3 times	652	2.21
4	4 times	267	0.91
5	5+ times	440	1.49
7	Refused	13	0.04
8	Not Ascertained	202	0.69
9	Don't Know	38	0.13

Variable: EMERG12MTC\_A

Module: Adult

Section: UTZ : Utilization

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, how many times have you gone to a hospital

emergency room about your health?

\* Read if necessary: This includes emergency room visits that resulted in a

hospital admission.

\* Enter 96 if number of times is 96 or more.

Description: Number of times visited hospital emergency room, past 12m, top-coded

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: EMERGE12M\_A

Question ID:

**Keywords:** emergency room visit (ER); emergency department visit (ED)

Notes: This is a top-code created for the Public Use file.

**Evaluation Report:** 

#### Unweighted frequencies:

EMERG12MTC\_A Number of times visited hospital emergency room, past 12m, top-coded

Code	Description	Frequency	Percent
0	0 times	23873	80.97
1	1 time	3492	11.84
2	2 times	1213	4.11
3	3 times	313	1.06
4	4+ times	348	1.18
7	Refused	8	0.03
8	Not Ascertained	209	0.71
9	Don't Know	26	0.09

Variable: HOSPONGT\_A

Module: Adult

Section: UTZ : Utilization

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you been hospitalized overnight? ^PAST12MER\_A

Fills: ^PAST12MER\_A Do not include an overnight stay in the emergency

room.

**Description:** Hospitalized overnight, past 12m

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: UTZ.0090.00.1
Keywords: hospital stay

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

HOSPONGT\_A Hospitalized overnight, past 12m

Code	Description	Frequency	Percent
1	Yes	2577	8.74
2	No	26666	90.45
7	Refused	13	0.04
8	Not Ascertained	212	0.72
9	Don't Know	14	0.05

Variable: MEDDL12M\_A

Module: Adult

Section: UTZ : Utilization

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you DELAYED getting medical care because of

the cost?

**Description:** Delayed medical care due to cost, past 12m

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: UTZ.0100.00.1
Keywords: delay; cost

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

 $\begin{tabular}{ll} \textbf{MEDDL12M\_A} & Delayed medical care due to cost, past 12m \\ \end{tabular}$ 

Code	Description	Frequency	Percent
1	Yes	2010	6.82
2	No	27241	92.40
7	Refused	10	0.03
8	Not Ascertained	214	0.73
9	Don't Know	7	0.02

Variable: MEDNG12M\_A

Module: Adult

Section: UTZ : Utilization

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, was there any time when you needed medical care,

but DID NOT GET IT because of the cost?

**Description:** Needed medical care but did not get it due to cost, past 12m

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: UTZ.0110.00.1
Keywords: forgone care; cost

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

MEDNG12M\_A Needed medical care but did not get it due to cost, past 12m

Code	Description	Frequency	Percent
1	Yes	1688	5.73
2	No	27561	93.48
7	Refused	12	0.04
8	Not Ascertained	214	0.73
9	Don't Know	7	0.02

Variable: DLYCARE\_A Module: Adult Section: ACC : Access to Care File(s): Adult Data Type: Numeric Length: Question Text: Was there any time when you DELAYED getting medical care because of the coronavirus pandemic? Description: Delayed medical care due to COVID-19 Recode: Universe: HHSTAT\_A=1 Universe Description: Sample adults 18+ Sources: Question ID: ACC.0010.00.4 Keywords: coronavirus; COVID-19; unmet health need Question fielded since quarter 3 and quarter 4 of 2020. Notes: **Evaluation Report:** 

#### Unweighted frequencies:

DLYCARE\_A Delayed medical care due to COVID-19

Code	Description	Frequency	Percent
1	Yes	5847	19.83
2	No	23396	79.36
7	Refused	6	0.02
8	Not Ascertained	219	0.74
9	Don't Know	14	0.05

Variable: DNGCARE\_A

Module: Adult

Section: ACC : Access to Care

1

File(s): Adult
Data Type: Numeric

Question Text: Was there any time when you needed medical care for something other than

coronavirus, but DID NOT GET IT because of the coronavirus pandemic?

**Description:** Did not get medical care due to COVID-19

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: ACC.0020.00.4

Keywords: coronavirus; COVID-19; unmet health need

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

**Evaluation Report:** 

### Unweighted frequencies:

DNGCARE\_A Did not get medical care due to COVID-19

Code	Description	Frequency	Percent
1	Yes	3674	12.46
2	No	25557	86.69
7	Refused	9	0.03
8	Not Ascertained	223	0.76
9	Don't Know	19	0.06

Variable: VIRAPP12M\_A

Module: Adult

Section: ACC : Access to Care

1

File(s): Adult
Data Type: Numeric

Question Text: In the past 12 months, have you had an appointment with a doctor, nurse, or

other health professional by video or by phone?

**Description:** Virtual medical appointment, past 12m

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: ACC.0030.00.4

Keywords: virtual medical appointment; health care utilization
Notes: Question fielded since quarter 3 and quarter 4 of 2020.

**Evaluation Report:** 

### Unweighted frequencies:

VIRAPP12M\_A Virtual medical appointment, past 12m

Code	Description	Frequency	Percent
1	Yes	11384	38.61
2	No	17833	60.49
7	Refused	11	0.04
8	Not Ascertained	228	0.77
9	Don't Know	26	0.09

Variable: VIRAPPCVD\_A

Module: Adult

Section: ACC : Access to Care

File(s): Adult
Data Type: Numeric

Question Text: Were any of your appointments done by video or by phone because of reasons

related to the coronavirus pandemic?

**Description:** Virtual medical appointment related to COVID-19

Recode:

Length:

Universe: HHSTAT\_A=1 and VIRAPP12M\_A=1

1

Universe Description: Sample adults 18+ who had a virtual medical appointment

Sources:

Question ID: ACC.0040.00.4

**Keywords:** coronavirus; COVID-19; virtual medical appointment; health care utilization

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

**Evaluation Report:** 

### Unweighted frequencies:

VIRAPPCVD\_A Virtual medical appointment related to COVID-19

Code	Description	Frequency	Percent
1	Yes	9179	80.63
2	No	2166	19.03
7	Refused	3	0.03
8	Not Ascertained	0	0.00
9	Don't Know	36	0.32

Variable:	CANCOVTREA A
Module:	Adult
Section:	CNV : Cancer COVID-19
File(s):	Adult
Data Type:	Numeric
Length:	1
Question Text:	The next question refers to treatments for cancer such as surgery, radiation therapy, chemotherapy, bone marrow transplants, stem cell transplants, or hormone therapy.
	At any time since the start of the coronavirus pandemic, were you in treatment or supposed to receive treatment for your cancer?
	* Read if necessary: Hormone therapy includes Tamoxifen, Fulvestrant (full-VESS-trant) or Aromatase (uh-ROH-muh-tayz) inhibitors for breast cancer and androgen therapy, such as Eligard or Zoladex for prostate cancer.
Description:	Cancer treatment since the start of the coronavirus pandemic
Recode:	
Universe:	HHSTAT_A=1 and CANEV_A=1
Universe Description:	Sample adults 18+ who were ever told they had cancer
Sources:	
Question ID:	CNV.0010.00.3
Keywords:	Health care utilization; oncological care; COVID-19
Notes:	Question fielded since quarter 3 and quarter 4 of 2020.
Evaluation Report:	

### Unweighted frequencies:

 $\textbf{CANCOVTREA\_A} \quad \textbf{Cancer treatment since the start of the coronavirus pandemic}$ 

Code	Description	Frequency	Percent
1	Yes	644	17.62
2	No	2984	81.66
7	Refused	0	0.00
8	Not Ascertained	25	0.68
9	Don't Know	1	0.03

Variable: CANCOVCHG\_A

Module: Adult

Section: CNV : Cancer COVID-19

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Were any of your treatments for cancer changed, delayed, or cancelled because

of the coronavirus pandemic?

Description: Cancer treatment changed, delayed or cancelled due to the coronavirus pandemic

Recode:

Universe: HHSTAT\_A=1 and CANCOVTREA\_A=1

Universe Description: Sample adults 18+ who had treatment or were supposed to receive treatment for

cancer since the start of the coronavirus pandemic

Sources:

Question ID: CNV.0020.00.3

Keywords: Unmet medical need; health care utilization; oncological care; COVID-19

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

**Evaluation Report:** 

#### Unweighted frequencies:

CANCOVCHG\_A Cancer treatment changed, delayed or cancelled due to the coronavirus pandemic

Code	Description	Frequency	Percent
1	Yes	108	16.77
2	No	532	82.61
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	0.62

Variable: CANCOVOTH\_A

Module: Adult

Section: CNV : Cancer COVID-19

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: As a cancer patient or cancer survivor, you may need OTHER medical care

related to your cancer such as lab visits, imaging, monitoring visits, rehabilitation, physical therapy, care for side-effects, or visits with

medical specialists.

At any time since the start of the coronavirus pandemic, did you need any of

this OTHER medical care related to your cancer?

Description: Other cancer medical care since the start of the coronavirus pandemic

Recode:

Universe: HHSTAT\_A=1 and CANEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had cancer

Sources:

Question ID: CNV.0030.00.3

**Keywords:** Health care utilization; oncological care; COVID-19

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

**Evaluation Report:** 

#### Unweighted frequencies:

CANCOVOTH\_A Other cancer medical care since the start of the coronavirus pandemic

Code	Description	Frequency	Percent
1	Yes	851	23.29
2	No	2773	75.89
7	Refused	1	0.03
8	Not Ascertained	25	0.68
9	Don't Know	4	0.11

Variable: CANCOVCARE\_A

Module: Adult

Section: CNV : Cancer COVID-19

1

File(s): Adult
Data Type: Numeric

Question Text: Was any of this OTHER medical care related to your cancer changed, delayed, or

cancelled because of the coronavirus pandemic?

**Description:** Other cancer care changed, delayed, or cancelled due to coronavirus pandemic

Recode:

Length:

Universe: HHSTAT\_A=1 and CANCOVOTH\_A=1

Universe Description: Sample adults 18+ who needed other cancer medical care since the start of the

coronavirus pandemic

Sources:

Question ID: CNV.0040.00.3

Keywords: Unmet medical need; health care utilization; oncological care; COVID-19

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

**Evaluation Report:** 

#### Unweighted frequencies:

CANCOVCARE\_A Other cancer care changed, delayed, or cancelled due to coronavirus pandemic

Code	Description	Frequency	Percent
1	Yes	226	26.56
2	No	622	73.09
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.35

Variable: RX12M\_A

Module: Adult

Section: PMD : Prescription Medication

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: At any time in the past 12 months, did you take prescription medication?

**Description:** Took prescription medication, past 12m

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: PMD.0010.00.1

**Keywords:** prescribed medicine; drugs; rx

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### Unweighted frequencies:

RX12M\_A Took prescription medication, past 12m

Code	Description	Frequency	Percent
1	Yes	20252	68.69
2	No	8965	30.41
7	Refused	22	0.07
8	Not Ascertained	238	0.81
9	Don't Know	5	0.02

Variable: RXSK12M\_A

Module: Adult

Section: PMD : Prescription Medication

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, were any of the following true for you?

...You skipped medication doses to save money.

**Description:** Skipped medication doses to save money, past 12m

Recode:

Universe: HHSTAT\_A=1 and RX12M\_A=1

Universe Description: Sample adults 18+ who have taken prescription medication in the past 12 months

Sources:

Question ID: PMD.0020.00.1

**Keywords:** prescribed medicine; drugs; rx; cost

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

 ${\tt RXSK12M\_A}$  Skipped medication doses to save money, past 12m

Code	Description	Frequency	Percent
1	Yes	746	3.68
2	No	19499	96.28
7	Refused	2	0.01
8	Not Ascertained	2	0.01
9	Don't Know	3	0.01

Variable: RXLS12M\_A

Module: Adult

Section: PMD : Prescription Medication

File(s): Adult
Data Type: Numeric

Length:

Question Text: \* Read if necessary: During the past 12 months, were any of the following

true for you?

...You took less medication to save money.

**Description:** Took less medication to save money, past 12m

Recode:

Universe: HHSTAT\_A=1 and RX12M\_A=1

Universe Description: Sample adults 18+ who have taken prescription medication in the past 12 months

Sources:

Question ID: PMD.0030.00.1

**Keywords:** prescribed medicine; drugs; rx; cost

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

RXLS12M\_A Took less medication to save money, past 12m

Code	Description	Frequency	Percent
1	Yes	867	4.28
2	No	19377	95.68
7	Refused	2	0.01
8	Not Ascertained	2	0.01
9	Don't Know	4	0.02

Variable: RXDL12M\_A

Module: Adult

Section: PMD : Prescription Medication

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: During the past 12 months, were any of the following

true for you?

 $\dots$  You <code>DELAYED</code> filling a prescription to save money.

**Description:** Delayed filling prescription to save money, past 12m

Recode:

Universe: HHSTAT\_A=1 and RX12M\_A=1

Universe Description: Sample adults 18+ who have taken prescription medication in the past 12 months

Sources:

Question ID: PMD.0040.00.1

**Keywords:** prescribed medicine; drugs; rx; cost

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

RXDL12M\_A Delayed filling prescription to save money, past 12m

Code	Description	Frequency	Percent
1	Yes	1046	5.16
2	No	19198	94.80
7	Refused	2	0.01
8	Not Ascertained	2	0.01
9	Don't Know	4	0.02

Variable: RXDG12M\_A

Module: Adult

Section: PMD : Prescription Medication

1

File(s): Adult
Data Type: Numeric

Question Text: During the past 12 months, was there any time when you needed prescription

medication, but DID NOT GET IT because of the cost?

Description: Needed prescription medication but did not get it due to cost, past 12m

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: PMD.0050.00.1

**Keywords:** prescribed medicine; drugs; rx; cost; forgone care

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

RXDG12M\_A Needed prescription medication but did not get it due to cost, past 12m

Code	Description	Frequency	Percent
1	Yes	1356	4.60
2	No	27858	94.49
7	Refused	11	0.04
8	Not Ascertained	247	0.84
9	Don't Know	10	0.03

Variable: BPLAST\_A Module: Adult Section: PRV : Preventive screening File(s): Adult Data Type: Numeric Length: Question Text: When was the last time you had your blood pressure checked by a doctor, nurse, or other health professional? Last time blood pressure checked Description: Recode: Universe: HHSTAT\_A=1 Universe Description: Sample adults 18+ Sources: Question ID: PRV.0010.00.2 Keywords: cardiovascular disease; HBP; hypertension; health care service utilization

#### Unweighted frequencies:

**Evaluation Report:** 

Notes:

BPLAST\_A Last time blood pressure checked

Code	Description	Frequency	Percent
0	Never	92	0.31
1	Within the past year (anytime less than 12 months ago)	24890	84.42
2	Within the last 2 years (1 year but less than 2 years ago)	2540	8.62
3	Within the last 3 years (2 years but less than 3 years ago)	716	2.43
4	Within the last 5 years (3 years but less than 5 years ago)	432	1.47
5	Within the last 10 years (5 years but less than 10 years ago)	207	0.70
6	10 years ago or more	216	0.73
7	Refused	16	0.05
8	Not Ascertained	263	0.89
9	Don't Know	110	0.37

Variable: CHOLLAST\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: When was the last time you had your cholesterol checked by a doctor, nurse, or

other health professional?

**Description:** Last time cholesterol checked

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: PRV.0020.00.2

Keywords: cardiovascular disease; lipoprotein; LDL; HDL; health care service utilization

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

CHOLLAST\_A Last time cholesterol checked

Code	Description	Frequency	Percent
0	Never	1275	4.32
1	Within the past year (anytime less than 12 months ago)	20267	68.74
2	Within the last 2 years (1 year but less than 2 years ago)	3834	13.00
3	Within the last 3 years (2 years but less than 3 years ago)	1196	4.06
4	Within the last 5 years (3 years but less than 5 years ago)	821	2.78
5	Within the last 10 years (5 years but less than 10 years ago)	421	1.43
6	10 years ago or more	417	1.41
7	Refused	25	0.08
8	Not Ascertained	270	0.92
9	Don't Know	956	3.24

Variable: DIBLAST1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When was the last time you had a blood test for high blood sugar or diabetes

by a doctor, nurse, or other health professional?

**Description:** Last time blood sugar test

Recode:

Universe: HHSTAT\_A=1 and DIBEV\_A IN (2,7,9)

Universe Description: Sample adults 18+ who have not been told they have diabetes

Sources:

Question ID: PRV.0030.00.2

**Keywords:** hyperglycemia; hemoglobin; glucose; health care service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

DIBLAST1\_A Last time blood sugar test

Code	Description	Frequency	Percent
0	Never	1917	7.28
1	Within the past year (anytime less than 12 months ago)	16667	63.26
2	Within the last 2 years (1 year but less than 2 years ago)	3409	12.94
3	Within the last 3 years (2 years but less than 3 years ago)	1179	4.47
4	Within the last 5 years (3 years but less than 5 years ago)	839	3.18
5	Within the last 10 years (5 years but less than 10 years ago)	493	1.87
6	10 years ago or more	476	1.81
7	Refused	24	0.09
8	Not Ascertained	248	0.94
9	Don't Know	1096	4.16

Variable: DIBA1CLAST\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: An A-one-C test is used to measure the average level of blood sugar over the

past three months. When was the last time you had your A1C checked by a

doctor, nurse, or other health professional?

\* Read if necessary: A1C values typically range between 5 and 13.9. For many people with diabetes the goal is to have an A1C of 7 or less, but your goal may be different depending on what you and your doctor determine is best for

you.

**Description:** Last A1C

Recode:

Universe: HHSTAT\_A=1 and DIBEV\_A=1

Universe Description: Sample adults 18+ who were ever told they had diabetes

Sources:

Question ID: PRV.0033.00.3

**Keywords:** hyperglycemia; hemoglobin; glucose; health care service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

#### DIBA1CLAST\_A Last A1C

Code	Description	Frequency	Percent
0	Never	28	0.89
1	Within the past year (anytime less than 12 months ago)	2900	92.53
2	Within the last 2 years (1 year but less than 2 years ago)	104	3.32
3	Within the last 3 years (2 years but less than 3 years ago)	15	0.48
4	Within the last 5 years (3 years but less than 5 years ago)	9	0.29
5	Within the last 10 years (5 years but less than 10 years ago)	4	0.13
6	10 years ago or more	2	0.06
7	Refused	1	0.03
8	Not Ascertained	26	0.83
9	Don't Know	45	1.44

Variable: DIBA1CNMT\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: About how many times in the past 12 months has a doctor, nurse, or other

health professional checked your A-one-C?

\* Read if necessary: A1C values typically range between 5 and 13.9. For many people with diabetes the goal is to have an A1C of 7 or less, but your goal may be different depending on what you and your doctor determine is best for

you.

\* If respondent reports more than 96 A1C tests, enter '96'.

**Description:** Number of A1Cs - topcoded

Recode: Yes

Universe: HHSTAT\_A=1 and DIBA1CLAST\_A=1

Universe Description: Sample adults 18+ who had their A1C checked in the past 12 months

Sources: DIBA1CNUM\_A

Question ID:

**Keywords:** hyperglycemia; hemoglobin; glucose; health care service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

DIBA1CNMT\_A Number of A1Cs - topcoded

Code	Description	Frequency	Percent
1	1	668	23.03
2	2	892	30.76
3	3	431	14.86
4	4	682	23.52
5	5 or more	130	4.48
7	Refused	0	0.00
8	Not Ascertained	8	0.28
9	Don't Know	89	3.07

Variable: COLORECTEV\_A

Module: Adult

Section: PRV: Preventive screening

File(s): Adult Data Type: Numeric 1

Length:

Question Text: These next questions are about colorectal cancer screening. Colonoscopy and

sigmoidoscopy are exams to check for colon cancer. Have you ever had either of

these exams?

\* Read if necessary: Colonoscopy (colon-OS-copy) and sigmoidoscopy (sigmoid-OS-copy) are exams in which a doctor inserts a tube into the rectum to look

for polyps or cancer.

Description: Colonoscopy or sigmoidoscopy

Recode:

Universe: HHSTAT\_A=1 and  $(40 < = AGEP_A < = 85)$ 

Universe Description: Sample adults 40+

Sources:

Question ID: PRV.0040.00.2

Keywords: large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

#### COLORECTEV\_A Colonoscopy or sigmoidoscopy

Code	Description	Frequency	Percent
1	Yes	12428	59.75
2	No	8066	38.78
7	Refused	24	0.12
8	Not Ascertained	226	1.09
9	Don't Know	56	0.27

Variable: COLORECTYP\_A

Module: Adult

Section: PRV : Preventive screening

1

File(s): Adult
Data Type: Numeric

Question Text: Have you had a colonoscopy, a sigmoidoscopy, or both?

\* Read if necessary: For a colonoscopy, the doctor checks the entire colon, and you are given medication through a needle in your arm to make you sleepy, and told to have someone take you home. For a sigmoidoscopy, the doctor checks only part of the colon and you are fully awake.

Enter 'DK' if respondent has had a colonoscopy or sigmoidoscopy, but doesn't

know which.

Description: Colonoscopy or sigmoidoscopy or both

Recode:

Length:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLORECTEV\_A=1

Universe Description: Sample adults 40+ who have had a colonoscopy or sigmoidoscopy or both

Sources:

Question ID: PRV.0050.00.2

Keywords: large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

COLORECTYP\_A Colonoscopy or sigmoidoscopy or both

Code	Description	Frequency	Percent
1	Colonoscopy	11040	88.83
2	Sigmoidoscopy	163	1.31
3	Both	1149	9.25
7	Refused	4	0.03
8	Not Ascertained	2	0.02
9	Don't Know	70	0.56

Variable: COLWHEN\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: About how long has it been since your MOST RECENT colonoscopy?

**Description:** Most recent colonoscopy

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLORECTYP\_A IN (1,3)

Universe Description: Sample adults 40+ who have ever had a colonoscopy or both a colonoscopy and a

 $\verb|sigmoidoscopy| \\$ 

Sources:

Question ID: PRV.0060.00.2

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

COLWHEN\_A Most recent colonoscopy

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	2264	18.57
2	Within the past 2 years (1 year but less than 2 years ago)	2079	17.06
3	Within the past 3 years (2 years but less than 3 years ago)	1978	16.23
4	Within the past 5 years (3 years but less than 5 years ago)	2625	21.54
5	Within the past 10 years (5 years but less than 10 year ago)	2204	18.08
6	10 years ago or more	949	7.79
7	Refused	4	0.03
8	Not Ascertained	1	0.01
9	Don't Know	85	0.70

Variable: COLREASON\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: What was the MAIN reason you had this colonoscopy - was it part of a routine

exam, because of a problem, as a follow-up test of an earlier test or

screening exam, or some other reason?

**Description:** Why did you have a colonoscopy

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLORECTYP\_A IN (1,3)

Universe Description: Sample adults 40+ who ever had a colonoscopy or both a colonoscopy and a

sigmoidoscopy

Sources:

Question ID: PRV.0070.00.3

Keywords: large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

COLREASON\_A Why did you have a colonoscopy

Code	Description	Frequency	Percent
1	Part of a routine exam	948	77.79
2	Because of a problem	158	13.00
3	Follow-up test of an earlier test or screening exam	70	5.82
4	Other reason	38	3.15
7	Refused		0.02
8	Not Ascertained		0.01
9	Don't Know	2	0.21

Variable: COLPAY\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did you pay none, part, or all of the cost for your most recent colonoscopy?

**Description:** Pay for most recent colonoscopy

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLORECTYP\_A IN (1,3)

Universe Description: Sample adults 40+ who ever had a colonoscopy or both a colonoscopy and a

sigmoidoscopy

Sources:

Question ID: PRV.0080.00.3

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

COLPAY\_A Pay for most recent colonoscopy

Code	Description	Frequency	Percent
1	None of the cost	736	60.43
2	Part of the cost	3800	31.18
3	All of the cost	340	2.84
7	Refused	1:	0.10
8	Not Ascertained		0.02
9	Don't Know	66.	5.43

Variable: COLSIGWHEN\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When was your MOST RECENT colonoscopy or sigmoidoscopy?

**Description:** Most recent colonoscopy or sigmoidoscopy

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLORECTYP\_A=9

Universe Description: Sample adults 40+ who have ever had a colonoscopy or sigmoidoscopy but don't

know which type

Sources:

Question ID: PRV.0090.00.2

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

COLSIGWHEN\_A Most recent colonoscopy or sigmoidoscopy

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	5	7.14
2	Within the past 2 years (1 year but less than 2 years ago)	10	14.29
3	Within the past 3 years (2 years but less than 3 years ago)	4	5.71
4	Within the past 5 years (3 years but less than 5 years ago)	8	11.43
5	Within the past 10 years (5 years but less than 10 year ago)	14	20.00
6	10 years ago or more	16	22.86
7	Refused	1	1.43
8	Not Ascertained	0	0.00
9	Don't Know	12	17.14

Variable: SIGWHEN\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Question Text: When was your MOST RECENT sigmoidoscopy?

Description: Most recent sigmoidoscopy

1

Recode:

Length:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLORECTYP\_A IN (2,3)

Universe Description: Sample adults 40+ who have ever had a sigmoidoscopy or both a colonoscopy and

 $\hbox{a sigmoidoscopy}$ 

Sources:

Question ID: PRV.0100.00.2

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SIGWHEN\_A Most recent sigmoidoscopy

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	186	14.18
2	Within the past 2 years (1 year but less than 2 years ago)	149	11.36
3	Within the past 3 years (2 years but less than 3 years ago)	141	10.75
4	Within the past 5 years (3 years but less than 5 years ago)	174	13.26
5	Within the past 10 years (5 years but less than 10 year ago)	198	15.09
6	10 years ago or more	407	31.02
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	57	4.34

Variable: CTCOLEV1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: CT colonography, sometimes called virtual colonoscopy, is a test that looks

for cancer in the colon. Unlike regular colonoscopies, you do not need medication to make you sleepy during the test. In this test, your colon is filled with air and you are moved through a donut-shaped X-ray machine as you lie on your back and then your stomach. Have you ever had a CT colonography or

virtual colonoscopy?

**Description:** Ever had colonography/virtual colonoscopy

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85)</pre>

Universe Description: Sample adults 40+

Sources:

Question ID: PRV.0120.00.2

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CTCOLEV1\_A Ever had colonography/virtual colonoscopy

Code	Description	Frequency	Percent
1	Yes	747	3.59
2	No	19548	93.98
7	Refused	25	0.12
8	Not Ascertained	235	1.13
9	Don't Know	245	1.18

Variable: CTCOLWHEN1\_A

Module: Adult

Section: PRV : Preventive screening

1

File(s): Adult
Data Type: Numeric

Question Text: When was your most recent CT colonography or virtual colonoscopy?

**Description:** Most recent colonography/virtual colonoscopy

Recode:

Length:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and CTCOLEV1\_A=1

Universe Description: Sample adults 40+ who have had a CT colonography or virtual colonoscopy

Sources:

Question ID: PRV.0130.00.2

Keywords: Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CTCOLWHEN1\_A Most recent colonography/virtual colonoscopy

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	219	29.32
2	Within the past 2 years (1 year but less than 2 years ago)	125	16.73
3	Within the past 3 years (2 years but less than 3 years ago)	106	14.19
4	Within the past 5 years (3 years but less than 5 years ago)	109	14.59
5	Within the past 10 years (5 years but less than 10 year ago)	89	11.91
6	10 years ago or more	80	10.71
7	Refused		
8	Not Ascertained		
9	Don't Know	19	2.54

Variable: FITHEV1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: The following questions are about the blood stool or fecal occult blood test,

fecal immunochemical or FIT test. These are tests to determine whether you have blood in your stool or bowel movement and can be done at home using a kit. You use a stick or brush to obtain a small amount of stool at home and

send it back to the doctor or lab.

Have you ever had a blood stool or FIT test, using a HOME test kit?

**Description:** Ever had home blood stool test

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85)</pre>

Universe Description: Sample adults 40+

Sources:

Question ID: PRV.0140.00.2

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

FITHEV1\_A Ever had home blood stool test

Code	Description	Frequency	Percent
1	Yes	4700	22.60
2	No	15714	75.55
7	Refused	30	0.14
8	Not Ascertained	244	1.17
9	Don't Know	112	0.54

Variable: FITHWHEN1\_A

Module: Adult

Section: PRV : Preventive screening

1

File(s): Adult
Data Type: Numeric

Question Text: When was your most recent blood stool or FIT test, using a home test kit?

**Description:** Most recent home blood stool test

Recode:

Length:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and FITHEV1\_A=1

Universe Description: Sample adults 40+ who have ever had a home blood stool or FIT test

Sources:

Question ID: PRV.0150.00.2

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

FITHWHEN1\_A Most recent home blood stool test

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	1666	35.45
2	Within the past 2 years (1 year but less than 2 years ago)	800	17.02
3	Within the past 3 years (2 years but less than 3 years ago)	484	10.30
4	Within the past 5 years (3 years but less than 5 years ago)	513	10.91
5	Within the past 10 years (5 years but less than 10 year ago)	501	10.66
6	10 years ago or more	666	14.17
7	Refused	2	0.04
8	Not Ascertained	0	0.00
9	Don't Know	68	1.45

Variable: COLOGUARD1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Cologuard or FIT-DNA is a new type of stool test for colon cancer. Unlike

other stool tests, Cologuard looks for changes in DNA in addition to checking for blood in your stool. The Cologuard test is shipped to your home in a box

that includes a container for your stool sample.

Have you ever had a Cologuard test?

**Description:** Ever had Cologuard

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85)</pre>

Universe Description: Sample adults 40+

Sources:

Question ID: PRV.0160.00.3

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

### COLOGUARD1\_A Ever had Cologuard

Code	Description	Frequency	Percent
1	Yes	1721	8.27
2	No	18520	89.04
7	Refused	33	0.16
8	Not Ascertained	251	1.21
9	Don't Know	275	1.32

Variable: FITCOLG1\_A

Module: Adult

Section: PRV : Preventive screening

1

File(s): Adult
Data Type: Numeric

Question Text: Was the blood stool or FIT test you reported earlier conducted as part of a

Cologuard test?

**Description:** Was blood stool/FIT part of Cologuard test?

Recode:

Length:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLOGUARD1\_A=1 and FITHEV1\_A=1

Universe Description: Sample adults 40+ who ever had a blood stool or FIT test using a home test kit

and ever had a Cologuard test

Sources:

Question ID: PRV.0170.00.3

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

FITCOLG1\_A Was blood stool/FIT part of Cologuard test?

Code	Description	Frequency	Percent
1	Yes	779	77.67
2	No	171	17.05
7	Refused	1	0.10
8	Not Ascertained	0	0.00
9	Don't Know	52	5.18

Variable: CGUARDWHE1\_A

Module: Adult

Section: PRV : Preventive screening

1

File(s): Adult
Data Type: Numeric

Question Text: When did you have your most recent Cologuard test?

**Description:** When was your last Cologuard?

Recode:

Length:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLOGUARD1\_A=1 and (FITCOLG1\_A IN (2,7,9)

or FITHEV1\_A IN (2,7,9))

Universe Description: Sample adults 40+ who ever had a Cologuard test and, if they had a home FIT

test, did not say the Cologuard was part of the FIT test or they did not have

a home FIT test or don't know or refused

Sources:

Question ID: PRV.0180.00.3

Keywords: large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CGUARDWHE1\_A When was your last Cologuard?

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	389	41.30
2	Within the past 2 years (1 year but less than 2 years ago)	247	26.22
3	Within the past 3 years (2 years but less than 3 years ago)	107	11.36
4	Within the past 5 years (3 years but less than 5 years ago)	90	9.55
5	Within the past 10 years (5 years but less than 10 year ago)	53	5.63
6	10 years ago or more	40	4.25
7	Refused	0	0.00
8	Not Ascertained	1	0.11
9	Don't Know	15	1.59

Variable: COLPROB1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In the past 12 MONTHS, did a doctor or other health professional RECOMMEND

that you be tested to look for problems in your colon or rectum?

**Description:** Did doctor recommend you be tested to look for problems in colon/rectum

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLWHEN\_A IN (.,6,7,9) and SIGWHEN\_A IN

(.,5,6,7,9) and COLSIGWHEN\_A IN (.,5,6,7,9) and CTCOLWHEN1\_A IN (.,5,6,7,9)

and FITCOLGCUR\_FLG\_A=.

Universe Description: Sample adults 40+ who never had a colonoscopy or had a colonoscopy over 10

years ago, or don't know or refused when they had a colonoscopy, and never had a sigmoidoscopy or had a sigmoidoscopy over 5 years ago, or don't know or refused when they had a sigmoidoscopy, or had a sigmoidoscopy or colonoscopy but don't know which over 5 years ago, and never had a CT colonography or had a CT colonography over 5 years ago, or don't know or refused when they had a CT colonography, and never had a FIT test or had a FIT over 1 year ago and did not, did not know, or refused to say if they had a Cologuard test, or had a FIT that did not, don't know, or refused to say if it included a Cologuard test over 1 year ago or don't know or refused when they had a FIT test or had a FIT test that included a Cologuard more than 3 years ago or don't know or refused when to say they had a FIT test and never had a Cologuard test or had a Cologuard test more than 3 years ago, or don't know or refused when they had

a Cologuard test

Sources:

Question ID: PRV.0190.00.3

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes: FITCOLGCUR\_FLG\_A mentioned in the variable universe is a variable used in the

programming of the questionnaire to summarize a set of values from FITCOLG1\_A, FITHWHEN1\_A, and CGUARDWHE1\_A. See "universe description" for details. FITCOLGCUR\_FLG\_A is set to 1 when FITHWHEN1\_A=1. FITCOLGCUR\_FLG\_A is set to 2 when FITCOLG1\_A=1 and FITHWHEN1\_A IN (1,2,3) or when CGUARDWHE1\_A in 1,2,3.

**Evaluation Report:** 

#### Unweighted frequencies:

COLPROB1\_A Did doctor recommend you be tested to look for problems in colon/rectum

Code	Description	Frequency	Percent
1	Yes	840	10.10
2	No	7167	86.19
7	Refused	24	0.29
8	Not Ascertained	246	2.96
9	Don't Know	38	0.46

Variable: COLTEST1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Which tests to check for colon cancer did the doctor or other health

professional recommend to you? Possible tests include stool blood or fecal

occult blood or FIT test; Cologuard or FIT DNA test; sigmoidoscopy; colonoscopy; CT colonography or virtual colonoscopy; or other.

\* Enter all that apply, separate with commas.

**Description:** Stool blood test/fecal occult blood/FIT test

Recode: Yes

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLPROB1\_A=1

Universe Description: Sample adults 40+ who had another type of colon test recommended

Sources: COLTEST\_A

Question ID: PRV.0200.01.3

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

COLTEST1\_A Stool blood test/fecal occult blood/FIT test

Code	Description	Frequency	Percent
1	Mentioned	103	12.26
2	Not mentioned	700	83.33
7	Refused	1	0.12
8	Not Ascertained	0	0.00
9	Don't Know	36	4.29

Variable: COLTEST2\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Which tests to check for colon cancer did the doctor or other health

professional recommend to you? Possible tests include stool blood or fecal

occult blood or FIT test; Cologuard or FIT DNA test; sigmoidoscopy; colonoscopy; CT colonography or virtual colonoscopy; or other.

\* Enter all that apply, separate with commas.

Description: Cologuard or FIT DNA test

Recode: Yes

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLPROB1\_A=1

Universe Description: Sample adults 40+ who had another type of colon test recommended

Sources: COLTEST\_A
Question ID: PRV.0200.02.3

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

#### COLTEST2\_A Cologuard or FIT DNA test

Code	Description	Frequency	Percent
1	Mentioned	119	14.17
2	Not mentioned	684	81.43
7	Refused	1	0.12
8	Not Ascertained	0	0.00
9	Don't Know	36	4.29

Variable: COLTEST3\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Which tests to check for colon cancer did the doctor or other health

professional recommend to you? Possible tests include stool blood or fecal occult blood or FIT test; Cologuard or FIT DNA test; sigmoidoscopy;

colonoscopy; CT colonography or virtual colonoscopy; or other.

\* Enter all that apply, separate with commas.

**Description:** Sigmoidoscopy

Recode: Yes

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLPROB1\_A=1

Universe Description: Sample adults 40+ who had another type of colon test recommended

Sources: COLTEST\_A

Question ID: PRV.0200.03.3

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

### COLTEST3\_A Sigmoidoscopy

Code	Description	Frequency	Percent
1	Mentioned	14	1.67
2	Not mentioned	789	93.93
7	Refused	1	0.12
8	Not Ascertained	0	0.00
9	Don't Know	36	4.29

Variable: COLTEST4\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Which tests to check for colon cancer did the doctor or other health

professional recommend to you? Possible tests include stool blood or fecal

occult blood or FIT test; Cologuard or FIT DNA test; sigmoidoscopy; colonoscopy; CT colonography or virtual colonoscopy; or other.

\* Enter all that apply, separate with commas.

**Description:** Colonoscopy

Recode: Yes

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLPROB1\_A=1

Universe Description: Sample adults 40+ who had another type of colon test recommended

Sources: COLTEST\_A

Question ID: PRV.0200.04.3

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

#### COLTEST4\_A Colonoscopy

Code	Description	Frequency	Percent
1	Mentioned	597	
2	Not mentioned	206	24.52
7	Refused	1	0.12
8	Not Ascertained	0	0.00
9	Don't Know	36	4.29

Variable: COLTEST5\_A

Module: Adult

Section: PRV : Preventive screening

1

File(s): Adult
Data Type: Numeric

Question Text: Which tests to check for colon cancer did the doctor or other health

professional recommend to you? Possible tests include stool blood or fecal

occult blood or FIT test; Cologuard or FIT DNA test; sigmoidoscopy; colonoscopy; CT colonography or virtual colonoscopy; or other.

\* Enter all that apply, separate with commas.

**Description:** CT colonography/virtual colonoscopy

Recode: Yes

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLPROB1\_A=1

Universe Description: Sample adults 40+ who had another type of colon test recommended

Sources: COLTEST\_A

Question ID: PRV.0200.05.3

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

Length:

**Evaluation Report:** 

#### Unweighted frequencies:

COLTEST5\_A CT colonography/virtual colonoscopy

Code	Description	Frequency	Percent
1	Mentioned	12	1.43
2	Not mentioned	791	94.17
7	Refused	1	0.12
8	Not Ascertained	0	0.00
9	Don't Know	36	4.29

Variable: COLTEST6\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Which tests to check for colon cancer did the doctor or other health

professional recommend to you? Possible tests include stool blood or fecal

occult blood or FIT test; Cologuard or FIT DNA test; sigmoidoscopy; colonoscopy; CT colonography or virtual colonoscopy; or other.

\* Enter all that apply, separate with commas.

**Description:** Other test for colon cancer

Recode: Yes

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and COLPROB1\_A=1

Universe Description: Sample adults 40+ who had another type of colon test recommended

Sources: COLTEST\_A

Question ID: PRV.0200.06.3

**Keywords:** large intestine; bowel; digestive cancer; adenomas; health care service

utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

COLTEST6\_A Other test for colon cancer

Code	Description	Frequency	Percent
1	Mentioned	33	3.93
2	Not mentioned	770	91.67
7	Refused	1	0.12
8	Not Ascertained	0	0.00
9	Don't Know	36	4.29

Variable: PSATEST\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: A PSA test is a blood test to detect prostate cancer. It is also called a

prostate-specific antigen test. Have you EVER had a PSA test?

**Description:** Ever had a PSA test

Recode:

Universe: HHSTAT\_A=1 and SEX\_A=1 and (40<=AGEP\_A<=85)

Universe Description: Male Sample Adults 40+

Sources:

Question ID: PRV.0210.00.3

**Keywords:** prostatic carcinoma; male reproductive cancers; urologic disease; health care

service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PSATEST\_A Ever had a PSA test

Code	Description	Frequency	Percent
1	Yes	4407	47.35
2	No	4415	47.43
7	Refused	9	0.10
8	Not Ascertained	124	1.33
9	Don't Know	353	3.79

Variable: PSAWHEN\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: About how long has it been since your MOST RECENT PSA test?

**Description:** When had most recent PSA test

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and SEX\_A=1 and PSATEST\_A=1

Universe Description: Male Sample Adults 40+ who ever had a PSA test

Sources:

Question ID: PRV.0220.00.3

Keywords: prostatic carcinoma; male reproductive cancers; urologic disease; health care

service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

 ${\bf PSAWHEN\_A} \qquad {\bf When \ had \ most \ recent \ PSA \ test}$ 

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	2736	62.08
2	Within the past 2 years (1 year but less than 2 years ago)	669	15.18
3	Within the past 3 years (2 years but less than 3 years ago)	292	6.63
4	Within the past 5 years (3 years but less than 5 years ago)	275	6.24
5	Within the past 10 years (5 years but less than 10 year ago)	193	4.38
6	10 years ago or more	145	3.29
7	Refused	3	0.07
8	Not Ascertained	0	0.00
9	Don't Know	94	2.13

Variable: PSAREASON\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: What was the MAIN reason you had this PSA test - was it part of a routine

exam, because of a problem, or some other reason?

**Description:** Reason had a PSA test

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and SEX\_A=1 and PSATEST\_A=1

Universe Description: Male Sample Adults 40+ who have ever had a PSA test

Sources:

Question ID: PRV.0230.00.3

**Keywords:** prostatic carcinoma; male reproductive cancers; urologic disease; health care

service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PSAREASON\_A Reason had a PSA test

Code	Description	Frequency	Percent
1	Part of a routine exam	376	2 85.36
2	Because of a problem	50	1 11.37
3	Other reason	13	6 3.09
7	Refused		0.00
8	Not Ascertained		0.00
9	Don't Know		8 0.18

Variable: PSASUGGEST\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Who first suggested your MOST RECENT PSA test: you, your doctor, or someone

else?

**Description:** Who suggested PSA test

Recode:

Universe: HHSTAT\_A=1 and (40<=AGEP\_A<=85) and SEX\_A=1 and PSATEST\_A=1

Universe Description: Male Sample Adults 40+ who have ever had a PSA test

Sources:

Question ID: PRV.0250.00.3

**Keywords:** prostatic carcinoma; male reproductive cancers; urologic disease; health care

service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

### PSASUGGEST\_A Who suggested PSA test

Code	Description	Frequency	Percent
1	Self	500	11.35
2	Doctor	3758	85.27
3	Someone else	113	2.56
7	Refused	6	0.00
8	Not Ascertained	2	0.05
9	Don't Know	34	0.77

Variable: CERVICEV1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: There are two different kinds of tests to check for cervical cancer. One is a

Pap smear or Pap test and the other is the HPV or Human Papillomavirus test.

Have you EVER HAD a test or tests to check for cervical cancer?

\* Read if necessary: These are routine tests for women in which a doctor or other health professional takes a sample from the cervix with a swab or brush

and sends it to the Lab.

**Description:** Ever had cervical cancer screening test

Recode:

Universe: HHSTAT\_A=1 and SEX\_A=2
Universe Description: Female Sample Adults 18+

Sources:

Question ID: PRV.0280.00.2

Keywords: high-risk HPV strains; gynecologic cancer; reproductive cancer; health care

service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CERVICEV1\_A Ever had cervical cancer screening test

Code	Description	Frequency	Percent
1	Yes	13235	82.19
2	No	2495	15.49
7	Refused	38	0.24
8	Not Ascertained	194	1.20
9	Don't Know	140	0.87

Variable: CERVICWHEN\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When did you have your MOST RECENT test to check for cervical cancer?

**Description:** When was most recent cervical cancer test

Recode:

Universe: HHSTAT\_A=1 and SEX\_A=2 and CERVICEV1\_A=1

Universe Description: Female Sample Adults 18+ who have ever had a cervical cancer test

Sources:

Question ID: PRV.0290.00.2

**Keywords:** high-risk HPV strains; gynecologic cancer; reproductive cancer; health care

service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

 $\begin{picture}(200,0) \put(0,0){\line(1,0){100}} \put(0,0){\line(1,0){10$ 

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	4554	34.41
2	Within the past 2 years (1 year but less than 2 years ago)	2799	21.15
3	Within the past 3 years (2 years but less than 3 years ago)	1435	10.84
4	Within the past 5 years (3 years but less than 5 years ago)	1360	10.28
5	Within the past 10 years (5 years but less than 10 year ago)	1109	8.38
6	10 years ago or more	1796	13.57
7	Refused	7	0.05
8	Not Ascertained	1	0.01
9	Don't Know	174	1.31

Variable: CERREASON1\_A

Module: Adult

Section: PRV : Preventive screening

1

File(s): Adult
Data Type: Numeric

Question Text: What was the MAIN reason you had this cervical cancer test - was it part of a

routine exam, because of a problem, or as a follow-up test of an earlier test

or screening exam, or some other reason?

**Description:** Reason for cervical cancer screening

Recode:

Length:

Universe: HHSTAT\_A=1 and SEX\_A=2 and CERVICEV1\_A=1

Universe Description: Female Sample Adults 18+ who have ever had a cervical cancer test

Sources:

Question ID: PRV.0300.00.3

Keywords: high-risk HPV strains; gynecologic cancer; reproductive cancer; health care

service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CERREASON1\_A Reason for cervical cancer screening

Code	Description	Frequency	Percent
1	Part of a routine exam	12040	90.97
2	Because of a problem	644	4.87
3	Follow-up test of an earlier test or screening exam	310	2.34
4	Other reason	199	1.50
7	Refused	5	0.04
8	Not Ascertained	3	0.02
9	Don't Know	34	0.26

Variable: PAPTEST\_A

Module: Adult

Section: PRV : Preventive screening

1

File(s): Adult
Data Type: Numeric

Question Text: At your MOST RECENT cervical cancer screening, did you have a Pap test?

**Description:** PAP test at most recent cervical cancer screening

Recode:

Length:

Universe: HHSTAT\_A=1 and SEX\_A=2 and CERVICEV1\_A=1

Universe Description: Female Sample Adults 18+ who ever had a cervical cancer test

Sources:

Question ID: PRV.0310.00.3

**Keywords:** high-risk HPV strains; gynecologic cancer; reproductive cancer; health care

service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PAPTEST\_A PAP test at most recent cervical cancer screening

Code	Description	Frequency	Percent
1	Yes	12096	91.39
2	No	817	6.17
7	Refused	9	0.07
8	Not Ascertained	3	0.02
9	Don't Know	310	2.34

Variable: HPVTEST\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: At your MOST RECENT cervical cancer screening, did you have an HPV test?

\* Read if necessary: HPV stands for Human Papillomavirus.

**Description:** HPV test at most recent cervical cancer screening

Recode:

Universe: HHSTAT\_A=1 and SEX\_A=2 and CERVICEV1\_A=1

Universe Description: Female Sample Adults 18+ who ever had a cervical cancer test

Sources:

Question ID: PRV.0320.00.3

Keywords: high-risk HPV strains; gynecologic cancer; reproductive cancer; health care

service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

HPVTEST\_A HPV test at most recent cervical cancer screening

Code	Description	Frequency	Percent
1	Yes	3942	29.78
2	No	6539	49.41
7	Refused	18	0.14
8	Not Ascertained	5	0.04
9	Don't Know	2731	20.63

Variable: TELLCERVIC\_A

Module: Adult

Section: PRV : Preventive screening

1

File(s): Adult
Data Type: Numeric

Question Text: At your MOST RECENT cervical cancer screening, did a doctor or other health

professional tell you which type of test or tests you received?

**Description:** Doctor tell type of cervical exam

Recode:

Length:

Universe: HHSTAT\_A=1 and SEX\_A=2 and CERVICEV1\_A=1

Universe Description: Female Sample Adults 18+ who ever had a cervical cancer test

Sources:

Question ID: PRV.0325.00.3

**Keywords:** high-risk HPV strains; gynecologic cancer; reproductive cancer; health care

service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

TELLCERVIC\_A Doctor tell type of cervical exam

Code	Description	Frequency	Percent
1	Yes	7495	56.63
2	No	4506	34.05
7	Refused	16	0.12
8	Not Ascertained	6	0.05
9	Don't Know	1212	9.16

Variable: CERVICRES\_A

Module: Adult

Section: PRV : Preventive screening

1

File(s): Adult
Data Type: Numeric

Question Text: In the PAST 5 years, did any of your cervical cancer screening tests require

follow-up to check for cancer or precancerous cells?

**Description:** Abnormal pap in past 5 years

Recode:

Length:

Universe: HHSTAT\_A=1 and SEX\_A=2 and CERVICWHEN\_A IN (1,2,3,4)

Universe Description: Female Sample Adults 18+ who had a cervical cancer test in the past 5 years

Sources:

Question ID: PRV.0330.00.3

**Keywords:** high-risk HPV strains; gynecologic cancer; reproductive cancer; health care

service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CERVICRES\_A Abnormal pap in past 5 years

Code	Description	Frequency	Percent
1	Yes	964	9.50
2	No	9134	90.01
7	Refused	6	0.06
8	Not Ascertained	7	0.07
9	Don't Know	37	0.36

Variable: CERVICNOT1\_A

Module: Adult

Section: PRV: Preventive screening

2

File(s): Adult Data Type: Numeric

Question Text:

What is the MAIN REASON that you have ^never5yearsPAPHPV?

\* Do not read choices, select answer category based on respondent's answer.

Fills: NEVER had a test to check for cervical cancer/NOT had ^never5yearsPAPHPV

a test to check for cervical cancer in the last 5

Description: Why did not get a PAP/HPV test in past 5 years

Recode:

Length:

Universe: HHSTAT\_A=1 and SEX\_A=2 and (CERVICEV1\_A=2 or CERVICWHEN\_A IN (5,6))

Universe Description: Female Sample Adults 18+ who never had a cervical cancer test or had their

last cervical cancer test more than 5 years ago

Sources:

Question ID: PRV.0340.00.3

Keywords: high-risk HPV strains; gynecologic cancer; reproductive cancer; health care

service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CERVICNOT1\_A Why did not get a PAP/HPV test in past 5 years

Code	Description	Frequency	Percent
01	No reason/never thought about it	134	24.85
02	Didn't need it/didn't know I needed this type of test	52	9.78
03	Doctor didn't order it/didn't say I needed it	81	15.00
04	Haven't had any problems	42	7.78
05	Put it off/didn't get around to it	13.	3 2.46
06	Too expensive/no insurance/cost	8	9 1.65
07	Too painful, unpleasant, or embarrassing	5	0.98
08	Had hysterectomy	106	1 19.65
09	Don't have a doctor	3.	0.61
10	Had HPV vaccine		8 0.15
11	I am too old	55	10.33
12	I am too young	11	3 2.09
13	Other	19	3.56
97	Refused	1	0.19
98	Not Ascertained		4 0.07
99	Don't Know	4	6 0.85

Variable: HYSTEV1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: A hysterectomy is when the uterus or womb is removed, this is different from

having your tubes tied. Have you had a hysterectomy?

**Description:** Had hysterectomy

Recode:

Sources:

Question ID: PRV.0350.00.2

**Keywords:** uterine diseases; gynecologic conditions; reproductive cancer; health care

service utilization

Notes: The response "yes" has been edited to include women who reported in a previous

question having had a hysterectomy (CERVICNOT1\_A=8) as a reason for never having or not having had in the last 5 years a test for cervical cancer

screening.

**Evaluation Report:** 

### Unweighted frequencies:

HYSTEV1\_A Had hysterectomy

Code	Description	Frequency	Percent
1	Yes	3279	20.36
2	No	12539	77.87
7	Refused	44	0.27
8	Not Ascertained	210	1.30
9	Don't Know	30	0.19

Variable: MAMEV\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you EVER HAD a mammogram?

st Read if necessary: A mammogram is an x-ray taken only of the breast by a

machine that presses against the breast.

**Description:** Ever had mammogram

Recode:

Universe: HHSTAT\_A=1 and (30<=AGEP\_A<=85) and SEX\_A=2

Universe Description: Female Sample Adults 30+

Sources:

Question ID: PRV.0360.00.2

**Keywords:** breast carcinoma; malignant breast tumor; health care service utilization

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

MAMEV\_A Ever had mammogram

Code	Description	Frequency	Percent
1	Yes	10869	77.22
2	No	2959	21.02
7	Refused	27	0.19
8	Not Ascertained	184	1.31
9	Don't Know	37	0.26

Variable: MAMWHEN\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

**Question Text:** About how long has it been since your MOST RECENT mammogram?

**Description:** Most recent mammogram

Recode:

Universe: HHSTAT\_A=1 and (30<=AGEP\_A<=85) and SEX\_A=2 and MAMEV\_A=1
Universe Description: Female Sample Adults 30+ who have ever had a mammogram

Sources:

Question ID: PRV.0370.00.2

**Keywords:** breast carcinoma; malignant breast tumor; health care service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

MAMWHEN\_A Most recent mammogram

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	5834	53.68
2	Within the past 2 years (1 year but less than 2 years ago)	2130	19.60
3	Within the past 3 years (2 years but less than 3 years ago)	887	8.16
4	Within the past 5 years (3 years but less than 5 years ago)	792	7.29
5	Within the past 10 years (5 years but less than 10 year ago)	558	5.13
6	10 years ago or more	560	5.15
7	Refused	5	0.05
8	Not Ascertained	2	0.02
9	Don't Know	101	0.93

Variable: MAMPAY\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did you pay none, part, or all of the cost for your most recent mammogram?

Description: Pay mammogram

Recode:

Universe: HHSTAT\_A=1 and SEX\_A=2 and (30<=AGEP\_A<=85) and MAMEV\_A=1

Universe Description: Female Sample Adults 30+ who ever had a mammogram

Sources:

Question ID: PRV.0380.00.3

**Keywords:** breast carcinoma; malignant breast tumor; health care service utilization

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

MAMPAY\_A Pay mammogram

Code	Description	Frequency	Percent
1	None of the cost	8137	74.86
2	Part of the cost	1921	17.67
3	All of the cost	391	3.60
7	Refused	7	0.06
8	Not Ascertained	2	0.02
9	Don't Know	411	3.78

Variable: MAMREASON\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: What was the MAIN reason you had this mammogram - was it part of a routine

exam, because of a problem, or some other reason?

**Description:** Reason for mammogram

Recode:

Universe: HHSTAT\_A=1 and (30<=AGEP\_A<=85) and SEX\_A=2 and MAMEV\_A=1

Universe Description:

Female Sample Adults 30+ who have ever had a mammogram

Sources:

Question ID: PRV.0390.00.3

**Keywords:** breast carcinoma; malignant breast tumor; health care service utilization

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

MAMREASON\_A Reason for mammogram

Code	Description	Frequency	Percent
1	Part of a routine exam	9841	90.54
2	Because of a problem	759	6.98
3	Other reason	244	2.24
7	Refused	4	0.04
8	Not Ascertained	2	0.02
9	Don't Know	19	0.17

Variable: MAMAGE1ST1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: About how old were you when you had your first mammogram?

**Description:** Age of first mammogram

Recode:

Universe: HHSTAT\_A=1 and (30<=AGEP\_A<=85) and SEX\_A=2 and MAMEV\_A=1
Universe Description: Female Sample Adults 30+ who have ever had a mammogram</pre>

Sources:

Question ID: PRV.0400.00.3

Keywords: breast carcinoma; malignant breast tumor; health care service utilization

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

MAMAGE1ST1\_A Age of first mammogram

Code	Description	Frequency	Percent
1	Under 30 years	120	11.11
2	30-39	306:	28.17
3	40-49	4434	40.79
4	50-59	1180	10.91
5	60-74	209	1.92
6	75 years or older	39	0.36
7	Refused	9	0.08
8	Not Ascertained		0.06
9	Don't Know	710	6.59

Variable: MAMNOT1\_A

Module: Adult

Section: PRV : Preventive screening

File(s): Adult

Data Type: Numeric

Length: 2

Question Text: What is the most important reason why you have ^MAMNEVER2YEARS\_A?

Do not read choices, select answer category based on respondent's answer.

Fills: ^MAMNEVER2YEARS\_A NEVER had a mammogram/NOT had a mammogram in the past

2 years

Description: Reason no mammogram

Recode:

Universe: HHSTAT\_A=1 and (30<=AGEP\_A<=85) and SEX\_A=2 and (MAMEV\_A=2 or MAMWHEN\_A IN

(3,4,5,6))

Universe Description: Female Sample Adults 30+ who never had a mammogram or had a mammogram more

than 2 years ago

Sources:

Question ID: PRV.0410.00.3

**Keywords:** breast carcinoma; malignant breast tumor; health care service utilization

Notes:

Evaluation Report:

#### Unweighted frequencies:

### MAMNOT1\_A Reason no mammogram

Code	Description	Frequency	Percent
01	No reason/never thought about it	1190	20.67
02	Didn't need it/didn't know I needed this type of test	605	10.51
03	Doctor didn't order it/didn't say I needed it	1003	17.43
04	Haven't had any problems	482	8.37
05	Put it off/didn't get around to it	370	6.43
06	Too expensive/no insurance/cost	198	3.44
07	Too painful, unpleasant, or embarrassing	126	2.19
08	Don't have a doctor	41	0.71
09	I am too old	273	4.74
10	I am too young	896	15.57
11	Other	549	9.54
97	Refused	6	0.10
98	Not Ascertained	1	0.02
99	Don't Know	16	0.28

PUBLIC USE

Variable: PREGFLUYR\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Were you pregnant any time ^AUGUSTYEAR?

Fills: ^AUGUSTYEAR period of pregnancy

^LASTYEAR Last year

^YEAR Year of Interview

Description: Was SA pregnant last flu season

Recode:

Universe: HHSTAT\_A=1 and SEX\_A=2 and ((18<=AGEP\_A<=49) or AGEP\_A IN (97,99)) and

(PREGNOW\_A IN (2,9) or (PREGNOW\_A=1 and INTV\_MON IN (4,5,6,7)))

Universe Description: Female sample adults 18-49 years or don't know or refuse age and who are not

currently pregnant or don't know if they're currently pregnant or Female sample adults 18-49 years who are currently pregnant and the interview

occurred between April-July.

Sources:

Question ID: IMS.0010.00.3

Keywords: pregnancy; prenatal; prevention; vaccine; influenza

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

PREGFLUYR\_A Was SA pregnant last flu season

Code	Description	Frequency	Percent
1	Yes	288	4.24
2	No	6396	94.27
7	Refused	4	0.06
8	Not Ascertained	93	1.37
9	Don't Know	4	0.06

Variable: LIVEBIRTH\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you have a pregnancy that ended in a live

birth?

**Description:** Any live births

Recode:

Universe: HHSTAT\_A=1 and SEX\_A=2 and (18<=AGEP\_A<=49 or AGEP\_A IN (97,99)) and PREGNOW\_A

ne 7 and PREGFLUYR\_A ne 7

THE 7 AND TREAT LOTTE, A THE 7

Female sample adults 18-49 or age is don't know or refused who did not refuse to say if they are currently pregnant or if they were pregnant in August-March

Sources:

Question ID: IMS.0020.00.3

Keywords: delivery; baby; childbirth

Notes:

**Evaluation Report:** 

Universe Description:

### Unweighted frequencies:

### LIVEBIRTH\_A Any live births

Code	Description	Frequency	Percent
1	Yes	367	5.30
2	No	6452	93.24
7	Refused	0	0.00
8	Not Ascertained	98	1.42
9	Don't Know	3	0.04

Variable: SHTFLU12M\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: There are two types of flu vaccinations. One is a shot and the other is a

spray, mist, or drop in the nose. During the past 12 months, have you had a

flu vaccination?

\* Read if necessary: A flu vaccination is usually given in the fall and

protects against influenza for the flu season.

**Description:** Flu vaccine, past 12 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: IMS.0030.00.1

Keywords: flu shot; flu vaccination; influenza

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

SHTFLU12M\_A Flu vaccine, past 12 months

Code	Description	Frequency	Percent
1	Yes	15304	51.91
2	No	13645	46.28
7	Refused	43	0.15
8	Not Ascertained	412	1.40
9	Don't Know	78	0.26

Variable: SHTFLUM\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult

Data Type: Numeric

Length: 2

Question Text: \* 1 of 2

During what month and year did you receive your most recent flu vaccine?

**Description:** Month of last flu vaccine

Recode:

Universe: HHSTAT\_A=1 and SHTFLU12M\_A=1

Universe Description: Sample adults 18+ who have had a flu shot in the past 12 months

Sources:

Question ID: IMS.0040.01.1

Keywords: flu shot; flu vaccination; influenza

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

SHTFLUM\_A Month of last flu vaccine

Code	Description	Frequency	Percent
01	January	47	1 3.08
02	February	31	5 2.06
03	March	19	8 1.29
04	April	9	0.59
05	May	7	8 0.51
06	June	8	0.54
07	July	7	7 0.50
08	August	49	4 3.23
09	September	319	9 20.90
10	October	668	3 43.67
11	November	240	15.68
12	December	67	4 4.40
97	Refused	1	0.08
98	Not Ascertained		0.01
99	Don't Know	52	7 3.44

Variable: SHTFLUY\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult

Data Type: Numeric

Length: 4

Question Text: \* 2 of 2

\* Enter year of most recent flu vaccine.

**Description:** Year of last flu vaccine

Recode:

Universe: HHSTAT\_A=1 and ((1<=SHTFLUM\_A<=12) or SHTFLUM\_A=99)</pre>

Universe Description: Sample adults 18+ who gave a month for their last flu shot or who didn't know

the month

Sources:

Question ID: IMS.0040.02.1

Keywords: flu shot; flu vaccination; influenza

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

SHTFLUY\_A Year of last flu vaccine

Code	Description	Frequency	Percent
Year	Year	15221	99.55
9997	Refused	0	0.00
9998	Not Ascertained	0	0.00
9999	Don't Know	69	0.45

Variable: FLUPREG\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did you get a flu vaccination before or during your current pregnancy?

Description: Was flu shot before or during pregnancy

Recode:

Universe: HHSTAT\_A=1 and ((18<=AGEP\_A<=49) or AGEP\_A IN (97,99)) and SEX\_A=2 and

PREGNOW\_A=1 and SHTFLU12M\_A=1 and INTV\_MON IN (1,2,3,8,9,10,11,12)

Universe Description: Female sample adults 18-49 (or don't know or refuse their age) and who are

currently pregnant and received a flu vaccination in the past 12 months and

the interview takes place in Jan-March or Aug-Dec.

Sources:

Question ID: IMS.0050.00.3

**Keywords:** pregnancy; prenatal; prevention; vaccine; influenza

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

FLUPREG\_A Was flu shot before or during pregnancy

Code	Description	Frequency	Percent
1	Before pregnancy	26	42.62
2	During pregnancy	35	57.38
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: FLUPREG2\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Earlier you said you were pregnant sometime ^AUGUSTYEAR. Did you get a flu

vaccination before, during, or after your pregnancy?

Fills: ^AUGUSTYEAR period of pregnancy

^LASTYEAR Last year

^YEAR Year of Interview

Description: Earlier pregnancy and flu vaccine

Recode:

Universe: HHSTAT\_A=1 and ((18<=AGEP\_A<=49) or AGEP\_A IN (97,99)) and SEX\_A=2 and

PREGFLUYR\_A=1 and SHTFLU12M\_A=1

Universe Description: Female sample adults 18-49 years of age or don't know or refuse age who

reported a pregnancy during August-March and received a flu vaccination in the

past 12 months.

Sources:

Question ID: IMS.0060.00.3

Keywords: pregnancy; prenatal; prevention; vaccine; influenza

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

FLUPREG2\_A Earlier pregnancy and flu vaccine

Code	Description	Frequency	Percent
1	Before pregnancy	20	15.04
2	During pregnancy	87	65.41
3	After pregnancy	26	19.55
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: SHTCVD19\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult Data Type: Numeric 1

Length:

Question Text: The next questions are about coronavirus or COVID-19 vaccination.

Have you had a COVID-19 vaccination?

\* Read if necessary: The COVID-19 vaccination has been available since 2020.

Description: COVID-19 vaccination

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: IMS.0061.00.3

Keywords: vaccine

Notes: Question fielded since quarter 2 of 2021.

**Evaluation Report:** 

#### Unweighted frequencies:

SHTCVD19\_A COVID-19 vaccination

Code	Description	Frequency	Percent
1	Yes	16183	73.70
2	No	5349	24.36
7	Refused	121	0.55
8	Not Ascertained	292	1.33
9	Don't Know	13	0.06

Variable: SHTCVD19NM\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: How many COVID-19 vaccinations have you received?

**Description:** Number of COVID-19 vaccinations

Recode:

Universe: HHSTAT\_A=1 and SHTCVD19\_A=1

Universe Description: Sample adults 18+ who have received a COVID-19 vaccination

Sources:

Question ID: IMS.0062.00.3

**Keywords:** vaccine dose; coronavirus

Notes: Question fielded since quarter 2 of 2021.

**Evaluation Report:** 

### Unweighted frequencies:

SHTCVD19NM\_A Number of COVID-19 vaccinations

Code	Description	Frequency	Percent
1	1 vaccination	1878	11.60
2	2 vaccinations	12722	78.61
3	More than 2 vaccinations	1571	9.71
7	Refused	6	0.04
8	Not Ascertained	2	0.01
9	Don't Know	4	0.02

Variable: CVDVAC1MR\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

Question Text:

Length:

Description: Month of most recent COVID-19 vaccination

Recode: Yes

Universe: HHSTAT\_A=1 and SHTCVD19NM\_A IN (1,2,3)

Universe Description: Sample adults 18+ who have had one or more COVID-19 vaccinations

Sources: CVDVAC1M\_A; CVDVAC1Y\_A; CVDVAC2M\_A; CVDVAC2Y\_A

Question ID:

Keywords: coronavirus; vaccine

2

Notes: This recode corrects responses of month or year before the COVID-19

vaccinations were available and dates reported out of order. Source questions

for this recode were fielded since quarter 2 of 2021.

**Evaluation Report:** 

### Unweighted frequencies:

CVDVAC1MR\_A Month of most recent COVID-19 vaccination

Code	Description	Frequ	ency	Percent
01	January		523	3.23
02	February		1670	10.33
03	March		3569	22.07
04	April		4209	26.03
05	May		2358	14.58
06	June		863	5.34
07	July		427	2.64
08	August		471	2.91
09	September		463	2.86
10	October		756	4.68
11	November		548	3.39
12	December		162	1.00
97	Refused		7	0.04
98	Not Ascertained		1	0.01
99	Don't Know		144	0.89

Variable: CVDVAC1YR\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

Length: 4

Question Text:

**Description:** Year of most recent COVID-19 vaccination

Recode: Yes

Universe: HHSTAT\_A=1 and (1<=CVDVAC1MR\_A<=12 or CVDVAC1MR\_A=99)

Universe Description: Sample adults 18+ who gave month of most recent COVID-19 vaccination or don't

know

Sources: CVDVAC1M\_A; CVDVAC1Y\_A; CVDVAC2M\_A; CVDVAC2Y\_A

Question ID:

**Keywords:** coronavirus; vaccine

Notes: This recode corrects responses of month or year before the COVID-19

vaccinations were available and dates reported out of order. Source questions

for this recode were fielded since quarter 2 of 2021.

**Evaluation Report:** 

#### Unweighted frequencies:

CVDVAC1YR\_A Year of most recent COVID-19 vaccination

Code	Description	Frequency	Percent
Year	Year	16145	99.89
9997	Refused	1	0.01
9998	Not Ascertained	0	0.00
9999	Don't Know	17	0.11

Variable: CVDVAC2MR\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

**Description:** Month of next most recent COVID-19 vaccination

Recode: Yes

Universe: HHSTAT\_A=1 and SHTCVD19NM\_A IN (2,3)

Universe Description: Sample adults 18+ who have had two or more COVID-19 vaccinations

Sources: CVDVAC2M\_A; CVDVAC2Y\_A; CVDVAC1M\_A; CVDVAC1Y\_A

Question ID:

**Keywords:** coronavirus; vaccine

Notes: This recode corrects responses of month or year before the COVID-19

vaccinations were available and dates reported out of order. Source questions

for this recode were fielded since quarter 2 of 2021.

**Evaluation Report:** 

### Unweighted frequencies:

 ${\bf CVDVAC2MR\_A} \quad \ \ {\bf Month\ of\ next\ most\ recent\ COVID-19\ vaccination}$ 

Code	Description	Frequency		Percent
01	January	1	541	10.78
02	February	2	747	19.22
03	March	4	178	29.23
04	April	2	935	20.53
05	May	1	122	7.85
06	June		410	2.87
07	July		286	2.00
08	August		243	1.70
09	September		161	1.13
10	October		88	0.62
11	November		26	0.18
12	December		372	2.60
97	Refused		10	0.07
98	Not Ascertained		2	0.01
99	Don't Know		172	1.20

Variable: CVDVAC2YR\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

Length: 4

Question Text:

**Description:** Year of next most recent COVID-19 vaccination

Recode: Yes

Universe: HHSTAT\_A=1 and (1<=CVDVAC2MR\_A<=12 or CVDVAC2MR\_A=99)

Universe Description: Sample adults 18+ who gave month of second COVID-19 vaccination or don't know

Sources: CVDVAC2M\_A; CVDVAC2Y\_A; CVDVAC1M\_A; CVDVAC1Y\_A

Question ID:

Keywords: coronavirus; vaccine

Notes: This recode corrects responses of month or year before the COVID-19

vaccinations were available and dates reported out of order. Source questions

for this recode were fielded since quarter 2 of 2021.

**Evaluation Report:** 

### Unweighted frequencies:

CVDVAC2YR A Year of next most recent COVID-19 vaccination

Code	Description	Frequency	Percent
Year	Year	14241	99.72
9997	Refused	1	0.01
9998	Not Ascertained	0	0.00
9999	Don't Know	39	0.27

Variable: SHTCVD19AV\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Did a doctor or other health professional tell you that you need an additional

dose of the COVID-19 vaccination?

**Description:** Doctor told need another COVID-19 vaccination

Recode:

Universe: HHSTAT\_A=1 and SHTCVD19NM\_A=1

Universe Description: Sample adults 18+ who had one COVID-19 vaccination

Sources:

Question ID: IMS.0065.00.3

**Keywords:** coronavirus; vaccine

Notes: Question fielded since quarter 2 of 2021.

**Evaluation Report:** 

### Unweighted frequencies:

 $\textbf{SHTCVD19AV\_A} \quad \textbf{Doctor told need another COVID-19 vaccination}$ 

Code	Description	Frequency	Percent
1	Yes	748	39.83
2	No	1124	59.85
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	6	0.32

Variable: SHTPNUEV\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: A pneumonia shot is also known as a pneumococcal vaccine. Have you EVER had a

pneumonia shot?

\* Read if necessary: There are two types of pneumonia shots: polysaccharide,

also known as Pneumovax®, and conjugate, also known as Prevnar®.

**Description:** Ever had pneumonia shot

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: IMS.0070.00.1

**Keywords:** pneumonia; pneumonia shot; pneumonia vaccine

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SHTPNUEV\_A Ever had pneumonia shot

Code	Description	Frequency	Percent
1	Yes	826	9 28.05
2	No	1980	67.17
7	Refused	3	8 0.13
8	Not Ascertained	42	8 1.45
9	Don't Know	94	4 3.20

Variable: SHTPNEUNB\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How many pneumonia shots have you ever had?

**Description:** Number of pneumonia shots

Recode:

Universe: HHSTAT\_A=1 and SHTPNUEV\_A=1

Universe Description: Sample adults 18+ who have ever had a pneumonia shot

Sources:

**Question ID:** IMS.0080.00.1

**Keywords:** pneumonia; pneumonia shot; pneumonia vaccine

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

SHTPNEUNB\_A Number of pneumonia shots

Code	Description	Frequency	Percent
1	One pneumonia shot	3961	47.90
2	Two pneumonia shots	2702	32.68
3	More than two pneumonia shots	1048	12.67
7	Refused	2	0.02
8	Not Ascertained	0	0.00
9	Don't Know	556	6.72

Variable: SHTSHINGLE\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Have you had a vaccine for shingles?

\* Read if necessary: Shingles is an illness that results in a rash or blisters on the skin, and is usually painful. There are two vaccines that have been used for shingles. The first was Zostavax®, which required one shot and was made available in 2006. The other is Shingrix®, a new vaccine which requires two shots and has been available since 2017.

Ever had a shingles vaccination

Recode:

Description:

Universe: HHSTAT\_A=1 and (50<=AGEP\_A<=85)</pre>

Universe Description: Sample adults 50+

Sources:

**Question ID:** IMS.0090.00.3

Keywords: herpes zoster; chicken pox; rash; varicella zoster virus; VZV

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

 $\textbf{SHTSHINGLE\_A} \quad \textbf{Ever had a shingles vaccination}$ 

Code	Description	Frequency	Percent
1	Yes	5699	34.67
2	No	10260	62.42
7	Refused	18	0.11
8	Not Ascertained	253	1.54
9	Don't Know	208	1.27

Variable: ZOSTAVAX1\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

Question Text: There are two vaccines that have been used for shingles. The first was

Zostavax $^{\circ}$ , which required one shot and was made available in 2006. The other is Shingrix $^{\circ}$ , a new vaccine which requires 2 shots and has been available

since 2017.

1

Have you EVER had Zostavax®, the shingles vaccine that required one shot?

**Description:** Ever had Zostavax

Recode:

Length:

Universe: HHSTAT\_A=1 and (50<=AGEP\_A<=85) and SHTSHINGLE\_A=1

Universe Description: Sample adults 50+ who ever had a vaccine for shingles

Sources:

Question ID: IMS.0100.00.3

**Keywords:** herpes zoster; chicken pox; rash; vaccine; prevention; varicella zoster virus;

VZV

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

### **ZOSTAVAX1\_A** Ever had Zostavax

Code	Description	Frequency	Percent
1	Yes	2960	51.94
2	No	2411	42.31
7	Refused	3	0.05
8	Not Ascertained	1	0.02
9	Don't Know	324	5.69

Variable: ZOSTAVXYRP\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

Length: 4

Question Text:

**Description:** When was most recent Zostavax shot

Recode: Yes

Universe: HHSTAT\_A=1 and (50<=AGEP\_A<=85) and ZOSTAVAX1\_A=1</pre>
Universe Description: Sample adults 50+ who have had a Zostavax vaccine

Sources: ZOSTAVAXYR\_A

Question ID:

**Keywords:** shingles; herpes zoster; chicken pox; rash; vaccine; prevention; varicella

zoster virus; VZV

Notes: Zostavax® was licensed for use in the U.S. in 2006, so responses of years

before 2006 were collapsed into one category.

**Evaluation Report:** 

#### Unweighted frequencies:

**ZOSTAVXYRP\_A** When was most recent Zostavax shot

Code	Description	Frequency	Percent
2006-present year	2006-present year	2269	76.66
9996	Reported year before 2006	71	2.40
9997	Refused	6	0.20
9998	Not Ascertained	1	0.03
9999	Don't Know	613	20.71

Variable: ZOSTAWHEN\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Was it before 2018?

Description: Was Zostavax before 2018

Recode:

Universe: HHSTAT\_A=1 and (50<=AGEP\_A<=85) and ZOSTAVAXYR\_A IN (997,999)

Universe Description: Sample adults 50+ who don't know or refused the year they had a Zostavax

vaccination

Sources:

Question ID: IMS.0120.00.3

**Keywords:** shingles; herpes zoster; chicken pox; rash; vaccine; prevention; varicella

zoster virus; VZV

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

**ZOSTAWHEN\_A** Was Zostavax before 2018

Code	Description	Frequency	Percent
1	Yes	521	84.17
2	No	42	6.79
7	Refused	0	0.00
8	Not Ascertained	1	0.16
9	Don't Know	55	8.89

Variable: SHINGRIX1\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Data Type: Numeric

1

Question Text: Have you EVER had Shingrix®, the new shingles vaccine which requires 2 shots

and has been available since 2017?

Description: Ever had Shingrix vaccination

Recode:

Length:

Universe: HHSTAT\_A=1 and (50<=AGEP\_A<=85) and SHTSHINGLE\_A=1 Universe Description: Sample adults 50+ who ever had a Shingles vaccine

Sources:

Question ID: IMS.0130.00.3

Keywords: herpes zoster; chicken pox; rash; vaccine; prevention; varicella zoster virus;

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

SHINGRIX1\_A Ever had Shingrix vaccination

Code	Description	Frequency	Percent
1	Yes	3150	55.27
2	No	2259	39.64
7	Refused	3	0.05
8	Not Ascertained	3	0.05
9	Don't Know	284	4.98

Variable: SHINGRIXNB\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

**Question Text:** How many Shingrix® shots have you ever had?

**Description:** How many Shingrix shots

1

Recode:

Length:

Universe: HHSTAT\_A=1 and ( $50 < = AGEP_A < = 85$ ) and SHINGRIX1\_A=1

Universe Description: Sample adults 50+ who had a Shingrix vaccine

Sources:

Question ID: IMS.0140.00.3

**Keywords:** shingles; herpes zoster; chicken pox; rash; vaccine; prevention; quantity;

varicella zoster virus; VZV

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

 $\textbf{SHINGRIXNB\_A} \quad \text{How many Shingrix shots}$ 

Code	Description	Frequency	Percent
1	One Shingrix shot	517	16.41
2	Two Shingrix shots	2623	83.27
7	Refused	1	0.03
8	Not Ascertained	0	0.00
9	Don't Know	9	0.29

Variable: SHINGRXYRP\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

Length: 4

Question Text:

Description: What year did you get your most recent Shingrix shot

Recode: Yes

Universe: HHSTAT\_A=1 and (50<=AGEP\_A<=85) and SHINGRIX1\_A=1

Universe Description: Sample adults 50+ who had a Shingrix vaccine

Sources: SHINGRIXYR\_A

Question ID:

**Keywords:** shingles; herpes zoster; chicken pox; rash; vaccine; prevention; varicella

zoster virus; VZV

Notes: Shingrix® was licensed for use in the U.S. in 2017, so responses of years

before 2017 were collapsed into one category.

**Evaluation Report:** 

#### Unweighted frequencies:

SHINGRXYRP\_A What year did you get your most recent Shingrix shot

Code	Description	Frequency	Percent
2017-present year	2017-present year	2917	92.60
9996	Reported year before 2017	82	2.60
9997	Refused	0	0.00
9998	Not Ascertained	0	0.00
9999	Don't Know	151	4.79

Variable: SHINGWHEN\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

Question Text: Was it before 2018?

**Description:** Was last Shingrix before 2018

1

Recode:

Length:

Universe: HHSTAT\_A=1 and (50<=AGEP\_A<=85) and SHINGRIXYR\_A IN (997,999)

Universe Description: Sample adults 50+ who had a Shingrix vaccination and don't know or refused the

year they had it

Sources:

Question ID: IMS.0160.00.3

**Keywords:** shingles; herpes zoster; chicken pox; rash; vaccine; prevention; varicella

zoster virus; VZV

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SHINGWHEN\_A Was last Shingrix before 2018

Code	Description	Frequency	Percent
1	Yes	74	49.01
2	No	45	29.80
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	32	21.19

Variable: TDAPPREG\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: A Tdap vaccination is a tetanus booster shot that also includes pertussis

(per-TUH-sis) or whooping cough vaccine. Earlier you said that you had a pregnancy that ended in a live birth during the past 12 months. Did you

receive a Tdap vaccine during this pregnancy?

**Description:** Have a Tdap booster shot

Recode:

Universe: HHSTAT\_A=1 and (AGEP\_A <= 49 or AGEP\_A IN (97,99)) and SEX\_A=2 and

LIVEBIRTH\_A=1

Universe Description: Female sample adults less than 49 years old or who don't know or refused their

age who had a live birth in the past 12 months

Sources:

Question ID: IMS.0170.00.3

**Keywords:** pertussis; whooping cough; Td; tdap; pregnancy; prenatal

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

TDAPPREG\_A Have a Tdap booster shot

Code	Description	Frequency	Percent
1	Yes	228	62.13
2	No	111	30.25
7	Refused	1	0.27
8	Not Ascertained	2	0.54
9	Don't Know	25	6.81

Variable: SHTHEPB\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

Length: 1

**Question Text:** The hepatitis B vaccine is given in three separate doses. Although it can be

given as a combination vaccination with hepatitis A, it is different from the

hepatitis A vaccine. Have you EVER received the hepatitis B vaccine?

\* Read if necessary: The hepatitis B vaccine has been available since 1991. It is recommended for newborn infants, adolescents, and people such as health

care workers, who may be exposed to the hepatitis B virus.

**Description:** Ever receive hepatitis B vaccine

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: IMS.0180.00.3
Keywords: vaccination; liver

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

SHTHEPB\_A Ever receive hepatitis B vaccine

Code	Description	Frequency	Percent
1	Yes	854	1 28.97
2	No	1776	4 60.05
7	Refused	4	9 0.17
8	Not Ascertained	44	2 1.50
9	Don't Know	274	6 9.31

Variable: SHTHEPA\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

Length: 1

**Question Text:** The hepatitis A vaccine is given in two separate doses. Although it can be

given as a combination vaccine with hepatitis B, it is different from the hepatitis B vaccine. Have you EVER received the hepatitis A vaccine?

\* Read if necessary: The hepatitis A vaccine has been available since 1995. It is routinely given to some children starting at 1 year of age and to some

adults and people who travel outside the United States.

**Description:** Ever receive hepatitis A vaccine

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: IMS.0190.00.3
Keywords: vaccination; liver

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

SHTHEPA\_A Ever receive hepatitis A vaccine

Code	Description	Frequency	Percent
1	Yes	597	7 20.27
2	No	1947	77 66.06
7	Refused	5	0.17
8	Not Ascertained	44	1.52
9	Don't Know	353	11.97

Variable: LIVEHEP\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you ever lived with someone who had hepatitis?

**Description:** Live with someone with hepatitis

Recode:

Universe: HHSTAT\_A=1 and HEPEV\_A IN (2,7,9)

Universe Description: Sample adults 18+ who did not ever have hepatitis or refused or don't know

Sources:

Question ID: IMS.0200.00.3

Keywords: liver

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

LIVEHEP\_A Live with someone with hepatitis

Code	Description	Frequency	Percent
1	Yes	1061	3.67
2	No	27252	94.24
7	Refused	22	0.08
8	Not Ascertained	441	1.53
9	Don't Know	142	0.49

Variable: WORKHEALTH\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In your work or volunteer activities, do you provide direct medical care to

patients, such as being a doctor, nurse, dentist, therapist, home health care

worker, or emergency responder?

**Description:** Currently provide medical care to patients

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: IMS.0220.00.3

Keywords: job; work; volunteer; emergency responder; safety personnel

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

 $\begin{tabular}{ll} \textbf{WORKHEALTH\_A} & \textbf{Currently provide medical care to patients} \\ \end{tabular}$ 

Code	Description	Frequency	Percent
1	Yes	2293	7.78
2	No	26710	90.60
7	Refused	12	0.04
8	Not Ascertained	459	1.56
9	Don't Know	8	0.03

Variable: WRKHLTHFC\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Even if you do not provide direct medical care to patients, do you do any kind

of work or volunteer activities in a health care facility, such as in a hospital, doctor's office, dentist's office, clinic, nursing home, or

residential care home?

**Description:** Currently volunteer or work in health care

Recode:

Universe: HHSTAT\_A=1 and WORKHEALTH\_A IN (2,7,9)

Universe Description: Sample adults 18+ who do not provide medical care to patients or don't know or

refused if they do

Sources:

Question ID: IMS.0230.00.3

**Keywords:** work; volunteer; emergency responder; safety personnel

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

WRKHLTHFC\_A Currently volunteer or work in health care

Code	Description	Frequency	Percent
1	Yes	889	3.33
2	No	25820	96.60
7	Refused	14	0.05
8	Not Ascertained	1	0.00
9	Don't Know	6	0.02

Variable: TRAVEL\_A

Module: Adult

Section: IMS : Immunization with 2021 supplements

File(s): Adult
Data Type: Numeric

Question Text: Since 1995, have you traveled to any countries OTHER than Japan, Australia,

New Zealand, Canada, and those in Europe?

**Description:** Travel to other countries since 1995

1

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: IMS.0240.00.3
Keywords: international

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

TRAVEL\_A Travel to other countries since 1995

Code	Description	Frequency	Percent
1	Yes	11408	38.69
2	No	17544	59.51
7	Refused	25	0.08
8	Not Ascertained	466	1.58
9	Don't Know	39	0.13

Variable: HOMEHC12M\_A

Module: Adult

Section: CGR : Caregiving Received

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you receive care at home from a nurse or other

health professional?

**Description:** Received care at home, past 12m

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** CGR.0010.00.2

Keywords: visiting nurse; home care; home health; foregone care; coronavirus pandemic

Notes: This question was included in the PTC section in 2020.

**Evaluation Report:** 

#### Unweighted frequencies:

HOMEHC12M\_A Received care at home, past 12m

Code	Description	Frequency	Percent
1	Yes	1375	4.66
2	No	27619	93.68
7	Refused	10	0.03
8	Not Ascertained	473	1.60
9	Don't Know	5	0.02

Variable: HOMECAREDG\_A

Module: Adult

Section: CGR : Caregiving Received

1

File(s): Adult
Data Type: Numeric

Question Text: Was there any time when you needed care at home from a nurse or other health

professional but DID NOT GET IT because of the coronavirus pandemic?

**Description:** Did not get home care due to COVID-19

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CGR.0020.00.4

Keywords: home care; home health; forgone care; coronavirus pandemic

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

**Evaluation Report:** 

### Unweighted frequencies:

 $\textbf{HOMECAREDG\_A} \quad \textbf{Did not get home care due to COVID-19}$ 

Code	Description	Frequency	Percent
1	Yes	262	0.89
2	No	28730	97.45
7	Refused	10	0.03
8	Not Ascertained	477	1.62
9	Don't Know	3	0.01

Variable: FAMCARE12M\_A

Module: Adult

Section: CGR : Caregiving Received

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you receive care at home from a friend or

amily member?

\* If the respondent asks what is meant by the term "care," say: "A wide range of activities that a person may need help with can be considered care. For example, care at home can include personal tasks such as giving medications or helping with eating, dressing, or bathing or household tasks such as cleaning,

managing money, or preparing meals."

**Description:** Received home care from friend/family

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** CGR.0030.00.4

Keywords: home care; home health; forgone care; coronavirus pandemic

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

**Evaluation Report:** 

#### Unweighted frequencies:

FAMCARE12M\_A Received home care from friend/family

Code	Description	Frequency	Percent
1	Yes	3479	11.80
2	No	25507	86.52
7	Refused	9	0.03
8	Not Ascertained	482	1.63
9	Don't Know	5	0.02

Variable: FAMCAREDNG\_A

Module: Adult

Section: CGR : Caregiving Received

1

File(s): Adult
Data Type: Numeric

Question Text: Was there any time when you needed care at home from a friend or family member

but DID NOT GET IT because of the coronavirus pandemic?

**Description:** Did not get family care due to COVID-19

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CGR.0040.00.4

Keywords: home care; home health; forgone care; coronavirus pandemicNotes: Question fielded since quarter 3 and quarter 4 of 2020.

**Evaluation Report:** 

#### Unweighted frequencies:

FAMCAREDNG\_A Did not get family care due to COVID-19

Code	Description	Frequency	Percent
1	Yes	413	1.40
2	No	28569	96.90
7	Refused	10	0.03
8	Not Ascertained	486	1.65
9	Don't Know	4	0.01

Variable: FAMCARECVD\_A

Module: Adult

Section: CGR : Caregiving Received

1

File(s): Adult Data Type: Numeric

Length:

Question Text: Did a friend or family member provide some or all of the care that a nurse or

other health professional did not provide due to the coronavirus pandemic?

Description: Received family care due to COVID-19

Recode:

Universe: HHSTAT\_A=1 and HOMECAREDG\_A=1 and FAMCARE12M\_A=1

Universe Description: Sample adults 18+ who did not get home care from nurse/health professional due

to COVID-19 and received home care from friend/family

Sources:

Question ID: CGR.0050.00.4

Keywords: home care; home health; forgone care; coronavirus pandemic

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

**Evaluation Report:** 

#### Unweighted frequencies:

FAMCARECVD\_A Received family care due to COVID-19

Code	Description	Frequency	Percent
1	Yes	98	61.25
2	No	62	38.75
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: ANXFREQ\_A Module: Adult Section: ANX : Anxiety File(s): Adult Data Type: Numeric Length: Question Text: How often do you feel worried, nervous or anxious? Would you say daily, weekly, monthly, a few times a year, or never? \* If respondent asks whether they are to answer about their emotional states after taking mood-regulating medications, say: "Please answer based on your usual use of medication." Description: How often feel worried, nervous, or anxious Recode: Universe: HHSTAT\_A=1 Sample adults 18+ Universe Description: Sources: Question ID: ANX.0010.00.1 Keywords: worry; nervous; anxiety Notes: **Evaluation Report:** 

#### Unweighted frequencies:

ANXFREQ\_A How often feel worried, nervous, or anxious

<u> </u>			
Code	Description	Frequency	Percent
1	Daily	3593	12.18
2	Weekly	4150	14.08
3	Monthly	343:	1 11.64
4	A few times a year	916	31.10
5	Never	8464	4 28.71
7	Refused	5:	0.18
8	Not Ascertained	534	1.81
9	Don't Know	9:	0.31

Variable: ANXMED\_A

Module: Adult

Section: ANX : Anxiety

File(s): Adult
Data Type: Numeric

Length: 1

**Question Text:** Do you take prescription medication for these feelings?

**Description:** Take medication for worried/nervous/anxious feelings

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: ANX.0020.00.1

**Keywords:** worry; nervous; anxiety; medicine; rx

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### Unweighted frequencies:

ANXMED\_A Take medication for worried/nervous/anxious feelings

Code	Description	Frequency	Percent
1	Yes	3917	13.29
2	No	24953	84.64
7	Refused	46	0.16
8	Not Ascertained	538	1.82
9	Don't Know	28	0.09

Variable: ANXLEVEL\_A

Module: Adult

Section: ANX : Anxiety

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Thinking about the last time you felt worried, nervous or anxious, how would

you describe the level of these feelings? Would you say a little, a lot, or

somewhere in between?

**Description:** Level of feelings when last felt worried/nervous/anxious

Recode:

Universe: HHSTAT\_A=1 and (ANXFREQ\_A IN (1,2,3,4,7,9) or ANXMED\_A IN (1,7,9))

Universe Description: Sample adults 18+ who feel worried, anxious, or nervous daily, weekly,

monthly, a few times a year or don't know or refused how often OR who do take medication for these feelings or don't know or refused if they take medication

for these feelings

Sources:

Question ID: ANX.0030.00.1

**Keywords:** worry; nervous; anxiety

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

ANXLEVEL\_A Level of feelings when last felt worried/nervous/anxious

Code	Description	Frequency	Percent
1	A little	10301	49.95
2	A lot	2264	10.98
3	Somewhere in between a little and a lot	7893	38.27
7	Refused	64	0.31
8	Not Ascertained	11	0.05
9	Don't Know	91	0.44

Variable: DEPFREQ\_A

Module: Adult

Section: DEP : Depression

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How often do you feel depressed? Would you say daily, weekly, monthly, a few

times a year, or never?

\* If respondent asks whether they are to answer about their emotional states after taking mood-regulating medications, say: "Please answer based on your

usual use of medication."

**Description:** How often depressed

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: DEP.0010.00.1

**Keywords:** feelings of sadness; emotional difficulty

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

DEPFREQ\_A How often depressed

Code	Description	Frequency	Percent
1	Daily	118	4.02
2	Weekly	178	9 6.07
3	Monthly	222	7.53
4	A few times a year	840	7 28.52
5	Never	1518	2 51.50
7	Refused	6	0.22
8	Not Ascertained	54	7 1.86
9	Don't Know	8	6 0.29

Variable: DEPMED\_A

Module: Adult

Section: DEP : Depression

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you take prescription medication for depression?

**Description:** Take medication for depression

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: DEP.0020.00.1

**Keywords:** feelings of sadness; emotional difficulty; antidepressants

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### Unweighted frequencies:

DEPMED\_A Take medication for depression

Code	Description	Frequency	Percent
1	Yes	3294	11.17
2	No	25557	86.69
7	Refused	57	0.19
8	Not Ascertained	547	1.86
9	Don't Know	27	0.09

Variable: DEPLEVEL\_A

Module: Adult

Section: DEP : Depression

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Thinking about the last time you felt depressed, how depressed did you feel?

Would you say a little, a lot, or somewhere in between?

**Description:** Level of how depressed

Recode:

Universe: HHSTAT\_A=1 and (DEPFREQ\_A IN (1,2,3,4,7,9) or DEPMED\_A IN (1,7,9))

Universe Description: Sample adults 18+ who feel depressed daily, weekly, monthly, a few times a

year or refused or don't know how often they feel depressed OR who do take medication or refused or don't know if they take medication for depression.

Sources:

Question ID: DEP.0030.00.1

**Keywords:** feelings of sadness; emotional difficulty

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

DEPLEVEL\_A Level of how depressed

Code	Description	Frequency	Percent
1	A little	7031	50.21
2	A lot	1765	12.60
3	Somewhere in between a little and a lot	5051	36.07
7	Refused	68	0.49
8	Not Ascertained	0	0.00
9	Don't Know	89	0.64

Variable: MHRX\_A

Module: Adult

Section: MHC : Mental Health Care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you take prescription medication to help you

with any other emotions or with your concentration, behavior or mental health?

**Description:** Took medicine for other emotions/concentration/behavior/mental health, past

12m

Recode:

Universe: HHSTAT\_A=1 and ANXMED\_A IN (2,7,9) and DEPMED\_A IN (2,7,9)

Universe Description: Sample adults 18+ who have not taken medication for worry or don't know or

refused if they have AND have not taken medication for depression or don't

know or refused if they have

Sources:

Question ID: MHC.0010.00.1

**Keywords:** prescribed medicine; drugs; rx

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1192

#### Unweighted frequencies:

MHRX\_A Took medicine for other emotions/concentration/behavior/mental health, past 12m

Code	Description	Frequency	Percent
1	Yes	580	2.39
2	No	23592	97.36
7	Refused	38	0.16
8	Not Ascertained	6	0.02
9	Don't Know	15	0.06

Variable: MHTHRPY\_A

Module: Adult

Section: MHC : Mental Health Care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you receive counseling or therapy from a mental

health professional such as a psychiatrist, psychologist, psychiatric nurse,

or clinical social worker?

**Description:** Received counseling/therapy from mental health professional, past 12m

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: MHC.0020.00.1

**Keywords:** mental health therapist; specialist

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

MHTHRPY\_A Received counseling/therapy from mental health professional, past 12m

Code	Description	Frequency	Percent
1	Yes	3277	11.12
2	No	25601	86.84
7	Refused	40	0.14
8	Not Ascertained	557	1.89
9	Don't Know	7	0.02

Variable: MHTPYNOW\_A

Module: Adult

Section: MHC : Mental Health Care

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Are you currently receiving counseling or therapy from a mental health

professional?

Description: Currently receiving counseling/therapy from mental health professional

Recode:

Universe: HHSTAT\_A=1 and MHTHRPY\_A IN (1,7,9)

Universe Description: Sample adults 18+ who have received, or refused or don't know if they have

received counseling or therapy from a mental health professional in the past

12 months

Sources:

Question ID: MHC.0030.00.1

**Keywords:** mental health therapist; specialist

Notes: In a prior question in this section, respondents were given examples of mental

health professionals: psychiatrist, psychologist, psychiatric nurse, clinical

social worker.

**Evaluation Report:** 

### Unweighted frequencies:

MHTPYNOW\_A Currently receiving counseling/therapy from mental health professional

Code	Description	Frequency	Percent
1	Yes	2111	63.51
2	No	1170	35.20
7	Refused	39	1.17
8	Not Ascertained	1	0.03
9	Don't Know	3	0.09

Variable: MHTHDLY\_A

Module: Adult

Section: MHC : Mental Health Care

1

File(s): Adult
Data Type: Numeric

Question Text: During the past 12 months, have you DELAYED getting counseling or therapy from

a mental health professional because of the cost?

**Description:** Delayed counseling/therapy due to cost, past 12m

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: MHC.0040.00.1

**Keywords:** mental health therapist; specialist

Notes: In a prior question in this section, respondents were given examples of mental

health professionals: psychiatrist, psychologist, psychiatric nurse, clinical

social worker.

**Evaluation Report:** 

#### Unweighted frequencies:

MHTHDLY\_A Delayed counseling/therapy due to cost, past 12m

Code	Description	Frequency	Percent
1	Yes	1158	3.93
2	No	27727	94.05
7	Refused	29	0.10
8	Not Ascertained	561	1.90
9	Don't Know	7	0.02

Variable: MHTHND\_A

Module: Adult

Section: MHC : Mental Health Care

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, was there any time when you needed counseling or

therapy from a mental health professional, but DID NOT GET IT because of the

cost?

**Description:** Needed counseling/therapy but did not get it due to cost, past 12m

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: MHC.0050.00.1

Keywords: mental health therapist; specialist; forgone care

Notes: In a prior question in this section, respondents were given examples of mental

health professionals: psychiatrist, psychologist, psychiatric nurse, clinical

social worker.

**Evaluation Report:** 

#### Unweighted frequencies:

MHTHND\_A Needed counseling/therapy but did not get it due to cost, past 12m

Code	Description	Frequency	Percent
1	Yes	1117	3.79
2	No	27764	94.17
7	Refused	29	0.10
8	Not Ascertained	563	1.91
9	Don't Know	9	0.03

Variable: SAD\_A

Module: Adult

Section: SPD : Serious Psychological Distress

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 30 days, how often did you feel

...So sad that nothing could cheer you up?

Would you say all of the time, most of the time, some of the time, a little of

the time, or none of the time?

**Description:** How often felt so sad nothing cheers you up, past 30 days

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: SPD.0020.00.2

**Keywords:** depression; sadness; mental health

Notes: This question is part of the 6-item Kessler 6 (K6) scale.

**Evaluation Report:** 

#### Unweighted frequencies:

SAD\_A How often felt so sad nothing cheers you up, past 30 days

Code	Description	Fr	requency	Percent
1	All of the time		214	0.73
2	Most of the time		496	1.68
3	Some of the time		1920	6.51
4	A little of the time		3512	11.91
5	None of the time		22603	76.67
7	Refused		80	0.27
8	Not Ascertained		615	2.09
9	Don't Know		42	0.14

Variable: NERVOUS\_A

Module: Adult

Section: SPD : Serious Psychological Distress

File(s): Adult
Data Type: Numeric

Question Text: During the past 30 days, how often did you feel

...Nervous?

1

Would you say all of the time, most of the time, some of the time, a little of

the time, or none of the time?

**Description:** How often felt nervous, past 30 days

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: SPD.0030.00.2

**Keywords:** nervous; mental health

Notes: This question is part of the 6-item Kessler 6 (K6) scale.

**Evaluation Report:** 

#### Unweighted frequencies:

NERVOUS\_A How often felt nervous, past 30 days

Code	Description	Frequency	Percent
1	All of the time	526	1.78
2	Most of the time	873	2.96
3	Some of the time	4079	13.84
4	A little of the time	6689	22.69
5	None of the time	16569	56.20
7	Refused	73	0.25
8	Not Ascertained	623	2.11
9	Don't Know	50	0.17

Variable: RESTLESS\_A

Module: Adult

Section: SPD : Serious Psychological Distress

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: During the past 30 days, how often did you feel

...Restless or fidgety?

\* Read if necessary: Would you say all of the time, most of the time, some of

the time, a little of the time, or none of the time?

**Description:** How often felt restless/fidgety, past 30 days

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: SPD.0040.00.2
Keywords: mental health

Notes: This question is part of the 6-item Kessler 6 (K6) scale.

**Evaluation Report:** 

#### Unweighted frequencies:

RESTLESS\_A How often felt restless/fidgety, past 30 days

Code	Description	Frequency	Percent
1	All of the time	957	3.25
2	Most of the time	1032	3.50
3	Some of the time	3726	12.64
4	A little of the time	4621	15.67
5	None of the time	18399	62.41
7	Refused	70	0.24
8	Not Ascertained	625	2.12
9	Don't Know	52	0.18

Variable: HOPELESS\_A

Module: Adult

Section: SPD : Serious Psychological Distress

File(s): Adult
Data Type: Numeric

Question Text: Read if necessary: During the past 30 days, how often did you feel

...Hopeless?

1

Read if necessary: Would you say all of the time, most of the time, some of

the time, a little of the time, or none of the time?

**Description:** How often felt hopeless, past 30 days

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: SPD.0050.00.2
Keywords: mental health

Notes: This question is part of the 6-item Kessler 6 (K6) scale.

**Evaluation Report:** 

### Unweighted frequencies:

HOPELESS\_A How often felt hopeless, past 30 days

Code	Description	Frequency	Percent
1	All of the time	229	0.78
2	Most of the time	328	1.11
3	Some of the time	1325	4.49
4	A little of the time	1844	6.25
5	None of the time	24991	84.77
7	Refused	79	0.27
8	Not Ascertained	630	2.14
9	Don't Know	56	0.19

Variable: EFFORT\_A

Module: Adult

Section: SPD : Serious Psychological Distress

1

File(s): Adult
Data Type: Numeric

Question Text: Read if necessary: During the past 30 days, how often did you feel

...That everything was an effort?

Read if necessary: Would you say all of the time, most of the time, some of

the time, a little of the time, or none of the time?

**Description:** How often felt everything was an effort, past 30 days

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: SPD.0060.00.2
Keywords: mental health

Notes: This question is part of the 6-item Kessler 6 (K6) scale.

**Evaluation Report:** 

#### Unweighted frequencies:

EFFORT\_A How often felt everything was an effort, past 30 days

Code	Description	Frequency	Percent
1	All of the time	814	2.76
2	Most of the time	886	3.01
3	Some of the time	3020	10.24
4	A little of the time	3316	11.25
5	None of the time	20664	70.09
7	Refused	76	0.26
8	Not Ascertained	634	2.15
9	Don't Know	72	0.24

Variable: WORTHLESS\_A

Module: Adult

Section: SPD : Serious Psychological Distress

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Read if necessary: During the past 30 days, how often did you feel

...Worthless?

Read if necessary: Would you say all of the time, most of the time, some of

the time, a little of the time, or none of the time?

**Description:** How often felt worthless, past 30 days

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: SPD.0070.00.2
Keywords: mental health

Notes: This question is part of the 6-item Kessler 6 (K6) scale.

**Evaluation Report:** 

### Unweighted frequencies:

WORTHLESS\_A How often felt worthless, past 30 days

Code	Description	Frequency	Percent
1	All of the time	236	0.80
2	Most of the time	302	1.02
3	Some of the time	1180	4.00
4	A little of the time	1439	4.88
5	None of the time	25551	86.67
7	Refused	82	0.28
8	Not Ascertained	637	2.16
9	Don't Know	55	0.19

Variable: K6SPD\_A

Module: Adult

Section: SPD : Serious Psychological Distress

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Experienced serious psychological distress - K6 scale

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: SAD\_A; NERVOUS\_A; RESTLESS\_A; HOPELESS\_A; EFFORT\_A; WORTHLESS\_A

Question ID:

**Keywords:** mental health

Notes: This recode uses the 6-item Kessler 6 scale (K6) to classify as either

experiencing serious psychological distress (score of 13 or higher) or not

experiencing serious psychological distress.

**Evaluation Report:** 

#### Unweighted frequencies:

K6SPD\_A Experienced serious psychological distress - K6 scale

Code	Description	Frequency	Percent
1	Experienced serious psychological distress	1012	3.43
2	Did not experience serious psychological distress	27599	93.61
8	Not ascertained	871	2.95

Variable: PAIFRQ3M\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In the past three months, how often did you have pain? Would you say never,

some days, most days, or every day?

\* If respondent asks whether they are to answer about their pain when taking

their medications, say: "Please answer based on your usual use of

medication."

Description: How often had pain

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: PAI.0020.00.2

Keywords: ache

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

PAIFRQ3M\_A How often had pain

Code	Description	Frequency	Percent
1	Never	10448	35.44
2	Some days	11648	39.51
3	Most days	2453	8.32
4	Every day	4210	14.28
7	Refused	30	0.10
8	Not Ascertained	678	2.30
9	Don't Know	15	0.05

Variable: PAIAMNT\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Thinking about the last time you had pain, how much pain did you have? Would

you say a little, a lot, or somewhere in between?

**Description:** How much pain last time

Recode:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past

3 months

Sources:

Question ID: PAI.0030.00.2

Keywords: ache

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PAIAMNT\_A How much pain last time

Code	Description	Frequency	Percent
1	A little	8153	44.53
2	A lot	3141	17.15
3	Somewhere in between a little and a lot	7001	38.23
7	Refused	2	0.01
8	Not Ascertained	1	0.01
9	Don't Know	13	0.07

Variable: PAIWKLM3M\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Over the past three months, how often did your pain limit your life or work

activities? Would you say never, some days, most days, or every day?

**Description:** How often pain limits life/work

Recode:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past

3 months

Sources:

Question ID: PAI.0040.00.2

Keywords: ache

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

**Evaluation Report:** 

#### Unweighted frequencies:

PAIWKLM3M\_A How often pain limits life/work

Code	Description	Frequency	Percent
1	Never	9286	50.71
2	Some days	6423	35.08
3	Most days	1172	6.40
4	Every day	1411	7.71
7	Refused	2	0.01
8	Not Ascertained	3	0.02
9	Don't Know	14	0.08

Variable: PAIAFFM3M\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Over the past three months, how often did YOUR pain affect your family and

significant others? Would you say never, some days, most days, or every day?

**Description:** How often pain impacts family

Recode:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past

3 months

Sources:

Question ID: PAI.0050.00.2
Keywords: ache; impact

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

**Evaluation Report:** 

#### Unweighted frequencies:

PAIAFFM3M\_A How often pain impacts family

Code	Description	Frequency	Percent
1	Never	13549	73.99
2	Some days	3601	19.67
3	Most days	537	2.93
4	Every day	582	3.18
7	Refused	2	0.01
8	Not Ascertained	7	0.04
9	Don't Know	33	0.18

Variable: PAIBACK3M\_A

Module: Adult

Section: PAI : Chronic Pain

1

File(s): Adult
Data Type: Numeric

Question Text: The next set of questions are about the amount of pain you experience in

different locations.

Over the past three months, how much have you been bothered by

...Back pain? Would you say not at all, a little, a lot, or somewhere in

between?

Description: Back pain

Recode:

Length:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past

3 months

Sources:

Question ID: PAI.0060.00.2

Keywords: ache

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

PAIBACK3M\_A Back pain

Code	Description	Frequency	Percent
1	Not at all	5859	32.00
2	A little	6260	34.19
3	A lot	3388	18.50
4	Somewhere in between a little and a lot	2783	15.20
7	Refused	3	0.02
8	Not Ascertained	12	0.07
9	Don't Know	6	0.03

Variable: PAIULMB3M\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Over the past three months, how much have you been

othered by

...Pain in your hands, arms, or shoulders?

\* Read if necessary: Would you say not at all, a little, a lot, or somewhere

in between?

**Description:** Pain in hands

Recode:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past

3 months

Sources:

Question ID: PAI.0070.00.2

Keywords: ache

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

PAIULMB3M\_A Pain in hands

Code	Description	Frequency	Percent
1	Not at all	8011	43.75
2	A little	5517	30.13
3	A lot	2498	13.64
4	Somewhere in between a little and a lot	2254	12.31
7	Refused	5	0.03
8	Not Ascertained	18	0.10
9	Don't Know	8	0.04

Variable: PAILLMB3M\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Over the past three months, how much have you been

othered by

...Pain in your hips, knees, or feet?

\* Read if necessary: Would you say not at all, a little, a lot, or somewhere

in between?

**Description:** Pain in hips

Recode:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past

3 months

Sources:

Question ID: PAI.0080.00.2

Keywords: ache

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

#### PAILLMB3M\_A Pain in hips

Code	Description	Frequency	Percent
1	Not at all	5942	32.45
2	A little	5907	32.26
3	A lot	3661	19.99
4	Somewhere in between a little and a lot	2770	15.13
7	Refused	3	0.02
8	Not Ascertained	22	0.12
9	Don't Know	6	0.03

Variable: PAIHDFC3M\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Over the past three months, how much have you been

bothered by

...Headache or migraine?

\* Read if necessary: Would you say not at all, a little, a lot, or somewhere

in between?

Description: Migraine

Recode:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past

3 months

Sources:

Question ID: PAI.0090.00.2

Keywords: ache

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

#### PAIHDFC3M\_A Migraine

Code	Description	Frequency	Percent
1	Not at all	11059	60.40
2	A little	4632	25.30
3	A lot	1212	6.62
4	Somewhere in between a little and a lot	1372	7.49
7	Refused	2	0.01
8	Not Ascertained	25	0.14
9	Don't Know	9	0.05

Variable: PAIAPG3M\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Over the past three months, how much have you been

othered by

...Abdominal, pelvic, or genital pain?

\* Read if necessary: Would you say not at all, a little, a lot, or somewhere

in between?

Description: Abdominal pain

Recode:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past

3 months

Sources:

Question ID: PAI.0100.00.2

Keywords: ache

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

PAIAPG3M\_A Abdominal pain

Code	Description	Frequency	Percent
1	Not at all	14808	80.87
2	A little	2067	11.29
3	A lot	706	3.86
4	Somewhere in between a little and a lot	690	3.77
7	Refused	5	0.03
8	Not Ascertained	26	0.14
9	Don't Know	9	0.05

Variable: PAITOOTH3M\_A

Module: Adult

Section: PAI : Chronic Pain

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: Over the past three months, how much have you been

bothered by

...Toothache or jaw pain?

\* Read if necessary: Would you say not at all, a little, a lot, or somewhere

in between?

**Description:** Toothache/jaw pain

Recode:

Universe: HHSTAT\_A=1 and PAIFRQ3M\_A IN (2,3,4)

Universe Description: Sample adults 18+ who had pain some days, most days, or every day in the past

3 months

Sources:

Question ID: PAI.0110.00.2

Keywords: ache

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

### PAITOOTH3M\_A Toothache/jaw pain

Code	Description	Frequency	Percent
1	Not at all	15097	82.45
2	A little	2015	11.00
3	A lot	635	3.47
4	Somewhere in between a little and a lot	523	2.86
7	Refused	4	0.02
8	Not Ascertained	28	0.15
9	Don't Know	9	0.05

Variable: REPSTRAIN\_A

Module: Adult

Section: REP : Repetitive Strain Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: The next set of questions asks about injuries.

The first question is about repetitive strain injuries. By this, we mean injuries caused by repeating the same movement over an extended period. Examples include carpal tunnel syndrome, tennis elbow, or tendonitis.

During the past 3 months, did you have any injuries due to repetitive strain?

**Description:** Repetitive strain injuries in the past 3 months

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: REP.0010.00.2

Keywords: injury; occupation; RSI

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Reports.aspx#/Reports/1202

#### Unweighted frequencies:

**REPSTRAIN\_A** Repetitive strain injuries in the past 3 months

Code	Description	Frequency	Percent
1	Yes	2703	9.17
2	No	25995	88.17
7	Refused	20	0.07
8	Not Ascertained	724	2.46
9	Don't Know	40	0.14

Variable: REPLIMIT\_A

Module: Adult

Section: REP: Repetitive Strain Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Were any repetitive strain injuries serious enough to limit your usual

activities for at least 24 hours?

**Description:** Limited by repetitive strain injury in the past 3 months

Recode:

Universe: HHSTAT\_A=1 and REPSTRAIN\_A=1

Universe Description: Sample adults 18+ who had repetitive strain injury in the past 3 months

Sources:

Question ID: REP.0020.00.2

**Keywords:** injury; occupation; RSI

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Reports.aspx#/Reports/1202

#### Unweighted frequencies:

REPLIMIT\_A Limited by repetitive strain injury in the past 3 months

Code	Description	Frequency	Percent
1	Yes	1209	44.73
2	No	1491	55.16
7	Refused	0	0.00
8	Not Ascertained	2	0.07
9	Don't Know	1	0.04

Variable: REPSAWDOC\_A

Module: Adult

Section: REP : Repetitive Strain Injury

File(s): Adult
Data Type: Numeric

Length: 1

**Question Text:** For the next questions, please think only about the repetitive strain injuries

that limited your usual activities for at least 24 hours after the injury

occurred.

During the past 3 months, did you talk to or see a doctor or other health

professional about your repetitive strain injuries?

**Description:** Saw a doctor about repetitive strain injury

Recode:

Universe: HHSTAT\_A=1 and REPLIMIT\_A=1

Universe Description: Sample adults 18+ who had repetitive strain injury in the past 3 months which

limited their usual activities for at least 24 hours

Sources:

Question ID: REP.0030.00.2

Keywords: injury; occupation; RSI; doctor; health professional

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

REPSAWDOC\_A Saw a doctor about repetitive strain injury

Code	Description	Frequency	Percent
1	Yes	635	52.52
2	No	574	47.48
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: REPWRKDYTC\_A

Module: Adult

Section: REP: Repetitive Strain Injury

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Number of workdays missed due to repetitive strain injury in the past 3 months

Recode: Yes

Universe: HHSTAT\_A=1 and REPLIMIT\_A=1

Universe Description: Sample adults 18+ who had repetitive strain injury in the past 3 months which

limited their usual activities for at least 24 hours

Sources: REPWRKDAYS\_A

Question ID:

Keywords: injury; occupation; RSI

Notes: Recode: Top code the number of workdays missed in the past 3 months at 10 or

more days

**Evaluation Report:** 

#### Unweighted frequencies:

 $\textbf{REPWRKDYTC\_A} \quad \text{Number of workdays missed due to repetitive strain injury in the past 3 months$ 

Code	Description	Frequency	Percent
00	0 days	90	8 75.10
01-09	1-9 days	16	2 13.40
10	10+ days	6	5.46
91	Did not work	6	5.62
97	Refused		0.00
98	Not Ascertained		0.00
99	Don't Know		5 0.41

Variable: REPFUTWRK\_A

Module: Adult

Section: REP: Repetitive Strain Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you expect to miss any more days of work because of your repetitive strain

injuries?

**Description:** Expected workdays missed due to repetitive strain injury

Recode:

Universe: HHSTAT\_A=1 and (1<=REPWRKDAYS\_A<=90 or REPWRKDAYS\_A=99)</pre>

Universe Description: Sample adults 18+ who missed at least one day of work due to repetitive strain

injury in past 3 months or don't know

Sources:

Question ID: REP.0050.00.2

**Keywords:** injury; occupation; RSI

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

 $\textbf{REPFUTWRK\_A} \hspace{0.5cm} \textbf{Expected workdays missed due to repetitive strain injury} \\$ 

Code	Description	Frequency	Percent
1	Yes	99	42.49
2	No	123	52.79
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	11	4.72

Variable: REPSTOPCHG\_A

Module: Adult

Section: REP : Repetitive Strain Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did you stop working or change jobs because of your

repetitive strain injuries?

Enter 'no' if respondent says they did not work in the past 3 months.

Description: Stopped working or changed job due to repetitive strain injury

Recode:

Universe: HHSTAT\_A=1 and (0<=REPWRKDAYS\_A<=90 or REPWRKDAYS\_A=97 or REPWRKDAYS\_A=99)</pre>

Universe Description: Sample adults 18+ who have missed 0 or more days of work due to repetitive

strain injury in past 3 months or refused or don't know

Sources:

Question ID: REP.0060.00.2

**Keywords:** injury; occupation; RSI

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

REPSTOPCHG\_A Stopped working or changed job due to repetitive strain injury

Code	Description	Frequency	Percent
1	Yes	75	6.57
2	No	1065	93.34
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.09

Variable: REPREDUCE\_A

Module: Adult

Section: REP : Repetitive Strain Injury

1

File(s): Adult
Data Type: Numeric

•

Question Text: During the past 3 months, did you make a major change in your work activities,

such as taking on fewer hours or lighter duties, because of your repetitive

strain injuries?

 $\ ^{*}$  Enter 'no' if respondent says they did not work in the past 3 months.

Description: Reduced work or changed tasks due to repetitive strain injury

Recode:

Length:

Universe: HHSTAT\_A=1 and (0<=REPWRKDAYS\_A<=90 or REPWRKDAYS\_A=97 or REPWRKDAYS\_A=99)

Universe Description: Sample adults 18+ who missed 0 or more days of work due to repetitive strain

injury in past 3 months or refused or don't know

Sources:

Question ID: REP.0070.00.2

**Keywords:** injury; occupation; RSI

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

REPREDUCE\_A Reduced work or changed tasks due to repetitive strain injury

Code	Description	Frequency	Percent
1	Yes	231	20.25
2	No	909	79.67
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.09

Variable: REPWRKCAUS\_A

Module: Adult

Section: REP: Repetitive Strain Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you ever been told by a doctor or other health professional that any of

your repetitive strain injuries were likely to be work-related?

**Description:** Did repetitive strain injury occur while working

Recode:

Universe: HHSTAT\_A=1 and REPLIMIT\_A=1

Universe Description: Sample adults 18+ who had repetitive strain injury in the past 3 months which

limited their usual activities for at least 24 hours

Sources:

Question ID: REP.0080.00.2

**Keywords:** injury; occupation; RSI

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

REPWRKCAUS\_A Did repetitive strain injury occur while working

Code	Description	Frequency	Percent
1	Yes	359	29.69
2	No	843	69.73
7	Refused	1	0.08
8	Not Ascertained	1	0.08
9	Don't Know	5	0.41

Variable: ANYINJURY\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^NOTREPS the past 3 months, did you have an accident or an injury where any

part of your body was hurt?

Fills: ^NOTREPS NOT INCLUDING ANY OF THE REPETITIVE STRAIN INJURIES

YOU JUST MENTIONED, during/During

**Description:** Any injury in the past 3 months (not including repetitive strain injuries)

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INJ.0020.00.2

**Keywords:** injury

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Reports.aspx#/Reports/1202

### Unweighted frequencies:

ANYINJURY\_A Any injury in the past 3 months (not including repetitive strain injuries)

Code	Description	Frequency	Percent
1	Yes	2773	9.41
2	No	25945	88.00
7	Refused	19	0.06
8	Not Ascertained	739	2.51
9	Don't Know	6	0.02

Variable: INJLIMIT\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Did any of these injuries limit your usual activities for at least 24 hours

after the injury occurred?

**Description:** Limited by injury in the past 3 months

Recode:

Universe: HHSTAT\_A=1 and ANYINJURY\_A=1

Universe Description: Sample adults 18+ who had non-repetitive strain injury(ies) in the past 3

 ${\tt months}$ 

Sources:

Question ID: INJ.0030.00.2
Keywords: injury; limitation

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

INJLIMIT\_A Limited by injury in the past 3 months

Code	Description	Frequency	Percent
1	Yes	1780	64.19
2	No	992	35.77
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.04

Variable: NUMINJTC\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 2

Question Text:

**Description:** Number of non-repetitive strain injuries in the past 3 months

Recode: Yes

Universe: HHSTAT\_A=1 and INJLIMIT\_A=1

Universe Description: Sample adults 18+ who had non-repetitive strain injury(ies) in the past 3

months which limited usual activities for at least 24 hours

Sources: NUMINJ\_A

Question ID:

**Keywords:** injury

Notes: Recode: Top coded 10 or more injuries

**Evaluation Report:** 

### Unweighted frequencies:

 ${\color{red} \textbf{NUMINJTC\_A}} \qquad \text{Number of non-repetitive strain injuries in the past 3 months}$ 

Code	Description	Frequency	Percent
00	0		0.00
01-09	1-9	176	1 98.93
10	10+	1	4 0.79
97	Refused		1 0.06
98	Not Ascertained		0.00
99	Don't Know		4 0.22

Variable: INJHOME\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did ^siginj\_A occur while you were at your home?

\* Read if necessary: Include the yards, garage, basement, and other places on

the home property.

Fills: ^siginj\_A your significant injury/any of your significant

injuries

**Description:** Did injury occur at home

Recode:

Universe: HHSTAT\_A=1 and INJLIMIT\_A=1

Universe Description: Sample adults 18+ who had non-repetitive strain injury(ies) in the past 3

months which limited usual activities for at least 24 hours

Sources:

Question ID: INJ.0050.00.2
Keywords: injury; home

Notes:

Evaluation Report:

### Unweighted frequencies:

INJHOME\_A
Did injury occur at home

Code	Description	Frequency	Percent
1	Yes	1010	56.74
2	No	762	42.81
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	8	0.45

Variable: INJWORK\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did ^siginj\_A occur while you were working at a job

or business?

Enter 'no' if respondent says they did not work in the past 3 months.

Fills: ^siginj\_A your significant injury/any of your significant

injuries

**Description:** Did injury occur at work

Recode:

Universe: HHSTAT\_A=1 and ((2<=NUMINJ\_A<=96 or NUMINJ\_A IN (97,99)) or (NUMINJ\_A=1 and

 $INJHOME\_A$  IN (2,7,9)))

Universe Description: Sample adults 18+ who had 2 or more injuries in the past 3 months or don't

know or refused or who had 1 injury in the past 3 months but did not report an

injury at home

Sources:

Question ID: INJ.0060.00.2
Keywords: injury; work

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Reports.aspx#/Reports/1202

### Unweighted frequencies:

INJWORK\_A Did injury occur at work

Code	Description	Frequency	Percent
1	Yes	213	21.13
2	No	791	78.47
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	4	0.40

Variable: INJSPORTS\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did ^siginj\_A occur while you were playing sports or

exercising, including walking, biking, or running, playing baseball,

basketball, football or doing any other physical activity?

\* Read if necessary: Include recreational sports such as skating, skiing,

tennis, golf, bowling, or fishing.

Fills: ^siginj\_A your significant injury/any of your significant

injuries

**Description:** Did injury occur while playing sports or exercising

Recode:

Universe: HHSTAT\_A=1 and INJLIMIT\_A=1

Universe Description: Sample adults 18+ who had non-repetitive strain injury(ies) in the past 3

months which limited usual activities for at least 24 hours

Sources:

Question ID: INJ.0070.00.2

**Keywords:** injury; sports; exercise

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Reports.aspx#/Reports/1202

#### Unweighted frequencies:

INJSPORTS\_A Did injury occur while playing sports or exercising

Code	Description	Frequency	Percent
1	Yes	539	30.28
2	No	1239	69.61
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	0.11

Variable: INJFALL\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did ^siginj\_A occur as a result of a fall or

falling?

Fills: ^siginj\_A your significant injury/any of your significant

injuries

**Description:** Did injury occur because of a fall

Recode:

Universe: HHSTAT\_A=1 and INJLIMIT\_A=1

Universe Description: Sample adults 18+ who had non-repetitive strain injury(ies) in the past 3

months which limited usual activities for at least 24 hours

Sources:

Question ID: INJ.0080.00.2
Keywords: injury; fall

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

INJFALL\_A Did injury occur because of a fall

Code	Description	Frequency	Percent
1	Yes	897	50.39
2	No	880	49.44
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.17

Variable: INJFALLHOM\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did any fall occur while you were at your home?

**Description:** Did fall occur at home

Recode:

Universe: HHSTAT\_A=1 and (2<=NUMINJ\_A<=96 or NUMINJ\_A IN (97,99)) and INJFALL\_A=1 and

INJHOME\_A=1

Universe Description: Sample adults 18+ who had 2 or more significant injuries or don't know or

refused, and were injured as a result of a fall or falling, and who were also

injured at home

Sources:

Question ID: INJ.0090.00.2
Keywords: injury; fall; home

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

### INJFALLHOM\_A Did fall occur at home

Code	Description	Frequency	Percent
1	Yes	159	98.76
2	No	2	1.24
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: INJFALLWRK\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did any fall occur while you were working at a job or business?

**Description:** Did fall occur at work

Recode:

Universe: HHSTAT\_A=1 and (2<=NUMINJ\_A<=96 or NUMINJ\_A in (97,99)) and INJFALL\_A=1 and

INJWORK\_A=1

Universe Description: Sample adults 18+ who had 2 or more significant injuries or don't know or

refused, and were injured as a result of a fall or falling, and who were also

injured at work

Sources:

Question ID: INJ.0100.00.2
Keywords: injury; fall; work

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

INJFALLWRK\_A Did fall occur at work

Code	Description	Frequency	Percent
1	Yes	12	66.67
2	No	6	33.33
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: INJMOTOR\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did ^siginj\_A occur as a result of being in a motor

vehicle crash or being hit by a motor vehicle while walking or biking?

\* Read if necessary: Motor vehicles include cars, trucks, vans, buses, motorcycles, motorized scooters, motorized wheelchairs, motorized carts, tractors, ATVs, snowmobiles, dune buggies, and other motorized vehicles.

Fills: ^siginj\_A your significant injury/any of your significant

injuries

**Description:** Injury caused by a motor vehicle crash or collision

Recode:

Universe: HHSTAT\_A=1 and INJLIMIT\_A=1

Universe Description: Sample adults 18+ who had non-repetitive strain injury(ies) in the past 3

months which limited usual activities for at least 24 hours

Sources:

Question ID: INJ.0110.00.2

**Keywords:** injury; motor vehicle; crash; collision

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

Code	Description	Frequency	Percent
1	Yes	116	6.52
2	No	1664	93.48
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: INJMVTYPE1\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Were you a driver, passenger, bicyclist, pedestrian, or doing something else

when this occurred?

**Description:** Motor vehicle accident - driver

Recode: Yes

Universe: HHSTAT\_A=1 and INJMOTOR\_A=1

Universe Description: Sample adults 18+ who had significant injury(ies) from a motor vehicle

accident

Sources: INJMVTYPE\_A

Question ID: INJ.0120.01.2

Keywords: injury; motor vehicle; accident; driver

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

INJMVTYPE1\_A Motor vehicle accident - driver

Code	Description	Frequency	Percent
1	Mentioned	74	63.79
2	Not mentioned	42	36.21
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: INJMVTYPE2\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Were you a driver, passenger, bicyclist, pedestrian, or doing something else

when this occurred?

**Description:** Motor vehicle accident - passenger

Recode: Yes

Universe: HHSTAT\_A=1 and INJMOTOR\_A=1

Universe Description: Sample adults 18+ who had significant injury(ies) from a motor vehicle

accident

Sources: INJMVTYPE\_A

Question ID: INJ.0120.02.2

Keywords: injury; motor vehicle; accident; passenger

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

INJMVTYPE2\_A Motor vehicle accident - passenger

Code	Description	Frequency	Percent
1	Mentioned	18	15.52
2	Not mentioned	98	84.48
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: INJMVTYPE3\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Were you a driver, passenger, bicyclist, pedestrian, or doing something else

when this occurred?

**Description:** Motor vehicle accident - bicyclist

Recode: Yes

Universe: HHSTAT\_A=1 and INJMOTOR\_A=1

Universe Description: Sample adults 18+ who had significant injury(ies) from a motor vehicle

accident

Sources: INJMVTYPE\_A

Question ID: INJ.0120.03.2

Keywords: injury; motor vehicle; accident; bicyclist

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

INJMVTYPE3\_A Motor vehicle accident - bicyclist

Code	Description	Frequency	Percent
1	Mentioned	9	7.76
2	Not mentioned	107	92.24
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: INJMVTYPE4\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Were you a driver, passenger, bicyclist, pedestrian, or doing something else

when this occurred?

**Description:** Motor vehicle accident - pedestrian

Recode: Yes

Universe: HHSTAT\_A=1 and INJMOTOR\_A=1

Universe Description: Sample adults 18+ who had significant injury(ies) from a motor vehicle

accident

Sources: INJMVTYPE\_A

Question ID: INJ.0120.04.2

**Keywords:** injury; motor vehicle; accident; pedestrian

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

 $\textbf{INJMVTYPE4\_A} \quad \textbf{Motor vehicle accident - pedestrian}$ 

Code	Description	Frequency	Percent
1	Mentioned	8	6.90
2	Not mentioned	108	93.10
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: INJMVTYPE5\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Were you a driver, passenger, bicyclist, pedestrian, or doing something else

when this occurred?

**Description:** Motor vehicle accident - something else

Recode: Yes

Universe: HHSTAT\_A=1 and INJMOTOR\_A=1

Universe Description: Sample adults 18+ who had significant injury(ies) from a motor vehicle

accident

Sources: INJMVTYPE\_A

Question ID: INJ.0120.05.2

Keywords: injury; motor vehicle; accident; other

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

 $\textbf{INJMVTYPE5\_A} \quad \textbf{Motor vehicle accident - something else}$ 

Code	Description	Frequency	Percent
1	Mentioned	7	6.03
2	Not mentioned	109	93.97
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: INJCHORES\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did ^siginj\_A occur while you were doing household

activities, such as housework, cooking, home maintenance, or yardwork?

Fills: ^siginj\_A your significant injury/any of your significant

injuries

**Description:** Did injury occur while doing household activities

Recode:

Universe: HHSTAT\_A=1 and INJLIMIT\_A=1

Universe Description: Sample adults 18+ who had non-repetitive strain injury(ies) in the past 3

months which limited usual activities for at least 24 hours

Sources:

Question ID: INJ.0130.00.2

**Keywords:** injury; household activities

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

INJCHORES\_A Did injury occur while doing household activities

Code	Description	Frequency	Percent
1	Yes	559	31.40
2	No	1219	68.48
7	Refused	0	0.00
8	Not Ascertained	1	0.06
9	Don't Know	1	0.06

Variable: INJSAWDOC\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did you see or talk to a doctor or other health

professional about ^siginj\_A?

Fills: ^siginj\_A your significant injury/any of your significant

injuries

**Description:** Saw a doctor about injury

Recode:

Universe: HHSTAT\_A=1 and INJLIMIT\_A=1

Universe Description: Sample adults 18+ who had non-repetitive strain injury(ies) in the past 3

months which limited their usual activities for at least 24 hours

Sources:

Question ID: INJ.0140.00.2

**Keywords:** injury; doctor; health professional

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

INJSAWDOC\_A Saw a doctor about injury

Code	Description	Frequency	Percent
1	Yes	1111	62.42
2	No	668	37.53
7	Refused	0	0.00
8	Not Ascertained	1	0.06
9	Don't Know	0	0.00

Variable: INJER\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did you go to an emergency room because of

^siginj\_A?

Fills: ^siginj\_A your significant injury/any of your significant

injuries

**Description:** Visited ER for injury

Recode:

Universe: HHSTAT\_A=1 and INJSAWDOC\_A=1 and (1<=EMERGE12M\_A<=96 or EMERGE12M\_A IN

(97,99))

Universe Description: Sample adults 18+ who saw a doctor about their injury(ies) and either went to

an ER at least once in the past 12 months or don't know or refused

Sources:

Question ID: INJ.0150.00.2

Keywords: injury; emergency room; ER

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

INJER\_A Visited ER for injury

Code	Description	Frequency	Percent
1	Yes	424	74.39
2	No	145	25.44
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.18

Variable: INJHOSP\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 3 months, were you hospitalized overnight because of

^siginj\_A?

Fills: ^siginj\_A your significant injury/any of your significant

injuries

**Description:** Hospitalized for injury

Recode:

Universe: HHSTAT\_A=1 and INJSAWDOC\_A=1 and HOSPONGT\_A IN (1,7,9)

Universe Description: Sample adults 18+ who saw a doctor about their injury(ies) and reported being

hospitalized at least once in the past 12 months or don't know or refused

Sources:

Question ID: INJ.0160.00.2

**Keywords:** injury; hospitalization

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

INJHOSP\_A Hospitalized for injury

Code	Description	Frequency	Percent
1	Yes	110	44.90
2	No	135	55.10
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: INJBONES\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did you have any broken bones as a result of

^siginj\_A?

Fills: ^siginj\_A your significant injury/any of your significant

injuries

**Description:** Did injury cause broken bones

Recode:

Universe: HHSTAT\_A=1 and INJSAWDOC\_A=1

Universe Description: Sample adults 18+ who saw a doctor about their injury(ies)

Sources:

Question ID: INJ.0170.00.2

Keywords: injury; broken bones

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

INJBONES\_A Did injury cause broken bones

Code	Description	Frequency	Percent
1	Yes	255	22.95
2	No	847	76.24
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	9	0.81

Variable: INJSTITCH\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did you get any stitches or staples because of

^siginj\_A?

Fills: ^siginj\_A your significant injury/any of your significant

injuries

**Description:** Did injury require stitches or staples

Recode:

Universe: HHSTAT\_A=1 and INJSAWDOC\_A=1

Universe Description: Sample adults 18+ who saw a doctor about their injury(ies)

Sources:

**Question ID:** INJ.0180.00.2

**Keywords:** injury; stitches; staples

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

INJSTITCH\_A Did injury require stitches or staples

Code	Description	Frequency	Percent
1	Yes	165	14.85
2	No	946	85.15
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: INJWRKDYTC\_A

Module: Adult

Section: INJ : Injury

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Number of workdays missed due to injury in the past 3 months

Recode: Yes

Universe: HHSTAT\_A=1 and INJLIMIT\_A=1

Universe Description: Sample adults 18+ who had non-repetitive strain injury(ies) in the past 3

months which limited their usual activities for at least 24 hours

Sources: INJWRKDAYS\_A

Question ID:

**Keywords:** injury; occupation

Notes: Recode: Top coded the number of workdays missed in the past 3 months at 10 or

more days

**Evaluation Report:** 

#### Unweighted frequencies:

 $\textbf{INJWRKDYTC\_A} \quad \textbf{Number of workdays missed due to injury in the past 3 months}$ 

Code	Description	Frequency	Percent
00	0 days	1236	69.44
01-09	1-9 days	316	17.75
10	10+ days	108	6.07
91	Did not work	115	6.46
97	Refused	1	0.06
98	Not Ascertained	1	0.06
99	Don't Know	3	0.17

Variable: INJFUTWRK\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Do you expect to miss any more days of work because of ^siginj\_A that occurred

during the past 3 months?

Fills: ^siginj\_A your significant injury/any of your significant

injuries

**Description:** Expected workdays missed due to injury

Recode:

Universe: HHSTAT\_A=1 and (1<=INJWRKDAYS\_A<=90 or INJWRKDAYS\_A=99)</pre>

Universe Description: Sample adults 18+ who have missed at least one day of work due to injury(ies)

in the past 3 months or don't know

Sources:

Question ID: INJ.0200.00.2
Keywords: injury; occupation

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

INJFUTWRK\_A Expected workdays missed due to injury

Code	Description	Frequency	Percent
1	Yes	88	20.61
2	No	333	77.99
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	6	1.41

Variable: INJSTOPCHG\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did you stop working or change jobs because of

^siginj\_A?

Enter 'no' if respondent says they did not work in the past 3 months.

Fills: ^siginj\_A your significant injury/any of your significant

injuries

**Description:** Stopped working or changed jobs due to injury

Recode:

Universe: HHSTAT\_A=1 and (0<=INJWRKDAYS\_A<=90 or INJWRKDAYS\_A=97 or INJWRKDAYS\_A=99)

Universe Description: Sample adults 18+ who have missed 0 or more days of work due to injury(ies) in

the past 3 months or refused or don't know

Sources:

Question ID: INJ.0210.00.2
Keywords: injury; occupation

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

INJSTOPCHG\_A Stopped working or changed jobs due to injury

Code	Description	Frequency	Percent
1	Yes	106	6.37
2	No	1556	93.51
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	2	0.12

Variable: INJREDUCE\_A

Module: Adult

Section: INJ : Injury

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 3 months, did you make a major change in your work activities,

such as taking on fewer hours or lighter duties, because of ^siginj\_A?

Enter 'no' if respondent says they did not work in the past 3 months.

Fills: ^siginj\_A your significant injury/any of your significant

injuries

**Description:** Reduced work or changed tasks due to injury

Recode:

Universe: HHSTAT\_A=1 and (0<=INJWRKDAYS\_A<=90 or INJWRKDAYS\_A=97 or INJWRKDAYS\_A=99)

Universe Description: Sample adults 18+ who have missed 0 or more days of work due to injury(ies) in

the past 3 months or refused or don't know

Sources:

Question ID: INJ.0220.00.2
Keywords: injury; occupation

Notes:

Evaluation Report:

### Unweighted frequencies:

INJREDUCE\_A Reduced work or changed tasks due to injury

Code	Description	Frequency	Percent
1	Yes	282	16.95
2	No	1380	82.93
7	Refused	1	0.06
8	Not Ascertained	0	0.00
9	Don't Know	1	0.06

Variable: SMELLDF\_A

Module: Adult

Section: TSM : Taste and Smell

File(s): Adult Data Type: Numeric

Length:

During the past 12 months, have you had difficulty with your sense of smell or ability to detect odors? Would you say no difficulty, a little difficulty, Question Text:

moderate difficulty, a lot of difficulty, or you cannot smell at all?

Description: Difficulty smelling

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: TSM.0010.00.3

Keywords: anosmia

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

SMELLDF\_A Difficulty smelling

Code	Description	Frequency	Percent
1	No difficulty	2572	5 87.26
2	A little difficulty	120	8 4.10
3	Moderate difficulty	59	1 2.00
4	A lot of difficulty	60	9 2.07
5	Cannot smell at all	53	6 1.82
7	Refused	1	6 0.05
8	Not Ascertained	77	1 2.62
9	Don't Know	2	6 0.09

Variable: SMELLCOMP\_A

Module: Adult

Section: TSM : Taste and Smell

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: How would you rate your ability to smell now as compared to when you were

^25year5yearsyounger? Is it better, worse, or is there no change?

^YOUNGADULT

Fills: ^25year5yearsyounger five years younger/25 years old

^YOUNGADULT FR Instruction for young adult

**Description:** Smelling compared to past

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: TSM.0020.00.3

Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

SMELLCOMP\_A Smelling compared to past

Code	Description	Frequency	Percent
1	Better	1763	5.98
2	Worse	3640	12.35
3	No Change	23016	78.07
7	Refused	19	0.06
8	Not Ascertained	778	2.64
9	Don't Know	266	0.90

Variable: SMELLPHT\_A

Module: Adult

Section: TSM : Taste and Smell

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you sometimes smell an unpleasant, bad,

metallic, or burning odor when nothing was there?

**Description:** Smell unpleasant odor

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: TSM.0030.00.3

Keywords: phantosmia; olfactory hallucination

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

 ${\bf SMELLPHT\_A} \qquad {\bf Smell \ unpleasant \ odor}$ 

Code	Description	Frequency	Percent
1	Yes	1331	4.51
2	No	27242	92.40
7	Refused	18	0.06
8	Not Ascertained	781	2.65
9	Don't Know	110	0.37

Variable: TASTEDF\_A

Module: Adult

Section: TSM : Taste and Smell

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you had difficulty with your ability to taste

sweet, sour, salty, or bitter foods and drinks? Would you say no difficulty, a little difficulty, moderate difficulty, a lot of difficulty, or you cannot

taste at all?

**Description:** Difficulty tasting

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: TSM.0040.00.3

**Keywords:** Ageusia

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

TASTEDF\_A Difficulty tasting

Code	Description	Frequency	Percent
1	No difficulty	26411	89.58
2	A little difficulty	989	3.35
3	Moderate difficulty	426	1.44
4	A lot of difficulty	458	1.55
5	Cannot taste at all	340	1.15
7	Refused	21	0.07
8	Not Ascertained	790	2.68
9	Don't Know	47	0.16

Variable: TASTECOMP\_A

Module: Adult

Section: TSM : Taste and Smell

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Compared to when you were ^25year5yearsyounger, how would you rate your

ability to taste sweet, sour, salty, or bitter foods and drinks? Is it better,

worse, or is there no change?

^YOUNGADULT

Fills: ^25year5yearsyounger five years younger/25 years old

^YOUNGADULT FR Instruction for young adult

**Description:** Tasting compared to past

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: TSM.0050.00.3

Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

TASTECOMP\_A Tasting compared to past

Code	Description	Frequency	Percent
1	Better	1371	4.65
2	Worse	2037	6.91
3	No Change	25052	84.97
7	Refused	20	0.07
8	Not Ascertained	792	2.69
9	Don't Know	210	0.71

Variable: TASTEFLAV\_A

Module: Adult

Section: TSM : Taste and Smell

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Compared to when you were ^25year5yearsyounger, how would you rate your

ability to taste flavors such as chocolate, vanilla, or strawberry? Is it

better, worse, or is there no change?

^YOUNGADULT

Fills: ^25year5yearsyounger five years younger/25 years old

^YOUNGADULT FR Instruction for young adult

**Description:** Tasting flavors

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: TSM.0060.00.3

Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

TASTEFLAV\_A Tasting flavors

Code	Description	Frequency	Percent
1	Better	1278	4.33
2	Worse	1222	4.14
3	No Change	25981	88.12
7	Refused	18	0.06
8	Not Ascertained	798	2.71
9	Don't Know	185	0.63

Variable: TASTEUNW\_A

Module: Adult

Section: TSM : Taste and Smell

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: During the past 12 months, have you had an unwanted taste or other sensation

in your mouth that does not go away?

\* Read if necessary: This could include bad, metallic, or bitter tastes or

burning or tingling sensations.

**Description:** Unwanted taste

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: TSM.0070.00.3
Keywords: dysgeusia

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

### TASTEUNW\_A Unwanted taste

Code	Description	Frequency	Percent
1	Yes	85.	2.89
2	No	2774	94.10
7	Refused	1	0.06
8	Not Ascertained	80	2.72
9	Don't Know	6	0.22

Variable: TSTSMHP\_A

Module: Adult

Section: TSM : Taste and Smell

File(s): Adult
Data Type: Numeric

Question Text: Have you ever talked to a doctor or other health professional about any

problem with your ability to taste or smell?

**Description:** Ever discuss problem with smell/taste with doctor

Recode:

Length:

Universe: HHSTAT\_A=1 and (SMELLDF\_A IN (3,4,5) or SMELLCOMP\_A=2 or SMELLPHT\_A=1 or

TASTEDF\_A IN (3,4,5) or TASTECOMP\_A=2 or TASTEFLAV\_A=2 or TASTEUNW\_A=1)

Universe Description: Sample adults 18+ who have moderate difficulty, a lot of difficulty, or cannot
smell at all OR their ability of smell is worse compared to age 25 (or 5 years

ago) OR sometimes smell an unpleasant odor when nothing was there OR have moderate difficulty, a lot of difficulty, or cannot taste at all OR their ability to taste is worse compared to age 25 (or 5 years ago) OR their ability to taste flavors is worse compared to age 25 (or 5 years ago) OR has had an

unwanted taste in their mouth that does not go away

Sources:

Question ID: TSM.0080.00.3

Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

TSTSMHP\_A Ever discuss problem with smell/taste with doctor

Code	Description	Frequency	Percent
1	Yes	1025	16.64
2	No	5118	83.08
7	Refused	1	0.02
8	Not Ascertained	6	0.10
9	Don't Know	10	0.16

Variable: TSTSMLAST\_A

Module: Adult

Section: TSM : Taste and Smell

File(s): Adult
Data Type: Numeric
Length: 1

Question Text: When was the last time you talked to a doctor or other health professional

about any problem with your ability to taste or smell?

Description: Last time you discuss problem with smell/taste with doctor

Recode:

Universe: HHSTAT\_A=1 and TSTSMHP\_A=1

Universe Description: Sample adults 18+ who discussed problems with or changes in ability to taste

or smell with a doctor or health professional

Sources:

Question ID: TSM.0090.00.3

Keywords: otolaryngologist; ear, nose and throat (ENT)

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

TSTSMLAST\_A Last time you discuss problem with smell/taste with doctor

Code	Description	Frequency	Percent
1	Within the past year (anytime less than 12 months ago)	796	77.66
2	Within the past 2 years (1 year but less than 2 years ago)	82	8.00
3	Within the past 3 years (2 years but less than 3 years ago)	22	2.15
4	Within the past 5 years (3 years but less than 5 years ago)	43	4.20
5	Within the past 10 years (5 years but less than 10 year ago)	26	2.54
6	10 years ago or more	49	4.78
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	7	0.68

Variable: SMKEV\_A

Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you smoked at least 100 cigarettes in your ENTIRE LIFE?

**Description:** Ever smoked 100 cigarettes

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CIG.0020.00.1

**Keywords:** smoking; nicotine; tobacco use

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1192 /

https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### Unweighted frequencies:

SMKEV\_A Ever smoked 100 cigarettes

Code	Description	Frequency	Percent
1	Yes	10829	36.73
2	No	17767	60.26
7	Refused	24	0.08
8	Not Ascertained	843	2.86
9	Don't Know	19	0.06

Variable: SMKNOW\_A

Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult
Data Type: Numeric

Question Text: Do you NOW smoke cigarettes every day, some days, or not at all?

**Description:** Now smoke cigarettes

Recode:

Length:

Universe: HHSTAT\_A=1 and SMKEV\_A=1

1

Universe Description: Sample adults 18+ who ever smoked 100 cigarettes

Sources:

**Question ID:** CIG.0030.00.1

**Keywords:** smoking; nicotine; tobacco use

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1192 /

https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

### Unweighted frequencies:

**SMKNOW\_A** Now smoke cigarettes

Code	Description	Frequency	Percent
1	Every day	2616	24.16
2	Some days	794	7.33
3	Not at all	7415	68.47
7	Refused	1	0.01
8	Not Ascertained	2	0.02
9	Don't Know	1	0.01

Variable: SMKCIGST\_A

Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Cigarette smoking status

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+
Sources: SMKEV\_A; SMKNOW\_A

Question ID:

**Keywords:** smoking; nicotine; tobacco use

Notes: Some day smokers includes those who reported smoking zero days in the past 30

days.

**Evaluation Report:** 

#### Unweighted frequencies:

SMKCIGST\_A Cigarette smoking status

Code	Description	Frequency	Percent
1	Current every day smoker	2616	8.87
2	Current some day smoker	794	2.69
3	Former smoker	741!	25.15
4	Never smoker	1776	60.26
5	Smoker, current status unknown		0.01
9	Unknown if ever smoked	886	3.01

Variable: CIGNOW\_A

Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult

Data Type: Numeric

Length: 2

Question Text: On average, about how many cigarettes do you NOW smoke a day?

\* Enter '1' if less than 1 cigarette.

\* Enter '95' if 95 or more cigarettes.

**Description:** Number of cigarettes a day

Recode:

Universe: HHSTAT\_A=1 and SMKNOW\_A=1

Universe Description: Sample adults 18+ who are current every day smokers

Sources:

Question ID: CIG.0040.00.1

**Keywords:** smoking; nicotine; tobacco use

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CIGNOW\_A Number of cigarettes a day

Code	Description	Frequency	Percent
01-95	Range of values	2594	99.16
97	Refused	4	0.15
98	Not Ascertained	1	0.04
99	Don't Know	17	0.65

Variable: SMK30D\_A

Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult

Data Type: Numeric

Length: 2

Question Text: On how many of the past 30 days did you smoke a cigarette?

\* Enter '0' for None.

**Description:** Number of days smoked past month

Recode:

Universe: HHSTAT\_A=1 and SMKNOW\_A=2

Universe Description: Sample adults 18+ who are current some day smokers

Sources:

Question ID: CIG.0050.00.1

**Keywords:** smoking; nicotine; tobacco use

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SMK30D\_A Number of days smoked past month

Code	Description	Frequency	Percent
00-30	Range of values	773	97.36
97	Refused	3	0.38
98	Not Ascertained	0	0.00
99	Don't Know	18	2.27

Variable: CIG30D\_A

Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult

Data Type: Numeric

Length: 2

Question Text: On average, when you smoked during the past 30 days, about how many

cigarettes did you smoke a day?

\* Enter '1' if less than 1.

\* Enter '95' if 95 or more cigarettes.

**Description:** Number of cigarettes on days smoked past month

Recode:

Universe: HHSTAT\_A=1 and ((1<=SMK30D\_A<=30) or SMK30D\_A IN (97,99))</pre>

Universe Description: Sample adults 18+ who are someday smokers and have smoked in the past 30 days

or refused or don't know

Sources:

**Question ID:** CIG.0060.00.1

**Keywords:** smoking; nicotine; tobacco use

Notes:

Evaluation Report:

#### Unweighted frequencies:

CIG30D\_A Number of cigarettes on days smoked past month

Code	Description	Frequency	Percent
01-95	Range of values	731	98.38
97	Refused	2	0.27
98	Not Ascertained	1	0.13
99	Don't Know	9	1.21

Variable: ECIGEV\_A

Module: Adult

Section: CIG : Cigarettes and E-cigarettes

1

File(s): Adult

Data Type: Numeric

Question Text: Have you ever used an e-cigarette or other electronic vaping product, even

just one time, in your entire life?

**Read if necessary:** Electronic cigarettes (e-cigarettes) and other electronic vaping products include JUULs, vape pens, e-cigars, and others. These products are battery-powered and usually contain nicotine and flavors such as fruit,

mint, or candy.

These questions concern electronic vaping products for nicotine use.

Do not include marijuana use.

**Description:** Ever used electronic cigarettes

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: CIG.0070.00.1

Keywords: e-cigs; vaping; electronic nicotine delivery systems (ENDS); nicotine; tobacco

use

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/qbank/Reports.aspx#/Reports/1203

#### Unweighted frequencies:

ECIGEV\_A Ever used electronic cigarettes

Code	Description	Frequency	Percent
1	Yes	4606	15.62
2	No	24002	81.41
7	Refused	18	0.06
8	Not Ascertained	850	2.88
9	Don't Know	6	0.02

Variable: ECIGNOW\_A

Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Do you NOW use e-cigarettes or other electronic vaping products every day,

some days, or not at all?

These questions concern electronic vaping products for nicotine use.

Do not include marijuana use.

**Description:** Now use electronic cigarettes

Recode:

Universe: HHSTAT\_A=1 and ECIGEV\_A=1

Universe Description: Sample adults 18+ who have ever used e-cigarettes

Sources:

**Question ID:** CIG.0080.00.1

Keywords: e-cigs; vaping; electronic nicotine delivery systems (ENDS); nicotine; tobacco

use

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

ECIGNOW\_A Now use electronic cigarettes

Code	Description	Frequency	/	Percent
1	Every day		537	11.66
2	Some days		573	12.44
3	Not at all		3496	75.90
7	Refused		0	0.00
8	Not Ascertained		0	0.00
9	Don't Know		0	0.00

Variable: SMKECIGST\_A

Module: Adult

Section: CIG : Cigarettes and E-cigarettes

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Electronic cigarette use status

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+
Sources: ECIGEV\_A; ECIGNOW\_A

Question ID:

**Keywords:** e-cigs; vaping; electronic nicotine delivery systems (ENDS); nicotine; tobacco

use

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SMKECIGST\_A Electronic cigarette use status

Code	Description	Frequency	Percent
1	Current e-cigarette user	1110	3.77
2	Used e-cigarette, not current user	3496	11.86
3	Never e-cigarette user	24002	81.41
4	E-cigarette user, current status unknown	0	0.00
9	Unknown if ever used e-cigarette	874	2.96

Variable:	CIGAREV A
	_
Module:	Adult
Section:	OTB : Other Tobacco
File(s):	Adult
Data Type:	Numeric
Length:	1
Question Text:	Have you ever smoked a regular cigar, cigarillo, or a little filtered cigar EVEN ONE TIME?
	* Read if necessary: "Cigarillos" are medium cigars that sometimes are sold with plastic or wooden tips. Some common brands are Black and Mild, Swisher Sweets, Dutch Masters and Phillies Blunts. Cigarillos are usually sold individually or in packs of 5 or fewer. Little filtered cigars look like cigarettes and are usually brown in color. Like cigarettes, little filtered cigars have a spongy filter and are sold in packs of 20. Some common brands are Prime Time and Winchester.
	* Read if necessary: Do not include electronic cigars or e-cigars.
Description:	Ever smoked a cigar
Recode:	
Universe:	HHSTAT_A=1
Universe Description:	Sample adults 18+
Sources:	
Question ID:	OTB.0010.00.3
Keywords:	roll of tobacco; nicotine; tobacco use
Notes:	
Evaluation Report:	

#### Unweighted frequencies:

CIGAREV\_A Ever smoked a cigar

Code	Description	Frequency	Percent
1	Yes	8518	28.89
2	No	20079	68.11
7	Refused	18	0.06
8	Not Ascertained	850	2.88
9	Don't Know	17	0.06

Variable: CIGARCUR\_A

Module: Adult

Section: OTB : Other Tobacco

File(s): Adult
Data Type: Numeric

Length: 1

**Question Text:** Do you NOW smoke regular cigars, cigarillos, or little filtered cigars every

day, some days, or not at all?

**Description:** Now smoke cigars

Recode:

Universe: HHSTAT\_A=1 and CIGAREV\_A=1

Universe Description: Sample adults 18+ who have ever smoked a regular cigar, cigarillo, or filtered

cigar

Sources:

**Question ID:** OTB.0020.00.3

Keywords: roll of tobacco; nicotine; tobacco use

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

#### CIGARCUR\_A Now smoke cigars

Code	Description	F	Frequency	Percent
1	Every day		132	1.55
2	Some days		819	9.61
3	Not at all		7566	88.82
7	Refused		1	0.01
8	Not Ascertained		0	0.00
9	Don't Know		0	0.00

Variable: CIGAR30D\_A

Module: Adult

Section: OTB : Other Tobacco

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: On how many of the past 30 days have you smoked a regular cigar, cigarillo, or

little filtered cigar?

**Description:** How many days smoked a cigar, past 30 days

Recode:

Universe: HHSTAT\_A=1 and CIGARCUR\_A IN (2,3)

Universe Description: Sample adults 18+ who now smoke a regular cigar, cigarillo, or little filtered

cigar some days or not at all

Sources:

**Question ID:** OTB.0030.00.3

**Keywords:** roll of tobacco; nicotine; tobacco use

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

CIGAR30D\_A How many days smoked a cigar, past 30 days

Code	Description	Frequency	Percent
00-30	Range of values	8378	99.92
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	7	0.08

Variable: PIPEEV\_A

Module: Adult

Section: OTB: Other Tobacco

1

File(s): Adult Data Type: Numeric Length:

Question Text: Have you EVER smoked a pipe filled with tobacco - either a regular pipe, water

pipe, or hookah EVEN ONE TIME?

\* Read if necessary: A hookah is a type of water pipe. It is sometimes called a "narghile" (NAR-ge-lee) pipe. Do not include electronic hookah or e-hookahs.

\* Read if necessary: Do not include electronic pipes or e-pipes.

Read if necessary: Do not include pipes filled with substances other than

Description: Ever smoked a pipe filled with tobacco

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: OTB.0040.00.3

Keywords: bowl of tobacco; nicotine; tobacco use

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PIPEEV\_A Ever smoked a pipe filled with tobacco

Code	Description	Frequency	Percent
1	Yes	4248	14.41
2	No	24357	82.62
7	Refused	19	0.06
8	Not Ascertained	850	2.88
9	Don't Know	8	0.03

Variable: PIPECUR\_A

Module: Adult

Section: OTB : Other Tobacco

File(s): Adult

Data Type: Numeric

Question Text: Do you NOW smoke pipes filled with tobacco - either regular pipes, water

pipes, or hookahs, every day, some days, or not at all?

\* Read if necessary: Do not include pipes filled with substances other than

tobacco.

**Description:** Now smoked pipe filled with tobacco

Recode:

Length:

Universe: HHSTAT\_A=1 and PIPEEV\_A=1

Universe Description: Sample adults 18+ who have ever smoked a regular pipe, water pipe or hookah

filled with tobacco

Sources:

Question ID: OTB.0050.00.3

**Keywords:** bowl of tobacco; nicotine; tobacco use

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PIPECUR\_A Now smoked pipe filled with tobacco

Code	Description	Frequency	Percent
1	Every day	33	0.78
2	Some days	218	5.13
3	Not at all	3997	94.09
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: SMOKELSEV\_A

Module: Adult

Section: OTB : Other Tobacco

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Smokeless tobacco products are placed in the mouth or nose and can include

chewing tobacco, snuff, dip, snus (SNOOSE), or dissolvable tobacco.

Have you ever used smokeless tobacco products EVEN ONE TIME?

\* Read if necessary: Do not include nicotine replacement therapy products such

as patch, gum, lozenge, or spray, which are considered smoking cessation

treatments.

**Description:** Ever used smokeless tobacco

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** OTB.0060.00.3

Keywords: spitting tobacco; nicotine; tobacco use

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SMOKELSEV\_A Ever used smokeless tobacco

Code	Description	Frequency	Percent
1	Yes	308:	10.46
2	No	2552	86.58
7	Refused	1:	0.06
8	Not Ascertained	85:	1 2.89
9	Don't Know	!	0.02

Variable: SMOKELSCUR\_A

Module: Adult

Section: OTB : Other Tobacco

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you NOW use smokeless tobacco products every day, some days, or not at all?

**Description:** Now use smokeless tobacco

Recode:

Universe: HHSTAT\_A=1 and SMOKELSEV\_A=1

Universe Description: Sample adults 18+ who have ever used smokeless tobacco products

Sources:

**Question ID:** OTB.0070.00.3

Keywords: spitting tobacco; nicotine; tobacco use

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SMOKELSCUR\_A Now use smokeless tobacco

Code	Description	Frequency	Percent
1	Every day	368	11.94
2	Some days	200	6.49
3	Not at all	2515	81.58
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: SUPPORT\_A Module: Adult

Section: SOS : Social Support

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: How often do you get the social and emotional support you need? Would you say

always, usually, sometimes, rarely, or never?

**Description:** How often social/emotional support

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** SOS.0010.00.4

**Keywords:** network; well-being; perceived support

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

**Evaluation Report:** 

#### Unweighted frequencies:

SUPPORT\_A How often social/emotional support

Code	Description	Frequency	Percent
1	Always	1578	4 53.54
2	Usually	732	24.86
3	Sometimes	323	10.98
4	Rarely	97	3.31
5	Never	113	3.86
7	Refused	5	0.18
8	Not Ascertained	87	2.96
9	Don't Know	9	2 0.31

Variable: CMPSUPPORT\_A

Module: Adult

Section: SOS : Social Support

1

File(s): Adult
Data Type: Numeric

Question Text: Compared with 12 months ago, would you say that you now receive more social

and emotional support, less social and emotional support, or about the same?

**Description:** Social/emotional support, past 12 months

Recode:

Length:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** SOS.0020.00.4

**Keywords:** network; well-being; perceived support

Notes: Question fielded since quarter 3 and quarter 4 of 2020.

**Evaluation Report:** 

#### Unweighted frequencies:

 $\textbf{CMPSUPPORT\_A} \quad \textbf{Social/emotional support, past 12 months}$ 

Code	Description	Frequency	Percent
1	More social and emotional support	367	12.45
2	Less social and emotional support	262	8.91
3	About the same	2218	75.26
7	Refused	4-	4 0.15
8	Not Ascertained	87	2.98
9	Don't Know	7-	4 0.25

Variable: ORIENT\_A

Module: Adult

Section: ORN : Sexual Orientation

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you think of yourself as ^gaylesbian; straight, that is, not ^gaylesbian;

bisexual; something else; or you don't know the answer?

Fills: ^gaylesbian Gay/Lesbian or gay

**Description:** Sexual orientation

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** ORN.0020.00.1

Keywords:
Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

ORIENT\_A Sexual orientation

Code	Description	Frequency	Percent
1	^GayLesbian	602	2.04
2	Straight, that is, not ^gaylesbian	26734	90.68
3	Bisexual	576	1.95
4	Something else	170	0.58
5	I don't know the answer	294	1.00
7	Refused	198	0.67
8	Not Ascertained	908	3.08
9	Don't Know	0	0.00

Variable: MARITAL\_A
Module: Adult

Section: MAR : Marital Status

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: The next questions are about marriage and cohabitation. Are you now married,

living with a partner together as an unmarried couple, or neither?

\* If respondent answers both married and living with a different partner

together as an unmarried couple, enter living with partner.

**Description:** Sample adult's current marital status

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: MAR.0010.00.1

**Keywords:** marital status; cohabitating; relationship

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

MARITAL\_A Sample adult's current marital status

Code	Description	Frequency	Percent
1	Married	13413	45.50
2	Living with a partner together as an unmarried couple	1850	6.28
3	Neither	13274	45.02
7	Refused	48	0.16
8	Not Ascertained	894	3.03
9	Don't Know	3	0.01

Variable: SPOUSLIV\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Does your spouse live here?

**Description:** Sample adult's spouse lives here

Recode:

Universe: HHSTAT\_A=1 and MARITAL\_A=1

Universe Description: Sample adults 18+ who are married

Sources:

Question ID: MAR.0020.00.1
Keywords: Spouse present

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SPOUSLIV\_A Sample adult's spouse lives here

Code	Description	Frequency	Percent
1	Yes	12681	94.54
2	No	724	5.40
7	Refused	5	0.04
8	Not Ascertained	1	0.01
9	Don't Know	2	0.01

Variable: SPOUSEP\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Question Text: Does your spouse not live here because you and your spouse are legally

separated?

**Description:** Sample adult's spouse does not reside here due to legal separation

Recode:

Length:

Universe: HHSTAT\_A=1 and SPOUSLIV\_A=2

1

Universe Description: Sample adults 18+ whose spouse is not living in the household

Sources:

Question ID: MAR.0060.00.1

Keywords: Legal separation; divorce

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SPOUSEP\_A Sample adult's spouse does not reside here due to legal separation

Code	Description	Frequency	Percent
1	Yes	175	24.20
2	No	539	74.55
7	Refused	3	0.41
8	Not Ascertained	0	0.00
9	Don't Know	6	0.83

Variable: EVRMARRIED\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult Data Type: Numeric

1 Question Text: Have you ever been married?

Description: Sample adult has ever been married

Recode:

Length:

Universe: HHSTAT\_A=1 and MARITAL\_A IN (2,3,7,9)

Universe Description: Sample adults 18+ who are living with unmarried partner or who are not married

or living with an unmarried partner or refused to say or don't know their

current marital status

Sources:

Question ID: MAR.0100.00.1

Keywords: marriage

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

EVRMARRIED\_A Sample adult has ever been married

Code	Description	Frequency	Percent
1	Yes	7834	51.62
2	No	7282	47.99
7	Refused	48	0.32
8	Not Ascertained	6	0.04
9	Don't Know	5	0.03

Variable: MARSTAT\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Current marital status of sample adult

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: MARITAL\_A; SPOUSLIV\_A; EVRMARRIED\_A; WIDIVSEP\_A

Question ID:

**Keywords:** marriage; current marital status

Notes: Marital status recode with categories comparable to R\_MARITL from the 1997-

2018 NHIS.

**Evaluation Report:** 

#### Unweighted frequencies:

MARSTAT\_A Current marital status of sample adult

Code	Description	Frequency	Percent
1	Married, spouse is present	12675	42.99
2	Married, spouse is not present	730	2.48
3	Married, spouse presence unknown	8	0.03
4	Widowed	2820	9.57
5	Divorced	3926	13.32
6	Separated	426	1.44
7	Never married	6056	20.54
8	Living with a partner	1850	6.28
9	Unknown marital status	991	3.36

Variable: LEGMSTAT\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Legal marital status of sample adult

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description:

Sources: MARSTAT\_A; LEGALSTAT\_A

Question ID:

Keywords: marriage; legal marital status

Notes: Legal marital status recode with categories comparable to CDCMSTAT from the

1997- 2018 NHIS.

**Evaluation Report:** 

#### Unweighted frequencies:

LEGMSTAT\_A Legal marital status of sample adult

Code	Description	Frequency	Percent
1	Separated	46	1.56
2	Divorced	440	14.95
3	Married	1343	45.58
4	Single/never married	72	24.68
5	Widowed	290	9.86
9	Unknown legal marital status	99	3.37

Variable: SPOUSESEX\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Sex of sample adult's spouse

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=1 and 1<=SPOUSWHO\_A<=25</pre>

Universe Description: Sample adults 18+ who are currently married and spouse has a person number

that is not zero or blank

Sources: SPOUSSEX\_A; SPOUNEWSEX\_A; SEX\_FINAL

Question ID:

**Keywords:** spouse

Notes: Corrected recode based on responses to SEX\_FINAL, SPOUSSEX\_A and SPOUNEWSEX\_A.

**Evaluation Report:** 

#### Unweighted frequencies:

SPOUSESEX\_A Sex of sample adult's spouse

Code	Description	Frequency	Percent
1	Male	6469	51.05
2	Female	6203	48.95
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	1	0.01

Variable: SASPPRACE\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Race of sample adult and spouse or partner are the same

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A IN (1, 2) and (1<=SPOUSWHO\_A<=25 or

1<=PARTNERWHO\_A<=25)

Universe Description: Sample adults 18+ who are currently married or cohabiting and their spouse or

partner has a person number that is not zero or blank

Sources: SPOUSRACE A; PRTNRRACE A

Question ID:

Keywords: spouse; cohabitating or unmarried partner; race

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SASPPRACE\_A Race of sample adult and spouse or partner are the same

Code	Description	Frequency	Percent
1	Yes	13124	90.45
2	No	1385	9.55
3	Unknown	0	0.00

Variable: SASPPHISP\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Hispanic ethnicity of sample adult and spouse or partner are the same

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A IN (1, 2) and (1<=SPOUSWHO\_A<=25 or

1<=PARTNERWHO\_A<=25)

Universe Description: Sample adults 18+ who are currently married or cohabiting and their spouse or

partner has a person number that is not zero or blank

Sources: SPOUSHISP\_A; PRTNRHISP\_A

Question ID:

Keywords: spouse; cohabitating or unmarried partner; Hispanic ethnicity

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SASPPHISP\_A Hispanic ethnicity of sample adult and spouse or partner are the same

Code	Description	Frequency	Percent
1	Yes	13589	93.66
2	No	920	6.34
3	Unknown	0	0.00

Variable: SPOUSAGETC\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age of sample adult's spouse, top-coded

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=1 and 1<=SPOUSWHO\_A<=25</pre>

Universe Description: Sample adults 18+ who are currently married and spouse has a person number

that is not zero or blank

Sources: AGE\_FINAL

Question ID:

**Keywords:** spouse

Notes: Top-coded at 85 and bottom-coded at 20 for public use.

**Evaluation Report:** 

#### Unweighted frequencies:

SPOUSAGETC\_A Age of sample adult's spouse, top-coded

Code	Description	Frequency	Percent
20	20 years or younger	15	0.12
21-84	21-84 years	12382	97.70
85	85+ years	221	1.74
97	Refused	46	0.36
98	Not Ascertained	0	0.00
99	Don't Know	9	0.07

Variable: SPOUSEDUCP\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Education level of sample adult's spouse

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=1 and 1<=SPOUSWHO\_A<=25</pre>

Universe Description: Sample adults 18+ who are currently married and spouse has a person number

that is not zero or blank

Sources: EDUC

Question ID:

**Keywords:** spouse; schooling; educational attainment

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

 ${\bf SPOUSEDUCP\_A} \quad {\bf Education \ level \ of \ sample \ adult's \ spouse}$ 

Code	Description	Frequency	Percent
01	Grade 0-11	716	5.65
02	12th grade, no diploma	146	1.15
03	GED or equivalent	229	1.81
04	High School Graduate	2744	21.65
05	Some college, no degree	1575	12.43
06	Associate degree: occupational, technical, or vocational program	412	3.25
07	Associate degree: academic program	1100	8.68
08	Bachelor's degree (Example: BA, AB, BS, BBA)	3364	26.54
09	Master's degree (Example: MA, MS, MEng, MEd, MBA)	1684	13.29
10	Professional School or Doctoral degree (Example: MD, DDS, DVM, JD, PhD, EdD)	648	5.11
97	Refused	24	0.19
98	Not Ascertained	0	0.00
99	Don't Know	32	0.25

Variable: SPOUSWRK\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Working status of sample adult's spouse

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=1 and 1<=SPOUSWHO\_A<=25 and SPOUSAGE\_A not in</pre>

(997,999)

Universe Description: Sample adults 18+ who are currently married and spouse has a person number

that is not zero or blank and spouse's age is not equal to don't know or

refused

**Sources:** FEMWORK\_A; FEMWORK\_C

Question ID:

**Keywords:** spouse; employed; job

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SPOUSWRK\_A Working status of sample adult's spouse

Code	Description	Frequency	Percent
1	Yes	7567	59.97
2	No	4959	39.30
7	Refused	29	0.23
8	Not Ascertained	59	0.47
9	Don't Know	4	0.03

Variable: SPOUSWKFT\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Sample adult's spouse is working full-time

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=1 and 1<=SPOUSWHO\_A<=25 and SPOUSWRK\_A=1</pre>

Universe Description: Sample adults 18+ who are currently married and spouse has a person number

that is not zero or blank and spouse worked for pay at a job or business

Sources: SPOUSWRK\_A; FEMWKFT\_A; FEMWKFT\_C

Question ID:

**Keywords:** spouse; employed; job; weekly hours

Notes: Working 35 or more hours per week is considered full-time.

**Evaluation Report:** 

#### Unweighted frequencies:

 $\textbf{SPOUSWKFT\_A} \hspace{0.5cm} \textbf{Sample adult's spouse is working full-time} \\$ 

Code	Description	Frequency	Percent
1	Yes	6471	85.52
2	No	1071	14.15
7	Refused	10	0.13
8	Not Ascertained	2	0.03
9	Don't Know	13	0.17

Variable: PRTNRSEX\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Sex of the sample adult's partner

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=2 and 1<=PARTNERWHO\_A<=25

Universe Description: Sample adults 18+ who are currently living with a partner who has a person

number that is not zero or blank

Sources: SEX\_FINAL; PARTNERSEX\_A; PARTNEWSEX\_A

Question ID:

Keywords: cohabitating or unmarried partner

Notes: Corrected recode based on responses to SEX\_FINAL, PARTNERSEX\_A and

PARTNEWSEX\_A.

**Evaluation Report:** 

#### Unweighted frequencies:

PRTNRSEX\_A Sex of the sample adult's partner

Code	Description	Frequency	Percent
1	Male	961	52.34
2	Female	874	47.60
7	Refused	1	0.05
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: PRTNRAGETC\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Age of sample adult's partner, top-coded

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=2 and 1<=PARTNERWHO\_A<=25

Universe Description: Sample adults 18+ who are currently living with a partner who has a person

number that is not zero or blank

Sources: AGE\_FINAL

Question ID:

Keywords: Age; cohabiting or unmarried partner

Notes: Top-coded at 85 and bottom-coded at 20 for public use.

**Evaluation Report:** 

#### Unweighted frequencies:

 $\label{eq:prtnragetc_A} \textbf{PRTNRAGETC\_A} \quad \textbf{Age of sample adult's partner, top-coded}$ 

Code	Description	Frequency	Percent
20	20 years or younger	44	2.40
21-84	21-84 years	1773	96.57
85	85+ years	11	0.60
97	Refused	5	0.27
98	Not Ascertained	0	0.00
99	Don't Know	3	0.16

Variable: PRTNREDUCP\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Education level of sample adult's partner

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=2 and 1<=PARTNERWHO\_A<=25

Universe Description: Sample adults 18+ who are living with a partner who has a person number that

is not zero or blank

Sources: EDUC

Question ID:

**Keywords:** cohabitating or unmarried partner; schooling; educational attainment

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PRTNREDUCP\_A Education level of sample adult's partner

Code	Description	Frequency	Percent
01	Grade 0-11	153	8.33
02	12th grade, no diploma	28	1.53
03	GED or equivalent	54	2.94
04	High School Graduate	494	26.91
05	Some college, no degree	267	14.54
06	Associate degree: occupational, technical, or vocational program	55	3.00
07	Associate degree: academic program	149	8.12
08	Bachelor's degree (Example: BA, AB, BS, BBA)	395	21.51
09	Master's degree (Example: MA, MS, MEng, MEd, MBA)	167	9.10
10	Professional School or Doctoral degree (Example: MD, DDS, DVM, JD, PhD, EdD)	52	2.83
97	Refused	5	0.27
98	Not Ascertained	0	0.00
99	Don't Know	17	0.93

Variable: PRTNRWRK\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Working status of sample adult's partner

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=2 and 1<=PARTNERWHO\_A<=25 and PRTNRAGE\_A not in

(997,999)

Universe Description: Sample adults 18+ who are currently living with a partner and partner has a

person number that is not zero or blank and partner's age is not equal to

don't know or refused

Sources: FEMWORK\_A; FEMWORK\_C

Question ID:

Keywords: cohabitating or unmarried partner; employed; job

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PRTNRWRK\_A Working status of sample adult's partner

Code	Description	Frequency	Percent
1	Yes	1345	73.58
2	No	431	23.58
7	Refused	5	0.27
8	Not Ascertained	45	2.46
9	Don't Know	2	0.11

Variable: PRTNRWKFT\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Sample adult's partner is working full-time

Recode: Yes

Universe: HHSTAT\_A=1 and MARITAL\_A=2 and 1<=PARTNERWHO\_A<=25 and PRTNRWRK\_A=1

Universe Description: Sample adults 18+ who are currently living with a partner and partner has a

person number that is not zero or blank and partner worked for pay at a job or

business

Sources: FEMWKFT\_A; FEMWKFT\_C

Question ID:

Keywords: cohabitating or unmarried partner; employed; job; weekly hours

Notes: Working 35 or more hours per week is considered full-time.

**Evaluation Report:** 

#### Unweighted frequencies:

PRTNRWKFT\_A Sample adult's partner is working full-time

Code	Description	Frequency	Percent
1	Yes	1194	88.77
2	No	145	10.78
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	6	0.45

Variable: SAPARENTSC\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Sample adult relationship to sample child

Recode: Yes

Universe: HHSTAT\_A = 1

Universe Description: Sample adults 18+

Sources: SAMEFAM\_FLG; PARENTS\_FINAL01-PARENTS\_FINAL04;

Question ID:

Keywords: family structure; parent; sample child; parental relationship

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SAPARENTSC\_A Sample adult relationship to sample child

Code	Description	Frequency	Percent
1	Sample adult is parent of sample child	5985	20.30
2	Sample adult is not parent of sample child	931	3.16
3	No sample child in sample adult's family	22423	76.06
9	Unknown	143	0.49

Variable: PARSTAT\_A

Module: Adult

Section: MAR : Marital Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Parental Status of sample adult

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

**Sources:** PARENTS\_FINAL01-PARENTS\_FINAL04;

Question ID:

Keywords: family structure; parent; parental relationship

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

PARSTAT\_A Parental Status of sample adult

Code	Description	Frequency	Percent
1	Yes, the sample adult is a parent of a child residing in the family	6741	22.86
2	There are minor children residing in family but sample adult is not their parent	975	3.31
3	There are no minor children residing in the family	21609	73.30
9	Unknown	157	0.53

Variable: AFVET\_A

Module: Adult

Section: VET : Veterans Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did you ever serve on active duty in the U.S. Armed Forces, military Reserves,

or National Guard?

**Description:** Ever serve active duty military

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: VET.0010.00.1

**Keywords:** military; armed forces

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

AFVET\_A Ever serve active duty military

Code	Description	Frequency	Percent
1	Yes	2597	8.81
2	No	25938	87.98
7	Refused	15	0.05
8	Not Ascertained	931	3.16
9	Don't Know	1	0.00

Variable: AFVETTRN\_A

Module: Adult

Section: VET : Veterans Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Were you on active duty ONLY for training in the Reserves or National Guard?

**Description:** Reserves or National Guard

Recode:

Universe: HHSTAT\_A=1 and AFVET\_A=1

Universe Description: Sample adults 18+ who have ever served in the armed forces

Sources:

Question ID: VET.0020.00.1

**Keywords:** armed forces; military

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

AFVETTRN\_A Reserves or National Guard

Code	Description	Frequency	Percent
1	Yes	472	18.17
2	No	2123	81.75
7	Refused	1	0.04
8	Not Ascertained	0	0.00
9	Don't Know	1	0.04

Variable: COMBAT\_A

Module: Adult

Section: VET : Veterans Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did you ever serve in a foreign country during a time of armed conflict or on

a humanitarian or peace-keeping mission?

**Description:** Ever served abroad during armed conflict

Recode:

Universe: HHSTAT\_A=1 and AFVET\_A=1 and AFVETTRN\_A IN (2,7,9)

Universe Description: Adults 18+ who have ever served in the armed forces and were not only

activated for training in the Reserves or National Guard or refused or don't

know

Sources:

Question ID: VET.0030.00.1

**Keywords:** armed forces; military

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

COMBAT\_A Ever served abroad during armed conflict

Code	Description	Frequency	Percent
1	Yes	1226	57.69
2	No	890	41.88
7	Refused	3	0.14
8	Not Ascertained	0	0.00
9	Don't Know	6	0.28

Variable: VADISB\_A

Module: Adult

Section: VET : Veterans Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Do you have a VA service-connected disability rating?

Description: Have VA disability rating

Recode:

Universe: HHSTAT\_A=1 and AFVET\_A=1

Universe Description: Sample adults 18+ who have ever served in the armed forces

Sources:

Question ID: VET.0040.00.1

**Keywords:** armed forces; military

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

VADISB\_A Have VA disability rating

Code	Description	Frequency	Percent
1	Yes	732	28.19
2	No	1852	71.31
7	Refused	1	0.04
8	Not Ascertained	0	0.00
9	Don't Know	12	0.46

Variable: VAHOSP\_A

Module: Adult

Section: VET : Veterans Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: During the past 12 months, did you receive any care at a Veteran's Health

Administration facility or receive any other health care paid for by the VA?

\* Read if necessary: Veteran's Health Administration facilities include VA hospitals, VA medical centers, VA outpatient clinics, and VA nursing homes.

**Description:** Receive care at VA facility

Recode:

Universe: HHSTAT\_A=1 and AFVET\_A=1

Universe Description: Sample adults 18+ who have ever served in the armed forces

Sources:

Question ID: VET.0050.00.1

**Keywords:** armed forces; military

Notes: Do not use this variable to estimate adults with VA coverage. To estimate

adults with VA coverage, use MILSPC1R\_A in the INS section that incorporates the response from MILSPC1\_A in the INS section plus positive responses to

VAHOSP\_A or VACAREEV\_A.

**Evaluation Report:** 

### Unweighted frequencies:

VAHOSP\_A Receive care at VA facility

Code	Description	Frequency	Percent
1	Yes	83	31.42
2	No	178	68.58
7	Refused		0.00
8	Not Ascertained		0 0.00
9	Don't Know		0.00

Variable: VACAREEV\_A

Module: Adult

Section: VET : Veterans Status

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Have you ever enrolled in or used VA health care?

**Description:** Ever use VA health care

Recode:

Universe: HHSTAT\_A=1 and VAHOSP\_A IN (2,7,9) and MILSPC1\_A ne 1

Universe Description: Sample adults 18+ who have ever served in the armed forces and did not recieve

care at a VHA facility or other health care paid for by the VA in the past 12  $\,$ 

months and did not report VA health care when asked about insurance

Sources:

Question ID: VET.0060.00.1

**Keywords:** armed forces; military

Notes: Do not use this variable to estimate adults with VA coverage. To estimate

adults with VA coverage, use MILSPC1R\_A in the INS section that incorporates the response from MILSPC1\_A in the INS section plus positive responses to

VAHOSP\_A or VACAREEV\_A.

**Evaluation Report:** 

#### Unweighted frequencies:

VACAREEV\_A Ever use VA health care

Code	Description	Frequency	Percent
1	Yes	28	2 16.51
2	No	142	1 83.20
7	Refused		0.00
8	Not Ascertained		0.00
9	Don't Know		0.29

Variable: NATUSBORN\_A

Module: Adult

Section: NAT : Nativity

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^Askverify\_A Were you born in the United States or a U.S. territory?

Fills: ^Askverify\_A FR Instruction

**Description:** Born in U.S. or U.S. territory

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: NAT.0010.00.1

**Keywords:** United States; birthplace

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

NATUSBORN\_A Born in U.S. or U.S. territory

Code	Description	Frequency	Percent
1	Yes	23806	80.75
2	No	4709	15.97
7	Refused	25	0.08
8	Not Ascertained	940	3.19
9	Don't Know	2	0.01

Variable: YRSINUS\_A

Module: Adult

Section: NAT : Nativity

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Years that sample adult has been in the United States

Recode: Yes

Universe: HHSTAT\_A=1 and NATUSBORN\_A=2

Universe Description: Sample adults 18 and over born outside of the United States or US territory

Sources: NATUSBORN\_A; NATUSLG\_A

Question ID:

**Keywords:** birthplace; foreign born

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

YRSINUS\_A Years that sample adult has been in the United States

Code	Description	Frequency	Percent
1	Less than 1 year	27	0.57
2	1 to less than 5 years	263	5.59
3	5 to less than 10 years	472	10.02
4	10 to less than 15 years	419	8.90
5	15 years or more	3415	72.52
9	Unknown	113	2.40

Variable: CITZNSTP\_A

Module: Adult

Section: NAT : Nativity

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Citizenship status

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: NATUSBORN\_A; CITIZEN\_A; NATCTZN\_A

Question ID:

**Keywords:** nativity; naturalized

Notes: Recode

**Evaluation Report:** 

#### Unweighted frequencies:

CITZNSTP\_A Citizenship status

Code	Description	Frequency	Percent
1	Yes, a citizen of the United States	26674	90.48
2	No, not a citizen of the United States	1789	6.07
7	Refused	53	0.18
8	Not Ascertained	944	3.20
9	Don't Know	22	0.07

Variable: SCHCURENR\_A

Module: Adult

Section: SCH : Schooling

File(s): Adult Data Type: Numeric

Length:

Question Text: Are you currently enrolled in or attending school?

> \* Read if necessary: School includes high school, college, trade school, and professional school. Students may be enrolled part-time or full-time.

Description: Currently in school

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: SCH.0010.00.1

Keywords: enrolled in or attending school

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

 ${\color{red} \textbf{SCHCURENR\_A}} \quad \text{Currently in school} \\$ 

Code	Description	Frequency	Percent
1	Yes	1729	5.86
2	No	26786	90.86
7	Refused	12	0.04
8	Not Ascertained	953	3.23
9	Don't Know	2	0.01

Variable: SCHDYMSSTC\_A

Module: Adult

Section: SCH : Schooling

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Days missed due to illness/injury, past 12 m

Recode: Yes

Universe: HHSTAT\_A=1 and SCHCURENR\_A=1

Universe Description: Sample adults 18+

Sources: SCHDYSMSS\_A

Question ID:

**Keywords:** missed school; days absent; illness; injury

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SCHDYMSSTC\_A Days missed due to illness/injury, past 12 m

Code	Description	Frequency	Percent
00	None	1365	78.95
01-39	1-39 days	334	19.32
40	40+ days	18	1.04
96	Did not go to school	e	0.00
97	Refused	1	0.06
98	Not Ascertained	1	0.06
99	Don't Know	10	0.58

Variable: EMPWRKLSW1\_A Module: Adult Section: EMP : Employment File(s): Adult Data Type: Numeric Length: Question Text: Description: Worked last week Recode: Yes Universe:  $HHSTAT_A = 1$ Universe Description: Sample adults 18+ Sources: EMPLASTWK\_A; EMPNOWRK\_A; EMPWHYNOT\_A; EMPWHENWRK\_A; FEMWORK\_C Question ID: Keywords: Working; employed Notes: This recode indicates sample adults who were working in the last week. It also takes into account sample adults' responses to  ${\tt EMPWHYNOT\_A}$  and EMPWHENWRK\_A: those who were performing seasonal or contract work and worked in the past 12 months or those who were working at a job or business but NOT for pay are coded as 1 on EMPWRKLSW1\_A. Note that this recode is not directly comparable to the EMPWRKLSWK\_A recode in 2020, which coded all

### Unweighted frequencies:

**Evaluation Report:** 

#### EMPWRKLSW1\_A Worked last week

worked.

Code	Description	Frequency	Percent
1	Yes	16461	55.83
2	No	12043	40.85
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	978	3.32

seasonal/contract workers as 1 because they were not asked when they last

Variable: EMPWHYNOT\_A

Module: Adult

Section: EMP : Employment

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: What is the MAIN reason you were not working for pay at a job or business last

week?

\* Probe if necessary.

**Description:** Main reason not working

Recode:

Universe: HHSTAT\_A=1 and EMPNOWRK\_A=2

Universe Description: Sample adults 18+ who were not working for pay and were not on temporary leave

from a job or business last week

Sources:

Question ID: EMP.0030.00.1

Keywords: out of work; not in the labor force; labor force nonparticipants

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

EMPWHYNOT\_A Main reason not working

Code	Description	Frequency	Percent
01	Unemployed, laid off, looking for work	667	5.47
02	Seasonal/contract work	137	1.12
03	Retired	7522	61.72
04	Unable to work for health reasons/disabled	1643	13.47
05	Taking care of house or family	1173	9.61
06	Going to school	435	3.57
07	Working at a family-owned job or business not for pay	43	0.35
08	0ther	562	4.61
97	Refused	(	0.05
98	Not Ascertained	(	0.00
99	Don't Know		0.02

Variable: EMPLSTWOR1\_A

Module: Adult

Section: EMP : Employment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Last time worked for pay

Recode: Yes

Universe: HHSTAT\_A=1 and (EMPWHYNOT\_A IN (1,2,3,4,5,6,7,8,97,99))

Universe Description: Sample adults 18+ whose main reason for not working last week was because they

couldn't find work, performed seasonal or contract work, were retired, unable to work for health reasons, taking care of the house/family, going to school, worked at a job or business but not for pay, or some other reason, or refused

or didn't know the main reason they were not working last week

Sources: EMPWHENWRK\_A; EMPWHYNOT\_A

Question ID:

**Keywords:** employment gap; duration of unemployment; time since last worked

Notes: Sample adults who said their main reason for not working last week was because

they were working at a job or business but not for pay were not asked EMPWHENWRK\_A and are coded as 8 on EMPLSTWOR1\_A. Note that this recode is not directly comparable to the EMPLSTWORK\_A recode in 2020, which also coded seasonal/contract workers as 8 because they were not asked when they last

worked.

**Evaluation Report:** 

#### Unweighted frequencies:

EMPLSTWOR1\_A Last time worked for pay

Code	Description	Frequency	Percent
1	Within the past 12 months	1751	14.37
2	1-5 years ago	2903	23.82
3	Over 5 years ago	6942	56.96
4	Never worked	513	4.21
7	Refused	19	0.16
8	Not Ascertained	43	0.35
9	Don't Know	16	0.13

Variable: EMPWKHRS3\_A

Module: Adult

Section: EMP : Employment

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

Description: Hours worked per week (topcoded for Public Use)

Recode: Yes

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

(EMPWHYNOT\_A=2 and EMPWHENWRK\_A=1))

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week, or worked but not for pay at a family business or

had seasonal/contract work in the past 12 months

Sources: EMPHOURS\_A

Question ID:

**Keywords:** work hours; work schedule; weekly hours

Notes: Hours worked in a usual week are topcoded at 95 for confidentiality. Note that

this recode is not directly comparable to the EMPWKHRS2\_A recode in 2020, which coded all seasonal/contract workers and those working at a job or business but not for pay as 98 because they were not asked about their work

hours.

**Evaluation Report:** 

### Unweighted frequencies:

EMPWKHRS3\_A Hours worked per week (topcoded for Public Use)

Code	Description	Frequency	Percent
01-94	1-94 hours	16309	99.22
95	95+ hours	19	0.12
97	Refused	25	0.15
98	Not Ascertained	4	0.02
99	Don't Know	81	0.49

Variable: EMPWRKFT1\_A

Module: Adult

Section: EMP : Employment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Usually work 35+ hours per week

Recode: Yes

Universe: HHSTAT\_A=1 and (EMPFULLTIM\_A in (1,2,7,9) or (1 <= EMPHOURS\_A < 999) or

 $(EMPLASTWK\_A=8 \ and \ (FEMWKFT\_A \ in \ (1,2) \ or \ FEMWKFT\_C \ in \ (1,2))))$ 

Universe Description: Sample adults 18+ with valid responses to EMPFULLTIM\_A or EMPHOURS\_A, or who

were coded 8 on EMPLASTWK\_A but had valid responses to FEMWKFT\_A or FEMWKFT\_C

Sources: EMPLASTWK A; EMPFULLTIM A; EMPHOURS A; FEMWKFT A; FEMWKFT C

Question ID:

**Keywords:** full-time employment; full-time job; work schedule; weekly hours

Notes: EMPWRKFT1\_A indicates full- or part-time status for all adults who were

working last week OR had a job or business but were temporarily absent last week OR who performed seasonal or contract work and worked in the past 12 months OR who worked at a job or business but NOT for pay (using info from FEMWKFT\_A or FEMWKFT\_C as necessary). Note that this recode is not directly comparable to the EMPWRKFT\_A recode in 2020, which coded all seasonal/contract workers and those working at a job or business but not for pay as 8 because

workers and those working at a job or business but not for pay as 8 because

they were not asked about their work hours/full-time status.

**Evaluation Report:** 

#### Unweighted frequencies:

EMPWRKFT1\_A Usually work 35+ hours per week

Code	Description	Frequency	Percent
1	Yes	13298	80.80
2	No	3131	19.03
7	Refused	17	0.10
8	Not Ascertained	0	0.00
9	Don't Know	11	0.07

Variable: EMPSICKLV\_A

Module: Adult

Section: EMP : Employment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^LASTJOB paid sick leave available if you ^workneed it?

Fills: ^LASTJOB When you last worked, was/Regarding your job or

business, is

^workneed needed/need

**Description:** Paid sick leave

Recode:

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week; who work, but not for pay at family business or who are not currently working but who had some period of employment in the past 12

months

Sources:

Question ID: EMP.0070.00.1

**Keywords:** employee benefits; sick pay; paid sick days

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

#### EMPSICKLV\_A Paid sick leave

Code	Description	Frequency	Percent
1	Yes	12141	67.11
2	No	5767	31.88
7	Refused	12	0.07
8	Not Ascertained	6	0.03
9	Don't Know	165	0.91

Variable: EMPHEALINS\_A

Module: Adult

Section: EMP : Employment

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^LASTJOB health insurance offered to you through your workplace?

Fills: ^LASTJOB When you last worked, was/Regarding your job or

business, is

**Description:** Health insurance offered

Recode:

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week; who work, but not for pay at family business or who are not currently working but who had some period of employment in the past 12

months

Sources:

Question ID: EMP.0080.00.1

**Keywords:** employee benefits; health coverage

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

#### EMPHEALINS\_A Health insurance offered

Code	Description	Frequency	Percent
1	Yes	12575	69.51
2	No	5430	30.01
7	Refused	11	0.06
8	Not Ascertained	10	0.06
9	Don't Know	65	0.36

Variable: EMPDYSMSS3\_A

Module: Adult

Section: EMP : Employment

File(s): Adult
Data Type: Numeric

Length: 3

Question Text:

Description: Days missed work, past 12 months (top-coded)

Recode: Yes

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week; who work, but not for pay at family business or who are not currently working but who had some period of employment in the past 12

 ${\tt months}$ 

Sources: EMPDAYMISS\_A

Question ID:

**Keywords:** Work days missed; sick days; sick leave; medical leave

Notes: Note that this recode is not directly comparable to the EMPDYSMSS2\_A recode in

2020, which included all seasonal/contract workers in the universe. Only seasonal/contract workers who worked in the past 12 months are in universe for

EMPDYSMSS3\_A.

**Evaluation Report:** 

### Unweighted frequencies:

EMPDYSMSS3\_A Days missed work, past 12 months (top-coded)

Code	Description	Frequency	Percent
000-129	0-129 days	17820	98.50
130	130+ days	94	0.52
997	Refused	25	0.14
998	Not Ascertained	15	0.08
999	Don't Know	137	0.76

Variable:	EMDINDSTN1 A
Module:	Adult
modute:	Adult
Section:	EMD : Detailed Employment
File(s):	Adult
Data Type:	Numeric
Length:	2
Question Text:	
Description:	Detailed 2-digit recode for sample adult's industry
Recode:	Yes
Universe:	HHSTAT_A=1 and (EMPLASTWK_A=1 or EMPNOWRK_A=1 or EMPWHYNOT_A=7 or EMPWHENWRK_A=1)
Universe Description:	Sample adults 18+ who were working at or were on temporary leave from a paid job or business last week, or who work, but not for pay at a family-owned job or business, or who did not have a job or business last week but had a job or business in the past 12 months
Sources:	EMDINDUST_A
Question ID:	
Keywords:	work; employment; business; sector
Notes:	Based on 2017 NAICS industry subsectors. Note that this recode is not directly comparable to the EMDINDSTR1_A recode in 2020, which included all seasonal/contract workers in the universe. Only seasonal/contract workers who worked in the past 12 months are in universe for EMDINDSTN1_A.
Evaluation Report:	

### Unweighted frequencies:

EMDINDSTN1\_A Detailed 2-digit recode for sample adult's industry

Code	Description	Frequency	Percent
	See Industry Appendix in SA documentation for response categories		
	and labels		

Variable: EMDINDSTN2\_A

Module: Adult

Section: EMD : Detailed Employment

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Simple 2-digit recode for sample adult's industry

Recode: Yes

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week, or who work, but not for pay at a family-owned job or business, or who did not have a job or business last week but had a job or

business in the past 12 months

Sources: EMDINDUST\_A

Question ID:

**Keywords:** work; employment; business; sector

Notes: Based on 2017 NAICS industry sectors. Note that this recode is not directly

comparable to the EMDINDSTR2\_A recode in 2020, which included all

seasonal/contract workers in the universe. Only seasonal/contract workers who

worked in the past 12 months are in universe for EMDINDSTN2\_A.

**Evaluation Report:** 

### Unweighted frequencies:

EMDINDSTN2\_A Simple 2-digit recode for sample adult's industry

Code	Description	Frequency	Percent
	See Industry Appendix in SA documentation for response categories and labels		

Variable: EMDOCCUPN1\_A

Module: Adult

Section: EMD : Detailed Employment

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Detailed 2-digit recode for sample adult's occupation

Recode: Yes

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week, or who work, but not for pay at a family-owned job or business, or who did not have a job or business last week but had a job or

business in the past 12 months

Sources: EMDKIND1\_A

Question ID:

**Keywords:** work; employment; career; job title

Notes: Based on 2018 SOC occupation subgroups. Note that this recode is not directly

comparable to the EMDOCCUPR1\_A recode in 2020, which included all

seasonal/contract workers in the universe. Only seasonal/contract workers who

worked in the past 12 months are in universe for EMDOCCUPN1\_A.

**Evaluation Report:** 

### Unweighted frequencies:

EMDOCCUPN1\_A Detailed 2-digit recode for sample adult's occupation

Code	Description	Frequency	Percent
	See Industry Appendix in SA documentation for response categories and labels		

Variable: EMDOCCUPN2\_A

Module: Adult

Section: EMD : Detailed Employment

File(s): Adult
Data Type: Numeric

Length: 2

Question Text:

**Description:** Simple 2-digit recode for sample adult's occupation

Recode: Yes

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week, or who work, but not for pay at a family-owned job or business, or who did not have a job or business last week but had a job or

business in the past 12 months

Sources: EMDKIND1\_A

Question ID:

**Keywords:** work; employment; career; job title

Notes: Based on 2018 SOC major occupation groups. Note that this recode is not

directly comparable to the EMDOCCUPR2\_A recode in 2020, which included all seasonal/contract workers in the universe. Only seasonal/contract workers who

worked in the past 12 months are in universe for EMDOCCUPN2\_A.

**Evaluation Report:** 

### Unweighted frequencies:

EMDOCCUPN2\_A Simple 2-digit recode for sample adult's occupation

Code	Description	Frequency	Percent
	See Industry Appendix in SA documentation for response categories and labels		

Variable: EMDSUPER\_A

Module: Adult

Section: EMD : Detailed Employment

File(s): Adult
Data Type: Numeric

Length: 1

Fills: ^DoDid Do/Did

**Description:** Supervise other employees

Recode:

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week, or who work, but not for pay at a family-owned job or business, or who did not have a job or business last week but had a job or

business in the past 12 months

Sources:

Question ID: EMD.0050.00.2

Keywords: supervisor; manager; management; boss; director

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

EMDSUPER\_A Supervise other employees

Code	Description	Frequency	Percent
1	Yes	5971	33.01
2	No	11983	66.24
7	Refused	89	0.49
8	Not Ascertained	35	0.19
9	Don't Know	13	0.07

Variable: EMDWRKCAT1\_A

Module: Adult

Section: EMD : Detailed Employment

File(s): Adult
Data Type: Numeric
Length: 1

Question Text: Which of these BEST describes your MAIN job or ^WRKCAT?

\* Read answer choices.

Fills: ^WRKCAT work situation/business in the past 12 months

**Description:** Type of main job

Recode:

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week, or who work, but not for pay at a family-owned job or business, or who did not have a job or business last week but had a job or

business in the past 12 months

Sources:

Question ID: EMD.0060.00.2

**Keywords:** work; employee; class of worker

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

EMDWRKCAT1\_A Type of main job

Code	Description	Frequency	Percent
1	Employee of a PRIVATE company for wages	12926	71.45
2	A FEDERAL government employee	558	3.08
3	A STATE government employee	1165	6.44
4	A LOCAL government employee	1119	6.19
5	Self-employed in OWN business, professional practice or farm	2085	11.53
6	Working WITHOUT PAY in a family-owned business or farm	40	0.22
7	Refused	84	0.46
8	Not Ascertained	36	0.20
9	Don't Know	78	0.43

Variable: JOBTAX\_A

Module: Adult

Section: JOB : Work arrangements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^JOBDoesDid your employer deduct or withhold taxes from your pay?

Fills: ^JOBDoesDid Does/Did

Description: Does employer deduct taxes?

Recode:

Universe: HHSTAT\_A=1 and EMDWRKCAT1\_A IN (1,2,3,4)

Universe Description: Sample adults 18+ who were employed by a private employer, or a federal,

state, or local government employer

Sources:

Question ID: JOB.0010.00.3

**Keywords:** withholding; payroll taxes; deductions from wages

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1230

#### Unweighted frequencies:

JOBTAX\_A Does employer deduct taxes?

Code	Description	Frequency	Percent
1	Yes	14784	93.76
2	No	904	5.73
7	Refused	19	0.12
8	Not Ascertained	5	0.03
9	Don't Know	56	0.36

Variable: JOBCHGEARN\_A

Module: Adult

Section: JOB: Work arrangements

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: How much ^JOBdodid your earnings change from month to month? Would you say not

at all, a small amount, a moderate amount, or a large amount?

Fills: ^JOBdodid do/did

Description: How much do your earnings change monthly

Recode:

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who worked for pay at a job or business last week, had a job

or business last week but were temporarily absent, or worked but not for pay at a family owned job or business or who last worked in the last 12 months

Sources:

**Question ID:** JOB.0020.00.3

**Keywords:** pay; fluctuating income; unstable wages; earnings instability

Notes:

Evaluation Report: https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1230

#### Unweighted frequencies:

JOBCHGEARN\_A How much do your earnings change monthly

Code	Description	Frequency	Percent
1	Not at all	10228	56.54
2	A small amount	4978	27.52
3	A moderate amount	1684	9.31
4	A large amount	946	5.23
7	Refused	99	0.55
8	Not Ascertained	50	0.28
9	Don't Know	106	0.59

Variable: JOBSHIFT\_A

Module: Adult

Section: JOB: Work arrangements

File(s): Adult
Data Type: Numeric

Question Text: Which of the following best ^workdescribe your usual hours of work at your

^JOBmostrecent main job? Would you say daytime shift, evening shift, night

shift, rotating shift, or some other shift?

\* Read if Necessary:

Daytime - Most hours between 6am and 6pm
Evening - Most hours between 2pm and midnight

Night - Most hours between 9pm and 8am

Rotating - Change periodically between day and evening shift, or between night

shift and day or evening

Fills: ^workdescribe described/describe

^JOBmostrecent most recent

**Description:** Usual hours of main job

Recode:

Length:

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who worked for pay at a job or business last week, had a job

or business last week but were temporarily absent, or worked but not for pay at a family owned job or business or who last worked in the last 12 months

Sources:

**Question ID:** JOB.0030.00.3

Keywords: regular work schedule; duty period; working hours

Notes:

Evaluation Report: https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1230

#### Unweighted frequencies:

JOBSHIFT\_A Usual hours of main job

Code	Description	Frequency	Percent
1	Daytime shift	1439	79.55
2	Evening shift	80	3 4.44
3	Night shift	699	3.84
4	Rotating shift	1454	8.04
5	Some other shift	629	3.48
7	Refused	4:	0.27
8	Not Ascertained	5:	0.29
9	Don't Know	1	0.09

Variable: JOBCHGSCH\_A

Module: Adult

Section: JOB: Work arrangements

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: How easy or difficult ^iswas it for you to change your work schedule to do

things that are important to you or your family? Would you say very easy,

somewhat easy, somewhat difficult, or very difficult?

Fills: ^iswas is/was

**Description:** How easy to change work schedule

Recode:

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who worked for pay at a job or business last week, had a job

or business last week but were temporarily absent, or worked but not for pay at a family owned job or business or who last worked in the last 12 months

Sources:

**Question ID:** JOB.0040.00.3

**Keywords:** shift change; flexible work schedule; work-life balance

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1230

#### Unweighted frequencies:

JOBCHGSCH\_A How easy to change work schedule

Code	Description	Frequency	Percent
1	Very easy	8892	49.15
2	Somewhat easy	5200	28.74
3	Somewhat difficult	2277	12.59
4	Very difficult	1542	8.52
7	Refused	52	0.29
8	Not Ascertained	59	0.33
9	Don't Know	69	0.38

Variable: JOBVARYSCH\_A

Module: Adult

Section: JOB: Work arrangements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: ^JOBDoesDid your work schedule at your main job change on a regular basis?

**Fills:** ^JOBDoesDid Does/Did

**Description:** How much does schedule vary

Recode:

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who worked for pay at a job or business last week, had a job

or business last week but were temporarily absent, or worked but not for pay at a family owned job or business or who last worked in the last 12 months

Sources:

**Question ID:** JOB.0050.00.3

**Keywords:** schedule instability; irregular schedule

Notes:

Evaluation Report: https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1230

#### Unweighted frequencies:

JOBVARYSCH\_A How much does schedule vary

Code	Description	Frequency	Percent
1	Yes	3549	19.62
2	No	14409	79.65
7	Refused	40	0.22
8	Not Ascertained	63	0.35
9	Don't Know	30	0.17

Variable: JOBADVSCH\_A

Module: Adult

Section: JOB: Work arrangements

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Approximately how far in advance ^doyoudoesemployer the hours that you

^schedule to work on any given day?

Fills: ^doyoudoesemployer does your employer usually tell you/do you usually

know/did your employer usually tell you/did you

usually know

^schedule needed/will need

**Description:** Advance notice of work schedule

Recode:

Universe: HHSTAT\_A=1 and JOBVARYSCH\_A=1

Universe Description: Sample adults 18+ who have/had a work schedule that changes on a regular basis

Sources:

**Question ID:** JOB.0060.00.3

Keywords: schedule instability; irregular schedule; predictive scheduling; predictable

scheduling

Notes:

**Evaluation Report:** https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1230

#### Unweighted frequencies:

JOBADVSCH\_A Advance notice of work schedule

Code	Description	Frequency	Percent
1	1 day or less	1215	34.23
2	2 to 3 days	451	12.71
3	4 to 6 days	279	7.86
4	1 to 2 weeks	705	19.86
5	2 to 4 weeks	330	9.30
6	More than 1 month	393	11.07
7	Refused	11	0.31
8	Not ascertained	4	0.11
9	Don't know	161	4.54

Variable: JOBLKYLOSS\_A

Module: Adult

Section: JOB: Work arrangements

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: Thinking about the next 12 months, how likely do you think it is that you will

lose your job or be laid off? Would you say very likely, fairly likely,

somewhat likely, or not at all likely?

**Description:** Likely job loss

Recode:

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

(EMPWHYNOT\_A=2 and EMPWHENWRK\_A=1))

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week, or who work at a family business, but not for pay,

or who have seasonal/contract work and worked within the last year

Sources:

**Question ID:** JOB.0070.00.3

Keywords: job security; job stability; termination; fired

Notes:

Evaluation Report: https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1230

#### Unweighted frequencies:

#### JOBLKYLOSS\_A Likely job loss

Code	Description	Frequency	Percent
1	Very likely	474	2.88
2	Fairly likely	289	1.76
3	Somewhat likely	1529	9.30
4	Not at all likely	13877	84.42
7	Refused	45	0.27
8	Not Ascertained	63	0.38
9	Don't Know	161	0.98

Variable: JOBWRKSICK\_A

Module: Adult

Section: JOB: Work arrangements

File(s): Adult

Data Type: Numeric

Length: 2

Question Text: During the past 3 months, how many days did you work while physically ill?

\* If the exact number of days cannot be remembered, ask the respondent to give

their best guess of the number of days worked while ill.

\* If the respondent says they worked every day while physically ill in the

past 3 months, enter 90.

**Description:** Days worked while sick

Recode:

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week, or who work at a family business, but not for pay

Sources:

**Question ID:** JOB.0080.00.3

**Keywords:** working while sick; presenteeism

Notes:

Evaluation Report: https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1230

### Unweighted frequencies:

JOBWRKSICK\_A Days worked while sick

Code	Description	Frequency	Percent
00-90	Range of values	16140	98.78
97	Refused	36	0.22
98	Not Ascertained	64	0.39
99	Don't Know	100	0.61

Variable: JOBMISS\_A

Module: Adult

Section: JOB: Work arrangements

File(s): Adult

Data Type: Numeric

Length: 2

Question Text: During the past 3 months, about how many days of work did you miss because you

were ill or because there was chance you had COVID-19?

\* If the exact number of days cannot be remembered, ask the respondent to give

their best guess of the number of days missed due to illness.

\* If the respondent says they missed every day in the past 3 months, enter

90.

**Description:** Days of work missed while sick

Recode:

Universe: HHSTAT\_A=1 and (0<=JOBWRKSICK\_A<=89 or JOBWRKSICK\_A IN (97,99))</pre>

Universe Description: Sample adults 18+ who did not work all of the past 3 months while physically

ill or don't know or refused

Sources:

**Question ID:** JOB.0090.00.3

**Keywords:** Work days missed; sick days; sick leave; medical leave; coronavirus

Notes:

Evaluation Report: https://wwwn.cdc.gov/QBank/Search/Reports.aspx#/Reports/1230

#### Unweighted frequencies:

JOBMISS\_A Days of work missed while sick

Code	Description	Frequency	Percent
00-90	Range of values	16053	99.52
97	Refused	34	0.21
98	Not Ascertained	3	0.02
99	Don't Know	41	0.25

Variable: CURJOBSD1\_A Module: Adult Section: SDW : Social distancing at work File(s): Adult Data Type: Numeric Length: Question Text: Thinking about your MAIN job or business, are there currently social distancing measures in effect to help keep people apart? \* If this person is working from home full-time because of COVID-19, answer '1' for yes. Description: Current job - Social distancing at work Recode: Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or (EMPWHYNOT\_A=2 and EMPWHENWRK\_A=1)) Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid job or business last week, or who work, but not for pay at a family-owned business or who have seasonal/contract work and worked in the past 12 months Sources: Question ID: SDW.0010.00.3 Keywords: physical distancing; social distance; COVID-19; coronavirus; workplace exposure Notes: Question fielded since quarter 3 of 2020. **Evaluation Report:** 

#### Unweighted frequencies:

CURJOBSD1\_A Current job - Social distancing at work

Code	Description	Frequency	Percent
1	Yes	13573	82.57
2	No	2725	16.58
7	Refused	32	0.19
8	Not Ascertained	77	0.47
9	Don't Know	31	0.19

Variable: WRKCLSSD1\_A

Module: Adult

Section: SDW : Social distancing at work

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Currently, at your MAIN job or business, how often do you still need to work

closer than 6 feet to other people? Would you say all of the time, most of the

time, some of the time, or none of the time?

\* If person works from home full-time and does not know how to answer, ask,

"Does your job require you to be face-to-face with any people you don't live

with?

If no, answer '4' for "none of the time."

If yes, ask, "How much of your time at work is spent with people who are

closer than 6 feet?"

Description: Current job - Work close to others with social distancing in effect

Recode:

Universe: HHSTAT\_A=1 and CURJOBSD1\_A=1

Universe Description: Sample adults 18+ who have social distancing measures currently in effect at

their main job or business

Sources:

Question ID: SDW.0020.00.3

**Keywords:** physical distancing; social distance; COVID-19; coronavirus; workplace

exposure

Notes: Question fielded since quarter 3 of 2020.

**Evaluation Report:** 

### Unweighted frequencies:

WRKCLSSD1\_A Current job - Work close to others with social distancing in effect

Code	Description	Frequency	Percent
1	All of the time	2448	18.04
2	Most of the time	1512	11.14
3	Some of the time	4345	32.01
4	None of the time	5243	38.63
7	Refused	10	0.07
8	Not Ascertained	5	0.04
9	Don't Know	10	0.07

WRKCLSNSD1\_A Module: Adult Section: SDW : Social distancing at work File(s): Numeric Data Type: Length: 1 When social distancing measures were NOT in effect, how often did you need to Question Text: work closer than 6 feet to other people? Would you say all of the time, most of the time, some of the time, or none of the time? \* Enter '5' if respondent only worked at main job when social distancing measures were in effect. If person worked from home full-time and does not know how to answer, ask, "Did your job require you to be face-to-face with any people you didn't live with?' If no, answer '4' for "none of the time." If yes, ask, "How much of your time at work was spent with people who were closer than 6 feet?" Description: Current job - Work close to others when social distancing not in effect Recode: Universe: HHSTAT\_A=1 and CURJOBSD1\_A=1 Universe Description: Sample adults 18+ who have social distancing measures currently in effect at

Sources:

Variable:

Question ID: SDW.0030.00.3

Keywords: physical distancing; social distance; COVID-19; coronavirus; workplace

exposure

Notes: Question fielded since quarter 3 of 2020.

their main job or business

**Evaluation Report:** 

#### Unweighted frequencies:

WRKCLSNSD1\_A Current job - Work close to others when social distancing not in effect

Code	Description	Frequency	Percent
1	All of the time	4114	30.31
2	Most of the time	2199	16.20
3	Some of the time	4200	30.94
4	None of the time	2541	18.72
5	Only worked at current main job while social distancing measures were in effect	462	3.40
7	Refused	13	0.10
8	Not Ascertained	8	0.06
9	Don't Know	36	0.27

Variable: WRKCLSOFT1\_A

Module: Adult

Section: SDW : Social distancing at work

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Currently, at your MAIN job or business, how often do you need to work closer

than 6 feet to other people? Would you say all of the time, most of the time,

some of the time, or none of the time?

If person works from home full-time and does not know how to answer, ask,

"Does your job require you to be face-to-face with any people you don't live

with?

If no, answer '4' for "none of the time."

If yes, ask, "How much of your time at work is spent with people who are

closer than 6 feet?"

**Description:** Current job - How often work close to others

Recode:

Universe: HHSTAT\_A=1 and CURJOBSD1\_A IN (2,7,9)

Universe Description: Sample adults 18+ who do not have social distancing measures currently in

effect at their main job or business or refused or don't know

Sources:

Question ID: SDW.0040.00.3

**Keywords:** physical distancing; social distance; COVID-19; coronavirus; workplace

exposure

Notes: Question fielded since quarter 3 of 2020.

**Evaluation Report:** 

### Unweighted frequencies:

WRKCLSOFT1\_A Current job - How often work close to others

Code	Description	Frequency	Percent
1	All of the time	919	32.96
2	Most of the time	400	14.35
3	Some of the time	751	26.94
4	None of the time	669	24.00
7	Refused	31	1.11
8	Not Ascertained	0	0.00
9	Don't Know	18	0.65

Variable: SDMSRS1\_A

Module: Adult

Section: SDW : Social distancing at work

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: At any time since the start of the coronavirus pandemic, did your MAIN job or

business put social distancing measures into effect?

\* If this person was working from home full-time because of COVID-19, answer

'1' for yes.

\* If person started job while social distancing measures were in effect,

answer '1' for yes.

Description: Current job - Social distancing measures since coronavirus pandemic

Recode:

Universe: HHSTAT\_A=1 and CURJOBSD1\_A IN (2,7,9)

Universe Description: Sample adults 18+ who do not have social distancing measures currently in

effect at their main job or business or refused or don't know

Sources:

Question ID: SDW.0050.00.3

**Keywords:** physical distancing; social distance; COVID-19; workplace exposure

Notes: Question fielded since quarter 3 of 2020.

**Evaluation Report:** 

### Unweighted frequencies:

SDMSRS1\_A Current job - Social distancing measures since coronavirus pandemic

		•		
Code	Description	Frequ	ency	Percent
1	Yes		1696	60.83
2	No		1019	36.55
7	Refused		31	1.11
8	Not Ascertained		1	0.04
9	Don't Know		41	1.47

Variable: SDMSRSOFT1\_A Module: Adult Section: SDW : Social distancing at work File(s): Numeric Data Type: Length: 1 When social distancing measures were in effect, how often did you need to work Question Text: closer than 6 feet to other people? Would you say all of the time, most of the time, some of the time, or none of the time? \* Enter '5' if respondent did not work at main job when social distancing measures were in effect. If person worked from home full-time and does not know how to answer, ask, "Did your job require you to be face-to-face with any people you didn't live with?' If no, answer '4' for "none of the time." If yes, ask, "How much of your time at work was spent with people who were closer than 6 feet?" Description: Current job - Work close to others when social distancing measures in effect Recode: Universe: HHSTAT\_A=1 and SDMSRS1\_A=1 Universe Description: Sample adults 18+ whose main job or business put social distancing measures into effect since the start of the coronavirus pandemic Sources: Question ID: SDW.0060.00.3 Keywords: physical distancing; social distance; COVID-19; coronavirus; workplace exposure Notes: Question fielded since quarter 3 of 2020. **Evaluation Report:** 

#### Unweighted frequencies:

SDMSRSOFT1\_A Current job - Work close to others when social distancing measures in effect

Code	Description	Frequency	Percent
1	All of the time	398	23.47
2	Most of the time	236	13.92
3	Some of the time	589	34.73
4	None of the time	422	24.88
5	Did not work at main job when social distancing measures were in effect	47	2.77
7	Refused	1	0.06
8	Not Ascertained	0	0.00
9	Don't Know	3	0.18

Variable: RECJOBSD1\_A

Module: Adult

Section: SDW : Social distancing at work

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Thinking about the MAIN job you held in the past 12 months, were there ever

any social distancing measures in effect while you worked there? That is, were

there ever practices in place to help keep people apart?

\* If this person was working from home full-time because of COVID-19, answer

'1' for yes.

**Description:** Recent job - Social distancing at work

Recode:

Universe: HHSTAT\_A=1 and EMPWHENWRK\_A=1 and EMPWHYNOT\_A ne 2

Universe Description: Sample adults 18+ who last worked in the past 12 months and did not do

seasonal or contract work

Sources:

Question ID: SDW.0070.00.3

**Keywords:** physical distancing; social distance; COVID-19; coronavirus; workplace

exposure

Notes: Question fielded since quarter 3 of 2020.

**Evaluation Report:** 

### Unweighted frequencies:

RECJOBSD1\_A Recent job - Social distancing at work

Code	Description	Frequency	Percent
1	Yes	1185	71.69
2	No	449	27.16
7	Refused	5	0.30
8	Not Ascertained	7	0.42
9	Don't Know	7	0.42

Variable: JOBANYSD1\_A

Module: Adult

Section: SDW : Social distancing at work

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Current or recent job - Social distancing at any time

Recode: Yes

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week, or who work, but not for pay at a family-owned job or business, or who did not have a job or business last week but had a job or

business in the past 12 months

Sources: CURJOBSD1\_A; SDMSRS1\_A; RECJOBSD1\_A

Question ID:

**Keywords:** physical distancing; social distance; COVID-19; coronavirus; workplace

exposure

Notes: This recode indicates whether social distancing measures are or were ever in

effect at sample adults' current or recent job. Source questions for this recode fielded since quarter 3 of 2020. Note that this recode is not directly

comparable to the JOBANYSD\_A recode in 2020, which included all

seasonal/contract workers in the universe. Only seasonal/contract workers who

worked in the past 12 months are in universe for  ${\tt JOBANYSD1\_A}$ .

**Evaluation Report:** 

#### Unweighted frequencies:

JOBANYSD1\_A Current or recent job - Social distancing at any time

Code	Description	Frequency	Percent
1	Yes	16454	90.95
2	No	1468	8.11
7	Refused	36	0.20
8	Not Ascertained	85	0.47
9	Don't Know	48	0.27

Variable: RJCLSSD1\_A

Module: Adult

Section: SDW : Social distancing at work

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: When social distancing measures were in effect, how often did you still need

to work closer than 6 feet to other people? Would you say all of the time,

most of the time, some of the time, or none of the time?

If person worked from home full-time and does not know how to answer, ask,

"Did your job require you to be face-to-face with any people you didn't live

with?'

If no, answer '4' for "none of the time."

If yes, ask, "How much of your time at work was spent with people who were

closer than 6 feet?"

Description: Recent job - Work close to others with social distancing in effect

Recode:

Universe: HHSTAT\_A=1 and RECJOBSD1\_A=1

Universe Description: Sample adults 18+ who had social distancing measures in effect at their main

job or business they held in the past 12 months

Sources:

Question ID: SDW.0080.00.3

**Keywords:** physical distancing; social distance; COVID-19; coronavirus; workplace

exposure

Notes: Question fielded since quarter 3 of 2020.

**Evaluation Report:** 

### Unweighted frequencies:

RJCLSSD1\_A Recent job - Work close to others with social distancing in effect

Code	Description	Frequency	Percent
1	All of the time	294	24.81
2	Most of the time	178	15.02
3	Some of the time	359	30.30
4	None of the time	351	29.62
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	3	0.25

Variable: CLSWRKSD1\_A

Module: Adult

Section: SDW : Social distancing at work

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Current or recent job - Work close to others with social distancing in effect

Recode: Yes

Universe: HHSTAT\_A=1 and (CURJOBSD1\_A=1 or SDMSRS1\_A=1 or RECJOBSD1\_A=1)

Universe Description: Sample adults 18+ whose main job or business currently has social distancing

measures in effect or put social distancing measures into effect since the start of the coronavirus pandemic, or who had social distancing measures in effect at their main job or business they held in the past 12 months

WRKCLSSD1\_A; SDMSRSOFT1\_A; RJCLSSD1\_A

Question ID:

Sources:

**Keywords:** physical distancing; social distance; COVID-19; coronavirus; workplace

exposure

Notes: This recode indicates how often sample adults work(ed) close to others with

social distancing measures in place at work. Source questions for this recode

fielded since quarter 3 of 2020.

**Evaluation Report:** 

### Unweighted frequencies:

CLSWRKSD1\_A Current or recent job - Work close to others with social distancing in effect

Code	Description	Frequency	Percent
1	All of the time	3140	19.08
2	Most of the time	1926	11.71
3	Some of the time	5293	32.17
4	None of the time	6016	36.56
5	Did not work at main job when social distancing measures were in effect	47	0.29
7	Refused	11	0.07
8	Not Ascertained	5	0.03
9	Don't Know	16	0.10

Variable: RJCLSNOSD1\_A

Module: Adult

Section: SDW : Social distancing at work

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: When social distancing measures were NOT in effect, how often did you need to

work closer than 6 feet to other people? Would you say all of the time, most

of the time, some of the time, or none of the time?

\* Enter '5' if respondent only worked at main job when social distancing

measures were in effect.

If person worked from home full-time and does not know how to answer, ask, "Did your job require you to be face-to-face with any people you didn't live

with?"

If no, answer '4' for "none of the time."

If yes, ask, "How much of your time at work was spent with people who were

closer than 6 feet?"

Description: Recent job - Work close to others when social distancing not in effect

Recode:

Universe: HHSTAT\_A=1 and RECJOBSD1\_A=1

Universe Description: Sample adults 18+ who had social distancing measures in effect at their main

job or business they held in the past 12 months

Sources:

Question ID: SDW.0090.00.3

**Keywords:** physical distancing; social distance; COVID-19; coronavirus; workplace

exposure

Notes: Question fielded since quarter 3 of 2020.

**Evaluation Report:** 

#### Unweighted frequencies:

RJCLSNOSD1\_A Recent job - Work close to others when social distancing not in effect

Code	Description	Frequency	Percent
1	All of the time	425	35.86
2	Most of the time	189	15.95
3	Some of the time	294	24.81
4	None of the time	186	15.70
5	Only worked at main job while social distancing measures were in effect	84	7.09
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	7	0.59

Variable: RJCLSOFT1\_A

Module: Adult

Section: SDW : Social distancing at work

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: How often did you need to work closer than 6 feet to other people? Would you

say all of the time, most of the time, some of the time, or none of the time?

If person worked from home full-time and does not know how to answer, ask, "Did your job require you to be face-to-face with any people you didn't live

with?"

If no, answer '4' for "none of the time."

If yes, ask, "How much of your time at work was spent with people who were

closer than 6 feet?"

Description: Recent job - How often work close to others

Recode:

Universe: HHSTAT\_A=1 and RECJOBSD1\_A IN (2,7,9)

Universe Description: Sample adults 18+ who do not have social distancing measures currently in

effect at their main job or business or refused or don't know

Sources:

Question ID: SDW.0100.00.3

Keywords: social distancing; physical distancing; COVID-19; coronavirus; workplace

exposure

Notes: Question fielded since quarter 3 of 2020.

Evaluation Report:

#### Unweighted frequencies:

RJCLSOFT1\_A Recent job - How often work close to others

Code	Description	Frequency	Percent
1	All of the time	175	37.96
2	Most of the time	58	12.58
3	Some of the time	79	17.14
4	None of the time	136	29.50
7	Refused	5	1.08
8	Not Ascertained	0	0.00
9	Don't Know	8	1.74

Variable: CLSWRKNOS1\_A

Module: Adult

Section: SDW : Social distancing at work

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

**Description:** Current or recent job - Work close to others when no social distancing

measures

Recode: Yes

Universe: HHSTAT\_A=1 and (EMPLASTWK\_A=1 or EMPNOWRK\_A=1 or EMPWHYNOT\_A=7 or

EMPWHENWRK\_A=1)

Universe Description: Sample adults 18+ who were working at or were on temporary leave from a paid

job or business last week, or who work, but not for pay at a family-owned job or business, or who did not have a job or business last week but had a job or

business in the past 12 months

Sources: WRKCLSNSD1\_A; WRKCLSOFT1\_A; RJCLSNOSD1\_A; RJCLSOFT1\_A

Question ID:

**Keywords:** physical distancing; social distance; COVID-19; coronavirus; workplace

exposure

Notes: This recode indicates how often sample adults work(ed) close to others when

social distancing measures are not or were not in place at work. Includes sample adults whose jobs have had social distancing measures and those whose jobs have not had any social distancing measures. Source questions for this recode fielded since quarter 3 of 2020. Note that this recode is not directly

comparable to the CLSWRKNOSD\_A recode in 2020, which included all seasonal/contract workers in the universe. Only seasonal/contract workers who

worked in the past 12 months are in universe for CLSWRKNOS1\_A.

**Evaluation Report:** 

#### Unweighted frequencies:

CLSWRKNOS1\_A Current or recent job - Work close to others when no social distancing measures

Code	Description	Frequency	Percent
1	All of the time	5633	31.14
2	Most of the time	2846	15.73
3	Some of the time	5324	29.43
4	None of the time	3532	19.52
5	Only worked at main job when social distancing measures were in effect	546	3.02
7	Refused	49	0.27
8	Not Ascertained	92	0.51
9	Don't Know	69	0.38

Variable: PCNTADTWKP\_A

Module: Adult

Section: FEM : Employment of family members

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Number of adults in sample adult's family who are working

Recode: Yes

Universe: HHSTAT\_A = 1

Universe Description: Sample adults 18+

Sources: EMPWRKLSW1\_A; FEMWORK\_A; FEMWORK\_C; FAMILYA\_FLG

Question ID:

**Keywords:** Related adults; employed

Notes: Information on FEMWORK\_A and FEMWORK\_C was collected in the Adult and Child

interviews and then replicated to the records of appropriate family members in the Person file. This recode is top-coded at 3. Users should be aware that categories 0, 1, 2 and 3 are actual counts but category 8 is NOT a count and

is a label indicating cases that could not be ascertained.

**Evaluation Report:** 

#### Unweighted frequencies:

PCNTADTWKP\_A Number of adults in sample adult's family who are working

Code	Description	Frequency	Percent
0	0 adults	9661	32.77
1	1 adult	10700	36.29
2	2 adults	7566	25.66
3	3+ adults	1555	5.27
8	Not Ascertained	0	0.00

Variable: PCNTADTWFP\_A

Module: Adult

Section: FEM : Employment of family members

File(s): Adult
Data Type: Numeric

Length: 1

Question Text:

Description: Number of adults in sample adult's family who are working full-time

Recode: Yes

Universe: HHSTAT\_A = 1

Universe Description: Sample adults 18+

Sources: EMPWRKFT1\_A; FEMWKFT\_A; FEMWKFT\_C; FAMILYA\_FLG

Question ID:

Keywords: Related adults; employed full-time; full-time employment

Notes: Information on FEMWKFT\_A and FEMWKFT\_C was collected in the Adult and Child

interviews and then replicated to the records of appropriate family members in the Person file. This recode is top-coded at 3. Users should be aware that categories 0, 1, 2, and 3 are actual counts but category 8 is NOT a count and

is a label indicating cases that could not be ascertained.

**Evaluation Report:** 

#### Unweighted frequencies:

PCNTADTWFP\_A Number of adults in sample adult's family who are working full-time

Code	Description	Frequency	Percent
0	0 adults	11944	40.51
1	1 adult	10854	36.82
2	2 adults	5883	19.95
3	3+ adults	801	2.72
8	Not Ascertained	0	0.00

Variable: INCWRKO\_A Module: Adult Section: INC : Family Income File(s): Adult Data Type: Numeric Length: Question Text: In ^LASTYEAR, did ^YOUFAM18YRS receive income from wages, salaries, commissions, bonuses, tips, or self-employment? ^INCSAFAMoptional Fills: ^LASTYEAR Last year ^YOUFAM18YRS you/you or any family members 18 or older ^INCSAFAMoptional Read if necessary: For the purpose of this survey, your family includes ^FAMVERSA\_fill ^FAMVERSA\_fill List of all people in Sample Adult's family Description: Income from wages Recode:

Universe:

HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INC.0020.00.1 financial sources Keywords:

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

INCWRKO A Income from wages

Code	Description	Frequency	Percent
1	Yes	20690	70.18
2	No	7496	25.43
7	Refused	191	0.65
8	Not Ascertained	1055	3.58
9	Don't Know	50	0.17

Variable: INCINTER\_A

Module: Adult

Section: INC : Family Income

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In ^LASTYEAR, did ^YOUFAMHERE receive income from interest-bearing accounts or

investments, dividends from stocks or mutual funds, net rental income, royalty

income, or income from estates and trusts?

**Fills:** ^LASTYEAR Last year

^YOUFAMHERE you/you or any family members

**Description:** Income from accounts

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: INC.0030.00.1

Keywords: financial sources

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

Code	Description	Frequency	Percent
1	Yes	8814	29.90
2	No	18862	63.98
7	Refused	477	1.62
8	Not Ascertained	1066	3.62
9	Don't Know	263	0.89

Variable: INCSSRR\_A

Module: Adult

Section: INC : Family Income

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: In ^LASTYEAR, did ^YOUFAMHERE receive...

Income from Social Security or Railroad Retirement?

Fills: ^LASTYEAR Last year

^YOUFAMHERE you/you or any family members

**Description:** Income from SS/Railroad Retirement

Recode:

Universe: HHSTAT\_A=1 and (INCINTER\_A IN (1,2,9) or INCWRKO\_A IN (1,2,9))

Universe Description: Sample adults 18+ and the sample adult did not refuse both the income from

wages and income from accounts questions

Sources:

Question ID: INC.0040.00.1

Keywords: financial sources

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

Code	Description	Frequency	Percent
1	Yes	9578	33.89
2	No	18451	65.29
7	Refused	128	0.45
8	Not Ascertained	12	0.04
9	Don't Know	93	0.33

Variable: INCSSISSDI\_A

Module: Adult

Section: INC : Family Income

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \*Read if necessary: In ^LASTYEAR, did ^YOUFAMHERE receive...

Supplemental Security Income, SSI, or Social Security Disability Income, SSDI,

which are different from Social Security?

**Fills:** ^LASTYEAR Last year

^YOUFAMHERE you/you or any family members

**Description:** Family income from SSDI

Recode:

Universe: HHSTAT\_A=1and (INCINTER\_A IN (1,2,9) or INCWRKO\_A IN (1,2,9))

Universe Description: Sample adults 18+ and the sample adult did not refuse both the income from

wages and income from accounts questions

Sources:

Question ID: INC.0050.00.1

Keywords: financial sources

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

INCSSISSDI\_A Family income from SSDI

Code	Description	Frequency	Percent
1	Yes	2405	8.51
2	No	25586	90.53
7	Refused	134	0.47
8	Not Ascertained	14	0.05
9	Don't Know	123	0.44

Variable: SSISSDIBTH\_A

Module: Adult

Section: INC : Family Income

File(s): Adult
Data Type: Numeric
Length: 1

Question Text: Was this Supplemental Security Income, SSI, Social Security Disability Income,

SSDI, or both?

**Description:** Which family income SSI/SSDI

Recode:

Universe: HHSTAT\_A=1 and INCSSISSDI\_A=1

Universe Description: Sample adults 18+ where someone in the family gets SSI or SSDI

Sources:

Question ID: INC.0060.00.1
Keywords: financial sources

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

SSISSDIBTH\_A Which family income SSI/SSDI

Code	Description	Frequency	Percent
1	SSI	82	34.10
2	SSDI	1230	51.14
3	Both SSI and SSDI	27	1 11.27
7	Refused		0.08
8	Not Ascertained		0.00
9	Don't Know	8.	3.41

Variable: SSISSDIDSB\_A

Module: Adult

Section: INC : Family Income

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Was this received as a disability benefit?

**Description:** SSI/SSDI due to disability

Recode:

Universe: HHSTAT\_A=1 and INCSSISSDI\_A=1

Universe Description: Sample adults 18+ where someone in the family gets SSI or SSDI and sample

child and sample adult are in the same family and the INC section has not been completed OR the sample adult and sample child are not in the same family OR sample adult and sample child are in the same family, sample child respondent answered all questions asked in the INC section with dk/rf and sample adult is

not the sample child respondent

Sources:

Question ID: INC.0070.00.1

Keywords: financial sources

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

SSISSDIDSB\_A SSI/SSDI due to disability

Code	Description	Frequency	Percent
1	Yes	202	84.20
2	No	34	8 14.47
7	Refused		0.04
8	Not Ascertained		0.00
9	Don't Know	3	1 1.29

Variable: INCWELF\_A

Module: Adult

Section: INC : Family Income

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: In ^LASTYEAR, did ^YOUFAMHERE receive...

Any public assistance or welfare payments from the state or local welfare

office?

Fills: ^LASTYEAR Last year

^YOUFAMHERE you/you or any family members

**Description:** Income from public assistance

Recode:

Universe: HHSTAT\_A=1 and (INCINTER\_A IN (1,2,9) or INCWRKO\_A IN (1,2,9))

Universe Description: Sample adults 18+ and the sample adult did not refuse both the income from

wages and income from accounts questions

Sources:

Question ID: INC.0100.00.1

Keywords: financial sources

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

INCWELF\_A
Income from public assistance

Code	Description	Frequency	Percent
1	Yes	880	3.11
2	No	27182	96.18
7	Refused	109	0.39
8	Not Ascertained	16	0.06
9	Don't Know	75	0.27

Variable: INCRETIRE\_A

Module: Adult

Section: INC : Family Income

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: In ^LASTYEAR, did ^YOUFAMHERE receive...

Income from retirement, survivor, or disability pensions?

Fills: ^LASTYEAR Last year

^YOUFAMHERE you/you or any family members

**Description:** Income from retirement

Recode:

Universe: HHSTAT\_A=1 and (INCINTER\_A IN (1,2,9) or INCWRKO\_A IN (1,2,9))

Universe Description: Sample adults 18+ and the sample adult did not refuse both the income from

wages and income from accounts questions

Sources:

Question ID: INC.0110.00.1
Keywords: financial sources

Notes:

Evaluation Report:

### Unweighted frequencies:

INCRETIRE\_A Income from retirement

Code	Description	Frequency	Percent
1	Yes	5928	20.98
2	No	22073	78.10
7	Refused	142	0.50
8	Not Ascertained	17	0.06
9	Don't Know	102	0.36

Variable: INCOTHR\_A

Module: Adult

Section: INC : Family Income

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: \* Read if necessary: In ^LASTYEAR, did ^YOUFAMHERE receive...

Any other sources of income such as VA payments from the Veterans Benefits Administration, unemployment compensation, child support, or alimony?

Fills: ^LASTYEAR Last year

^YOUFAMHERE you/you or any family members

**Description:** Income from other sources

Recode:

Universe: HHSTAT\_A=1 and (INCINTER\_A IN (1,2,9) or INCWRKO\_A IN (1,2,9))

Universe Description: Sample adults 18+ and the sample adult did not refuse both the income from

wages and income from accounts questions

Sources:

Question ID: INC.0120.00.1

Keywords: financial sources

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

 ${\bf INCOTHR\_A} \qquad \quad {\bf Income \ from \ other \ sources}$ 

Code	Description	Frequency	Percent
1	Yes	4187	14.81
2	No	23847	84.38
7	Refused	137	0.48
8	Not Ascertained	20	0.07
9	Don't Know	71	0.25

Variable: IMPNUM\_A

Module: Adult

Section: INC : Family Income

File(s): Adult, Adultinc

Data Type: Numeric

Length: 2

Question Text:

Description: Imputation number

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:
Question ID:
Keywords:

Notes: The codebook includes imputation 1 from the 10 imputations available.

**Evaluation Report:** 

### Unweighted frequencies:

IMPNUM\_A Imputation number

Code	Description	Frequency	Percent
01-10	Imputation number	29482	100.00

Variable: POVRATTC\_A

Module: Adult

Section: INC : Family Income

File(s): Adult, Adultinc

Data Type: Numeric

Length: 5

Question Text:

**Description:** SA family poverty ratio (top-coded)

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: INCTOTAL\_A; poverty threshold

Question ID:
Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

POVRATTC\_A SA family poverty ratio (top-coded)

Code	Description	Frequency	Percent
00.00-10.99	0.00 to 10.99	27485	93.23
11.00	11.00+	1997	6.77

Variable: RATCAT\_A

Module: Adult

Section: INC : Family Income

File(s): Adult, Adultinc

Data Type: Numeric

Length: 2

Question Text:

Description: Ratio of family income to poverty threshold for SA's family

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources: INCTOTAL\_A PCNT\_A INC100FILL\_A INC250FILL\_A INC138FILL\_A INC75K\_A INC100K\_A

INC138K\_A INC150K\_A INC250K\_A INC400K\_A INC100PCT\_A INC138PCT\_A INC200PCT\_A

INC250PCT\_A INC400PCT\_A

Question ID:

**Keywords:** income; poverty

Notes: Published poverty thresholds for the previous calendar year were obtained

from the Census Bureau and used in these calculations. Please see the Survey

Description Document for more information.

**Evaluation Report:** 

#### Unweighted frequencies:

RATCAT\_A Ratio of family income to poverty threshold for SA's family

Code	Description	Frequency	Percent
01	0.00 - 0.49	756	2.56
02	0.50 - 0.74	835	2.83
03	0.75 - 0.99	1304	4.42
04	1.00 - 1.24	1148	3.89
05	1.25 - 1.49	1509	5.12
06	1.50 - 1.74	1115	3.78
07	1.75 - 1.99	1355	4.60
08	2.00 - 2.49	2419	8.21
09	2.50 - 2.99	2370	8.04
10	3.00 - 3.49	1885	6.39
11	3.50 - 3.99	1854	6.29
12	4.00 - 4.49	1859	6.31
13	4.50 - 4.99	1571	5.33
14	5.00 or greater	9502	32.23
98	Not Ascertained	6	0.00

Variable: IMPINCFLG\_A

Module: Adult

Section: INC : Family Income

File(s): Adult, Adultinc

Data Type: Numeric

Length: 1

Question Text:

**Description:** Imputed SA family income imputation flag

Recode: Yes

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:
Question ID:
Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

IMPINCFLG\_A Imputed SA family income imputation flag

Code	Description	Frequency	Percent
Blank	No Sample Adult or Sample Child in household	0	0.00
0	Income reported	22572	76.56
1	Income imputed; no other information	2789	9.46
2	Income imputed; reported in income brackets	4121	13.98

Variable: FSNAP12M\_A Module: Adult Section: FOO : Food Related Programs File(s): Adult Data Type: Numeric Length: Question Text: At any time in the last 12 months did ^YOUFAMLVHERE\_A receive ^FSSNAPNM? \* Read if necessary: This program puts money on a SNAP EBT card that you can only use to buy food. Fills: ^YOUFAMLVHERE\_A you/any family members living here/you or any family members living at ^HNO ^HNOSUF ^STRNAME ^HNO {Value of HNO} ^HNOSUF {Value of HNOSUF} ^STRNAME {Value of STRNAME} ^FSSNAPNM food stamp benefits/[state food stamp program name] Description: Receive food stamps, past 12m Recode: Universe: HHSTAT\_A=1 Universe Description: Sample adults 18+ Sources: Question ID: F00.0010.00.1 income; food stamps Keywords: Notes: **Evaluation Report:** 

#### Unweighted frequencies:

FSNAP12M\_A Receive food stamps, past 12m

Code	Description	Frequency	Percent
1	Yes	3318	11.25
2	No	24900	84.46
7	Refused	143	0.49
8	Not Ascertained	1089	3.69
9	Don't Know	32	0.11

Variable: FSNAP30D\_A

Module: Adult

Section: FOO : Food Related Programs

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: Did ^YOUFAMLVHERE\_A receive ^FSSNAPNM in the LAST 30 days?

\* Read if necessary: This program puts money on a SNAP EBT card that you can

only use to buy food.

Fills: ^YOUFAMLVHERE\_A you/any family members living here/you or any family

members living at ^HNO ^HNOSUF ^STRNAME

^HNO {Value of HNO}

^HNOSUF {Value of HNOSUF}

^STRNAME {Value of STRNAME}

^FSSNAPNM food stamp benefits/[state food stamp program name]

**Description:** Receive food stamps, past 30d

Recode:

Universe: HHSTAT\_A=1 and FSNAP12M\_A=1

Universe Description: Sample adults 18+ living in families where someone received food stamps in the

last 12 months

Sources:

**Question ID:** F00.0020.00.3

**Keywords:** income; food stamps

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

FSNAP30D\_A Receive food stamps, past 30d

Code	Description	Frequency	Percent
1	Yes	2730	82.28
2	No	570	17.18
7	Refused	2	0.06
8	Not Ascertained	0	0.00
9	Don't Know	16	0.48

Variable: FWIC12M\_A

Module: Adult

Section: FOO : Food Related Programs

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: At any time in the last 12 months did ^YOUFAMLVHERE\_A receive benefits from

the WIC program, that is, the Women, Infants, and Children program?

Fills: ^YOUFAMLVHERE\_A you/any family members living here/you or any family

members living at ^HNO ^HNOSUF ^STRNAME

^HNO {Value of HNO}

^HNOSUF {Value of HNOSUF}

^STRNAME {Value of STRNAME}

**Description:** Receive WIC benefits, past 12m

Recode:

Universe: HHSTAT\_A=1 and (PCNTF1255\_A >= 1 or PCNTC05\_A >= 1)

Universe Description: Sample adults 18+ living in families with females 12-55 years of age or

children 0-5 years of age

Sources:

**Question ID:** F00.0030.00.1

Keywords:

Notes: The universe description for this question is based on rostering information

for the number of females ages 12-55 (PCNTF1255\_A ) and the number of children ages 0-5 (PCNTC05\_A) in the sample adult family, and these variable are not

available in the public use file.

**Evaluation Report:** 

### Unweighted frequencies:

FWIC12M\_A Receive WIC benefits, past 12m

Code	Description	Frequency	Percent
1	Yes	696	4.93
2	No	12830	90.94
7	Refused	44	0.31
8	Not Ascertained	525	3.72
9	Don't Know	13	0.09

Variable: FLUNCH12M\_A

Module: Adult

Section: FOO : Food Related Programs

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: At any time in the last 12 months, did ^SCCHILDFAM\_A receive free or reduced-

cost breakfasts or lunches at school?

\* Read if necessary: The National School Lunch Program and the School Breakfast Program provide cash assistance to states to operate breakfast and lunch programs in schools and residential childcare institutions. The programs provide Low-cost or free breakfasts and lunches to Low-income children in

kindergarten through 12th grade.

Fills: ^SCCHILDFAM\_A ^ALIASNAME/any child in your family

^ALIASNAME {Value of ALIAS}

**Description:** Receive free/reduced meals at school

Recode:

Universe: HHSTAT\_A=1 and PCNTC517\_A >= 1

Universe Description: Sample adults 18+ living in families with children between the ages of 5-17

Sources:

Question ID: F00.0040.00.1

Keywords:

Notes: The universe description for this question is based on rostering information

for the number of children ages 5-17 in the sample adult family (PCNTC517\_A)

and this variable is not available in the public use file.

**Evaluation Report:** 

#### Unweighted frequencies:

FLUNCH12M A Receive free/reduced meals at school

Code	Description	Frequency	Percent
1	Yes	2973	46.07
2	No	3183	49.33
7	Refused	15	0.23
8	Not Ascertained	253	3.92
9	Don't Know	29	0.45

Variable: FDSRUNOUT\_A Module: Adult Section: FDS : Food Security File(s): Adult Data Type: Numeric Length: Question Text: The first statement is "^IWe\_A worried whether ^myour\_A food would run out before ^Iwe\_A got money to buy more." Was that often true, sometimes true, or never true for ^youyourfamily\_A in the last 30 days? Fills: ^IWe\_A ^myour\_A my/our ^youyourfamily\_A you/your family Description: Worry food would run out Recode: HHSTAT\_A=1 Universe: Universe Description: Sample adults 18+ Sources: Question ID: FDS.0020.00.3 Keywords: food security; worried about food; run out Notes: **Evaluation Report:** 

#### Unweighted frequencies:

FDSRUNOUT\_A Worry food would run out

Code	Description	Frequency	Percent
1	Often true	649	2.20
2	Sometimes true	1746	5.92
3	Never true	25913	87.89
7	Refused	51	0.17
8	Not Ascertained	1110	3.77
9	Don't Know	13	0.04

Variable: FDSLAST\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: "The food that ^Iwe\_A bought just didn't last, and ^Iwe\_A didn't have money to

get more." Was that often true, sometimes true, or never true for

^youyourfamily\_A in the last 30 days?

Fills: ^Iwe\_A I/We

^youyourfamily\_A you/your family

**Description:** Food didn't last

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: FDS.0030.00.3

**Keywords:** food security; balanced meals

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

FDSLAST\_A Food didn't last

Code	Description	Frequency	Percent
1	Often true	462	1.57
2	Sometimes true	1497	5.08
3	Never true	26349	89.37
7	Refused	51	0.17
8	Not Ascertained	1111	3.77
9	Don't Know	12	0.04

Variable: FDSBALANCE\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult
Data Type: Numeric

Length: 1

true, or never true for ^youyourfamily\_A in the last 30 days?

Fills: ^IWe\_A I/We

^youyourfamily\_A you/your family

**Description:** Couldn't afford to eat balanced meals

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

**Question ID:** FDS.0040.00.3

**Keywords:** food security; balanced meals

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

FDSBALANCE\_A Couldn't afford to eat balanced meals

Code	Description	Frequency	Percent
1	Often true	578	1.96
2	Sometimes true	1316	4.46
3	Never true	26407	89.57
7	Refused	53	0.18
8	Not Ascertained	1112	3.77
9	Don't Know	16	0.05

Variable: FDSSKIP\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In the last 30 days, did ^youorother\_A ever cut the size of your meals or skip

meals because there wasn't enough money for food?

Fills: ^youorother\_A you/you or other adults in your family

**Description:** Cut the size of meals or skip meals

Recode:

Universe: HHSTAT\_A=1 and (FDSRUNOUT\_A IN (1,2) or FDSLAST\_A IN (1,2) or FDSBALANCE\_A IN

(1,2))

Universe Description: Sample adults 18+ and respondent answered often true or sometimes true that in

the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have

money to get more or couldn't afford to eat balanced meals

Sources:

Question ID: FDS.0050.00.3

**Keywords:** food security; cut meals; skip meals

Notes:

**Evaluation Report:** 

### Unweighted frequencies:

FDSSKIP\_A Cut the size of meals or skip meals

Code	Description	Frequency	Percent
1	Yes	942	31.57
2	No	2036	68.23
7	Refused	0	0.00
8	Not Ascertained	1	0.03
9	Don't Know	5	0.17

Variable: FDSSKIPDYS\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: In the last 30 days, how many days did this happen?

Description: How many days did you/adults in the family cut the size of meals or skip meals

Recode:

Universe: HHSTAT\_A=1 and FDSSKIP\_A=1

Universe Description: Sample adults 18+ who skipped meals due to cost

Sources:

Question ID: FDS.0060.00.3

**Keywords:** food security; cut meals; skip meals

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

FDSSKIPDYS\_A How many days did you/adults in the family cut the size of meals or skip meals

Code	Description	Frequency	Percent
01-30	Range of values	903	95.86
97	Refused	1	0.11
98	Not Ascertained	0	0.00
99	Don't Know	38	4.03

Variable: FDSLESS\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In the last 30 days, did ^youorother\_A ever eat less than you felt you should

because there wasn't enough money for food?

Fills: ^youorother\_A you/you or other adults in your family

**Description:** Eat less than should

Recode:

Universe: HHSTAT\_A=1 and (FDSRUNOUT\_A IN (1,2) or FDSLAST\_A IN (1,2) or FDSBALANCE\_A IN

(1,2))

(1,2))

Sample adults 18+ where respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have

money to get more or couldn't afford to eat balanced meals

Sources:

Question ID: FDS.0070.00.3

Keywords: food security; eat less

Notes:

**Evaluation Report:** 

Universe Description:

### Unweighted frequencies:

FDSLESS\_A Eat less than should

Code	Description	Frequency	Percent
1	Yes	971	32.54
2	No	2008	67.29
7	Refused	1	0.03
8	Not Ascertained	1	0.03
9	Don't Know	3	0.10

Variable: FDSHUNGRY\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In the last 30 days, were ^youorother\_A ever hungry but didn't eat because

there wasn't enough money for food?

Fills: ^youorother\_A you/you or other adults in your family

Description: Ever hungry because not enough money for food

Recode:

Universe: HHSTAT\_A=1 and (FDSRUNOUT\_A IN (1,2) or FDSLAST\_A IN (1,2) or FDSBALANCE\_A IN

(1,2))

(1,2))

Sample adults 18+ and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have

money to get more or couldn't afford to eat balanced meals

Sources:

**Question ID:** FDS.0080.00.3

**Keywords:** food security; hungry

Notes:

**Evaluation Report:** 

Universe Description:

### Unweighted frequencies:

FDSHUNGRY\_A Ever hungry because not enough money for food

Code	Description	Frequency	Percent
1	Yes	587	19.67
2	No	2389	80.06
7	Refused	1	0.03
8	Not Ascertained	1	0.03
9	Don't Know	6	0.20

Variable: FDSWEIGHT\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In the last 30 days, did ^youorother\_A lose weight because there wasn't enough

money for food?

Fills: ^youorother\_A you/you or other adults in your family

Description: Lose weight because not enough money for food

Recode:

Universe: HHSTAT\_A=1 and (FDSRUNOUT\_A IN (1,2) or FDSLAST\_A IN (1,2) or FDSBALANCE\_A IN

(1,2))

(1,2))

Sample adults 18+ where respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have

money to get more or couldn't afford to eat balanced meals

Sources:

**Question ID:** FDS.0090.00.3

**Keywords:** food security; lose weight

Notes:

**Evaluation Report:** 

Universe Description:

### Unweighted frequencies:

FDSWEIGHT\_A Lose weight because not enough money for food

Code	Description	Frequency	Percent
1	Yes	393	13.17
2	No	2564	85.92
7	Refused	2	0.07
8	Not Ascertained	1	0.03
9	Don't Know	24	0.80

Variable: FDSNOTEAT\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: In the last 30 days, did ^youorother\_A ever not eat for a whole day because

there wasn't enough money for food?

Fills: ^youorother\_A you/you or other adults in your family

**Description:** not eat for a whole day

Recode:

Universe: HHSTAT\_A=1 and (FDSSKIP\_A=1 or FDSHUNGRY\_A=1 or FDSWEIGHT\_A=1)

Universe Description: Sample adults 18+ and respondent answered they skipped meals, cut the size of

the meals, were hungry but didn't eat, or lost weight in the last 30 days

because there wasn't enough money for food

Sources:

Question ID: FDS.0100.00.3

Keywords: food security; not eat

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

FDSNOTEAT\_A not eat for a whole day

Code	Description	Frequency	Percent
1	Yes	247	20.25
2	No	969	79.43
7	Refused	1	0.08
8	Not Ascertained	0	0.00
9	Don't Know	3	0.25

Variable: FDSNEDAYS\_A

Module: Adult

Section: FDS : Food Security

File(s): Adult
Data Type: Numeric

Length: 2

Question Text: In the last 30 days, how many days did this happen?

**Description:** How many days not eat

Recode:

Universe: HHSTAT\_A=1 and FDSNOTEAT\_A=1

Universe Description: Sample adults 18+ and respondent didn't eat for a whole day in last 30 days

because there wasn't enough money for food

Sources:

Question ID: FDS.0110.00.3

**Keywords:** food security; not eat

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

 $\textbf{FDSNEDAYS\_A} \quad \text{How many days not eat} \\$ 

Code	Description	Frequency	Percent
01-30	Range of values	241	97.57
97	Refused	0	0.00
98	Not Ascertained	0	0.00
99	Don't Know	6	2.43

FDSCAT3\_A Variable:

Module: Adult

Section: FDS: Food Security

File(s): Adult Data Type: Numeric

1 Length:

Question Text:

Description: Adult 3 category food security recode

Recode: Yes

HHSTAT\_A=1 Universe:

Universe Description: Sample adults 18+

FDSRUNOUT\_A; FDSLAST\_A; FDSBALANCE\_A; FDSSKIP\_A; FDSSKIPDYS\_A; FDSLESS\_A; Sources:

FDSHUNGRY\_A; FDSWEIGHT\_A; FDSNOTEAT\_A; FDSNEDAYS\_A

Question ID:

Keywords: food security

Notes: The food security status of the household was determined by responses to 10

food security questions (FDSRUNOUT\_C/FDSRUNOUT\_C through

FDSNEDAYS\_A/FDSNEDAYS\_C) asked in the adult or child interview. The questions measured the households' food situation based on the past 30 days.

**Evaluation Report:** 

#### Unweighted frequencies:

FDSCAT3\_A Adult 3 category food security recode

Code	Description	Frequency	Percent
1	Food secure	26707	90.59
2	Low food security	941	3.19
3	Very low food security	668	2.27
8	Not Ascertained	1166	3.95

Variable: FDSCAT4\_A

Module: Adult

Section: FDS: Food Security

File(s): Adult Data Type: Numeric

Length: 1

Question Text:

Description: Adult 4 category food security recode

Recode: Yes

HHSTAT\_A=1 Universe:

Universe Description: Sample adults 18+

FDSRUNOUT\_A; FDSLAST\_A; FDSBALANCE\_A; FDSSKIP\_A; FDSSKIPDYS\_A; FDSLESS\_A; Sources:

FDSHUNGRY\_A; FDSWEIGHT\_A; FDSNOTEAT\_A; FDSNEDAYS\_A

Question ID:

Keywords: food security

Notes: The food security status of the household was determined by responses to 10

food security questions (FDSRUNOUT\_C/FDSRUNOUT\_C through

FDSNEDAYS\_A/FDSNEDAYS\_C) asked in the adult or child interview. The questions measured the households' food situation based on the past 30 days.

**Evaluation Report:** 

#### Unweighted frequencies:

Adult 4 category food security recode FDSCAT4\_A

Code	Description	Frequency	Percent
1	High food security	25332	85.92
2	Marginal food security	1375	4.66
3	Low food security	941	3.19
4	Very low food security	668	2.27
8	Not Ascertained	1166	3.95

Variable: HOUYRSLIV\_A

Module: Adult

Section: HOU : Housing

File(s): Adult
Data Type: Numeric

Length: 1

Question Text: About how long ^YRSLIV?

in this house/apartment  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left$ 

^HNO {Value of HNO}

^HNOSUF {Value of HNOSUF}

^STRNAME {Value of STRNAME}

**Description:** Length of time in house/apartment

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: HOU.0010.00.1

Keywords:
Notes:

**Evaluation Report:** 

### Unweighted frequencies:

HOUYRSLIV\_A Length of time in house/apartment

Code	Description	Frequency	Percent
1	Less than 1 year	3183	10.80
2	1 to 3 years	6190	21.00
3	4 to 10 years	7032	23.85
4	11 to 20 years	5316	18.03
5	More than 20 years	6505	22.06
7	Refused	76	0.26
8	Not Ascertained	1157	3.92
9	Don't Know	23	0.08

Variable: HOUTENURE\_A

Module: Adult

**Section:** HOU: Housing

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ^HOUTEN owned or rented by you ^SOMEFAM\_A?

\* If house has a mortgage, record as owned.

this house/apartment

^HNO {Value of HNO}

^HNOSUF {Value of HNOSUF}

^STRNAME {Value of STRNAME}

^SOMEFAM\_A or someone in your family

**Description:** Residence owned/rented

Recode:

Universe: HHSTAT\_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: HOU.0020.00.1

Keywords: house tenure

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

HOUTENURE\_A Residence owned/rented

Code	Description	Frequency	Percent
1	Owned or being bought	19384	65.75
2	Rented	8289	28.12
3	Other arrangement	581	1.97
7	Refused	92	0.31
8	Not Ascertained	1123	3.81
9	Don't Know	13	0.04

Variable: HOUGVASST\_A

Module: Adult

Section: HOU : Housing

File(s): Adult

Data Type: Numeric

Length: 1

Question Text: ^HOUGVT paying lower rent because the Federal, State, or local government is

paying part of the cost?

\* Read if necessary: Federal, State, or Local government housing programs for persons with low income may take many forms. Government housing assistance could come from monetary assistance to help pay rent, a program called "Section 8," direct payments to landlords, vouchers, or other types of assistance from a local housing authority. Living in public housing is

considered housing assistance from the government.

Fills: ^HOUGVT Are you/Are you or anyone in your family/Is your

family at ^HNO ^HNOSUF ^STRNAME

^HNO {Value of HNO}

^HNOSUF {Value of HNOSUF}

^STRNAME {Value of STRNAME}

**Description:** Paying lower rent

Recode:

Universe: HHSTAT\_A=1 and HOUTENURE\_A=2

Universe Description: Sample adults 18+ with a house/apartment that is being rented

Sources:

Question ID: HOU.0030.00.1
Keywords: low rent

Notes:

**Evaluation Report:** 

#### Unweighted frequencies:

HOUGVASST\_A Paying lower rent

Code	Description	Frequency	Percent
1	Yes	969	11.69
2	No	7273	87.74
7	Refused	15	0.18
8	Not Ascertained	1	0.01
9	Don't Know	31	0.37

Numeric listing of Response Values and Labels for EMDINDSTN1\_A (detailed industry recode)

Industry Subsector Code	Industry Subsector Description	U.S. Census Bureau Codes*
Values	Labels	
	Agriculture Industries	
01	Crop production	0170
02	Animal production and aquaculture	0180
03	Forestry and logging	0190, 0270
04	Fishing, hunting, and trapping	0280
05	Support activities for agriculture and forestry	0290
	Mining Industries	
06	Oil and gas extraction	0370
07	Mining (except oil and gas)	0380, 0390, 0470, 0480
08	Support activities for mining	0490
09	Utilities Industries	0570, 0580, 0590, 0670, 0680, 0690
10	Construction Industries	0770
	Manufacturing Industries	
11	Food manufacturing	1070, 1080, 1090, 1170, 1180, 1190, 1270, 1280, 1290
12	Beverage and tobacco product manufacturing	1370, 1390
13	Textile mills	1470, 1480, 1490
14	Textile product mills	1570, 1590, 1670
15	Apparel manufacturing	1691, 1770
16	Leather and allied product manufacturing	1790
17	Wood product manufacturing	3770, 3780, 3790, 3875
18	Paper manufacturing	1870, 1880, 1890
19	Printing and related support activities	1990
20	Petroleum and coal products manufacturing	2070, 2090
21	Chemical manufacturing	2170, 2180, 2190, 2270, 2280, 2290
22	Plastics and rubber products manufacturing	2370, 2380, 2390
23	Nonmetallic mineral product manufacturing	2470, 2480, 2490, 2570, 2590
24	Primary metal manufacturing	2670, 2680, 2690, 2770, 2780, 2990
25	Fabricated metal product manufacturing	2790, 2870, 2880, 2890, 2970, 2980
26	Machinery manufacturing	3070, 3080, 3095, 3170, 3180, 3291
27	Computer and electronic product manufacturing	3365, 3370, 3380, 3390
28	Electrical equipment, appliance, and component manufacturing	3470, 3490
29	Transportation equipment manufacturing	3570, 3580, 3590, 3670, 3680, 3690
30	Furniture and related product manufacturing	3895
31	Miscellaneous manufacturing	3960, 3970, 3980, 3990
	Wholesale Trade Industries	
32	Merchant wholesalers, durable goods	4070, 4080, 4090, 4170, 4180, 4195, 4265, 4270, 4280,
		4290
33	Merchant wholesalers, nondurable goods	4370, 4380, 4390, 4470, 4480, 4490, 4560, 4570, 4580,
0.4		4585
34	Non-specified wholesale trade	4590
0.5	Retail Trade Industries	4070 4000 4000
35	Motor vehicle and parts dealers	4670, 4680, 4690
36	Furniture and home furnishings stores	4770
37	Electronics and appliance stores	4780, 4795
38 39	Building material and garden equipment and supplies dealers	4870, 4880, 4890
40	Food and beverage stores Health and personal care stores	4971, 4972, 4980, 4990 5070, 5080
41	Gasoline stations	5070, 5080 5090
42	Clothing, shoe, jewelry, luggage, and leather goods stores	5170, 5180, 5190
43	Sporting goods, camera, hobby, book and music stores	5275, 5280, 5295, 5370
44	General merchandise stores	5381, 5391
45	Miscellaneous store retailers	5470, 5480, 5490, 5570, 5580
46	Nonstore retailers and non-specified retail trade	5593, 5670, 5680, 5690, 5790
	Transportation and Warehousing Industries	
47	Transportation (including support activities for transportation)	6070, 6080, 6090, 6170, 6180, 6190, 6270, 6280, 6290
48	Postal service, couriers, and messengers	6370, 6380
49	Warehousing and storage	6390
	Information Industries	
50	Newspaper, periodical, book, and software publishing industries	6470, 6480, 6490
51	Motion picture, video, and sound recording industries	6570, 6590
52	Broadcasting and telecommunications	6670, 6680, 6690
	Libraries and archives, internet publishing, web search portals, data processing	
53	and hosting services, and other information services	6672, 6695, 6770, 6780
	Finance and Insurance Industries	
54	Monetary authorities central bank	6870
55	Credit intermediation and related activities	6880, 6890
56	Securities, commodity contracts, and other financial investments and related activities	
57	Insurance carriers and related activities	6991, 6992
	Real Estate and Rental and Leasing Industries	
58	Real estate	7071, 7072
59	Automotive and other consumer goods rental and leasing services	7080, 7181

Professional, Scientific, and Technical Services Industries	480,
Management of Companies and Enterprises Industries Administrative and Support and Waste Management and Remediation Services Industries Education Services Industries Health Care and Social Assistance Industries Ambulatory health care services Hospitals Nursing and residential care facilities Social assistance Arts, Entertainment, and Recreation Industries Performing arts, spectator sports, promoters, agents, artists, writers and related industries Museums, historical sites, and similar institutions Accommodation and Food Services Industries Accommodation  Management of Companies Industries 7570 7570 7570 7570 7570 7570 7570 757	
Administrative and Support and Waste Management and Remediation Services  Industries  Education Services Industries Health Care and Social Assistance Industries  Ambulatory health care services Hospitals Nursing and residential care facilities Social assistance  Arts, Entertainment, and Recreation Industries Performing arts, spectator sports, promoters, agents, artists, writers and related industries Museums, historical sites, and similar institutions Amusement, gambling, and recreation industries Accommodation  Accommodation  Accommodation  Administrative and Support and Remediation Services 7860, 7590, 7670, 7680, 7690, 7770, 7780, 7790 7860, 7870, 7880 7890 7860, 7870, 7980, 7990, 8070, 8080, 8090, 8170, 8180 8191, 8192 8270, 8290 8270, 8290 8370, 8380, 8390, 8470 8561, 8562, 8563, 8564 8561, 8562, 8563, 8564 8570 8570 Amusement, gambling, and recreation industries 8580, 8590 Accommodation 8660, 8670	
Industries   Education Services Industries   7860, 7870, 7880 7890	
64         Education Services Industries         7860, 7870, 7880 7890           65         Health Care and Social Assistance Industries         7970, 7980, 7990, 8070, 8080, 8090, 8170, 8180           66         Hospitals         8191, 8192           67         Nursing and residential care facilities         8270, 8290           68         Social assistance         8370, 8380, 8390, 8470           Arts, Entertainment, and Recreation Industries         Performing arts, spectator sports, promoters, agents, artists, writers and related industries         8561, 8562, 8563, 8564           69         related industrical sites, and similar institutions         8570           70         Museums, historical sites, and similar institutions         8570           71         Amusement, gambling, and recreation industries         8580, 8590           Accommodation and Food Services Industries         8660, 8670	
Health Care and Social Assistance Industries   7970, 7980, 7990, 8070, 8080, 8090, 8170, 8180	
65       Ambulatory health care services       7970, 7980, 7990, 8070, 8080, 8090, 8170, 8180         66       Hospitals       8191, 8192         67       Nursing and residential care facilities       8270, 8290         68       Social assistance       8370, 8380, 8390, 8470         Arts, Entertainment, and Recreation Industries         Performing arts, spectator sports, promoters, agents, artists, writers and       8561, 8562, 8563, 8564         69       related industries       8570         70       Museums, historical sites, and similar institutions       8570         71       Amusement, gambling, and recreation industries       8580, 8590         Accommodation and Food Services Industries       8660, 8670	
Hospitals Nursing and residential care facilities Social assistance Arts, Entertainment, and Recreation Industries Performing arts, spectator sports, promoters, agents, artists, writers and related industries Museums, historical sites, and similar institutions Amusement, gambling, and recreation industries Accommodation Accommodation  8860, 8670	
Nursing and residential care facilities 8270, 8290 Social assistance 8370, 8380, 8390, 8470  Arts, Entertainment, and Recreation Industries Performing arts, spectator sports, promoters, agents, artists, writers and related industries Museums, historical sites, and similar institutions 8570 Amusement, gambling, and recreation industries 8580, 8590  Accommodation and Food Services Industries  Accommodation 8660, 8670	
Social assistance Arts, Entertainment, and Recreation Industries Performing arts, spectator sports, promoters, agents, artists, writers and related industries Museums, historical sites, and similar institutions Museument, gambling, and recreation industries Accommodation and Food Services Industries Accommodation  8370, 8380, 8390, 8470  8561, 8562, 8563, 8564  8570  8570  8580, 8590  Accommodation and Food Services Industries  8660, 8670	
Arts, Entertainment, and Recreation Industries Performing arts, spectator sports, promoters, agents, artists, writers and related industries Museums, historical sites, and similar institutions Amusement, gambling, and recreation industries Accommodation and Food Services Industries Accommodation  Accommodation  Arts, Entertainment, add Recreation Industries as 8561, 8562, 8563, 8564  8570  8580, 8590  8660, 8670	
Performing arts, spectator sports, promoters, agents, artists, writers and related industries  Museums, historical sites, and similar institutions  Accommodation and Food Services Industries  Accommodation  8561, 8562, 8563, 8564  8570  8580, 8590  8580, 8590  8660, 8670	
related industries  Museums, historical sites, and similar institutions  Amusement, gambling, and recreation industries  Accommodation and Food Services Industries  Accommodation  8660, 8670	
70 Museums, historical sites, and similar institutions 8570 71 Amusement, gambling, and recreation industries 8580, 8590  Accommodation and Food Services Industries 72 Accommodation 8660, 8670	
71 Amusement, gambling, and recreation industries 8580, 8590 Accommodation and Food Services Industries 72 Accommodation 8660, 8670	
Accommodation and Food Services Industries 72 Accommodation 8660, 8670	
72 Accommodation 8660, 8670	
0000, 0010	
73 Food convices and drinking places 9600, 9600	
73 Food services and drinking places 8680, 8690	
Other Services (except Public Administration) Industries	
74 Repair and maintenance 8770, 8780, 8790, 8891	
Personal services (barber shops, beauty salons, nail salons, laundry, funeral 8970, 8980, 8990, 9070, 9080, 9090	
75 homes and cemetaries)	
76 Religious, grantmaking, civic, labor, professional, and similar organizations 9160, 9170, 9180, 9190	
77 Private households 9290	
78 <b>Public Administration Industries</b> 9370, 9380, 9390, 9470, 9480, 9490, 9570, 9590	
79 Armed Forces 9890	
97 Refused, classified 9997	
98 Not ascertained 9998 and all other codes not listed	
99 Don't know 9999	
<blank: in="" not="" universe=""></blank:>	

Numeric listing of Response Values and Labels for **EMDINDSTN2\_A** (simple industry recode)

Industry Sector Code	Industry Sector Description	U.S. Census Bureau Codes*
Values	Labels	
01	Agriculture, Forestry, Fishing, and Hunting Industries	0170, 0180, 0190, 0270, 0280, 0290
02	Mining Industries	0370, 0380, 0390, 0470, 0480, 0490
03	Utilities Industries	0570, 0580, 0590, 0670, 0680, 0690
04	Construction Industries	0770
05	Manufacturing Industries	1070, 1080, 1090, 1170, 1180, 1190, 1270, 1280, 1290,
	• • • • • • • • • • • • • • • • • • • •	1370, 1390, 1470, 1480, 1490, 1570, 1590, 1670, 1691,
		1770, 1790, 1870, 1880, 1890, 1990, 2070, 2090, 2170,
		2180, 2190, 2270, 2280, 2290, 2370, 2380, 2390, 2470,
		2480, 2490, 2570, 2590, 2670, 2680, 2690, 2770, 2780,
		2990, 2790, 2870, 2880, 2890, 2970, 2980, 3070, 3080,
		3095, 3170, 3180, 3291, 3365, 3370, 3380, 3390, 3470,
		3490, 3570, 3580, 3590, 3670, 3680, 3690, 3770, 3780,
		3790, 3875, 3895, 3960, 3970, 3980, 3990
06	Wholesale Trade Industries	4070, 4080, 4090, 4170, 4180, 4195, 4265, 4270, 4280,
		4290, 4370, 4380, 4390, 4470, 4480, 4490, 4560, 4570,
		4580, 4585, 4590
		, ,
07	Retail Trade Industries	4670, 4680, 4690, 4770, 4780, 4795, 4870, 4880, 4890,
		4971, 4972, 4980, 4990, 5070, 5080, 5090, 5170, 5180,
		5190, 5275, 5280, 5295, 5370, 5381, 5391, 5470, 5480,
		5490, 5570, 5580, 5593, 5670, 5680, 5690, 5790
08	Transportation and Warehousing Industries	6070, 6080, 6090, 6170, 6180, 6190, 6270, 6280, 6290,
	•	6370, 6380, 6390
09	Information Industries	6470, 6480, 6490, 6570, 6590, 6670, 6672, 6680, 6690,
		6695, 6770, 6780
10	Finance and Insurance Industries	6870, 6880, 6890, 6970, 6991, 6992
11	Real Estate and Rental and Leasing Industries	7071, 7072, 7080, 7181, 7190
12	Professional, Scientific, and Technical Services Industries	7270, 7280, 7290, 7370, 7380, 7390, 7460, 7470, 7480,
		7490
13	Management of Companies and Enterprises Industries	7570
14	Administrative and Support and Waste Management and Remediation Services	7580, 7590, 7670, 7680, 7690, 7770, 7780, 7790
	Industries	
15	Education Services Industries	7860, 7870, 7880, 7890
16	Health Care and Social Assistance Industries	7970, 7980, 7990, 8070, 8080, 8090, 8170, 8180,
		8191, 8192, 8270, 8290, 8370, 8380, 8390, 8470
17	Arts, Entertainment, and Recreation Industries	8561, 8562, 8563, 8564, 8570, 8580, 8590

19 Other Services (except Public Administration) Industries 20 Public Administration Industries 21 Armed Forces 22 Refused, classified 38 Not ascertained 39 Don't know 4 Slank: Not in Universe> 38 Armed Forces 39 Armed Forces 3980 3990 3990 3990 3990 3990 3990 3990	18	Accommodation and Food Services Industries	8660, 8670, 8680, 8690
20       Public Administration Industries       9370, 9380, 9390, 9470, 9480, 9490, 9570, 9590         21       Armed Forces       9890         97       Refused, classified       9997         98       Not ascertained       9998 and all other codes not listed         99       Don't know       9999	19	Other Services (except Public Administration) Industries	8770, 8780, 8790, 8870, 8891, 8970, 8980, 8990, 9070,
21       Armed Forces       9890         97       Refused, classified       9997         98       Not ascertained       9998 and all other codes not listed         99       Don't know       9999			9080, 9090, 9160, 9170, 9180, 9190, 9290
97 Refused, classified 9997 98 Not ascertained 9998 and all other codes not listed 99 Don't know 9999	20	Public Administration Industries	9370, 9380, 9390, 9470, 9480, 9490, 9570, 9590
98 Not ascertained 9998 and all other codes not listed 999 Don't know 9999	21	Armed Forces	9890
99 Don't know 9999	97	Refused, classified	9997
	98	Not ascertained	9998 and all other codes not listed
<blank: in="" not="" universe=""></blank:>	99	Don't know	9999
		<blank: in="" not="" universe=""></blank:>	

\*Note: Column 3 shows the 4-digit U.S. Census Bureau Industry codes corresponding to the 2-digit recodes (Column 1) and their labels (Column 2); these Census codes are NOT available on NHIS public use files but are available through the NCHS Research Data Center. The 2-digit recodes are available on the NHIS public use files.

EMDINDSTN1\_A's 79 distinct categories and EMDINDSTN2\_A's 21 categories are derived from the NAICS Industry Subsectors and Sectors, respectively, as identified by the U.S. Census Bureau and the Bureau of Labor Statistics. For supplemental information on these sectors and subsectors, please refer to https://www.census.gov/naics/. To see how the 2017 Census Industry codes compare to 2017 NAICS codes, please see the Industry and Occupation Supplement on the DHIS webpage.

### Occupation recode appendix for EMDOCCUPN1\_A (detailed occupation recode) and EMDOCCUPN2\_A (simple occupation recode) from the 2018 Standard Occupational Classification (SOC)-based 4-digit codes obtained from U.S. Census Bureau

Numeric listing of Response Values and Labels for **EMDOCCUPN1\_A** (detailed occupation recode)

Occupation Subgroup	Occupation Subgroup Description	U.S. Census Bureau Codes*
Code		
Values	Labels	
	Management Occupations	
01	Chief executives; general and operations managers; legislators	0010, 0020, 0030
02	Advertising, marketing, promotions, public relations, and sales managers	0040, 0051, 0052, 0060
03	Administrative services, compensation/benefits, human resources, training, production, purchasing, and transportion/distribution, and other operations managers	0101, 0102, 0110, 0120, 0135, 0136, 0137, 0140, 0150, 0160
04	5	0205 0220 0220 0200 0210 0225 0225 0240 0250
04	All other management occupations	0205, 0220, 0230, 0300, 0310, 0325, 0335, 0340, 0350, 0360, 0400, 0410, 0420, 0425, 0426, 0440
0.5	Business and Financial Operations Occupations	0500 0510 0500 0500 0510 0505 0000 0000
05	Business operations specialists	0500, 0510, 0520, 0530, 0540, 0565, 0600, 0630, 0640,
06	Financial enecialists	0650, 0700, 0705, 0710, 0725, 0726, 0735, 0750 0800, 0810, 0820, 0830, 0845, 0850, 0860, 0900, 0910,
00	Financial specialists	0930, 0940, 0960
	Computer and Mathematical Occupations	3000, 30 10, 3000
07	Computer specialists	1005, 1006, 1007, 1010, 1021, 1022, 1031, 1032, 1050,
		1065, 1105, 1106, 1108
08	Mathematical science occupations	1200, 1210, 1220, 1230, 1240
	Architecture and Engineering Occupations	
09	Architects, surveyors, and cartographers	1305, 1306, 1310
10	Engineers	1320, 1330, 1340, 1350, 1360, 1400, 1410, 1420, 1430,
		1440, 1450, 1460, 1500, 1510, 1520, 1530
11	Drafters, engineering, and mapping technicians	1541, 1545, 1551, 1555, 1560
	Life, Physical, and Social Science Occupations	
12	Life scientists	1600, 1610, 1640, 1650, 1660
13	Physical scientists	1700, 1710, 1720, 1745, 1750, 1760
14	Social scientists and related workers	1800, 1815, 1821, 1822, 1825, 1830, 1840, 1860
15	Life, physical, and social science technicians	1900, 1910, 1920, 1935, 1940, 1950, 1970, 1980
	Community and Social Services Occupations	
16	Counselors, social workers, and other community and social service specialists	2001, 2002, 2003, 2004, 2005, 2006, 2011, 2012, 2013, 2014, 2015, 2016, 2025
17	Religious workers	2040, 2050, 2060
40	Legal Occupations	0400 0405 0440
18 19	Lawyers, judges, and related workers Legal support workers	2100, 2105, 2110 2145, 2170, 2180
19	Education, Training, and Library Occupations	2140, 2170, 2100
20	Postsecondary teachers	2205
21	Primary, secondary, and special education school teachers	2300, 2310, 2320, 2330
22	Other teachers and instructors	2350, 2360
23	Librarians, curators, and archivists	2400, 2435, 2440
24	Other education, training, and library occupations	2545, 2555
	Arts, Design, Entertainment, Sports, and Media Occupations	
25	Art and design workers	2600, 2631, 2632, 2633, 2634, 2635, 2636, 2640
26	Entertainers and performers, sports and related workers	2700, 2710, 2721, 2722, 2723, 2740, 2751, 2752, 2755, 2770
27	Media and communication workers	2805, 2810, 2825, 2830, 2840, 2850, 2861, 2862, 2865
28	Media and communication equipment workers	2905, 2910, 2920, 2970
	Healthcare Practitioners and Technical Occupations	
29	Health diagnosing and treating practitioners	3000, 3010, 3030, 3040, 3050, 3065, 3070, 3090, 3100, 3110, 3120, 3140, 3150, 3160, 3200, 3210, 3220, 3230, 3235, 3245, 3250, 3255, 3256, 3257, 3258, 3261, 3270
30	Health technologists and technicians	3300, 3310, 3321, 3322, 3323, 3324, 3330, 3401, 3402, 3421, 3422, 3423, 3424, 3430, 3500, 3515, 3520, 3545
31	Other healthcare practitioners and technical occupations	3550
	Healthcare Support Occupations	
32	Nursing, psychiatric, and home health aides	3601, 3602, 3603, 3605
33	Occupational and physical therapist assistants and aides	3610, 3620
34	Other healthcare support occupations	3630, 3640, 3645, 3646, 3647, 3648, 3649, 3655
	Protective Service Occupations	
35	First-line supervisors/managers, protective service workers	3700, 3710, 3720, 3725, 3735
36	Fire fighting and prevention workers	3740, 3750
37	Law enforcement workers	3801, 3802, 3820, 3830, 3840, 3870
38	Other protective service workers	3900, 3910, 3930, 3940, 3945, 3946, 3960
20	Food Preparation and Serving Related Occupations	4000 4040
39 40	Supervisors, food preparation, and serving workers	4000, 4010
40	Cooks and food preparation workers	4020, 4030

41	Food and beverage serving working	4040, 4055, 4110, 4120
42	Other food preparation and serving related workers	4130, 4140, 4150, 4160
	Building and Grounds Cleaning and Maintenance Occupations	
43	Supervisors, building and grounds cleaning and maintenance workers	4200, 4210
44	Building cleaning and pest control workers	4220, 4230, 4240
45	Grounds maintenance workers	4251, 4252, 4255
40		4231, 4232, 4233
40	Personal Care and Service Occupations	1000
46	Supervisors, personal care and service workers	4330
47	Animal care and service workers	4340, 4350
48	Entertainment attendants and related workers	4400, 4420, 4435
49	Funeral service workers	4461, 4465
50	Personal appearance workers	4500, 4510, 4521, 4522, 4525
51	Transportation, tourism, and lodging attendants	4530, 4540
52	Other personal care and service workers	4600, 4621, 4622, 4640, 4655
02	Sales and Related Occupations	4000, 4021, 4022, 4040, 4000
<b>F</b> 0		1700 1710
53	Supervisors, sales workers	4700, 4710
54	Retail sales workers	4720, 4740, 4750, 4760
55	Sales representatives, services	4800, 4810, 4820, 4830, 4840
56	Sales representatives, wholesale and manufacturing	4850
57	Other sales and related workers	4900, 4920, 4930, 4940, 4950, 4965
	Office and Administrative Support Occupations	
58	Supervisors, office and administrative support workers	5000
59	Communications equipment operators	5010, 5020, 5040
60	Financial clerks	5100, 5110, 5120, 5130, 5140, 5150, 5160, 5165
61	Information and record clerks	5200, 5210, 5220, 5230, 5240, 5250, 5260, 5300, 5310,
		5320, 5330, 5340, 5350, 5360, 5400, 5410, 5420
62	Material recording, scheduling, dispatching, and distributing workers	5500, 5510, 5521, 5522, 5530, 5540, 5550, 5560, 5600,
		5610, 5630
63	Secretaries and administrative assistants	5710, 5720, 5730, 5740
64	Other office and administrative support workers	5810, 5820, 5830, 5840, 5850, 5860, 5900, 5910, 5920,
04	Other office and administrative support workers	
	Francisco Pictico and Francisco Occasional	5940
	Farming, Fishing, and Forestry Occupations	
65	Supervisors, farming, fishing, and forestry workers	6005
66	Agricultural workers	6010, 6020, 6040, 6050
67	Fishing and hunting workers	6115
68	Forest, conservation, and logging workers	6120, 6130
	Construction and Extraction Occupations	
69	Supervisors, construction and extraction workers	6200
70	Construction trades workers	6210, 6220, 6230, 6240, 6250, 6260, 6305, 6330, 6355,
70	Construction trades workers	
		6360, 6400, 6410, 6441, 6442, 6460, 6500, 6515, 6520,
		6530, 6540
71	Helpers, construction trades	6600
72	Other construction and related workers	6660, 6700, 6710, 6720, 6730, 6740, 6750, 6765
73	Extraction workers	6800, 6821, 6825, 6835, 6850, 6920, 6950
. •	Installation, Maintenance, and Repair Occupations	3330, 3321, 3323, 3333, 3323, 3323
74	Supervisors of installation, maintenance, and repair workers	7000
75	Electrical and electronic equipment mechanics, installers, and repairers	7010, 7020, 7030, 7040, 7050, 7100, 7110, 7120, 7130
76	Vehicle and mobile equipment mechanics, installers, and repairers	7140, 7150, 7160, 7200, 7210, 7220, 7240, 7260
77	Other installation, maintenance, and repair occupations	7300, 7315, 7320, 7330, 7340, 7350, 7360, 7410, 7420,
		7430, 7440, 7510, 7520, 7540, 7550, 7560, 7610, 7640
	Production Occupations	
78	Supervisors, production workers	7700
79	Assemblers and fabricators	7710, 7720, 7730, 7740, 7750
80	Food processing workers	7800, 7810, 7830, 7840, 7850, 7855
	, 9	
81	Metal workers and plastic workers	7905, 7925, 7950, 8000, 8025, 8030, 8040, 8060, 8100,
		8130, 8140, 8225
82	Printing workers	8250, 8255, 8256
83	Textile, apparel, and furnishings workers	8300, 8310, 8320, 8335, 8350, 8365, 8450, 8465
84	Woodworkers	8500, 8510, 8530, 8540, 8555
85	Plant and system operators	8600, 8610, 8620, 8630
86	Other production occupations	8640, 8650, 8710, 8720, 8730, 8740, 8750, 8760, 8800,
00	Carlot production occupations	8810, 8830, 8850, 8910, 8920, 8930, 8940, 8950, 8865,
		0010, 0000, 0000, 0910, 0920, 0900, 0940, 0900, 0000,
		8000
	Transportation and Material Marriag Conventions	8990
0.7	Transportation and Material Moving Occupations	
87	Supervisors, transportation and material moving workers	9005
88	Supervisors, transportation and material moving workers Air transportation workers	9005 9030, 9040, 9050
	Supervisors, transportation and material moving workers	9005
88	Supervisors, transportation and material moving workers Air transportation workers	9005 9030, 9040, 9050
88 89	Supervisors, transportation and material moving workers Air transportation workers Motor vehicle operators	9005 9030, 9040, 9050 9110, 9121, 9122, 9130, 9141, 9142, 9150
88 89 90 91	Supervisors, transportation and material moving workers Air transportation workers Motor vehicle operators Rail transportation workers Water transportation workers	9005 9030, 9040, 9050 9110, 9121, 9122, 9130, 9141, 9142, 9150 9210, 9240, 9265 9300, 9310, 9330
88 89 90 91 92	Supervisors, transportation and material moving workers Air transportation workers Motor vehicle operators Rail transportation workers Water transportation workers Other transportation workers	9005 9030, 9040, 9050 9110, 9121, 9122, 9130, 9141, 9142, 9150 9210, 9240, 9265 9300, 9310, 9330 9350, 9365, 9410, 9415, 9430
88 89 90 91	Supervisors, transportation and material moving workers Air transportation workers Motor vehicle operators Rail transportation workers Water transportation workers	9005 9030, 9040, 9050 9110, 9121, 9122, 9130, 9141, 9142, 9150 9210, 9240, 9265 9300, 9310, 9330 9350, 9365, 9410, 9415, 9430 9510, 9570, 9600, 9610, 9620, 9630, 9640, 9645, 9650,
88 89 90 91 92	Supervisors, transportation and material moving workers Air transportation workers Motor vehicle operators Rail transportation workers Water transportation workers Other transportation workers	9005 9030, 9040, 9050 9110, 9121, 9122, 9130, 9141, 9142, 9150 9210, 9240, 9265 9300, 9310, 9330 9350, 9365, 9410, 9415, 9430
88 89 90 91 92	Supervisors, transportation and material moving workers Air transportation workers Motor vehicle operators Rail transportation workers Water transportation workers Other transportation workers	9005 9030, 9040, 9050 9110, 9121, 9122, 9130, 9141, 9142, 9150 9210, 9240, 9265 9300, 9310, 9330 9350, 9365, 9410, 9415, 9430 9510, 9570, 9600, 9610, 9620, 9630, 9640, 9645, 9650,
88 89 90 91 92 93	Supervisors, transportation and material moving workers Air transportation workers Motor vehicle operators Rail transportation workers Water transportation workers Other transportation workers Material moving workers	9005 9030, 9040, 9050 9110, 9121, 9122, 9130, 9141, 9142, 9150 9210, 9240, 9265 9300, 9310, 9330 9350, 9365, 9410, 9415, 9430 9510, 9570, 9600, 9610, 9620, 9630, 9640, 9645, 9650, 9720, 9760
88 89 90 91 92 93	Supervisors, transportation and material moving workers Air transportation workers Motor vehicle operators Rail transportation workers Water transportation workers Other transportation workers Material moving workers  Military Specific Occupations	9005 9030, 9040, 9050 9110, 9121, 9122, 9130, 9141, 9142, 9150 9210, 9240, 9265 9300, 9310, 9330 9350, 9365, 9410, 9415, 9430 9510, 9570, 9600, 9610, 9620, 9630, 9640, 9645, 9650, 9720, 9760 9840
88 89 90 91 92 93	Supervisors, transportation and material moving workers Air transportation workers Motor vehicle operators Rail transportation workers Water transportation workers Other transportation workers Material moving workers  Military Specific Occupations Refused, classified	9005 9030, 9040, 9050 9110, 9121, 9122, 9130, 9141, 9142, 9150 9210, 9240, 9265 9300, 9310, 9330 9350, 9365, 9410, 9415, 9430 9510, 9570, 9600, 9610, 9620, 9630, 9640, 9645, 9650, 9720, 9760 9840 9997

Numeric listing of Response Values and Labels for **EMDOCCUPN2\_A** (simple occupation recode)

Occupation Major Group	Occupation Major Group Description	U.S. Census Bureau Codes*
Code	Labala	
Values 01	Labels  Management Occupations	0010, 0020, 0030, 0040, 0051, 0052, 0060, 0101, 0102, 0110, 0120, 0135, 0136, 0137, 0140, 0150, 0160, 0205, 0220, 0230, 0300, 0310, 0325, 0335, 0340, 0350, 0360, 0400, 0410, 0420, 0425, 0426, 0440
02	Business and Financial Operations Occupations	0500, 0510, 0520, 0530, 0540, 0565, 0600, 0630, 0640, 0650, 0700, 0705, 0710, 0725, 0726, 0735, 0750, 0800, 0810, 0820, 0830, 0845, 0850, 0860, 0900, 0910, 0930, 0940, 0960
03	Computer and Mathematical Occupations	1005, 1006, 1007, 1010, 1021, 1022, 1031, 1032, 1050, 1065, 1105, 1106, 1108, 1200, 1210, 1220, 1230, 1240
04	Architecture and Engineering Occupations	1305, 1306, 1310, 1320, 1330, 1340, 1350, 1360, 1400, 1410, 1420, 1430, 1440, 1450, 1460, 1500, 1510, 1520, 1530, 1541, 1545, 1551, 1555, 1560
05	Life, Physical, and Social Science Occupations	1600, 1610, 1640, 1650, 1660, 1700, 1710, 1720, 1745, 1750, 1760, 1800, 1815, 1821, 1822, 1825, 1830, 1840, 1860, 1900, 1910, 1920, 1935, 1940, 1950, 1970, 1980
06	Community and Social Services Occupations	2001, 2002, 2003, 2004, 2005, 2006, 2011, 2012, 2013, 2014, 2015, 2016, 2015, 2016, 2025, 2040, 2050, 2060
07 08	Legal Occupations Education, Training, and Library Occupations	2100, 2105, 2110, 2145, 2170, 2180 2205, 2300, 2310, 2320, 2330, 2350, 2360, 2400, 2435, 2440, 2545, 2555
09	Arts, Design, Entertainment, Sports and Media Occupations	2600, 2631, 2632, 2633, 2634, 2635, 2636, 2640, 2700, 2710, 2721, 2722, 2723, 2740, 2751, 2752, 2755, 2770, 2805, 2810, 2825, 2830, 2840, 2850, 2861, 2862, 2865, 2905, 2910, 2920, 2970
10	Healthcare Practitioners and Technical Occupations	3000, 3010, 3030, 3040, 3050, 3065, 3070, 3090, 3100, 3110, 3120, 3140, 3150, 3160, 3200, 3210, 3220, 3230, 3235, 3245, 3250, 3255, 3256, 3257, 3258, 3261, 3270, 3300, 3310, 3321, 3322, 3323, 3324, 3330, 3401, 3402, 3421, 3422, 3423, 3424, 3430, 3500, 3515, 3520, 3545, 3550
11	Healthcare Support Occupations	3601, 3602, 3603, 3605, 3610, 3620, 3630, 3640, 3645, 3646, 3647, 3648, 3649, 3655
12	Protective Service Occupations	3700, 3710, 3720, 3725, 3735, 3740, 3750, 3801, 3802, 3820, 3830, 3840, 3870, 3900, 3910, 3930, 3940, 3945, 3946, 3960
13	Food Preparation and Serving Related Occupations	4000, 4010, 4020, 4030, 4040, 4055, 4110, 4120, 4130, 4140, 4150, 4160
14	<b>Building and Grounds Cleaning and Maintenance Occupations</b>	4200, 4210, 4220, 4230, 4240, 4251, 4252, 4255
15	Personal Care and Service Occupations	4330, 4340, 4350, 4400, 4420, 4435, 4461, 4465, 4500, 4510, 4521, 4522, 4525, 4530, 4540, 4600, 4621, 4622, 4640, 4655
16	Sales and Related Occupations	4700, 4710, 4720, 4740, 4750, 4760, 4800, 4810, 4820, 4830, 4840, 4850, 4900, 4920, 4930, 4940, 4950, 4965
17	Office and Administrative Support Occupations	5000, 5010, 5020, 5040, 5100, 5110, 5120, 5130, 5140, 5150, 5160, 5165, 5200, 5210, 5220, 5230, 5240, 5250, 5260, 5300, 5310, 5320, 5330, 5340, 5350, 5360, 5400, 5410, 5420, 5500, 5510, 5521, 5522, 5530, 5540, 5550, 5560, 5600, 5610, 5630, 5710, 5720, 5730, 5740, 5810, 5820, 5830, 5840, 5850, 5860, 5900, 5910, 5920, 5940
18	Farming, Fishing, and Forestry Occupations	6005, 6010, 6020, 6040, 6050, 6115, 6120, 6130
19	Construction and Extraction Occupations	6200, 6210, 6220, 6230, 6240, 6250, 6260, 6305, 6330, 6355, 6360, 6400, 6410, 6441, 6442, 6460, 6500, 6515, 6520, 6530, 6540, 6600, 6660, 6700, 6710, 6720, 6730, 6740, 6750, 6765, 6800, 6821, 6825, 6835, 6850, 6920,
20	Installation, Maintenance, and Repair Occupations	6950 7000, 7010, 7020, 7030, 7040, 7050, 7100, 7110, 7120, 7130, 7140, 7150, 7160, 7200, 7210, 7220, 7240, 7260, 7300, 7315, 7320, 7330, 7340, 7350, 7360, 7410, 7420, 7430, 7440, 7510, 7520, 7540, 7550, 7560, 7610, 7640

21	Production Occupations	7700, 7710, 7720, 7730, 7740, 7750, 7800, 7810, 7830,
	·	7840, 7850, 7855, 7905, 7925, 7950, 8000, 8025, 8030,
		8040, 8060, 8100, 8130, 8140, 8225, 8250, 8255, 8256,
		8300, 8310, 8320, 8335, 8350, 8365, 8450, 8465, 8500,
		8510, 8530, 8540, 8555, 8600, 8610, 8620, 8630, 8640,
		8650, 8710, 8720, 8730, 8740, 8750, 8760, 8800, 8810,
		8830, 8850, 8910, 8920, 8930, 8940, 8950, 8865, 8990
22	Transportation and Material Moving Occupations	9005, 9030, 9040, 9050, 9110, 9121, 9122, 9130, 9141,
		9142, 9150, 9210, 9240, 9265, 9300, 9310, 9330, 9350,
		9365, 9410, 9415, 9430, 9510, 9570, 9600, 9610, 9620,
		9630, 9640, 9645, 9650, 9720, 9760
23	Military Specific Occupations	9840
97	Refused, classified	9997
98	Not ascertained	9998 and all other codes not listed
99	Don't know	9999
	<blank: in="" not="" universe=""></blank:>	

\*Note: Column 3 shows the 4-digit U.S. Census Bureau Occupation codes corresponding to the 2-digit recodes (Column 1) and their labels (Column 2); these Census codes are NOT available on NHIS public use files but are available through the NCHS Research Data Center. The 2-digit recodes are available on the NHIS public use files.

EMDOCCUPN1\_A's 94 distinct categories and EMDOCCUPN2\_A's 23 categories are derived from the SOC Occupation Subgroups and Major Occupation Groups, respectively, as identified by the U.S. Census Bureau and the Bureau of Labor Statistics. For supplemental information on these subgroups and groups, please refer to https://www.bls.gov/soc/2018/major\_groups.htm. To see how the 2018 Census Occupation codes compare to 2018 SOC codes, please see the Industry and Occupation Supplement on the DHIS webpage.