

The background of the image is the cover art for the video game 'LEGO Star Wars: The Video Game'. It features a large, menacing LEGO Darth Vader in the background. In the foreground, several LEGO characters are shown: Anakin Skywalker in the center holding a blue lightsaber, Padmé Amidala to his left, Yoda to his right, and a small Darth Vader on the far left holding a red lightsaber. R2-D2 is visible on the right. The scene is set against a fiery, lava-like background.

LEGO STAR WARS

THE VIDEO GAME

Save file
editing guide

Contents

Introduction	3	Episode IV A New Hope	9
Binary Code	4	Hints	9
Hex Code	5	In-game hints	9
Editing	5	Shop hints	10
Little-Endian	5	Spawn between Episodes II and III doors in Dexter's Dinner	11
Save file values	6	Super-Kit	11
Checksum	6	Canisters	11
Game configuration settings	6	Episode I The Phantom Menace ..	12
Stud Value	6	Chapter 1 Negotiations	12
Level Status	7	Chapter 2 Invasion of Naboo	13
Episode I The Phantom Menace ..	7	Chapter 3 Escape from Naboo	14
Chapter 1 Negotiations	7	Chapter 4 Mos Espa Podrace	15
Chapter 2 Invasion Of Naboo	7	Chapter 5 Retake Theed Palace	16
Chapter 3 Escape From Naboo	7	Chapter 6 Darth Maul	17
Chapter 4 Mos Espa Podrace	7	Episode II Attack Of The Clones ..	18
Chapter 5 Retake Theed Palace	7	Chapter 1 Discovery On Kamino	18
Chapter 6 Darth Maul	7	Chapter 2 Droid Factory	19
Episode II Attack Of The Clones	8	Chapter 3 Jedi Battle	20
Chapter 1 Discovery On Kamino	8	Chapter 4 Gunship Cavalry	21
Chapter 2 Droid Factory	8	Chapter 5 Count Dooku	22
Chapter 3 Jedi Battle	8	Episode III Revenge Of The Sith ..	23
Chapter 4 Gun Ship Cavalry	8	Chapter 1 Battle Over Coruscant	23
Chapter 5 Count Dooku	8	Chapter 2 Chancellor In Peril	24
Episode III Revenge Of The Sith	8	Chapter 3 General Grievous	25
Chapter 1 Battle Over Coruscant	8	Chapter 4 Defence Of Kashyyyk	26
Chapter 2 Chancellor In Peril	8	Chapter 5 Ruin Of The Jedi	27
Chapter 3 General Grievous	8	Chapter 6 Darth Vader	28
Chapter 4 Defence Of Kashyyyk	8	Characters	29
Chapter 5 Ruin Of The Jedi	8	Extras	34
Chapter 6 Darth Vader	9		

Introduction

This guide aims to explain how to modify a save file for Lego Star Wars: The Video Game on PC/Mac and go into details about how the game stores progression. The game writes to the save file in little-endian format. A guide on binary and hex code will be in this document to make it easier to understand how the values in the save file work. This is not intended to cheat as it's best to have completed the game to know how these values translate in the game. The save file is stored in a folder in the root directory of the game. On PC/Mac the game can have up to 6 save files. The folder names range from lsw_0 to lsw_5. In each respective folder contains 2 files CODE.BIN and LSW.BIN. CODE.BIN contains the displayed stud value on the save file load screen which most of the time is correct(unless it hasn't been updated after modifying the save file). LSW.BIN is the main save file where all the save data is stored.

Binary Code

Binary code works in a base 2 system and stores values as 0 or 1, this can also be translated to On or Off and also True or False. For the scope of this guide the focus will only be on 1-byte binary values 8 bits and 1 bit is each character in binary. 1-byte binary values can be translated to decimal using the 8-bit position numbers 1, 2, 4, 8, 16, 32, 64 and 128. Any combination of these 8 decimal numbers can get you any decimal value between 0 and 255. Now let's use those 8 numbers to work out what 01101010 is. First from right to left use these 8 numbers starting with the highest value, then write the binary number underneath those numbers as follows.

128	64	32	16	8	4	2	1
0	1	1	0	1	0	1	0

Now take the numbers that have a 1 in their column in this case 64, 32, 8 and 2. Now add these numbers up $64 + 32 = 96$, $96 + 8 = 104$, $104 + 2 = 106$. Now it has been worked out the binary value of 01101010 in decimal is 106.

Hex Code

Hex Code is a base 16 system and sits between Binary and Decimal. In Hex the 16 values are 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, A, B, C, D, E and F. 0-9 is the same in Decimal then A-F is 10-15 in Decimal. After F the value is 10 which is 16 in decimal. To be clear 10 in Hex is not Decimal 10 and 10 in Hex is said One Zero. The highest 1-byte value in hex is FF with the decimal value being 255. To avoid confusion sometime to clearly state a Hex value and not confuse with decimal the value gets written with a 0x in front so 0x10 will not be confused for decimal 10 and will be interpreted as One Zero. Hex code is a way to condense Binary code as instead of it being written as 8 characters per byte in Hex that can be written as 2 characters per byte. The 8 decimal numbers for Binary bit positions 1, 2, 4, 8, 16, 32, 64 and 128. In Hex these are written as 0x1, 0x2, 0x4, 0x8, 0x10, 0x20, 0x40 and 0x80. Any combination of these values can represent a Decimal value between 0 and 255.

Editing

In Hex code editing there is an address location known as memory address which tells where a Hex value can be put. The memory address works by columns and rows. The columns range from 00 to 0F and go up by 0x1. The rows start at 0x0 and go up by 0x10 for however many rows required. A memory address is determined by the row plus the column so if it's in row 0x1A0 and column 0x05 the memory address is 0x1A5. Each memory address is one byte. So, if key unlocked value is 0x20 in the memory address 0x1A5, this means that if 0x20 can be found in memory address 0x1A5 then the key is unlocked.

If multiple values are stored in one memory address, such as:

- Red key value = 0x10
- Green key value = 0x20
- Yellow key value = 0x40

all at memory address 0x1A5, then:

- If the value at 0x1A5 is 0x10, it means only the Red key is unlocked, while the Green and Yellow keys are locked.
- If the value is 0x60 (which is 0x20 + 0x40), it means the Green and Yellow keys are unlocked, but the Red key is locked since its value is not present.
- If the value is 0x70 (which contains 0x10 + 0x20 + 0x40) meaning all values are present, then all 3 keys are unlocked.

Little-Endian

Little-Endian Byte order stores values with more than one byte in the reverse byte order. Let's take decimal 10,000 and its hexadecimal value 0x2710, where the first byte is 0x27 and the second byte is 0x10. In little-endian format, the bytes are stored least significant first, so decimal 10,000 would appear as 0x1027.

Save file values

Checksum

The Checksum is stored across a 4-byte value at 0x210 to 0x213 in little-endian format. It is calculated by adding all the values in the save file in 4-byte chunks. The checksum value must match the calculated value, otherwise the load is corrupted. When it's too hard to add or take away any changes made use the checksum updater program from Pollythepancake at <https://github.com/PollyThePancake/LSWSCU> to do it for you.

Game configuration settings

Here is a list of configuration settings, their memory addresses, and corresponding hex values:

- Auto Save
 - Memory Address: 0x04
 - Value: 0x01 (enabled)
- Surround Sound
 - Memory Address: 0x05
 - Value: 0x01 (enabled)
- Sound
 - Memory Address: 0x08
 - Value: Any hex value
 - Description: The value represents the sound level in decimal. For example, if the value is 0x0A, the sound level is 10. This value can be set higher than 10,
- Music
 - Memory Address: 0x09
 - Value: 0x01 (enabled)
- Reverse Up and Down Controls
 - Memory Address: 0x0C
 - Value: 0x01 (enabled)
 - Description: This setting affects flight controls in Episode III Revenge Of The Sith Chapter 1 Battle Over Coruscant.

but it may be too loud for some users.

Stud Value

The Stud value is stored across a 4-byte memory address from 0x204 to 0x207, and the value in this address range will reflect the in-game stud value.

For example, if the save file has 100,000 studs, the hexadecimal value is 0x0186A0. Since the game uses little-endian byte order, the value would be stored in memory as 00 A0 86 01. The maximum value possible in-game is 2,147,483,640 which in hexadecimal is 0x7FFFFFF8. In little-endian format this is stored as F8 FF FF 7F. The absolute maximum possible value down to the final unit is 2,147,483,647 which in hexadecimal is 0x7FFFFFFF. In little-endian, that is stored as FF FF FF 7F. If the stud value goes beyond 2,147,483,647 it will become a negative value because the value isn't a 32-bit signed value which the game doesn't handle correctly.

Level Status

Each level status stores the following information:

- Story unlocked
 - Value: 0x00 or 0x01
 - Description: The level can be entered.
- Story complete
 - Value: 0x00 or 0x01
 - Description: This level's story mode has been completed.
- Stud meter filled
 - Value: 0x00 or 0x01
 - Description: This level has achieved True Jedi status.
- Minikit built
 - Value: 0x00 or 0x01
 - Description: The Minikit for this level has been fully built.
- Canister Count
 - Value: Ranges from 0x00 to 0x0A
 - Description: The number of canisters collected in this level.

Each Levels memory addresses:

Episode I The Phantom Menace

Chapter 1 Negotiations

- Story unlocked: 0x110
- Story complete: 0x111
- Stud meter filled: 0x112
- Minikit built: 0x113
- Canister Count: 0x114

Chapter 4 Mos Espa Podrace

- Story unlocked: 0x128
- Story complete: 0x129
- Stud meter filled: 0x12A
- Minikit built: 0x12B
- Canister Count: 0x12C

Chapter 2 Invasion Of Naboo

- Story unlocked: 0x118
- Story complete: 0x119
- Stud meter filled: 0x11A
- Minikit built: 0x11B
- Canister Count: 0x11C

Chapter 5 Retake Theed Palace

- Story unlocked: 0x130
- Story complete: 0x131
- Stud meter filled: 0x132
- Minikit built: 0x133
- Canister Count: 0x134

Chapter 3 Escape From Naboo

- Story unlocked: 0x120
- Story complete: 0x121
- Stud meter filled: 0x122
- Minikit built: 0x123
- Canister Count: 0x124

Chapter 6 Darth Maul

- Story unlocked: 0x138
- Story complete: 0x139
- Stud meter filled: 0x13A
- Minikit built: 0x13B
- Canister Count: 0x13C

Lego Star Wars: The Video Game save file editing guide

Episode II Attack Of The Clones

Chapter 1 Discovery On Kamino

- Story unlocked: 0x148
- Story complete: 0x149
- Stud meter filled: 0x14A
- Minikit built: 0x14B
- Canister Count: 0x14C

Chapter 2 Droid Factory

- Story unlocked: 0x150
- Story complete: 0x151
- Stud meter filled: 0x152
- Minikit built: 0x153
- Canister Count: 0x154

Chapter 3 Jedi Battle

- Story unlocked: 0x158
- Story complete: 0x159

- Stud meter filled: 0x15A
- Minikit built: 0x15B
- Canister Count: 0x15C

Chapter 4 Gun Ship Cavalry

- Story unlocked: 0x160
- Story complete: 0x161
- Stud meter filled: 0x162
- Minikit built: 0x163
- Canister Count: 0x164

Chapter 5 Count Dooku

- Story unlocked: 0x168
- Story complete: 0x169
- Stud meter filled: 0x16A
- Minikit built: 0x16B
- Canister Count: 0x16C

Episode III Revenge Of The Sith

Chapter 1 Battle Over Coruscant

- Story unlocked: 0x178
- Story complete: 0x179
- Stud meter filled: 0x17A
- Minikit built: 0x17B
- Canister Count: 0x17C

Chapter 2 Chancellor In Peril

- Story unlocked: 0x180
- Story complete: 0x181
- Stud meter filled: 0x182
- Minikit built: 0x183
- Canister Count: 0x184

Chapter 3 General Grievous

- Story unlocked: 0x188
- Story complete: 0x189
- Stud meter filled: 0x18A

- Minikit built: 0x18B
- Canister Count: 0x18C

Chapter 4 Defence Of Kashyyyk

- Story unlocked: 0x190
- Story complete: 0x191
- Stud meter filled: 0x192
- Minikit built: 0x193
- Canister Count: 0x194

Chapter 5 Ruin Of The Jedi

- Story unlocked: 0x198
- Story complete: 0x199
- Stud meter filled: 0x19A
- Minikit built: 0x19B
- Canister Count: 0x19C

Lego Star Wars: The Video Game save file editing guide

Chapter 6 Darth Vader

- Story unlocked: 0x1A0
- Story complete: 0x1A1
- Stud meter filled: 0x1A2
- Minikit built: 0x1A3
- Canister Count: 0x1A4

Episode IV A New Hope

- Story unlocked: 0x1B0
- Story complete: 0x1B1

Hints

In-game hints

The in-game hints are stored across a 4-byte memory address from 0x208 to 0x20B. Once the value of a hint is present in the save file it will not display again on that save file.

Here is each memory address and the hints it contains, along with the associated value:

- Address: 0x208
 - Hint: "Hold [SPECIAL] to use your special ability. Jedi can use The Force on glowing LEGO objects."
 - Value: 0x04
 - Hint: "Walk up to a friendly character and press [TAG] to take control of them."
 - Value: 0x08
 - Hint: "Hold [SPECIAL] to use your special ability. Droids can open certain doors."
 - Value: 0x40
 - Hint: "You can regain control of your other characters at any time by moving up to them and pressing [TAG]."
 - Value: 0x20
 - Hint: "Press [SPECIAL] to use the Force on glowing LEGO objects."
 - Value: 0x02
 - Hint: "Press [ACTION] to deflect blaster bolts as they approach you."
 - Value: 0x10
 - Hint: "In Free Play mode, you can cycle between different characters by pulling [TOGGLELEFT] or [TOGGLERIGHT]. Remember, each character has a different ability."
 - Value: 0x01
- Address: 0x209
 - Hint: "Jar Jar can jump higher than other characters. Press [x] twice to do his super jump."
 - Value: 0x80

Lego Star Wars: The Video Game save file editing guide

- Hint: "Blaster characters can grapple to other areas. Stand on the red circles and press [CIRCLE]."
 - Value: 0x40
- Hint: "Try to tag your friend before you are gripped by the forces of the dark side."
 - Value: 0x02
- Address: 0x20A
 - Hint: "Astromech droids can use their probe on some electronic panels. Move up to the panel and press [circle]."
 - Value: 0x01
 - Hint: "Hold CIRCLE to use your special ability. Young Anakin can crawl through certain vents."
 - Value: 0x08
- Address: 0x20B
 - Hint: "Blaster characters can shoot targets."
 - Value: 0x04

Other in-game hints are tied to the level if its story mode has been completed.

Shop hints

The shop hints are stored across a 2-byte memory address from 0x1C0 to 0x1C1. These hints can be bought at Dexter's shop.

Here is each memory address and the hints it contains, along with the associated value:

- Address: 0x1C0
 - Hint: "Blaster characters can grapple to other areas. Stand on the red circles and press [CIRCLE]."
 - Value: 0x020
 - Hint: "Jar Jar can jump higher than other characters. Press [x] twice to do his super jump."
 - Value: 0x40
 - Hint: "Astromech droids can use their probe on some electronic panels. Move up to the panel and press [circle]."
 - Value: 0x80
- Address: 0x1C1
 - Hint: "Astromech droids can hover for a limited time. Press and hold [x] to activate the boosters."
 - Value: 0x01

Lego Star Wars: The Video Game save file editing guide

- Hint: "Watch out for black LEGO objects. Dark Force characters can use the Force on them."
 - Value: 0x02
- Hint: "Freeplay mode means you can go back and play a completed level with any character that you have unlocked!"
 - Value: 0x04
- Hint: "To take other characters into the levels in Freeplay, simply tag them in the Dinner and go through the door of the level you wish to play."
 - Value: 0x08
- Hint: "Fill up the Jedi meter in each level to receive a super-kit piece. Collect all 17 to reveal a super-secret bonus!"
 - Value: 0x10

Spawn between Episodes II and III doors in Dexter's Dinner

After finishing Episode I The Phantom Menace Chapter 1 Negotiations whenever the player heads back to Dexter's Dinner the player will spawn between Episodes II and III doors to show the player these Episodes are unlocked. This happens if the value in memory address 0x03 is equal to 0x00. This value will change to 0x01 once the next save of the save file is made by the game.

Super-Kit

- | | |
|-----------------------------------|-------------------------------------|
| • Memory Address: 0x08 | • Description: Count of how many |
| • Value: Ranges from 0x00 to 0x11 | pieces the super-kit has been built |
| | out of 17 in hex. |

Canisters

The memory address for each particular canister varies depending on level and its location. Video reference for canister numbers and their locations are available here:

https://www.youtube.com/playlist?list=PLBv_PJlC1Hcx9fK5eSE-2jA1_55Y0CSQz

Lego Star Wars: The Video Game save file editing guide

Episode I The Phantom Menace

Chapter 1 Negotiations

- Canister 1



- Address: 0x14
- Value: 0x01

- Canister 2



- Address: 0x14
- Value: 0x08

- Canister 3



- Address: 0x14
- Value: 0x10

- Canister 4



- Address: 0x16
- Value: 0x01



- Canister 5

- Address: 0x16
- Value: 0x02

- Canister 6



- Address: 0x14
- Value: 0x04

- Canister 7



- Address: 0x14
- Value: 0x02

- Canister 8



- Address: 0x18
- Value: 0x02

- Canister 9



- Address: 0x18
- Value: 0x04

- Canister 10



- Address: 0x18
- Value: 0x01

Lego Star Wars: The Video Game save file editing guide

Chapter 2 Invasion of Naboo

- Canister 1



- Address: 0x20
- Value: 0x08

- Canister 2



- Address: 0x20
- Value: 0x10

- Canister 3



- Address: 0x20
- Value: 0x02

- Canister 4



- Address: 0x20
- Value: 0x04

- Canister 5



- Address: 0x20
- Value: 0x01

- Canister 6



- Address: 0x22
- Value: 0x01

- Canister 7



- Address: 0x24
- Value: 0x02

- Canister 8



- Address: 0x24
- Value: 0x01

- Canister 9



- Address: 0x24
- Value: 0x04

- Canister 10



- Address: 0x26
- Value: 0x01

Lego Star Wars: The Video Game save file editing guide

Chapter 3 Escape from Naboo

- Canister 1



- Address: 0x32
- Value: 0x02

- Canister 2



- Address: 0x32
- Value: 0x01

- Canister 3



- Address: 0x34
- Value: 0x02

- Canister 4



- Address: 0x34
- Value: 0x04

- Canister 5



- Address: 0x34
- Value: 0x01

- Canister 6



- Address: 0x36
- Value: 0x02

- Canister 7



- Address: 0x36
- Value: 0x01

- Canister 8



- Address: 0x38
- Value: 0x04

- Canister 9



- Address: 0x38
- Value: 0x02

- Canister 10




- Address: 0x38
- Value: 0x01

Lego Star Wars: The Video Game save file editing guide

Chapter 4 Mos Espa Podrace

- Canister 1



- Address: 0x46
- Value: 0x04

- Canister 2



- Address: 0x46
- Value: 0x08

- Canister 3



- Address: 0x48
- Value: 0x01

- Canister 4



- Address: 0x48
- Value: 0x02

- Canister 5



- Address: 0x48
- Value: 0x04

- Canister 6



- Address: 0x48
- Value: 0x08

- Canister 7



- Address: 0x4A
- Value: 0x01

- Canister 8



- Address: 0x4A
- Value: 0x02

- Canister 9



- Address: 0x46
- Value: 0x01

- Canister 10



- Address: 0x46
- Value: 0x02

Lego Star Wars: The Video Game save file editing guide

Chapter 5 Retake Theed Palace

- Canister 1



- Address: 0x58
- Value: 0x02

- Canister 2



- Address: 0x58
- Value: 0x01

- Canister 3



- Address: 0x5A
- Value: 0x01

- Canister 4



- Address: 0x5A
- Value: 0x02

- Canister 5



- Address: 0x5C
- Value: 0x01

- Canister 6



- Address: 0x5C
- Value: 0x02

- Canister 7



- Address: 0x5E
- Value: 0x01

- Canister 8



- Address: 0x60
- Value: 0x01

- Canister 9



- Address: 0x62
- Value: 0x02

- Canister 10



- Address: 0x62
- Value: 0x01

Lego Star Wars: The Video Game save file editing guide

Chapter 6 Darth Maul

- Canister 1




- Address: 0x6A
- Value: 0x01

- Canister 2



- Address: 0x6A
- Value: 0x02

- Canister 3



- Address: 0x6C
- Value: 0x01

- Canister 4



- Address: 0x6C
- Value: 0x04

- Canister 5



- Address: 0x6C
- Value: 0x02

- Canister 6



- Address: 0x6E
- Value: 0x01

- Canister 7



- Address: 0x6E
- Value: 0x02

- Canister 8



- Address: 0x72
- Value: 0x01

- Canister 9



- Address: 0x72
- Value: 0x04

- Canister 10



- Address: 0x72
- Value: 0x02

Lego Star Wars: The Video Game save file editing guide

Episode II Attack Of The Clones

Chapter 1 Discovery On Kamino

- Canister 1



- Address: 0x7C
- Value: 0x01

- Canister 2



- Address: 0x7C
- Value: 0x02

- Canister 3




- Address: 0x80
- Value: 0x02

- Canister 4




- Address: 0x80
- Value: 0x01

- Canister 5



- Address: 0x80
- Value: 0x04

- Canister 6



- Address: 0x7E
- Value: 0x04

- Canister 7



- Address: 0x7E
- Value: 0x02

- Canister 8



- Address: 0x7E
- Value: 0x01

- Canister 9



- Address: 0x84
- Value: 0x01

- Canister 10



- Address: 0x82
- Value: 0x01

Lego Star Wars: The Video Game save file editing guide

Chapter 2 Droid Factory

- Canister 1



- Address: 0x92
- Value: 0x01

- Canister 2



- Address: 0x94
- Value: 0x01

- Canister 3



- Address: 0x94
- Value: 0x02

- Canister 4



- Address: 0x96
- Value: 0x01

- Canister 5



- Address: 0x96
- Value: 0x02

- Canister 6



- Address: 0x98
- Value: 0x01

- Canister 7




- Address: 0x9A
- Value: 0x02

- Canister 8



- Address: 0x9A
- Value: 0x04

- Canister 9



- Address: 0x9A
- Value: 0x01

- Canister 10



- Address: 0x9C
- Value: 0x01

Lego Star Wars: The Video Game save file editing guide

Chapter 3 Jedi Battle

- Canister 1



- Address: 0xA2
- Value: 0x10

- Canister 2



- Address: 0xA2
- Value: 0x01

- Canister 3



- Address: 0xA2
- Value: 0x04

- Canister 4



- Address: 0xA2
- Value: 0x80

- Canister 5



- Address: 0xA2
- Value: 0x08

- Canister 6



- Address: 0xA2
- Value: 0x20

- Canister 7




- Address: 0xA3
- Value: 0x02

- Canister 8



- Address: 0xA3
- Value: 0x01

- Canister 9



- Address: 0xA2
- Value: 0x40

- Canister 10



- Address: 0xA2
- Value: 0x02

Lego Star Wars: The Video Game save file editing guide

Chapter 4 Gunship Cavalry

- Canister 1



- Address: 0xA8
- Value: 0x1

- Canister 2



- Address: 0xA8
- Value: 0x02

- Canister 3



- Address: 0xA8
- Value: 0x04

- Canister 4



- Address: 0xA8
- Value: 0x08

- Canister 5



- Address: 0xA8
- Value: 0x10

- Canister 6



- Address: 0xAA
- Value: 0x02

- Canister 7




- Address: 0xAA
- Value: 0x01

- Canister 8




- Address: 0xAA
- Value: 0x04

- Canister 9



- Address: 0xAA
- Value: 0x08

- Canister 10



- Address: 0xAA
- Value: 0x10

Lego Star Wars: The Video Game save file editing guide

Chapter 5 Count Dooku

- Canister 1



- Address: 0xB0
- Value: 0x01

- Canister 2



- Address: 0xB0
- Value: 0x08

- Canister 3



- Address: 0xB0
- Value: 0x04

- Canister 4




- Address: 0xB0
- Value: 0x10

- Canister 5



- Address: 0xB0
- Value: 0x20

- Canister 6



- Address: 0xB0
- Value: 0x02

- Canister 7



- Address: 0xB2
- Value: 0x04

- Canister 8




- Address: 0xB2
- Value: 0x08

- Canister 9



- Address: 0xB2
- Value: 0x01

- Canister 10



- Address: 0xB2
- Value: 0x02

Lego Star Wars: The Video Game save file editing guide

Episode III Revenge Of The Sith

Chapter 1 Battle Over Coruscant

- Canister 1



- Address: 0xBC
- Value: 0x01

- Canister 2



- Address: 0xBC
- Value: 0x02

- Canister 3



- Address: 0xBC
- Value: 0x04

- Canister 4



- Address: 0xBC
- Value: 0x08

- Canister 5



- Address: 0xBC
- Value: 0x10

- Canister 6



- Address: 0xBC
- Value: 0x20

- Canister 7



- Address: 0xBC
- Value: 0x40

- Canister 8



- Address: 0xBC
- Value: 0x80

- Canister 9



- Address: 0xBD
- Value: 0x01

- Canister 10




- Address: 0xBD
- Value: 0x02

LEGO Star Wars: The Video Game save file editing guide

Chapter 2 Chancellor In Peril

- Canister 1



- Address: 0xC0
- Value: 0x01

- Canister 2



- Address: 0xCC
- Value: 0x01

- Canister 3



- Address: 0xC2
- Value: 0x01

- Canister 4



- Address: 0xC2
- Value: 0x02

- Canister 5




- Address: 0xC2
- Value: 0x04

- Canister 6



- Address: 0xC2
- Value: 0x08

- Canister 7



- Address: 0xC4
- Value: 0x01

- Canister 8



- Address: 0xC8
- Value: 0x01

- Canister 9



- Address: 0xCA
- Value: 0x01

- Canister 10



- Address: 0xCA
- Value: 0x02

Lego Star Wars: The Video Game save file editing guide

Chapter 3 General Grievous

- Canister 1



- Address: 0xD4
- Value: 0x01

- Canister 2



- Address: 0xD4
- Value: 0x02

- Canister 3



- Address: 0xD4
- Value: 0x08

- Canister 4



- Address: 0xD4
- Value: 0x20

- Canister 5



- Address: 0xD5
- Value: 0x02

- Canister 6



- Address: 0xD4
- Value: 0x10

- Canister 7



- Address: 0xD5
- Value: 0x01

- Canister 8



- Address: 0xD4
- Value: 0x40

- Canister 9



- Address: 0xD4
- Value: 0x04

- Canister 10



- Address: 0xD4
- Value: 0x80

Lego Star Wars: The Video Game save file editing guide


Chapter 4 Defence Of Kashyyyk

- Canister 1



- Address: 0xD8
- Value: 0x01

- Canister 2



- Address: 0xD8
- Value: 0x04

- Canister 3



- Address: 0xD8
- Value: 0x02

- Canister 4



- Address: 0xDA
- Value: 0x02

- Canister 5




- Address: 0xDA
- Value: 0x01

- Canister 6



- Address: 0xDA
- Value: 0x04

- Canister 7



- Address: 0xDC
- Value: 0x01

- Canister 8



- Address: 0xDE
- Value: 0x04

- Canister 9



- Address: 0xDE
- Value: 0x02

- Canister 10



- Address: 0xDE
- Value: 0x01

Lego Star Wars: The Video Game save file editing guide

Chapter 5 Ruin Of The Jedi

- Canister 1



- Address: 0xE6
- Value: 0x04

- Canister 2



- Address: 0xE6
- Value: 0x02

- Canister 3



- Address: 0xE6
- Value: 0x01

- Canister 4



- Address: 0xE8
- Value: 0x02

- Canister 5



- Address: 0xE8
- Value: 0x01

- Canister 6




- Address: 0xE8
- Value: 0x04

- Canister 7



- Address: 0xEA
- Value: 0x02

- Canister 8




- Address: 0xEA
- Value: 0x01

- Canister 9



- Address: 0xEA
- Value: 0x10

- Canister 10



- Address: 0xEA
- Value: 0x04

Lego Star Wars: The Video Game save file editing guide


Chapter 6 Darth Vader

- Canister 1



- Address: 0xF0
- Value: 0x02

- Canister 2



- Address: 0xF0
- Value: 0x01

- Canister 3



- Address: 0xF0
- Value: 0x08

- Canister 4



- Address: 0xF0
- Value: 0x10

- Canister 5



- Address: 0xF0
- Value: 0x04

- Canister 6



- Address: 0xF2
- Value: 0x01

- Canister 7



- Address: 0xF2
- Value: 0x02

- Canister 8



- Address: 0xF4
- Value: 0x01

- Canister 9



- Address: 0xF4
- Value: 0x02

- Canister 10



- Address: 0xF4
- Value: 0x04

Characters

Unlocked means the character is available to use anywhere except story mode

Bought means the character has been bought in Dexter's shop

Cheat code used means the character's cheat code was used and is available to buy in store regardless of progress.

Here is every character and their addresses and values

Qui-Gon Jinn

- Unlocked
 - Address: 0x1D8
 - Value: 0x08

Padmé (Battle)

- Unlocked
 - Address: 0x1DA
 - Value: 0x80

Padmé (Geonosis)

- Unlocked
 - Address: 0x1DB
 - Value: 0x01

Obi-Wan Kenobi

- Unlocked
 - Address: 0x1D8
 - Value: 0x10

R2-D2

- Unlocked
 - Address: 0x1D9
 - Value: 0x04

C-3PO

- Unlocked
 - Address: 0x1DB
 - Value: 0x20

TC-14

- Unlocked
 - Address: 0x1DB
 - Value: 0x40

Anakin Skywalker (Boy)

- Unlocked
 - Address: 0x1DA
 - Value: 0x10

Mace Windu

- Unlocked
 - Address: 0x1DC
 - Value: 0x08

Jar Jar Binks

- Unlocked
 - Address: 0x1D9
 - Value: 0x02

Obi-Wan Kenobi (Jedi Master)

- Unlocked
 - Address: 0x1D8
 - Value: 0x14

Padmé (Clawed)

- Unlocked
 - Address: 0x1DA
 - Value: 0x40

Queen Amidala

- Unlocked
 - Address: 0x1DB
 - Value: 0x02

R4-P17

- Unlocked
 - Address: 0x1DD
 - Value: 0x10

Yoda

- Unlocked
 - Address: 0x1D9
 - Value: 0x80

Captain Panaka

- Unlocked
 - Address: 0x1DB
 - Value: 0x10

Anakin Skywalker (Padawan)

- Unlocked
 - Address: 0x1D9
 - Value: 0x20

Obi-Wan Kenobi (Episode III)

- Unlocked
 - Address: 0x1E4
 - Value: 0x02

Lego Star Wars: The Video Game save file editing guide

Anakin Skywalker (Jedi)

- Unlocked
 - Address: 0x1E3
 - Value: 0x08

Chancellor Palpatine

- Unlocked
 - Address: 0x1E4
 - Value: 0x10

Commander Cody

- Unlocked
 - Address: 0x1E4
 - Value: 0x80

Chewbacca

- Unlocked
 - Address: 0x1E1
 - Value: 0x01

Wookiee

- Unlocked
 - Address: 0x1E4
 - Value: 0x08

Anakin Skywalker (Darth Vader)

- Unlocked
 - Address: 0x1E1
 - Value: 0x40

Stormtrooper

- Unlocked
 - Address: 0x1E3
 - Value: 0x80

Gonk Droid

- Bought
 - Address: 0x1C8
 - Value: 0x01
- Unlocked
 - Address: 0x1E1
 - Value: 0x20

PK Droid

- Bought
 - Address: 0x1C8
 - Value: 0x02
- Unlocked Address: 0x1DD
- Cheat code Address: 0x1F1
 - Value: 0x08

Battle Droid (Security)

- Bought
 - Address: 0x1C8
 - Value: 0x04
- Unlocked Address: 0x1E0
 - Cheat code Address: 0x1F4
 - Value: 0x01

Battle Droid

- Bought
 - Address: 0x1C8
 - Value: 0x08
- Unlocked Address: 0x1D8
- Cheat code used Address: 0x1EC
 - Value: 0x04

Battle Droid (Commander)

- Bought
 - Address: 0x1C8
 - Value: 0x10
- Unlocked Address: 0x1DF
- Cheat code used Address: 0x1F3
 - Value: 0x80

Droideka

- Bought
 - Address: 0x1C8
 - Value: 0x20
- Unlocked Address: 0x1D8
- Cheat code used Address: 0x1EC
 - Value: 0x02

Lego Star Wars: The Video Game save file editing guide

Royal Guard

- Bought
 - Address: 0x1C8
 - Value: 0x40
- Unlocked Address: 0x1DA
- Cheat code used Address: 0x1EE
 - Value: 0x04

Clone

- Bought
 - Address: 0x1C9
 - Value: 0x02
- Unlocked Address: 0x1D8
- Cheat code used Address: 0x1EC
 - Value: 0x01

Super Battle Droid

- Bought
 - Address: 0x1C9
 - Value: 0x10
- Unlocked Address: 0x1DF
- Cheat code used Address: 0x1F3
 - Value: 0x40

Padmé

- Bought
 - Address: 0x1C8
 - Value: 0x80
- Unlocked Address: 0x1DA
- Cheat code used Address: 0x1EE
 - Value: 0x20

Geonosian

- Bought
 - Address: 0x1C9
 - Value: 0x04
- Unlocked Address: 0x1E0
 - Value: 0x08
- Cheat code used Address: 0x1F4
 - Value: 0x08

Jango Fett

- Bought
 - Address: 0x1C9
 - Value: 0x20
- Unlocked Address: 0x1D8
- Cheat code used Address: 0x1EC
 - Value: 0x80

Darth Maul

- Bought
 - Address: 0x1C9
 - Value: 0x01
- Unlocked Address: 0x1D9
- Cheat code used Address: 0x1ED
 - Value: 0x01

Battle Droid (Geonosis)

- Bought
 - Address: 0x1C9
 - Value: 0x08
- Unlocked Address: 0x1E0
- Cheat code used Address: 0x1F4
 - Value: 0x02

Boba Fett

- Bought
 - Address: 0x1C9
 - Value: 0x40
- Unlocked Address: 0x1DE
- Cheat code used Address: 0x1F2
 - Value: 0x20

Lego Star Wars: The Video Game save file editing guide

Luminara

- Bought
 - Address: 0x1C9
 - Value: 0x80
- Unlocked Address: 0x1E5
- Cheat code used Address: 0x1F9
 - Value: 0x20

Shaak Ti

- Bought
 - Address: 0x1CA
 - Value: 0x04
- Unlocked Address: 0x1E5
- Cheat code used Address: 0x1F9
 - Value: 0x40

General Grievous

- Bought
 - Address: 0x1CA
 - Value: 0x20
- Unlocked Address: 0x1E1
- Cheat code used Address: 0x1F5
 - Value: 0x04

Ki-Adi Mundi

- Bought
 - Address: 0x1CA
 - Value: 0x01
- Unlocked Address: 0x1E5
- Cheat code used Address: 0x1F9
 - Value: 0x80

Count Dooku

- Bought
 - Address: 0x1CA
 - Value: 0x08
- Unlocked Address: 0x1D9
- Cheat code used Address: 0x1ED
 - Value: 0x40

Clone (Episode III)

- Bought
 - Address: 0x1CA
 - Value: 0x40
- Unlocked Address: 0x1E4
- Cheat code used Address: 0x1F8
 - Value: 0x20

Kit Fisto

- Bought
 - Address: 0x1CA
 - Value: 0x02
- Unlocked Address: 0x1E6
- Cheat code used Address: 0x1FA
 - Value: 0x01

Grievous' Bodyguard

- Bought
 - Address: 0x1CA
 - Value: 0x10
- Unlocked Address: 0x1E6
- Cheat code used Address: 0x1FA
 - Value: 0x02

Clone (Episode III, Pilot)

- Bought
 - Address: 0x1CA
 - Value: 0x80
- Unlocked Address: 0x1E4
- Cheat code used Address: 0x1F8
 - Value: 0x40

Lego Star Wars: The Video Game save file editing guide

Clone (Episode III, Swamp)

- Bought
 - Address: 0x1CB
 - Value: 0x01
- Unlocked Address: 0x1E5
- Cheat code used Address: 0x1F9
 - Value: 0x01

Rebel Trooper

- Bought
 - Address: 0x1CB
 - Value: 0x20
- Unlocked Address: 0x1F0
- Cheat code used Address: 0x1F0
 - Value: 0x02

Clone (Episode III, Walker)

- Bought
 - Address: 0x1CB
 - Value: 0x02
- Unlocked Address: 0x1E5
- Cheat code used Address: 0x1F9
 - Value: 0x02

Princess Leia

- Bought
 - Address: 0x1CB
 - Value: 0x40
- Unlocked Address: 0x1E7
- Cheat code used Address: 0x1FB
 - Value: 0x1

Mace Windu (Episode III)

- Bought
 - Address: 0x1CB
 - Value: 0x04
- Unlocked Address: 0x1E2
- Cheat code used Address: 0x1F6
 - Value: 0x08

Disguised Clone

- Bought
 - Address: 0x1CB
 - Value: 0x08
- Unlocked Address: 0x1E4
- Cheat code used Address: 0x1F8
 - Value: 0x04

Darth Sidious

- Bought
 - Address: 0x1CB
 - Value: 0x10
- Unlocked Address: 0x1D8
- Cheat code used Address: 0x1EC
 - Value: 0x40

Extras

Bought extras are stored across a 2-byte memory address from 0x1D0 to 0x1D1. This reflects the Extras bought in Dexter's shop.

Here is each memory address and the extras it contains, along with the associated value:

- Address 0x1D0
 - Extra: Invincibility
 - Value: 0x01
 - Extra: Silhouettes
 - Value: 0x02
 - Extra: Purple
 - Value: 0x04
 - Extra: Moustaches
 - Value: 0x08
 - Extra: Minikit Detector
 - Value: 0x10
 - Extra: Tea cups
 - Value: 0x20
 - Extra: Brushes
 - Value: 0x40
 - Extra: Big Blasters
 - Value: 0x80
- Address 0x1D1
 - Extra: Classic Blasters
 - Value: 0x01
 - Extra: Classic Blasters
 - Value: 0x02

Extras are stored across a 2-byte memory address from 0x200 to 0x201. This reflects Extras unlocked and available to use.

Here is each memory address and the extras it contains, along with the associated value:

- Address 0x200
 - Extra: Invincibility
 - Value: 0x01
 - Extra: Silhouettes
 - Value: 0x02
 - Extra: Purple
 - Value: 0x04
 - Extra: Moustaches
 - Value: 0x08
 - Extra: Minikit Detector
 - Value: 0x10
 - Extra: Tea cups
 - Value: 0x20
 - Extra: Brushes
 - Value: 0x40
 - Extra: Big Blasters
 - Value: 0x80
- Address 0x201
 - Extra: Classic Blasters
 - Value: 0x01
 - Extra: Classic Blasters
 - Value: 0x02