



Java Classes and Objects

[< Previous](#)[Next >](#)

Java Classes/Objects

Java is an object-oriented programming language.

Everything in Java is associated with classes and objects, along with its attributes and methods. For example: in real life, a car is an object. The car has **attributes**, such as weight and color, and **methods**, such as drive and brake.

A Class is like an object constructor, or a "blueprint" for creating objects.

Create a Class

To create a class, use the keyword `class`.

In this example, we create a class named "`Main`" with a variable `x`:

Main.java

```
public class Main {  
    int x = 5;  
}
```

Remember from the [Java Syntax chapter](#) that a class should always start with an uppercase first letter, and that the name of the java file should match the class name.



using the **new** keyword:

Example

[Get your own Java Server](#)

Create an object called "**myObj**" and print the value of x:

```
public class Main {  
    int x = 5;  
  
    public static void main(String[] args) {  
  
        System.out.println(myObj.x);  
    }  
}
```

[Try it Yourself »](#)

[REMOVE ADS](#)

Multiple Objects

You can create multiple objects of one class:

Example

Create two objects of **Main**:

```
public class Main {  
    int x = 5;  
  
    public static void main(String[] args) {
```



```
}  
}
```

[Try it Yourself »](#)

Using Multiple Classes

You can also create an object of a class and access it in another class. This is often used for better organization of classes (one class has all the attributes and methods, while the other class holds the `main()` method (code to be executed)).

Remember that the name of the java file should match the class name. In this example, we have created two files in the same directory/folder:

- Main.java
- Second.java

Main.java

```
public class Main {  
    int x = 5;  
}
```

Second.java

```
class Second {  
    public static void main(String[] args) {  
        Main myObj = new Main();  
        System.out.println(myObj.x);  
    }  
}
```

[Tutorials ▼](#)[References ▼](#)[Exercises ▼](#)[Sign In](#)[≡](#) [HTML](#) [CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) **[JAVA](#)** [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

```
C:\Users\Your Name>javac Main.java
```

```
C:\Users\Your Name>javac Second.java
```

Run the Second.java file:

```
C:\Users\Your Name>java Second
```

And the output will be:

```
5
```

[Try it Yourself »](#)

You will learn much more about classes and objects in the next chapters.

Exercise [?]

Fill in the correct keyword to declare the class.

```
public    class    Main {  
    int x = 5;  
}
```

object

new

Main