
Zenmap
Scan Tools Profile Help
Target: nmap -T5 -A 192.168.1.68
Profile: Intense scan
Scan
Cancel
Command: nmap -T4 -A -v nmap -T5 -A 192.168.1.68 -T 5 -T 5 -T 5 -T 5
Hosts
Services
OS
Host
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
nmap -T4 -A -v nmap 192.168.1.1 -T 5 -T 5
Details
Starting Nmap 7.95 (https://nmap.org) at 2025-03-22 13:32 India Standard Time
NSE: Loaded 157 scripts for scanning.
NSE: Script Pre-scanning.
Initiating NSE at 13:32
Completed NSE at 13:32, 0.00s elapsed
Initiating NSE at 13:32
Completed NSE at 13:32, 0.00s elapsed
Initiating NSE at 13:32
Completed NSE at 13:32, 0.00s elapsed
Failed to resolve "nmap".
Initiating ARP Ping Scan at 13:32
Scanning 192.168.1.1 [1 port]
Completed ARP Ping Scan at 13:32, 1.52s elapsed (1 total hosts)
Nmap scan report for 192.168.1.1 [host down]
NSE: Script Post-scanning.
Initiating NSE at 13:32
Completed NSE at 13:32, 0.00s elapsed
Initiating NSE at 13:32
Completed NSE at 13:32, 0.00s elapsed
Initiating NSE at 13:32
Completed NSE at 13:32, 0.00s elapsed
Read data files from: C:\Program Files (x86)\Nmap
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 9.67 seconds
Raw packets sent: 2 (56B) | Rcvd: 0 (0B)
Filter Hosts


Zenmap
Scan Tools Profile Help
Target: nmap -D RND:10 192.168.1.68
Profile: Intense scan
Scan
Cancel
Command: nmap -T4 -A -v -D RND:10 nmap -D RND:10 192.168.1.68 -D RND:10 -D RND:10 -D RND:10 -D RND:10 -T 5 -T 5 -T 5 -T 5
Hosts
Services
OS
Host
192.168.1.68
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
nmap -T4 -A -v -D RND:10 nmap 192.168.1.68 -D RND:10 -D RND:10 -D RND:10 -D RND:10 -T 5 -T 5 -T 5 -T 5
Details
Starting Nmap 7.95 (https://nmap.org) at 2025-03-22 13:40 India Standard Time
NSE: Loaded 157 scripts for scanning.
NSE: Script Pre-scanning.
Initiating NSE at 13:40
Completed NSE at 13:40, 0.00s elapsed
Initiating NSE at 13:40
Completed NSE at 13:40, 0.00s elapsed
Initiating NSE at 13:40
Completed NSE at 13:40, 0.00s elapsed
Failed to resolve "nmap".
Initiating Parallel DNS resolution of 1 host. at 13:40
Completed Parallel DNS resolution of 1 host. at 13:40, 0.04s elapsed
Initiating SYN Stealth Scan at 13:40
Scanning 192.168.1.68 [1000 ports]
Discovered open port 445/tcp on 192.168.1.68
Discovered open port 139/tcp on 192.168.1.68
Discovered open port 135/tcp on 192.168.1.68
Completed SYN Stealth Scan at 13:40, 0.52s elapsed (1000 total ports)
Initiating Service scan at 13:40
Scanning 3 services on 192.168.1.68
Completed Service scan at 13:40, 6.12s elapsed (3 services on 1 host)
Initiating OS detection (try #1) against 192.168.1.68
NSE: Script scanning 192.168.1.68.
Initiating NSE at 13:40
Completed NSE at 13:40, 14.24s elapsed
Initiating NSE at 13:40
Completed NSE at 13:40, 0.05s elapsed
Initiating NSE at 13:40
Completed NSE at 13:40, 0.00s elapsed
Nmap scan report for 192.168.1.68
Host is up (0.0026s latency).
Not shown: 997 closed tcp ports (reset)
PORT STATE SERVICE VERSION
135/tcp open msrpc Microsoft Windows RPC
139/tcp open netbios-ssn Microsoft Windows netbios-ssn
445/tcp open microsoft-ds?
Device type: general purpose
Running: Microsoft Windows 10|11
OS CPE: cpe:/o:microsoft:windows_10 cpe:/o:microsoft:windows_11
OS details: Microsoft Windows 10 1607 - 11 23H2
Uptime guess: 8.836 days (since Thu Mar 13 17:37:22 2025)
Network Distance: 0 hops
TCP Sequence Prediction: Difficulty=261 (Good luck!)
Filter Hosts


Zenmap
Scan Tools Profile Help
Target: nmap --script vuln 192.168.1.68
Profile: Intense scan
Scan
Cancel
Command: nmap -T4 -A -v --script vuln nmap --script vuln 192.168.1.68 --script vuln --script vuln --script vuln --script vuln --script vuln --script vuln
Hosts
Services
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
OS
Host
nmap -T4 -A -v --script vuln nmap --script vuln 192.168.1.68 --script vuln
Details
Starting Nmap 7.95 (https://nmap.org) at 2025-03-22 13:45 India Standard Time
NSE: Loaded 151 scripts for scanning.
NSE: Script Pre-scanning.
Initiating NSE at 13:45
NSE Timing: About 50.00% done; ETC: 13:46 (0:00:31 remaining)
Completed NSE at 13:46, 37.21s elapsed
Initiating NSE at 13:46
Completed NSE at 13:46, 0.00s elapsed
Pre-scan script results:
| broadcast-avahi-dos:
| Discovered hosts:
| 224.0.0.251
| After NULL UDP avahi packet DoS (CVE-2011-1002).
|_ Hosts are all up (not vulnerable).
Failed to resolve "nmap".
Initiating Parallel DNS resolution of 1 host. at 13:46
Completed Parallel DNS resolution of 1 host. at 13:46, 0.01s elapsed
Initiating SYN Stealth Scan at 13:46
Scanning 192.168.1.68 [1000 ports]
Discovered open port 135/tcp on 192.168.1.68
Discovered open port 139/tcp on 192.168.1.68
Discovered open port 445/tcp on 192.168.1.68
Completed SYN Stealth Scan at 13:46, 0.05s elapsed (1000 total ports)
Initiating Service scan at 13:46
Scanning 3 services on 192.168.1.68
Completed Service scan at 13:46, 6.07s elapsed (3 services on 1 host)
Initiating OS detection (try #1) against 192.168.1.68
NSE: Script scanning 192.168.1.68.
Initiating NSE at 13:46
Filter Hosts


Zenmap
Scan Tools Profile Help
Target: nmap --script smb-vuln* 192.168.1.68
Profile: Intense scan
Scan
Cancel
Command: nmap -T4 -A -v --script vuln nmap --script smb-vuln* 192.168.1.68 --script smb-vuln* --script smb-vuln* --script smb-vuln* --script smb-vuln* --script smb-vuln* --script vuln --script vuln --script vuln --script vuln --script vuln --script vuln
Hosts
Services
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
OS
Host
192.168.1.68
nmap -T4 -A -v --script vuln nmap 192.168.1.68 --script smb-vuln* --script vuln --script vuln --script vuln --script vuln --script vuln --script vuln
Details
Initiating SYN Stealth Scan at 13:47
Scanning 192.168.1.68 [1000 ports]
Discovered open port 135/tcp on 192.168.1.68
Discovered open port 139/tcp on 192.168.1.68
Discovered open port 445/tcp on 192.168.1.68
Completed SYN Stealth Scan at 13:47, 0.05s elapsed (1000 total ports)
Initiating Service scan at 13:47
Scanning 3 services on 192.168.1.68
Completed Service scan at 13:47, 6.10s elapsed (3 services on 1 host)
Initiating OS detection (try #1) against 192.168.1.68
NSE: Script scanning 192.168.1.68.
Initiating NSE at 13:47
Completed NSE at 13:48, 15.22s elapsed
Initiating NSE at 13:48
Completed NSE at 13:48, 0.05s elapsed
Nmap scan report for 192.168.1.68
Host is up (0.0042s latency).
Not shown: 997 closed tcp ports (reset)
PORT STATE SERVICE VERSION
135/tcp open msrpc Microsoft Windows RPC
139/tcp open netbios-ssn Microsoft Windows netbios-ssn
445/tcp open microsoft-ds?
Device type: general purpose
Running: Microsoft Windows 10|11
OS CPE: cpe:/o:microsoft:windows_10 cpe:/o:microsoft:windows_11
OS details: Microsoft Windows 10 1607 - 11 23H2
Uptime guess: 8.441 days (since Thu Mar 13 17:37:23 2025)
Network Distance: 0 hops
TCP Sequence Prediction: Difficulty=253 (Good luck!)
IP ID Sequence Generation: Incremental
Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows
Host script results:
|_samba-vuln-cve-2012-1182: Could not negotiate a connection:SMB: Failed to receive bytes: ERROR
|_smb-vuln-ms10-061: Could not negotiate a connection:SMB: Failed to receive bytes: ERROR
|_smb-vuln-ms10-054: false
NSE: Script Post-scanning.
Initiating NSE at 13:48
Completed NSE at 13:48, 0.00s elapsed
Initiating NSE at 13:48
Completed NSE at 13:48, 0.00s elapsed
Read data files from: C:\Program Files (x86)\Nmap
Filter Hosts


Zenmap
Scan Tools Profile Help
Target: nmap -sS -T2 -D 192.168.1.68 192.168.1.71
Profile: Intense scan
Scan
Cancel
Command: nmap -sS -T4 -A -v -D 192.168.1.68 --script vuln nmap -sS -T2 -D 192.168.1.68 192.168.1.71 -T 2 -D 192.168.1.68 -T 2 -D 192.168.1.68 -T 2 -D 192.168.1.68 -T 2 -D 192.168.1.68 -T 2 -D 192.168.1.68 -T 2 -D 192.168.1.68 -T 2 -D 192.168.1.68 -T 2 -D 192.168.1.68 -T 2 -D 192.168.1.68 -T 2 -D 192.168.1.
Hosts
Services
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
OS
Host
192.168.1.68
192.168.1.71
nmap -sS -T4 -A -v -D 192.168.1.68 --script vuln nmap 192.168.1.71 -T 2 -D 192.168.1.68 -T 2 -D 192.168.1.68 -T 2 -D 192.168.1.68 -T 2 -D 192.168.1.68 -T 2 -D 192.168.1.68 -T 2 -D 192.168.1.68 -T 2 -D 192.168.1.68 -T 2 -D ...
Details
Initiating Parallel DNS resolution of 1 host. at 13:51
Completed Parallel DNS resolution of 1 host. at 13:51, 0.01s elapsed
Initiating SYN Stealth Scan at 13:51
Scanning 192.168.1.71 [1000 ports]
SYN Stealth Scan Timing: About 7.55% done; ETC: 13:58 (0:06:20 remaining)
SYN Stealth Scan Timing: About 14.85% done; ETC: 13:58 (0:05:50 remaining)
SYN Stealth Scan Timing: About 22.25% done; ETC: 13:58 (0:05:18 remaining)
SYN Stealth Scan Timing: About 29.65% done; ETC: 13:58 (0:04:47 remaining)
SYN Stealth Scan Timing: About 36.95% done; ETC: 13:58 (0:04:19 remaining)
SYN Stealth Scan Timing: About 44.35% done; ETC: 13:58 (0:03:47 remaining)
SYN Stealth Scan Timing: About 51.75% done; ETC: 13:58 (0:03:17 remaining)
SYN Stealth Scan Timing: About 59.05% done; ETC: 13:58 (0:02:47 remaining)
SYN Stealth Scan Timing: About 66.45% done; ETC: 13:58 (0:02:17 remaining)
SYN Stealth Scan Timing: About 73.85% done; ETC: 13:58 (0:01:47 remaining)
SYN Stealth Scan Timing: About 81.15% done; ETC: 13:58 (0:01:17 remaining)
SYN Stealth Scan Timing: About 88.55% done; ETC: 13:58 (0:00:47 remaining)
Completed SYN Stealth Scan at 13:58, 407.22s elapsed (1000 total ports)
Initiating Service scan at 13:58
Initiating OS detection (try #1) against 192.168.1.71
Retrying OS detection (try #2) against 192.168.1.71
NSE: Script scanning 192.168.1.71.
Initiating NSE at 13:58
Completed NSE at 13:58, 1.01s elapsed
Initiating NSE at 13:58
Completed NSE at 13:58, 0.00s elapsed
Nmap scan report for 192.168.1.71
Host is up (0.0091s latency).
All 1000 scanned ports on 192.168.1.71 are in ignored states.
Not shown: 1000 closed tcp ports (reset)
MAC Address: 16:89:C5:36:7E:97 (Unknown)
Too many fingerprints match this host to give specific OS details
Network Distance: 1 hop
TRACEROUTE
HOP RTT ADDRESS
1 9.08 ms 192.168.1.71
NSE: Script Post-scanning.
Initiating NSE at 13:58
Completed NSE at 13:58, 0.00s elapsed
Initiating NSE at 13:58
Completed NSE at 13:58, 0.00s elapsed
Read data files from: C:\Program Files (x86)\Nmap
Filter Hosts


Zenmap
Scan Tools Profile Help
Target: 192.168.1.68
Profile:
Scan
Cancel
Command: nmap -T3 192.168.1.68
Hosts
Services
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
OS
Host
192.168.1.68
nmap -T3 192.168.1.68
Details
Starting Nmap 7.95 (https://nmap.org) at 2025-03-22 14:11 India Standard Time
Nmap scan report for 192.168.1.68
Host is up (0.000070s latency).
Not shown: 997 closed tcp ports (reset)
PORT STATE SERVICE
135/tcp open msrpc
139/tcp open netbios-ssn
445/tcp open microsoft-ds
Nmap done: 1 IP address (1 host up) scanned in 0.45 seconds
Filter Hosts


Zenmap
Scan Tools Profile Help
Target: 192.168.1.68
Profile:
Scan
Cancel
Command: nmap -sT 192.168.1.68
Hosts
Services
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
OS
Host
192.168.1.68
nmap -sT 192.168.1.68
Details
Starting Nmap 7.95 (https://nmap.org) at 2025-03-22 14:12 India Standard Time
Nmap scan report for 192.168.1.68
Host is up (0.0015s latency).
Not shown: 997 filtered tcp ports (no-response)
PORT STATE SERVICE
135/tcp open msrpc
139/tcp open netbios-ssn
445/tcp open microsoft-ds
Nmap done: 1 IP address (1 host up) scanned in 6.01 seconds
Filter Hosts


Zenmap
Scan Tools Profile Help
Target: 192.168.1.68
Profile:
Scan
Cancel
Command: nmap -sA 192.168.1.68
Hosts
Services
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
OS
Host
192.168.1.68
nmap -sA 192.168.1.68
Details
Starting Nmap 7.95 (https://nmap.org) at 2025-03-22 14:14 India Standard Time
Nmap scan report for 192.168.1.68
Host is up (0.0007s latency).
All 1000 scanned ports on 192.168.1.68 are in ignored states.
Not shown: 1000 unfiltered tcp ports (reset)
Nmap done: 1 IP address (1 host up) scanned in 0.44 seconds
Filter Hosts


Zenmap
Scan Tools Profile Help
Target: 192.168.1.68
Profile:
Scan
Cancel
Command: nmap --script banner 192.168.1.68
Hosts
Services
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
OS
Host
192.168.1.68
nmap --script banner 192.168.1.68
Details
Starting Nmap 7.95 (https://nmap.org) at 2025-03-22 14:16 India Standard Time
Nmap scan report for 192.168.1.68
Host is up (0.000077s latency).
Not shown: 997 closed tcp ports (reset)
PORT STATE SERVICE
135/tcp open msrpc
139/tcp open netbios-ssn
445/tcp open microsoft-ds
Nmap done: 1 IP address (1 host up) scanned in 15.56 seconds
Filter Hosts


Zenmap
Scan Tools Profile Help
Target: 192.168.1.68
Profile:
Scan
Cancel
Command: nmap --script http-sql-injection 192.168.1.68
Hosts
Services
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
OS
Host
192.168.1.68
nmap --script http-sql-injection 192.168.1.68
Details
Starting Nmap 7.95 (https://nmap.org) at 2025-03-22 14:17 India Standard Time
Nmap scan report for 192.168.1.68
Host is up (0.00087s latency).
Not shown: 997 closed tcp ports (reset)
PORT STATE SERVICE
135/tcp open msrpc
139/tcp open netbios-ssn
445/tcp open microsoft-ds
Nmap done: 1 IP address (1 host up) scanned in 0.58 seconds
Filter Hosts


Zenmap
Scan Tools Profile Help
Target: 192.168.1.68
Profile:
Scan
Cancel
Command: --script=wifi-phy 192.168.1.68
Hosts
Services
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
OS
Host
192.168.1.68
--script=wifi-phy 192.168.1.68
Details
Starting Nmap 7.95 (https://nmap.org) at 2025-03-22 14:20 India Standard Time
Nmap scan report for 192.168.1.68
Host is up (0.0001s latency).
Not shown: 997 closed tcp ports (reset)
PORT STATE SERVICE
135/tcp open msrpc
139/tcp open netbios-ssn
445/tcp open microsoft-ds
Nmap done: 1 IP address (1 host up) scanned in 0.44 seconds
Filter Hosts


Zenmap
Scan Tools Profile Help
Target: 192.168.1.68
Profile:
Scan
Cancel
Command: nmap --script http-malware-host 192.168.1.68
Hosts
Services
Nmap Output
Ports / Hosts
Topology
Host Details
Scans
OS
Host
192.168.1.68
nmap --script http-malware-host 192.168.1.68
Details
Starting Nmap 7.95 (https://nmap.org) at 2025-03-22 14:22 India Standard Time
Nmap scan report for 192.168.1.68
Host is up (0.0001s latency).
Not shown: 997 closed tcp ports (reset)
PORT STATE SERVICE
135/tcp open msrpc
139/tcp open netbios-ssn
445/tcp open microsoft-ds
Nmap done: 1 IP address (1 host up) scanned in 0.62 seconds
Filter Hosts