

**HORED®**

# Cloud Smart Switch and AIOT Industry Solution Provider



PT ALUR SOLUSI KREATIF

☎ +62 21 3972 1719  
✉ [info@alursolusi.com](mailto:info@alursolusi.com)  
🌐 [alursolusi.com](http://alursolusi.com)

18 Parc Place SCBD - Tower D 8<sup>th</sup> Floor  
Jl. Jend. Sudirman Kav. 52-53  
South Jakarta 12190

TOP  
5

**HORED®**

# PoE SWITCH

Leading

Leading

- 100M PoE Switch
- Gigabit Up-link PoE Switch
- Gigabit PoE Switch
- 10 Gigabit Up-link PoE Switch
- 2.5G PoE Switch
- Multi-rate fusion PoE Switch



**2.5G AI Cloud POE Switch**



**AI1009XGP**

- 8 \* RJ-45 2500M (PoE)
- 1 \* SFP+ 10G(Up-link)
- PoE Power Supply: 150W
- PoE Power for Single port: 90W



2.5G



10G  
Up-link



AI VLAN



250m



Port  
Monitoring

**2.5G L3 Managed POE Switch**



**PS3008XGPSH**

- L3 Management
- 8 \* RJ-45 2500M (PoE)
- 2 \* RJ45 10GE(Up-link)
- 2 \* SFP+ 10G (Up-link)
- PoE Power Supply: 150W
- PoE Power for Single port: 90W



**PS3016XGPSH**

- L3 Management
- 8 \* RJ-45 2500M (PoE)
- 8 \* RJ-45 1000M (PoE)
- 2 \* RJ45 10GE(Up-link)
- 2 \* SFP+ 10G (Up-link)
- PoE Power Supply: 250W
- PoE Power for Single port: 90W



**PS3024XGPSH**

- L3 Management
- 8 \* RJ-45 2500M (PoE)
- 16 \* RJ-45 1000M (PoE)
- 2 \* RJ45 10GE(Up-link)
- 2 \* SFP+ 10G (Up-link)
- PoE Power Supply: 250W
- PoE Power for Single port: 90W



L3  
Management



2.5G



10G  
Up-link



AI VLAN



250m



Port  
Monitoring

## 10G Up-link Gigabit Managed POE Switch



**S5700-24GP-4TF**

- L3 Management
- 24 \* RJ-45 1000M (PoE)
- 4 \* SFP+ 10G(Up-link)
- PoE Power Supply: 360W
- PoE Power for Single port: 30W



L3  
Management



Gigabit



10G  
Up-link



AI VLAN



250m



Port  
Monitoring



**S5700-48GP- 4TF**

- L3 Management
- 48 \* RJ-45 1000M (PoE)
- 4 \* SFP+ 10G(Up-link)
- PoE Power Supply: 360W
- PoE Power for Single port: 30W



L3  
Management



Gigabit



10G  
Up-link



AI VLAN



250m



Port  
Monitoring



## Gigabit Managed POE Switch



### PS2010G

- 8 \* RJ-45 1000M (PoE)
- 2 \* SFP(Up-link)
- PoE Power Supply: 140W
- PoE Power for Single port: 30W



### PS3016GS

- L2+ Management
- 16 \* RJ-45 1000M (PoE)
- 2 \* SFP(Up-link)
- PoE Power Supply: 140W
- PoE Power for Single port: 30W



### PS3024GS

- L2+ Management
- 24 \* RJ-45 1000M (PoE)
- 2 \* SFP(Up-link)
- PoE Power Supply: 230W
- PoE Power for Single port: 30W



### PS3024GSH

- L2+ Management
- 24 \* RJ-45 1000M (PoE)
- 2 \* SFP(Up-link)
- 2 \* RJ45 1000M(Combo)
- PoE Power Supply: 230W
- PoE Power for Single port: 30W



### NS2024GR

- L3 Management
- 24 \* RJ-45 1000M (PoE)
- 4 \* SFP(Up-link)
- PoE Power Supply: 360W
- PoE Power for Single port: 30W



Management



Gigabit



10G  
Up-link



AI VLAN



250m



Port  
Monitoring

## Gigabit AI Cloud POE Switch



**AI106G(BT Optical)**

- 4 \* RJ-45 1000M (PoE)
- 2 \* RJ-45 1000M(Up-link)
- PoE Power Supply: 60W (96W Optical)
- PoE Power for Single port: 30W(90W Optical)



**AI2010GX**

- 8 \* RJ-45 1000M (PoE)
- 2 \* SFP(Up-link)
- PoE Power Supply: 96W
- PoE Power for Single port: 30W



**AI1016G**

- 16 \* RJ-45 1000M (PoE)
- 2 \*SFP(Up-link)
- PoE Power Supply: 150W
- PoE Power for Single port: 30W



**AI1010G(BT Optical)**

- 8 \* RJ-45 1000M (PoE)
- 2 \* RJ-45 1000M(Up-link)
- PoE Power Supply: 96W
- PoE Power for Single port: 30W((90W Optical)



**AI6016G**

- 14 \* RJ-45 1000M (PoE)
- 2 \* RJ-45 1000M(Up-link)
- PoE Power Supply: 150W
- PoE Power for Single port: 30W



**AI6024G**

- 22 \* RJ-45 1000M (PoE)
- 2 \* RJ-45 1000M(Up-link)
- PoE Power Supply: 250W
- PoE Power for Single port: 30W



Gigabit



AI VLAN



250m



Port  
Monitoring

## Gigabit Up-link 100M PoE Switch



**AI2082G**

- 8 \* RJ-45 100M (PoE)
- 2 \* RJ-45 1000M(Up-link)
- PoE Power Supply: 96W
- PoE Power for Single port: 30W



**AI6016**

- 16 \* RJ-45 100M (PoE)
- 2 \* RJ-45 1000M(Up-link)
- 1 \* SFP(Combo)
- PoE Power Supply: 150W
- PoE Power for Single port: 30W



**AI6024H**

- 24 \* RJ-45 100M (PoE)
- 2 \* RJ-45 1000M(Up-Link)
- 1 \* SFP(Combo)
- PoE Power Supply: 250W
- PoE Power for Single port: 30W



**AI1016**

- 16 \* RJ-45 100M (PoE)
- 2 \* SFP(Up-link)
- 2 \* RJ-45 1000M(Combo)
- PoE Power Supply: 250W
- PoE Power for Single port: 30W



AI VLAN



250m



Port Monitoring

## 100M POESwitch



**AI106(BT Optical)**

- 4 \* RJ-45 100M (PoE)
- 2 \* RJ-45 100M(Up-link)
- PoE Power Supply: 60W (96W Optical)
- PoE Power for Single port: 30W(90W Optical)



**AI606**

- 4 \* RJ-45 100M (PoE)
- 2 \* RJ-45 100M(Up-link)
- PoE Power Supply: 60W
- PoE Power for Single port: 30W



**AI1010(BT Optical)**

- 8 \* RJ-45 100M (PoE)
- 2 \* RJ-45 100M(Up-link)
- PoE Power Supply: 90W (120W Optical)
- PoE Power for Single port: 30W(90W Optical)



AI VLAN



250m



Port Monitoring

TOP  
15

**HORED**®

# ETHERNET SWITCH

Leading

SMB

Leading

- Gigabit Access Switch
- Gigabit Up-link Access Switch
- 10 Gigabit Up-link Switch
- 2.5G Switch
- Multi-rate fusion Switch
- 10G Switch





## 40G Up-link 10G Core Switch



**S6700-24TF-2QF**

- 24 \*SFP+ 10G
- 2 \* QSFP+ 40G
- White box
- VXLAN



L3  
Management



10G



40G  
Up-link

## 10G Up-link Aggregation/Core Switch



**S5700-24G-24F-4TF**

- L3 Management
- 24\* RJ-45 1000M
- 24 \* SFP
- 4 \* SFP+ 10G



**S5700-48G-4TF**

- L3 Management
- 48 \* RJ-45 1000M
- 4 \* SFP+ 10G



**S5700-24F-8G-4TF**

- L3 Management
- 24 \* SFP
- 8 \* RJ-45 1000M (Combo)
- 24\* SFP+ 10G



**S5700-24G-4F-4TF**

- L3 Management
- 24 \* RJ-45 1000M (PoE)
- 4 \* SFP (Combo)
- 4 \* SFP+ 10G



L3 Management



10G Up-link

**2.5G AI Cloud Ethernet Switch**



**AI1009XG**

- 8 \* RJ-45 2500M
- 1 \* SFP+ 10G(Up-link)



2.5G



10G  
Up-link



AI VLAN

**2.5G L3 Managed Ethernet Switch**



**PS3008XGSH**

- L3 Management
- 8 \* RJ-45 2500M
- 2 \* RJ45 10GE(Up-link)
- 2 \* SFP+ 10G (Up-link)



**PS3016XGSH**

- L3 Management
- 8 \* RJ-45 2500M
- 8 \* RJ-45 1000M
- 2 \* RJ45 10GE(Up-link)
- 2 \* SFP+ 10G (Up-link)



**PS3024XGSH**

- L3 Management
- 8 \* RJ-45 2500M
- 16 \* RJ-45 1000M
- 2 \* RJ45 10GE(Up-link)
- 2 \* SFP+ 10G (Up-link)



L3 Management



2.5G



10G Up-link



AI VLAN



## Full Gigabit Managed Ethernet Switch



### PS2010G-E

- L2+ Management
- 8 \* RJ-45 1000M
- 2 \* SFP(Up-link)



### PS3016GS-E

- L2+ Management
- 16 \* RJ-45 1000M
- 2 \* SFP(Up-link)



### PS3024GS-E

- L2+ Management
- 24 \* RJ-45 1000M
- 2 \* SFP(Up-link)



### PS3024GSH-E

- L2+ Management
- 24 \* RJ-45 1000M
- 2 \* SFP(Up-link)
- 2 \* RJ45 1000M(Combo)



### NS2024GR-E

- L3 Management
- 24 \* RJ-45 1000M
- 4 \* SFP(Up-link)



Management



Gigabit



VLAN

## Full Gigabit Ethernet Switch



**AI106G-E**

- 4 \* RJ-45 1000M
- 2 \* RJ-45 1000M(Up-link)



**AI1010G-E**

- 8 \* RJ-45 1000M
- 2 \* RJ-45 1000M(Up-link)



**AI2010GX-E**

- 8 \* RJ-45 1000M
- 2 \* SFP(Up-link)



**AI1016G-E**

- 16 \* RJ-45 1000M
- 2 \*SFP(Up-link)



**AI6024G-E**

- 22 \* RJ-45 1000M
- 2 \* RJ-45 1000M(Up-link)



Gigabit



AI VLAN



Port Monitoring

TOP  
10

**HORED®**

# INDUSTRIAL SWITCH

- Full Gigabit
- Managed Gigabit
- 16-Port Gigabit Switch
- 24-Port Rack Switch

Leading

Leading




## Industrial Full Managed PoE Switch




**IS104GPS-2F**

- L2+ Management
- 4 \* RJ-45 1000M (PoE)
- 2 \* SFP(Up-link)
- PoE Power for Single port: 30W
- -40~75°C




**IS108GPS-2F**

- L2+ Management
- 8 \* RJ-45 1000M (PoE)
- 2 \* SFP(Up-link)
- PoE Power for Single port: 30W
- -40~75°C




**IS1016GPS-4F**

- L2+ Management
- 16 \* RJ-45 1000M (PoE)
- 4 \* SFP(Up-link)
- PoE Power for Single port: 90W
- -40~75°C



**IS1024GPS-8F-4TF**

- L3 Management
- 24 \* RJ-45 1000M (PoE)
- 8 \* SFP (Combo)
- 4 \* SFP+ 10G(Up-link)
- PoE Power for Single port: 90W
- -40~75°C



## Industrial Gigabit Managed Ethernet Switch



**IS104GS-2F**

- L2+ Management
- 4 \* RJ-45 1000M
- 2 \* SFP(Up-link)
- -40~75°C



L2+  
Management



Gigabit



IP40



6KV  
Lightning  
Protection



-40 ~  
75°C



VLAN



**IS108GS-2F**

- L2+ Management
- 8 \* RJ-45 1000M
- 2 \* SFP(Up-link)
- -40~75°C



L2+  
Management



Gigabit



IP40



6KV  
Lightning  
Protection



-40 ~  
75°C



VLAN



**IS1016GS-4F**

- L2+ Management
- 16 \* RJ-45 1000M
- 4 \* SFP(Up-link)
- -40~75°C



L2+  
Management



Gigabit



IP40



6KV  
Lightning  
Protection



-40 ~  
75°C



VLAN



**IS1024GS-8F-4TF**

- L3 Management
- 24 \* RJ-45 1000M
- 8 \* SFP (Combo)
- 4 \* SFP+(Up-link)
- -40~75°C



L2+  
Management



Gigabit



IP40



6KV  
Lightning  
Protection



-40 ~  
75°C



VLAN





**PT ALUR SOLUSI KREATIF**

☎ +62 21 3972 1719  
✉ [info@alursolusi.com](mailto:info@alursolusi.com)  
🌐 [alursolusi.com](http://alursolusi.com)

18 Parc Place SCBD - Tower D 8<sup>th</sup> Floor  
Jl. Jend. Sudirman Kav. 52-53  
South Jakarta 12190