

COPILOTTRAINING
TECHNICAL BRIEFING

Copilot on GitHub

Produce, Reason, Measure

Three agents, one pull request. A person ends the loop.

Agents on GitHub · CopilotTraining Tech Talk · 60 min

🤔 THE CORE QUESTION

"Copilot can write, review, and check my code. What's automatic, and where does my judgment come in?"

You assign an issue and the cloud agent writes the change. Every push then wakes code review and Code Quality on their own.

You steer the rework, and you decide when it ships.

Developers

Delegate a bounded issue and read the draft PR it returns

Team leads

Decide which evidence is enough to merge agent-produced work

Platform engineers

Configure triggers, rulesets, and cost one setting at a time

~5 s

Code Quality start after each push on FanHub #221 (one observed run)

~2 min

Code review followed each push on the same run

8 of 8 pushes

Reviewed with Review new pushes on, including empty plan commits

📖 TABLE OF CONTENTS

PART 1

1. Produce: Copilot Cloud Agent

Draft PRs from issues

Turns a well-written issue into a draft PR with tests

PART 2

2. Reason: Copilot Code Review

Intent on every push

Reads the change for intent and catches what passing tests miss

PART 3

3. Measure: GitHub Code Quality

Fixed rules on every commit

Scores every new commit against fixed rules and thresholds and can block a merge

PART 4

4. Wire It Together

One issue, start to finish

One issue start to finish: who fires on which event, how rework loops, who ends it

THE WHOLE FLOW

1 of 1

Every push reopens the question; a person ends the loop.

A person assigns the issue, the cloud agent pushes, code review and Code Quality wake on each push, and the flow pauses until a person decides.

WHO ACTS ↓ / EVENT →	Issue assigned Person delegates	Draft opens Plan commit lands	Agent pushes The change arrives	Person responds Resolve, comment, commit	Rework pushed Any new commit	Decide Ready, approve, merge
Person Requester, PR owner, reviewer	Writes + assigns issue			@copilot · resolve · commit		Ready · approve · merge
Cloud agent Produce	Starts a session	Draft + plan commit	Pushes the change		Pushes rework	Cannot approve or merge
Code review Reason		Reviews if ruleset on	Re-reviews if new pushes on		Re-reviews if new pushes on	Approval counts (preview)
Code Quality Measure		Scans in seconds	Rescans in seconds		Rescans in seconds	Blocks if rule Active

↺ repeats on every push until a person decides

Human-invoked · Automatic · Waits for a person · Can gate merge · Cannot

Ask of any pull request: which event woke which agent, and which commit did it see?

PART 1

Produce: Copilot Cloud Agent

How a person wakes the cloud agent, what it needs, how to read its draft, and where its authority ends

✅

Good fits

Bugs with a known location, tests, docs, a11y, tech debt

👤

Keep human-led

Cross-repo refactors, deep domain logic, security-critical

📦

Returns

Commits on a copilot/ branch, PR description, session log

```
Value: turns a well-written issue into a draft PR with tests
↳ while you work on something else
```

The cloud agent produces: a bounded issue in, a draft pull request out

It runs in an ephemeral environment powered by GitHub Actions, runs your build and tests there, and hands back commits you can inspect.

WHO ACTS ↓ / EVENT →	Issue assigned Person delegates	Draft opens Plan commit lands	Agent pushes The change arrives	Person responds Resolve, comment, commit	Rework pushed Any new commit	Decide Ready, approve, merge
Person Requester, PR owner, reviewer	Writes + assigns issue			@copilot · resolve · commit		Ready · approve · merge
Cloud agent Produce	**Starts a session**	**Draft + plan commit**	**Pushes the change**		**Pushes rework**	**Cannot approve or merge**
Code review Reason		Reviews if ruleset on	Re-reviews if new pushes on		Re-reviews if new pushes on	Approval counts (preview)
Code Quality Measure		Scans in seconds	Rescans in seconds		Rescans in seconds	Blocks if rule Active

↺ repeats on every push until a person decides

Human-invoked · Automatic · Waits for a person · Can gate merge · Cannot

A person wakes it; it pushes to its own branch; it cannot approve or merge.

A person wakes the cloud agent three ways; each one ends in a push

a person invokes it, then the agent acts on its own branch

Assign issue	Draft PR in seconds with an empty plan commit; the change follows	→
Agents tab	Agent proposes a plan; a person corrects it, then asks for a PR	→
Handoff	@copilot · Fix with Copilot (public preview) · @Copilot on a finding	→
Who invokes	Write access only; comments from others never reach the agent	`write access`

In practice · FanHub #221 · one observed run, 2026-10-23: #159 assigned 15:30:24 → draft #221 with plan commit e046f52 at 15:30:31 → fix 6159164 at 15:37:13

The issue is the prompt; setup sets what the agent can reach

delegated issue template

```
## Problem
What is wrong, with file and line pointers.

## Acceptance criteria
- [ ] Observable behavior that proves the fix
- [ ] Tests to add, and the command that must pass

## Scope
In scope: the files and the size of change you expect.
Out of scope: neighboring problems with their own issues.
```

In practice · FanHub #159

One sentence became five leaking handlers, the response shape to keep, tests, and scope limits

copilot-setup-steps.yml

Installs dependencies first; job copilot-setup-steps, on the default branch

Firewall + MCP

Firewall on with a registry allowlist; GitHub and Playwright MCP on by default

Instructions + custom agents

copilot-instructions.md, *.instructions.md with applyTo, AGENTS.md, .github/agents/*.agent.md

Before reading the diff, the PR owner runs a six-question acceptance check

Plan	Does the plan match the issue's intent?	`PR description`
Commit	Which commit holds the implementation? The first is the empty plan	`commit list`
Scope	Did anything change outside the expected paths?	`files changed`
Tests	Which tests were added, and has anyone but the agent run them?	`session log`
Workflows	Which workflow runs still wait for Approve and run?	`checks`
Gaps	What evidence is still absent?	`decision record`

Steer with @copilot comments: each becomes a plan commit plus a rework push. FanHub #210, one observed run: draft 12 s after assignment; two-file fix with eight tests 3.5 min later.

Read the signal, name the cause, make the move

Empty first commit

Normal: the plan commit lands first. Wait for the implementation push; read the PR description

Unexpected files

A setup step or tool side effect. Comment, or let the next push correct it; check the final diff

Out-of-scope change

Tool defaults like go mod tidy or gofmt. Ask the agent to justify or revert it in the PR

Cannot build or reach a registry

Missing setup step or allowlist entry. Fix copilot-setup-steps.yml; read the session log

🧪 FanHub #221, one observed run: review flagged lockfile-only 7686606 and the next push reverted it. Asked about x/crypto, the agent kept it: Gin 1.10.0 requires it.

The platform fixes the cloud agent's authority: it drafts; a person decides

🛠️ The cloud agent can

- **Push only to its own copilot/ branch, subject to branch protection**
- **Run your build and tests in its Actions-powered environment**
- **Act on @copilot requests from users with write access**
- **Record its reasoning in the PR description**

👤 A person keeps

- **Marking the pull request ready for review**
- **Approval; the person who requested the work cannot approve it either**
- **Merge**
- **Approve and run on workflow runs, by default**

🧭 The team decides what to permit the agent to produce; a person approves and merges every result.

PART 2

Reason: Copilot Code Review

When code review wakes, what it reads, how to use its assessment, and when its approval counts

🧠

Reads for intent

Unreachable states, missing wiring, scope drift

🟢

Returns an assessment

🟢 or 🟡, inline comments, an open-issues list

⚖️

Advisory by default


Approvals count only when a team opts in (preview)

```
Value: reads the change for intent
↳ catches what passing tests miss
```

REASON · THE CODE REVIEW ROW

Code review reasons: it reads each change for intent and returns an assessment

It wakes on the opened PR when a ruleset enables it, and on every new push only when Review new pushes is on.



Advisory until a team opts in to Copilot approvals (public preview); those approvals are dismissed on each new push.

Without Review new pushes, the first automatic review is the only one

When several sources apply, Copilot still posts one review; user settings cannot disable push or draft reviews a ruleset enabled

Request	A person picks Copilot in Reviewers; it reviews the current head	any time
PR opened	A repo or org ruleset, or the author user setting, turns it on	ruleset
New push	Only when Review new pushes is on; Copilot approvals are dismissed	if enabled
Draft PR	Reviews drafts only when Review draft pull requests is on	if enabled

In practice · FanHub #221 · one observed run, 2026-10-23: with Review new pushes on, code review ran on all eight pushes, about two minutes after each, including empty plan commits

A ruleset decides when review runs; instruction files decide what it checks



Automatic review ruleset

Repository or org ruleset; choose Review new pushes and Review draft pull requests explicitly



Review effort

Lite ≈ $0.05–$1 of AI credits per review; Balanced ≈ $0.25–$5. Private repos add Actions minutes



Who can request

“Only allow … authorized users” limits who starts a review the organization pays for



Shared instructions

Reads the agent instruction files from the head branch; excludeAgent keeps a rule from one agent

🎯 Path-scoped *.instructions.md with applyTo adds review rules for one area, such as authentication handlers.

Read which commit the review saw, then run what it left unexecuted

🔎 Five moves for the PR owner

Check the commit
Every review names the commit it analyzed

Read assessment + open issues
The list carries unresolved threads from earlier pushes

Send fixes back
Fix with Copilot (public preview) or a plain @copilot comment

Close threads deliberately
Resolve, or mark Won't fix or Incorrect with a reason

Run the tests

🧪 In practice · FanHub #198

Test runner: 4 of 4 passed, build green
The status before review

Review: Retry had no interactive render mode
Its click handler never wired up

Review: the error cleared too early
The retrying state was unreachable

Author added a render-mode test
It failed against the original draft, then 6 of 6 passed

Each strange review signal points to one setting or one thread

📭

“Wasn't able to review any files”

The review saw a plan-only commit. Turn on Review new pushes, or re-request after the real push

🟢

🟢 with “1 open issue”

An outdated thread from an earlier commit is unresolved. Resolve it if the newer commit fixed it

🔕

No review after a fix

Review new pushes is off. Re-request Copilot from the Reviewers sidebar

🗂️

Comments the team skips

Instructions missing or too broad. Add path-scoped rules; split agents with excludeAgent

🧪 #210: Review new pushes off, so the only automatic review saw the plan commit. #221: a 🟢 with one open issue cleared once a person resolved the lockfile thread.

Code review advises until a team opts in to Copilot approvals (public preview)

💬 Default: advisory

- An assessment, inline comments, and an open-issues list
- No Copilot approval counts toward required reviews
- The PR owner decides what to act on
- The reviewer decides what evidence is enough

✅ Opt-in: Copilot approvals (public preview)

- Admins can opt in since September 2026
- Approvals count toward required reviews
- Dismissed on new pushes, like a human's
- Turn on only for paths where a reasoning review is the bar the team holds

👤 Keep at least one human approval wherever behavior, security, or data is at stake.

PART 3

Measure: GitHub Code Quality

Standard and AI findings, Evaluate before Active, and the one agent whose result can block a merge



Fixed rules

CodeQL quality rules plus team thresholds



Two ratings

Reliability and Maintainability, Excellent to Poor



Can gate a merge

Standard findings, at the threshold the team sets

```
Value: scores every new commit against fixed rules and thresholds
↳ GA 2026-07-20 for GitHub Enterprise Cloud and Team
```

MEASURE · THE CODE QUALITY ROW

1 of 5

Code Quality measures every push within seconds, before anyone clicks Approve and run

Every push to a PR runs the CodeQL - Code Quality check; findings arrive inline from github-code-quality[bot]. Default-branch pushes feed the dashboard.

WHO ACTS ↓ EVENT →	Issue assigned Person delegates	Draft opens Plan commit lands	Agent pushes The change arrives	Person responds Resolve, comment, commit	Rework pushed Any new commit	Decide Ready, approve, merge
Person Requester, PR owner, reviewer	Writes + assigns issue			@copilot · resolve · commit		Ready · approve · merge
Cloud agent Produce	Starts a session	Draft + plan commit	Pushes the change		Pushes rework	Cannot approve or merge
Code review Reason		Reviews if ruleset on	Re-reviews if new pushes on		Re-reviews if new pushes on	Approval counts (preview)
Code Quality Measure		**Scans in seconds**	**Rescans in seconds**		**Rescans in seconds**	**Blocks if rule Active**

↺ repeats on every push until a person decides

Human-invoked · Automatic · Waits for a person · Can gate merge · Cannot

FanHub #221 · one observed run, 2026-10-23: started about 5 s after every push, including empty plan commits; the one finding appeared about 100 s after its push.

Standard findings can block a merge; AI findings (public preview) stay advisory

Standard findings · GA

Source
CodeQL quality rules

Reproducibility
Stable for the same code, rules, and tool version

Where
Pull requests and the default branch

Gate

AI findings · public preview

Source
Model review of recently changed files

Reproducibility
Model-mediated

Where
Default branch only

Gate

🔴 Authority: the only agent whose result can block a merge on its own. Security review and secret scanning stay separate.

Start every rule in Evaluate; promote to Active once the team trusts the signal

The platform owner sets the threshold; the ruleset mode decides whether a finding blocks

1

Enable

Turn on Code Quality; each language uses its own CodeQL query list



2

Ruleset

Set a severity threshold and an optional coverage minimum fed by an upload such as Cobertura



3

Evaluate

Reports what would have blocked while merges go through



TARGET

4

Active

Blocks merges at the severity and coverage the team accepts



Rollback: move the rule back to Evaluate.

Read the finding, then commit the fix, hand it off, or dismiss it with a reason

Two FanHub drill-downs: a gate that blocked and an Autofix a person committed

30%

FanHub #199: a 27% coverage minimum blocked the 26.7% head; two more tests reached 30% and the gate turned green

FanHub #199 coverage gate demonstration

Commit suggestions

#201: a catch around int.Parse became int.TryParse; the author committed 0b33cda; checks passed

@Copilot handoff (GA)

Reply on a finding, or bulk-assign from the dashboard; the cloud agent pushes the fix

Read the inline finding

Each names the rule, the category, and the line

Dismiss with a reason

When the rule does not apply to intentional code

Every fix is a new push, so Code Quality and code review both run again on it.

A clean run says the rules found nothing; behavior still needs tests and review

No findings

Nothing the rules recognize. One kind of evidence; still run the tests and read the review

Two CodeQL checks

CodeQL (security) and CodeQL - Code Quality are separate analyses; read each for its purpose

Unexpected block

A rule moved to Active, or coverage was not uploaded. Check ruleset mode and the upload step

Finding does not apply

The rule matched intentional code. Dismiss it with a reason

⚖️ Standard findings gate at the threshold the team set; AI findings stay advisory.

PART 4

Wire It Together

One issue through all three agents: who fires on which event, how rework loops, and who ends it

🔁

Every push reopens it

Agent pushes and person pushes wake both agents

🧵

Threads carry state

An unresolved thread rides along until resolved


👤

A person ends the loop

The cloud agent cannot approve or merge

```
FanHub #159 → draft #221 · Review new pushes on · eight pushes
↳ One observed run, 2026-10-23 · one step STAGED by a person
```

A person assigns a delegable issue; the agent opens a draft with a plan commit



Requester

A person writes a delegable issue and assigns it; the agent opens a draft with an empty plan commit

The plan commit marks the start of the session. The change arrives as later pushes.

IN PRACTICE · FANHUB #221 · ONE OBSERVED RUN, 2026-10-23

`15:30:24` #159 rewritten with scope and acceptance criteria, then assigned

`15:30:31` Draft #221 opens with plan commit e046f52

Measurement starts in seconds; review runs on the opened PR, even with only a plan

WHO ACTS ↓ EVENT →	Issue assigned	Draft opens	Agent pushes	Person responds	Rework pushed	Decide
Person	Writes + assigns issue			@copilot · resolve · commit		Ready · approve · merge
Cloud agent	Starts a session	Draft + plan commit	Pushes the change		Pushes rework	Cannot approve or merge
Code review		Reviews if ruleset on	Re-reviews if new pushes on		Re-reviews if new pushes on	Approval counts (preview)
Code Quality		Scans in seconds	Rescans in seconds		Rescans in seconds	Blocks if rule Active

↻ repeats on every push until a person decides

Code Quality + Code review

Measurement is immediate; reasoning follows

Code Quality scans every push within seconds. Automatic review fires on the opened PR, so a plan-only commit gets a review with nothing to read.

IN PRACTICE · FANHUB #221 · ONE OBSERVED RUN, 2026-10-23

`15:30:36` Code Quality scans e046f52

`15:30:42` Review: "Copilot wasn't able to review any files"

The agent pushes; review and measurement run again on that commit

WHO ACTS ↓ / EVENT →	Issue assigned	Draft opens	Agent pushes	Person responds	Rework pushed	Decide
Person	Writes + assigns issue			@copilot · resolve · commit		Ready · approve · merge
Cloud agent	Starts a session	Drafts + plan commit	Pushes the change		Pushes rework	Cannot approve or merge
Code review		Reviews if ruleset on	Re-reviews if new pushes on		Re-reviews if new pushes on	Approval counts (preview)
Code Quality		Scans in seconds	Rescans in seconds		Rescans in seconds	Blocks if rule Active

↻ repeats on every push until a person decides

Code review

Every agent push wakes both agents on that exact commit

Read which commit each review analyzed. Here the review recommended changes on a commit that touched only a frontend lockfile.

IN PRACTICE · FANHUB #221 · ONE OBSERVED RUN, 2026-10-23

15:32:08 7686606 changes only a frontend lockfile

15:34:31 Changes recommended

The agent's next push corrects course; a 🟢 can still carry an open issue

WHO ACTS ↓ / EVENT →	Issue assigned	Draft opens	Agent pushes	Person responds	Rework pushed	Decide
Person	Writes + assigns issue			@copilot · resolve · commit		Ready · approve · merge
Cloud agent	Starts a session	Draft + plan commit	**Pushes the change**		Pushes rework	Cannot approve or merge
Code review		Reviews if ruleset on	**Re-reviews if new pushes on**		Re-reviews if new pushes on	Approval counts (preview)
Code Quality		Scans in seconds	**Rescans in seconds**		Rescans in seconds	Blocks if rule Active

↻ repeats on every push until a person decides

Cloud agent

Threads carry state across pushes

An outdated, unresolved thread stays on the open-issues list until a person resolves it, even after the commit that fixed it.


IN PRACTICE · FANHUB #221 · ONE OBSERVED RUN, 2026-10-23

`15:37:13` 6159164: fix + tests; lockfile reverted with no person involved

`same push` Code Quality: no findings

`15:39:35` 🟢 with "1 open issue": the outdated lockfile thread

A person resolves the stale thread and asks the agent for rework



PR owner

A person resolves stale threads and steers with a comment


Resolve a thread when a newer commit fixed it. Ask for rework with @copilot rather than by rewriting the branch.

IN PRACTICE · FANHUB #221 · ONE OBSERVED RUN, 2026-10-23

`15:46:05` PR owner resolves the lockfile thread

`15:46:06` @copilot: add a shared helper and justify the x/crypto bump

The agent pushes rework; review and measurement run again



Cloud agent

Every push reopens the question

The rework push wakes both agents again. The agent kept the x/crypto bump because Gin 1.10.0 requires it, and recorded why in the PR description.

IN PRACTICE · FANHUB #221 · ONE OBSERVED RUN, 2026-10-23

15:49:46 5444980 adds the shared helper

15:52:18 "No open issues", "1 resolved since last review"

A person's push wakes both agents too, and they see the same line differently

WHO ACTS ↓ EVENT →	Issue assigned	Draft opens	Agent pushes	Person responds	Rework pushed	Decide
Person	Writes + assigns issue			@copilot - resolve - commit		Ready - approve - merge
Cloud agent	Starts a session	Draft + plan commit	Pushes the change		Pushes rework	Cannot approve or merge
Code review		Reviews if ruleset on	Re-reviews if new pushes on		Re-reviews if new pushes on	Approval counts (preview)
Code Quality		Scans in seconds	Rescans in seconds		Rescans in seconds	Blocks if rule Active

↻ repeats on every push until a person decides

PR owner

The two agents see the same line differently

Code Quality names the rule and offers a changeset; code review explains the cost. This commit was a STAGED quality issue, introduced deliberately by a person.


IN PRACTICE · FANHUB #221 · ONE OBSERVED RUN, 2026-10-23

`15:54:34` 8a752d2 STAGED: a nil guard whose result is immediately overwritten

`15:56:18` Code Quality: "Useless assignment to local variable" + Autofix (~100 s)

`15:57:20` Review: "Optional cleanup … Error() called twice"

A person hands the finding to the agent; one fix clears both agents' threads



PR owner

A person hands a finding to the agent; both agents run again on the fix

An @Copilot reply on a Code Quality finding (GA) becomes a new push. The agent ran go test in its own session; every review stated tests were not executed.

IN PRACTICE · FANHUB #221 · ONE OBSERVED RUN, 2026-10-23

- `15:58:28` @Copilot reply on the Code Quality finding
- `16:00:53` 69aa00f removes the redundant assignment
- `16:01:56` 6a512c1 simplifies internal error logging
- `16:06:08` "No open issues"; all three threads resolved

A person ends the loop and writes the decision down

The cloud agent cannot approve or merge. #221 remained a draft with no merge decision; #210 supplies the merged decision record below.

Available	#210: patch + agent test runs, 🟢 assessment, clean Code Quality run	`per agent`
Absent	Every Copilot review stated tests were not executed; no browser check	`named gaps`
Policy	Rulesets, required checks, and quality gates on the final head	`platform owner`
Judgment	Maintainer ran 8 of 8 tests on 02ddaf3; recorded the absent check	`reviewer`
Act + recover	Squash-merged as 803254f; recovery: revert the squash commit	`803254f`

Every rework pass spends AI credits and Actions minutes; the person decides when another round stops paying for itself.

Promote advice to authority one setting at a time: permit, count, enforce

Five surfaces: agent context, invocation and permissions, review policy, merge evidence, economics. Each promotion gets an owner, an observation period, and a rollback.

Observe

Read what returns

Assign a few scoped issues · request reviews manually · enable Code Quality on one repo



Evaluate

Automate, still advisory

copilot-setup-steps + custom agents · auto-review with Review new pushes · rules in Evaluate



Enforce

Permit · count · enforce

Agent: drafts only, platform-fixed · Copilot approvals (preview) count · Active quality rules



Cost: AI Credits at $0.01 · review Lite ~$0.05–$1, Balanced ~$0.25–$5, per push · Actions minutes on private repos · Code Quality $10/active committer/month

Every push reopens the question; a person ends the loop.

Measurement is immediate and reasoning follows · every push reopens the question · the two agents see the same line differently · threads carry state across pushes

WHO ACTS ↓ EVENT →	Issue assigned Person delegates	Draft opens Plan commit lands	Agent pushes The change arrives	Person responds Resolve, comment, commit	Rework pushed Any new commit	Decide Ready, approve, merge
Person Requester, PR owner, reviewer	Writes + assigns issue			@copilot · resolve · commit		Ready · approve · merge
Cloud agent Produce	Starts a session	Draft + plan commit	Pushes the change		Pushes rework	Cannot approve or merge
Code review Reason		Reviews if ruleset on	Re-reviews if new pushes on		Re-reviews if new pushes on	Approval counts (preview)
Code Quality Measure		Scans in seconds	Rescans in seconds		Rescans in seconds	Blocks if rule Active

↺ repeats on every push until a person decides

Human-invoked · Automatic · Waits for a person · Can gate merge · Cannot

Four facts from one observed run on FanHub #221, 2026-10-23.

Replay your last merged PR against the event map

🔁 Replay it

- **For each push, list which agents ran**
- **Mark which steps were 👤 human-invoked**
- **Note which commit each review analyzed**
- **Find the missing ⚡ step**
  A fix commit with no review marks the first setting to change

🚀 Try today

- **Rewrite one bug with problem, acceptance criteria, scope; assign it**
- **Turn on Review new pushes; read which commit each review saw**
- **Enable Code Quality on one repo; one rule in Evaluate**
- **Reply @Copilot on one finding; watch both agents run again**

🧭 Where it stops fitting: scheduled judgment → GitHub Agentic Workflows; multi-step local loops → Local Agentic SDLC.

REFERENCES

Cloud agent + code review

- About Copilot cloud agent
  Environment, triggers, limits
- Get the best results
  The issue is the prompt
- About Copilot code review
  Assessments and open issues
- Configure automatic review
  Review new pushes, drafts, effort
- Copilot approvals (preview)
  Changelog, 2026-09-01

GitHub Code Quality

- About GitHub Code Quality
  Standard and AI findings
- CodeQL-powered analysis
  Query lists per language
- Code Quality GA
  Changelog, 2026-07-20
- Code Quality billing
  Per active committer

FanHub evidence

- #221
  One issue through all three agents
- #210

Related talks

- GitHub Agentic Workflows
  Scheduled and event-driven judgment
- Copilot Governance



Copilot on GitHub

PRODUCE, REASON, MEASURE. THREE AGENTS, ONE PULL REQUEST

~5 s → ~2 min

Code Quality, then code review, after each push (#221, one run)

8 of 8

Pushes reviewed with Review new pushes on

1 reply

@Copilot on one finding cleared both agents

Which step in your last merged PR had no ⚡, and who decides to turn it on?