

EX.NO:1 DATE:	Designing a Responsive layout for an societal application
--------------------------------	--

AIM:

PROGRAM:

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Societal Application</title>

<link rel="stylesheet" href="styles.css">

</head>

<body>

<header>

<h1>Societal Application</h1>

</header>

<nav>

<ul>

<li><a href="#">Home</a></li>

<li><a href="#">About</a></li>

<li><a href="#">Services</a></li>

<li><a href="#">Contact</a></li>

</ul>

</nav>

<section class="main-content">

<article>

<h2>Welcome to Societal Application</h2>

<p>This is a place where people connect, share, and collaborate for a better society.</p>

</article>

</section>

<aside>

<h2>Latest Updates</h2>
```

<p>Stay tuned for the latest news and events in your community.</p>

</aside>

<footer>

<p>© 2024 Societal Application. All rights reserved.</p>

</footer>

</body>

</html>

CSS:-/* Reset

CSS */

* { margin: 0;

padding: 0; box-

sizing: border-box;

}

body {

font-family: Arial, sans-serif;

}

header { background-

color: #333;

color: #fff; text-

align: center;

padding: 20px 0;

}

nav { background-

color: #555;

color: #fff;

padding: 10px;

}

```
nav ul { list-style-
type: none; text-
align: center;

}

nav ul li {
display: inline;
margin-right: 10px;

}

nav ul li a {
color: #fff;

text-decoration: none;
}

.main-content {
margin: 20px;

}

article {

background-color: #f9f9f9;
padding: 20px;

}

aside { background-
color: #ddd; padding:
20px;

}

footer {
background-color: #333;

color: #fff; text-
align: center;
padding: 10px 0; }
```

OUTPUT:



JOSEPHINE VIVIAN
ART DIRECTOR

ABOUT ME

Lorem ipsum is simply dummy text of the printing and typesetting industry. Lorem ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting.

CONTACT ME

54 Stress Address, Town Name
California 1122
+000 123 456 789
jona_anderson@mail.com

Facebook : Jonathon_anderson
Twitter : Jonathon_anderson
Linkedin : Jonathon_anderson

AWARD

BEST DESIGN AWARD-2019
12 April 2019
Creative Design Agency
Lorem ipsum is simply dummy text of the printing and typesetting industry.

INTERESTS

☐ Traveling

☐ Photography

☐ Cycling

☐ Music

☐ Reading Book

☐ Video Game

EXPERIENCE

2019 - PRESENT
Web & Graphic Designer

DESIGN STUDIO 360 INC, AUSHTRLIA
Lorem ipsum is simply dummy text of the printing and typesetting industry. Lorem ipsum has been the industry's standard dummy text ever since the 1500s.

2017 - 2019
Graphic Designer

DESIGN STUDIO 360 INC, AUSHTRLIA
Lorem ipsum is simply dummy text of the printing and typesetting industry. Lorem ipsum has been the industry's standard dummy text ever since the 1500s.

2014 - 2016
Senior Graphic Designer

DESIGN STUDIO 360 INC, AUSHTRLIA
Lorem ipsum is simply dummy text of the printing and typesetting industry. Lorem ipsum has been the industry's standard dummy text ever since the 1500s.

EDUCATION

2019 - PRESENT
Master of Social Science

UNIVERSITY NAME HERE, AUSHTRLIA
Lorem ipsum is simply dummy text of the printing and typesetting industry. Lorem ipsum has been the industry's standard dummy text ever since the 1500s.

2015 - 2019
Bachelor of Social Science

UNIVERSITY NAME HERE, AUSHTRLIA
Lorem ipsum is simply dummy text of the printing and typesetting industry. Lorem ipsum has been the industry's standard dummy text ever since the 1500s.

TRAINING

2018 - 2019
Web & Graphic Designer

TRAINING INSTITUTE NAME, AUSHTRLIA
Lorem ipsum is simply dummy text of the printing and typesetting industry. Lorem ipsum has been the industry's standard dummy text ever since the 1500s.

PRO SKILLS

☐ Photoshop

☐ Wordpress

☐ Illustrator

☐ Javascript

☐ InDesign

☐ PHP

☐ HTML (5)

☐ Bootstrap

REFERENCE

JHON MICHEL SMITH
Creative Manager
Creative UI Design Inc.
+000 123 456 789
jona_anderson@mail.com

JHON ANDERSON
Creative Manager
Creative UI Design Inc.
+000 123 456 789
jona_anderson@mail.com

RESULT:

EX.NO:2

DATE:

Exploring various UI Interaction Patterns

AIM:

PROGRAM:

HTML CODE

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>UI Interaction Patterns</title>

<style>

    /* Add your styles here */ body {

font-family: Arial, sans-serif;

margin: 0; padding: 0;


display: flex;          align-items:

center; justify-content: center;

height: 100vh; background-color:

#f0f0f0;


    }

    .container {          text-

align: center;


    }

    .box {                width: 100px;

height: 100px;          background-

color: #3498db;


color: #fff;            display: inline-block;

margin: 10px;           padding: 20px;

cursor: pointer;        transition: background-

color 0.3s ease;


    }
```

```
.box:hover {      background-color: #2980b9;

}
```

```
.draggable-box {      width: 100px;      height: 100px;
background-color: #e74c3c;

color: #fff;
```

```
display: inline-block;

margin: 10px; padding: 20px;
```

```
cursor: move;      user-select: none;
```

```
}
```

```
.droppable-area {      width: 250px;      height: 250px;
background-color: #2ecc71;
```

```
margin: 10px; padding: 20px;
```

```
display: inline-block;
```

```
}
```

```
.swipe-container {
width: 300px;      height: 150px;      overflow: hidden; position: relative;
margin: 10px;
```

```
}
```

```
.swipe-content { white-space: nowrap;
```

```
transition: transform 0.3s ease;
```

```

    }

    .swipe-item {
display: inline-block;          width:
100px;          height: 100px;
background-color: #f39c12;

color: #fff;          margin:
10px;

padding: 20px;
cursor: pointer;

    }

    .modal {
display: none;
position: fixed;

top: 0;          left: 0;          width:
100%;          height: 100%;
background: rgba(0, 0, 0, 0.5); justify-
content: center;          align-items:
center; }

    .modal-content {
background: #fff; padding:
20px; border-radius: 5px;

    }

    .tabs {
display: flex;          margin:
10px;

    }

    .tab
{          flex: 1;

padding: 10px;

```

```
text-align: center;
cursor: pointer; border: 1px
solid #ccc; border-radius: 5px;

}

.tab-content {
display: none;

}

.dropdown { position:
relative;          display:
inline-block;      margin:
10px;

}

.dropdown-content {          display:
none; position: absolute; background-
color: #fff; box-shadow: 0 8px 16px
rgba(0,0,0,0.2);

z-index: 1;

}
.dropdown:hover .dropdown-content {
display: block;

}

.toggle-switch { position:
relative;          display:
inline-block;      width:
60px;             height: 34px;

}

.toggle-switch input {
```

```
opacity: 0;
width: 0;
height: 0;    }

.slider { position: absolute;

cursor: pointer;
top: 0;        left: 0;
right: 0;

bottom: 0; background-color:
    #ccc;

transition: .4s;

                border-radius: 34px;

    }

.slider:before {
    position: absolute;
content: "";        height:
26px;        width: 26px;
left: 4px;

    bottom: 4px; background-color:
    #fff;

transition: .4s;

    border-radius: 50%;

    }

input:checked + .slider { background-color:
    #2196F3;

    }

input:checked + .slider:before {        transform:
translateX(26px);
```

```

    }

    .stepper {
margin: 10px;

    }

    .stepper input {
width: 50px;      text-
align: center;
margin: 0 5px;

    }

    .progress-bar {

        width: 300px;

height: 20px; background-color:
#ccc;      margin: 10px;
position: relative;

    }

    .progress-bar-fill {
height: 100%;

background-color: #3498db;

width: 0;      transition: width
0.3s ease;    position: absolute;

    }
</style>

</head>

<body>

<div class="container">

<div class="box" onclick="alert('Click/Tap Interaction')">Click/Tap</div>

<div class="draggable-box" draggable="true" ondragstart="drag(event)">Drag

```

Me</div>

<div class="droppable-area" ondrop="drop(event)" ondragover="allowDrop(event)">

Drop Here

</div>

<div class="swipe-container" ontouchstart="handleTouchStart(event)"
ontouchmove="handleTouchMove(event)">

<div class="swipe-content">

<div class="swipe-item" onclick="alert('Swipe Interaction 1')">Swipe
1</div>

<div class="swipe-item" onclick="alert('Swipe Interaction 2')">Swipe
2</div>

<div class="swipe-item" onclick="alert('Swipe Interaction 3')">Swipe
3</div>

</div>

</div>

<div class="modal" onclick="closeModal()">

<div class="modal-content" onclick="event.stopPropagation()">

<p onclick="alert('Modal/Popup Interaction')">Modal Content</p>

</div>

</div>

<div class="tabs">

<div class="tab" onclick="showTab('tab1')">Tab 1</div>

<div class="tab" onclick="showTab('tab2')">Tab 2</div><div
class="tab" onclick="showTab('tab3')">Tab 3</div>

</div>


<div class="tab-content" id="tab1">

<p>Tab 1 Content</p>

</div>

<div class="tab-content" id="tab2" style="display:none">

OUTPUT:



RESULT:

EX.NO:3
DATE:

Developing an interface with proper UI Style Guides

AIM:

PROGRAM:

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>UI Style Guide Example</title>

<style>  body {

font-family: 'Arial', sans-serif;          line-height:

1.6;

background-color: #f5f5f5;

color: #333;          margin:

0;

padding: 0;

    }

    /* Header Styles */

header { background-color:

#3498db;

        color: #fff; padding:

        10px;

text-align: center;

    }

    /*

Navigation Styles */

nav {

background-color: #2c3e50; padding:

10px;
```

```

text-align: center;

    }      nav a {
color: #fff;      text-
decoration: none; padding:
10px;      margin: 0 10px;
display: inline-block;

    }

    /* Main Content Styles */
.container {      max-width:
800px;      margin: 20px
auto; padding: 20px;
background-color: #fff; border-
radius: 5px; box-shadow: 0 0
10px rgba(0, 0, 0, 0.1);

    }      h1, h2,
h3 {      color:
#333;

    }

p {      margin-bottom:
20px;

    }

    /* Button Styles */

.btn {

    background-color: #e74c3c;

color: #fff;

    padding: 10px 20px;

text-decoration: none; border-radius: 3px;
display: inline-block;      transition:
background-color 0.3s ease;

```

```

    }

    .btn:hover {        background-
color: #c0392b;

    }

    /*    Form    Styles    */
form {        margin-bottom:
20px;

    }
label {
display:
block;
margin-
bottom: 8px;

    }

input[type="text"], input[type="email"], input[type="password"] {
width: 100%; padding: 10px;        margin-bottom: 10px; border: 1px
solid #ccc; border-radius: 3px;

    }

input[type="submit"] { background-color:
    #2ecc71;

color: #fff;

    padding: 10px 20px;
    border: none; border-
radius: 3px; cursor:
    pointer;

    }

input[type="submit"]:hover { background-color:
    #27ae60;

```

```

    }

    /* Footer Styles */
    footer {

background-color: #34495e;

color: #fff; padding:
10px; text-align:
center; position:
fixed; bottom: 0;
width: 100%;

    }

</style>

</head>

<body>

<header>

<h1>UI Style Guide Example</h1>
</header>

<nav>

<a href="#">Home</a>

<a href="#">About</a>

<a href="#">Services</a>

<a href="#">Contact</a>

</nav>

<div class="container">

<h2>Main Content Heading</h2>

<p>This is a simple example of a UI style guide. Feel free to
customize and  expand it based on your project requirements.</p>

<a href="#" class="btn">Call to Action</a>

<form>

```

```
<label for="name">Name:</label>
```

```
<input type="text" id="name" name="name" required>
```

```
<label for="email">Email:</label>
```

```
<input type="email" id="email" name="email" required>
```

```
<label for="password">Password:</label>
```

```
<input type="password" id="password" name="password" required>
```

```
<input type="submit" value="Submit">
```

```
</form>
```

```
</div>
```

```
<footer>
```


```
<p>&copy; 2024 UI Style Guide Example. All rights reserved.</p>
```

```
</footer>
```

```
</body>
```

```
</html>
```

OUTPUT:



RESULT:

EX.NO:4 DATE:	Developing Wire flow diagram for application using open-source software
--------------------------------	--

AIM:

Using Pencil Project:

1. Download and Install Pencil Project:

- Visit the Pencil Project GitHub Releases page.
- Download the latest version suitable for your operating system (Windows, macOS, Linux).
- Install the application on your computer.

2. Open Pencil Project:

Open the Pencil Project application.

3. Create a New Document:

- Click on "File" and select "New."
- Choose the type of document you want (e.g., Desktop or Mobile).

4. Add UI Components

- On the left toolbar, select the "Wireframe" category.
- Drag and drop UI components onto the canvas to represent screens or components of your application.

5. Connect Components:

- Use connectors or arrows from the toolbar to represent the flow between different screens or components.
- Connect the components to illustrate the user journey.

6. Label Components:

- Double-click on components to add labels and provide more information about each screen or component.

7. Group and Align:

- Group related components together to maintain a clean and organized layout.
- Use alignment tools to ensure a consistent structure.

8. Add Annotations:

- Utilize the annotation feature to add notes or comments to specific components, explaining functionality or user interactions.

9. Customize Styles:

☐ Customize the appearance of your wireflow by adjusting colors, fonts, ☐ and other styling options.

10. Save Your Project:

☐ Click on "File" and choose "Save" to save your wireflow project for ☐ future editing.

11. Export as Image or PDF:

- Once you're satisfied with your wireflow, you can export it as an ☐ image (PNG, JPEG) or a PDF.
- Click on "File" and select "Export Document."

OUTPUT:



RESULT:

EX.NO:5 DATE:	Exploring various open source collaborative interface Platform
--------------------------------	---

AIM:

PROGRAM:**HTML Code:**

```
<!DOCTYPE html>

<html>

<body>

<h1>Colloborative Drawing</h1>

<canvas id="myCanvas" width="200" height="100" style="border:1px solid black;">
Sorry, your browser does not support canvas.
</canvas><script>

const canvas = document.getElementById("myCanvas");
const ctx = canvas.getContext("2d"); ctx.fillStyle = "red";
ctx.fillRect(0,0,150,75);

</script>

</body>

</html>
```

OUTPUT:

Colloborative Drawing



RESULT:

EX.NO:6 DATE:	Hands on Design Thinking Process for a new product
--------------------------------	---

AIM:

PROCEDURE:

1.Empathize:

- Understand the target user's needs, desires, and pain points through interviews, observations, and empathy exercises.
- Develop personas to represent different user segments and their unique characteristics.

2.Define:

- Synthesize the insights gathered during the empathize stage to define the core problem or opportunity statement.
- Reframe the problem statement in a human-centered and actionable manner.

3.Ideate:

- Generate a wide range of creative ideas and potential solutions to address the defined problem or opportunity.
- Encourage brainstorming sessions, idea generation techniques like mind mapping, and rapid prototyping.

4.Prototype:

- Translate selected ideas into tangible prototypes or mockups that represent potential solutions.
- Use low-fidelity prototyping tools like paper sketches or digital wireframes to quickly iterate on ideas.

5.Test:

- Gather feedback on the prototypes through user testing and evaluation.
- Validate assumptions, gather insights, and identify areas for improvement.

Activities:

1.Empathy Mapping:

- Conduct interviews or empathy exercises to understand users' needs, motivations, and pain points.
- Create empathy maps to visualize user perspectives and insights.

2.Problem Statement Workshop:

- Facilitate a workshop to define the problem statement based on the insights gathered.

- Use techniques like "How Might We" statements to reframe the problem in a user-centered way.

3.Ideation Session:

- Organize a brainstorming session to generate a diverse range of ideas.
- Encourage participants to think outside the box and defer judgment during idea generation.

4.Prototyping Sprint:

- Divide participants into teams and assign them to develop prototypes based on selected ideas.
- Provide prototyping tools and materials to facilitate rapid iteration and experimentation.

5.User Testing and Iteration:

- Conduct user testing sessions to gather feedback on the prototypes.
- Encourage participants to iterate on their prototypes based on user feedback and insights.

OUTPUT:**1. Prototype(s):**

- Developed prototypes or mockups representing potential solutions to the identified problem or opportunity.

2. User Feedback:

- Insights and feedback gathered from user testing sessions to validate assumptions and refine prototypes.

3. Iterative Design Process:

- Experience participating in an iterative design process that emphasizes empathy, creativity, and user feedback.

RESULT:

EX.NO:7 DATE:	Brainstorming feature for proposed product
--------------------------------	---

AIM:

PROCEDURE:

1. Identify User Needs:

- Understand the target users' requirements, preferences, and pain points related to the proposed product.
- Prioritize user needs and areas for improvement based on market research and user feedback.

2. Generate Ideas:

- Encourage participants to think creatively and generate a diverse range of feature ideas that address identified user needs.
- Foster an open and inclusive brainstorming environment where all ideas are welcomed and explored.

3. Evaluate and Prioritize:

- Evaluate the feasibility, viability, and desirability of each proposed feature based on criteria such as market demand, technical feasibility, and business goals.
- Prioritize feature ideas based on their potential impact, alignment with the product vision, and resource constraints.

4. Refine and Define:

- Refine selected feature ideas into well-defined user stories or feature specifications that clearly articulate the problem they address, the proposed solution, and the expected benefits.

Activities:

1. User Needs Identification:

- Review user research findings, market analysis, and customer feedback to identify key user needs and pain points.
- Create user personas or empathy maps to represent different user segments and their specific requirements.

2. Brainstorming Session:

- Facilitate a brainstorming session where participants generate as many feature ideas as possible within a specified time frame.
- Encourage participants to build on each other's ideas and explore unconventional solutions.

3. Idea Evaluation and Prioritization:

- Conduct a group discussion to evaluate the feasibility, desirability, and viability of each feature idea.
- Use techniques like impact-effort matrix or weighted scoring to prioritize feature ideas based on predefined criteria.

4. **Feature Refinement:**

- Select the most promising feature ideas and refine them into actionable user stories or feature specifications.
- Define clear objectives, success criteria, and acceptance criteria for each feature to guide implementation and evaluation.

OUTPUT:

1. Feature Ideas:

- Generated a diverse range of feature ideas that address user needs and enhance the proposed product's value proposition.

2. Prioritized Feature List:

- Identified and prioritized key features based on their potential impact, feasibility, and alignment with business objectives.

3. Refined Feature Specifications:

- Developed well-defined user stories or feature specifications for selected features, providing clear guidance for implementation and evaluation.

RESULT:

EX.NO:8
DATE:

Defining the Look and Feel of the new project

AIM:

PROGRAM:

HTML CODE

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>New Project</title>

<link rel="stylesheet" href="styles.css">

</head>

<body>

<header>

<h1>Welcome to the New Project</h1>

</header>

<main>

<p>This is where the main content goes.</p>

</main>

<footer>

<p>&copy; 2023 New Project</p>

</footer>

</body>

</html>
```

CSS

```
/* styles.css */ body { font-
family: Arial, sans-serif;
margin: 0; padding: 0;

}

header { background-
color: #333;
```

```
color: #fff; text-align:
center; padding:
10px 0;

}

main { padding:
20px;

}

footer { background-color:
#333; color: #fff; text-
align: center; padding:
10px 0;

}
```

OUTPUT:

Welcome to the New Project

This is where the main content goes.

© 2023 New Project

RESULT:

EX.NO:9

DATE:

Create a Sample Pattern Library for that product

(Mood board, Fonts, Colours based on UI principles)

AIM:

PROGRAM:

HTML CODE:

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Product Pattern Library</title>

<link rel="stylesheet" href="styles.css">

</head>

<body>

<h1>Mood Board:</h1>

<div class="mood-board">

<p>playing chess</p>

<p>Watching movie</p>

<p>Reading books</p>

<!-- Mood board content here -->

</div>

<h2>Fonts:</h2>

<div class="fonts">

<p style="font-family:algerian">Hello world</p>

<p style="font-family:broadway">welcome</p>

<!-- Fonts information here -->

</div>

<h2>Colors:</h2>

<div class="colors">

<p style="color:red">red</p>
```

```
<p style="color:blue">blue</p>
<p style="color:green">green</p>
<!--Colors palette here -->
</div>
</body>
</html><b>C
```

```
SS: body {
```

```
font-family: Arial, sans-serif;
background-color: #f0f0f0;
margin: 0; padding: 0;
```

```
}
```

```
header { background-
color: #333; color: white;
text-align: center; padding:
10px 0;
```

```
}
```

```
footer { background-color:
#333; color: white;
text-align: center;
padding: 10px 0; position:
fixed; bottom: 0; width:
100%;
```

```
}
```

OUTPUT:

Mood Board:

playing chess

Watching movie

Reading books

Fonts:

HELLO WORLD

welcome

Colors:

red

blue

green

RESULT:

EX.NO:10 DATE:	Identify a customer problem to solve
---------------------------------	---

AIM:

PROGRAM:

HTML CODE:

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Responsive Design</title>

<style>
body {

font-family: Arial, sans-serif;
margin: 0;    padding: 0;

background-color: #f0f0f0;

}

.container {    max-
width: 1200px;
margin: 0 auto;
padding: 20px;
display: flex;    justify-
content: center;    align-
items: center;    height:
100vh;

}

.content {    background-color: #fff;
padding: 20px;    border-radius: 5px;    box-
shadow: 0 2px 5px rgba(0, 0, 0, 0.1);


}

@media (max-width: 768px) {

    .content {
padding: 10px;
```

```
    }}
</style>
</head>
<body>
<div class="container">
<div class="content">
<h1>Welcome to Our Website</h1>
<p>Providing solutions to your problems.</p>
</div>
</div>
</body>
</html>
```

OUTPUT:



RESULT:

EX.NO:11 DATE:	Conduct end-to-end user research - User research, creating personas, Ideation process (User stories, Scenarios), Flow diagrams, Flow Mapping
---------------------------------	---

AIM:

PROGRAM:

HTML CODE:

```
<!DOCTYPE html>

<html>

<head>

<title>User Research and Ideation Process</title>

<style>

    /* CSS for flow diagrams */

    .flow-diagram {
width: 100%;          height:
auto;                border: 2px solid
#333;                padding: 20px;
margin: 20px 0;

    }

    /* CSS for personas */

    .persona {
background-color: #f9f9f9;
border: 1px solid #ccc;    padding:
10px;
margin: 10px 0;

    }

    /* CSS for user stories */

    .user-story {        font-style:
italic;                color: #555;

    }

</style>


</head>

<body>

<h1>User Research and Ideation Process</h1>
```

```
<div class="flow-diagram">
<h2>Flow Diagram</h2>
<!-- Insert flow diagram content here -->
</div>
<div class="personal">
<h2>Personal</h2>
<!-- Insert persona content here -->
</div>
<div class="user-story">
<h2>User Stories</h2>
<!-- Insert user stories content here -->
</div>
</body>
</html>
```

OUTPUT:



RESULT:

EX.NO:12 DATE:	Sketch, design with popular tool and build a prototype and perform usability testing and identify improvements
---------------------------------	---

AIM:

PROGRAM:

HTML CODE

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Prototype</title>

<link rel="stylesheet" href="styles.css">

</head>

<body>

<header>

<h1>Prototype Design</h1>

</header>

<section>

<p>Welcome to our prototype!</p>

</section>

<footer>

<p>&copy; 2023 Prototype Inc.</p>

</footer>

</body>

</html>CSS: body {  font-
family: Arial, sans-serif;
background-color: #f0f0f0;
margin: 0;  padding: 0;

}

header {  background-
color: #333;  color: white;
```

```
text-align: center;
```

```
padding: 10px 0;
```

```
}
```

```
footer { background-color:
```

```
#333; color: white;
```

```
text-align: center;
```

```
padding: 10px 0; position:
```

```
fixed; bottom: 0; width:
```

```
100%;
```

```
}
```

OUTPUT:

Prototype Design

Welcome to our prototype!

© 2023 Prototype Inc.

RESULT: