

Results

Linear Regression

Model Fit Measures

Model	R	R ²
1	0.559	0.312

Note. Models estimated using sample size of N=22

Model Coefficients - STAI1

Predictor	Estimate	SE	t	p
Intercept	31.443	2.270	13.85	<.001
Pittsburgh	0.608	0.202	3.01	.007

Linear Regression

Model Fit Measures

Model	R	R ²
1	0.426	0.182

Note. Models estimated using sample size of N=22

Model Coefficients - STAI2

Predictor	Estimate	SE	t	p	Stand. Estimate
Intercept	47.655	4.410	10.81	<.001	
Daily_stress	-0.256	0.122	-2.11	.048	-0.426

Linear Regression

Model Fit Measures

Model	R	R ²
1	0.00155	2.41e-6

Note. Models estimated using sample size of N=21

Model Coefficients - STAI1

Predictor	Estimate	SE	t	p	Stand. Estimate
Intercept	35.00045	14.259	2.45456	.024	
MEQ	-0.00191	0.282	-0.00676	.995	-0.00155

Linear Regression

Model Fit Measures

Model	R	R ²
1	0.155	0.0241

Note. Models estimated using sample size of N=22

Model Coefficients - STAI1

Predictor	Estimate	SE	t	p	Stand. Estimate
Intercept	38.7301	4.376	8.850	<.001	
Daily_stress	-0.0848	0.121	-0.703	.490	-0.155

Linear Regression

Model Fit Measures

Model	R	R ²
1	0.411	0.169

Note. Models estimated using sample size of N=22

Model Coefficients - STAI1

Predictor	Estimate	SE	t	p	Stand. Estimate
Intercept	1.50	17.206	0.0869	.932	
BISBAS_bis	1.54	0.762	2.0172	.057	0.411

Linear Regression

Model Fit Measures

Model	R	R ²
1	0.606	0.367

Note. Models estimated using sample size of N=22

Model Coefficients - STAI1

Predictor	Estimate	SE	t	p	Stand. Estimate
Intercept	-11.62	14.089	-0.825	.419	
BISBAS_reward	2.37	0.697	3.403	.003	0.606

Linear Regression

Model Fit Measures

Model	R	R ²
1	0.359	0.129

Note. Models estimated using sample size of N=22

Model Coefficients - STAI1

Predictor	Estimate	SE	t	p	Stand. Estimate
Intercept	14.93	12.389	1.20	.242	
BISBAS_drive	1.72	0.997	1.72	.101	0.359

Linear Regression

Model Fit Measures

Model	R	R ²
1	0.388	0.151

Note. Models estimated using sample size of N=22

Model Coefficients - STAI1

Predictor	Estimate	SE	t	p	Stand. Estimate
Intercept	23.10	7.102	3.25	.004	
BISBAS_fun	1.18	0.628	1.88	.074	0.388

Linear Regression

Model Fit Measures

Model	R	R ²
1	0.455	0.207

Note. Models estimated using sample size of N=22

Model Coefficients - STAI2

Predictor	Estimate	SE	t	p	Stand. Estimate
Intercept	-2.60	18.498	-0.140	.890	
BISBAS_bis	1.87	0.819	2.284	.033	0.455

Linear Regression

Model Fit Measures

Model	R	R ²
1	0.305	0.0927

Note. Models estimated using sample size of N=22

Model Coefficients - STAI2

Predictor	Estimate	SE	t	p	Stand. Estimate
Intercept	13.05	18.557	0.703	.490	
BISBAS_reward	1.31	0.917	1.430	.168	0.305

Linear Regression

Model Fit Measures

Model	R	R ²
1	0.143	0.0205

Note. Models estimated using sample size of N=22

Model Coefficients - STAI2

Predictor	Estimate	SE	t	p	Stand. Estimate
Intercept	30.163	14.46	2.086	.050	
BISBAS_drive	0.753	1.16	0.647	.525	0.143

Linear Regression

Model Fit Measures

Model	R	R ²
1	0.618	0.382

Note. Models estimated using sample size of N=22

Model Coefficients - STAI2

Predictor	Estimate	SE	t	p
Intercept	16.81	6.668	2.52	.020
BISBAS_fun	2.07	0.589	3.52	.002

Descriptives

Descriptives

	MEQ	STAI1	STAI2	Pittsburgh	Daily_stress	BISBAS_bis	BISBAS_reward	BISBAS_drive
Mean	50.2	36.0	39.4	7.50	32.2	22.5	20.1	12.3
Standard deviation	6.52	9.35	10.3	8.60	17.1	2.50	2.39	1.96
Minimum	38.0	24	0	3	2	19	17	8
Maximum	64.0	59	49	45	74	26	25	16



Descriptives

Descriptives



	MEQ	STAI1	STAI2	Pittsburgh	Daily_stress	BISBAS_bis	BISBAS_reward	BISBAS_drive
N	21	22	22	22	22	22	22	22
Missing	1	0	0	0	0	0	0	0
Mean	50.2	36.0	39.4	7.50	32.2	22.5	20.1	12.3
Median	49.0	33.5	41.5	5.00	31.5	22.0	19.0	12.0
Standard deviation	6.52	9.35	10.3	8.60	17.1	2.50	2.39	1.96
Minimum	38.0	24	0	3	2	19	17	8
Maximum	64.0	59	49	45	74	26	25	16
Shapiro-Wilk W	0.965	0.899	0.694	0.418	0.942	0.907	0.911	0.944
Shapiro-Wilk p	.613	.028	<.001	<.001	.220	.040	.050	.241

Plots



MEQ





STAI1





STAI2





Pittsburgh





Daily_stress





BISBAS_bis





BISBAS_reward



BISBAS_drive



BISBAS_fun



Correlation Matrix

Correlation Matrix

		Daily_stress	STAI1	STAI2	Pittsburgh
Daily_stress	Pearson's r	—			
	df	—			
	p-value	—			
	Spearman's rho	—			
	df	—			
	p-value	—			
STAI1	Pearson's r	-0.155	—		
	df	20	—		
	p-value	.490	—		
	Spearman's rho	-0.020	—		
	df	20	—		
	p-value	.929	—		
STAI2	Pearson's r	-0.426	0.340	—	
	df	20	20	—	
	p-value	.048	.122	—	
	Spearman's rho	-0.175	0.573	—	
	df	20	20	—	
	p-value	.436	.005	—	
Pittsburgh	Pearson's r	-0.380	0.559	0.157	—
	df	20	20	20	—
	p-value	.081	.007	.484	—
	Spearman's rho	-0.011	0.305	0.167	—
	df	20	20	20	—
	p-value	.961	.168	.459	—

References

[1] The jamovi project (2025). *jamovi*. (Version 2.7) [Computer Software]. Retrieved from <https://www.jamovi.org>.

[2] R Core Team (2025). *R: A Language and environment for statistical computing*. (Version 4.5) [Computer software]. Retrieved from <https://cran.r-project.org>. (R packages retrieved from CRAN snapshot 2025-05-25).