

MSI Analysis Report

Generated: September 03, 2026 at 05:13 PM

Participants analyzed: 1

Quality Control Overview

QC Settings Used

Setting	Value
Minimum R ²	0.80
Minimum response proportion	0.10
Maximum response proportion	0.90
Maximum SJ sigma	500 ms
Maximum TOJ slope	500 ms
SJ / TOJ catch-trial criterion	At least 8 / 10 correct
Anticipation threshold	50 ms
Minimum valid SRT trials	250
Maximum anticipations	5
Minimum mean RT	0.15 sec
Maximum mean RT	1.50 sec

What Are the QC Measures Asking?

QC Measure	What is it asking?
SJ Fit QC	Does the Gaussian adequately describe the observed SJ data? R ² must meet the minimum criterion, and sigma must be positive and below the maximum.
TOJ Fit QC	Does the logistic function adequately describe the observed TOJ data? R ² must meet the minimum criterion, and slope must be positive and below the maximum.
Response Range	Did the participant use both response options during the SJ or TOJ task?
Response Bias	Did the participant avoid extremely one-sided responding outside the allowed response proportions?
Catch Trials	Did the participant correctly identify at least 8 of the 10 easy 1000-ms catch trials in each SJ and TOJ task? Catch trials are excluded from psychometric fitting.
SRT Anticipation	Was a response so fast that it should be treated as anticipatory rather than a valid reaction?
Valid SRT Trials	Were enough trials with a recorded Adjusted_RT available to support the SRT summary?
Max. Anticipations	Did the participant stay within the maximum allowed number of anticipatory responses?
Mean SRT Range	Was the participant's mean adjusted reaction time within the specified acceptable range?
SRT Modality	How fast did the participant respond separately to auditory-only, visual-only, and audiovisual stimuli? These are descriptive RT measures and do not add a new QC criterion.
Overall QC	Did the participant pass all applicable QC checks? REVIEW means at least one applicable criterion was not met and should be inspected.

Master Results

Participant Summary

ID	Age	Gender	Site	Overall QC
8	30	f	vandy	REVIEW

Temporal Order Judgment (TOJ)

ID	PSS	Slope	JND	R²	Catch /10	Catch QC	Fit	Range	Bias
8	-56.06	153.57	168.72	0.86	10	PASS	PASS	PASS	PASS

SRT by Stimulus Modality

ID	A n	A Mean	V n	V Mean	AV n	AV Mean
8	57	267.59	56	309.35	62	222.47

Simultaneity Judgment (SJ)

ID	PSS	Sigma	TBW	R²	Catch /10	Catch QC	Fit	Range	Bias
8	19.29	183.46	432.05	0.91	10	PASS	PASS	PASS	PASS

Simple Reaction Time (SRT)


ID	Valid	Miss	Ant.	Mean	Median	SD	CV	QC
8	175	125	0	264.97	242.22	84.85	0.32	REVIEW

Participant 8


Age: 30 Gender: f Site: vandy Overall QC: REVIEW

Task	Measure 1	Measure 2	Measure 3	R ² / CV	Catch / Detail	QC
SJ	PSS: 19.29 ms	Sigma: 183.46 ms	TBW: 432.05 ms	R ² : 0.905	10/10 PASS	PASS
TOJ	PSS: -56.06 ms	Slope: 153.57	JND: 168.72 ms	R ² : 0.861	10/10 PASS	PASS
SRT	Mean: 264.97 ms	Median: 242.22 ms	SD: 84.85 ms	CV: 0.320	Valid: 175	REVIEW
SRT Modality	Audio: 267.59 ms	Visual: 309.35 ms	AV: 222.47 ms		n = 57 / 56 / 62	


SJ Raw




SJ Fitted




SRT Histogram



TOJ Raw



TOJ Fitted



SRT by Modality

