## WEEKLY TEST - 2080/08/17

XII (SCIENCE)

Set : 'B' Time: 1.30 hrs. Subject: Physics F. M.: 40 P. M.: 20

Attempt all the Questions

Group-A

[7x1=7]

1. A couple is acting on a body under the action of two forces  $\vec{F_1}$  and  $\vec{F_2}$ . Which of the following statement is not true for the pairs of  $\vec{F_1}$  and  $\vec{F_2}$ ? [a] they have same magnitude [b] they are in opposite direction [c] they are acting with different lines of action [d] they are in same direction.


2. Which of the following statement is true for a real gas? (a) they obey gas laws at all temperature and pressure (b) intermolecular force is negligible (c)-they obey gas laws at low temperature and high pressure (d) they obey gas laws at low pressure and high temperature.

- 3. If a current of 0.8A passes through a bulb connected across a battery of 5V for 30 s, then the energy transferred to the bulb is (a) 30 J (b) 60 J (c) 120 J (d) 20 J
- 4. Two sound waves are respectively represented by,  $y = a \sin(\omega t kx)$  and  $y = b \cos(\omega t kx)$ . The phase difference between the two waves is (a)  $\pi/2$  (b)  $\pi/4$  (c)  $\pi$  (d)  $3\pi/4$
- The velocity of the electron in the first Bohr orbit as compared to that of light is about(a) 1/300 (b) 1 500 (c) 1/137 (d) 1/187 The longest wavelength of the Lyman series for hydrogen atom is the same as the wavelength of a certain line in the spectrum of He+ when the electron makes a transition from n = 2. The value of n is (a)3
- 7. If L represents momentum, I represents moment of inertia, then  $\frac{L^2}{21}$  represents. a) Rotational kinetic energy b) Torque c) Power d) Potential energy

Group-B

[5x5=25]

- 8. a) Establish the relation between the moment of inertia of a rigid body with its rotational kinetic energy? [2]
  - b) A constant torque of 200 Nm turns a wheel about its center. The moment of inertia about it is 100 kgm<sup>2</sup>. Find the (i) angular acceleration of the wheel (ii) angular displacement of the wheel in 20 revolutions (iii) kinetic energy gained at 20 revolutions when it starts from rest. [1+1+1]
- 9. a) Draw a Wheatstone Bridge circuit. [1]
  - b) In the given circuit- (i) calculate the equivalent resistance between two points A and C. (ii) which point B or D is at higher potential? (iii) in which direction, the current will flow, from B to D or D to B? [2+1+1]



- 10.a) What do you mean by progressive wave? [1]
  - (b) Derive the progressive wave equation in terms of the wave vector and its displacement. [3]
  - c) A transverse wave of amplitude 0.5m, wavelength 1m and velocity 2 m/s is propagating in a string along positive x-direction. Write down the equation for the wave. [1]
- 11.a) What is meant by angular simple harmonic motion? [1]
  - b) Show that motion of a simple pendulum is simple harmonic and hence calculate its time period. [3]
  - c) A pendulum clock is in an elevator that descends at constant velocity. Does it keep correct time? [1]
- 12. (a) Derive the state equation for adiabatic process. [3]
  - (b) A certain volume of dry air at NTP is allowed to expand five times of its original volume under adiabatic condition. Calculate the final pressure. [2]

Group-C

[8x1=8]

- 13.a) Write down the dimensional formula of Planck's constant. [1]
  - b) Discuss the Millikan's experiment to determine the value of Planck's constant. [3]
  - c) In the given graph, kinetic energy of an electron is plotted on Y- axis (eV) and frequency of incident photon on X - axis (Hz). Answer the following questions on the basis of given graph: (i) What is work function of the given metal? (ii) Find the value of h from graph. (iii) Calculate the value of stopping potential of given metal at frequency 30 × 1014 Hz. [1+2+1]

K<sub>max</sub> (eV) 4 2 f(x 1014