

COSMETIC PRODUCT SAFETY REPORT

Cosmetic Product Safety Report

In accordance with Article 10(1) of Regulation (EC) No 1223/2009 and Commission Decision 2013/674/EU — Annex I

Strive Group Brands LTD. Magnesium Spray

DOCUMENT REFERENCE CPSR-HO-MS-2026-001	VERSION 1.0
BRAND Strive Group Brands LTD.	PRODUCT CATEGORY Body Lotion / Topical Spray (Leave-on)
RESPONSIBLE PERSON Strive Group Brands LTD.	MARKET United Kingdom / European Union

This document contains confidential information intended for regulatory compliance purposes only. Distribution is restricted to authorised personnel and competent authorities. This CPSR must be kept available for 10 years after the last batch is placed on the market per Article 11(3) of Regulation (EC) No 1223/2009.

One-Page Safety Summary

OVERALL VERDICT SAFE	DOCUMENT STATUS V1.0 — Final
PRODUCT TYPE Body Lotion / Spray (Leave-on)	RETENTION FACTOR 1.0 (Leave-on)
LOWEST MOS 358 (PEG-40 Hydrogenated Castor Oil)	UE / SUE TO DATE 0 / 0

Supporting Evidence on File

#	Document	Issuer	Status
1	CPSR Entry Form — Strive Group Brands LTD. Magnesium Spray	Strive Group Brands LTD. — 24/03/2026	ON FILE
2	Stability Test Report (Sample XRAEP, 12 weeks, PET)	MySwissLab+, SBR Group Sarl — 05/04/2023	ON FILE
3	Microbiological Analysis Report (Sample XRAEP, ISO 17516:2004)	MySwissLab+, SBR Group Sarl — 26/09/2024	ON FILE
4	Challenge Test Report (Sample XRAEP, ISO 11930, Criteria A)	MySwissLab+, SBR Group Sarl — 21/11/2023	ON FILE
5	Safety Data Sheets — all 8 ingredients	Various suppliers — on file	ON FILE
6	Material Safety Data Sheet — Strive Group Brands LTD. Magnesium Spray	SBR Group — on file	ON FILE
7	Assessor Qualification Recognition — UHR Certificate	Universitets- och Högskoleradet — 03/10/2017	ON FILE

Open Items

ID	Priority	Description	Resolution Path
OI-001	CLOSED	PEG-40 Hydrogenated Castor Oil — 1,4-dioxane worst-case assessment	Worst-case calculation: 1.0% PEG-40 HCO × 20 ppm 1,4-dioxane (conservative raw material assumption) = 0.20 ppm in finished product — below SCCS leave-on limit of 1 ppm. Risk acceptable.
OI-002	CLOSED	Eucalyptus Globulus Leaf Oil — fragrance allergen assessment	Worst-case calculation: 0.009% oil × 10% limonene (conservative, ECHA dossier) = 0.0009% in finished product — below 0.001% leave-on declaration threshold (Annex III, Reg. 2023/1490). No allergen declaration required.
OI-004	OPEN	Assessor signature	Assessor signature to be affixed prior to market placement

Contents

FRONT MATTER

• One-Page Safety Summary & Open Items	2
• Responsible Person & Product Description	4–5

PART A — COSMETIC PRODUCT SAFETY INFORMATION

1 Quantitative and Qualitative Composition	6–7
2 Physical and Chemical Properties & Stability	8–9
3 Microbiological Quality	10
4 Impurities, Traces, and Packaging Material	11
5 Normal and Reasonably Foreseeable Use	12
6 Exposure to the Cosmetic Product	13
7 Exposure to Substances (SED / MoS)	14
8 Toxicological Profile of Substances	15–19
9 Undesirable Effects & Cosmetovigilance	20
10 Additional Information (INCI Labelling)	21–22

PART B — COSMETIC PRODUCT SAFETY ASSESSMENT

1 Assessment Conclusion	23
2 Labelled Warnings and Instructions of Use	24
3 Reasoning	25–26
4 Assessor Credentials and Approval	27–29

Responsible Person (Article 4)

Company Name	Strive Group Brands LTD.
Brand	Strive Group Brands LTD.
Contact Person	Andrew Burrows
Position	Co-founder
Address	28 Freemans Way, Harrogate, England HG3 1DH, United Kingdom
Email	andrew.burrows@strive-group.com
Phone	07807482443 / 03301332025

Safety Assessment Body

Organisation	MySwissLab+ SBR Group Sàrl
Registration	CHE-454.205.462
Address	1B Route de l'Industrie, 1072 Forel (Lavaux), Switzerland
Email	hello@myswisslab.ch
Safety Assessor	Cassandra Margaret Maddocks, BSc (Biochemistry / Chemistry)

Product Description

Product Name (label)	Magnesium Spray
Brand	Strive Group Brands LTD.
Sample Reference	XRAEP
Product Category	Body Lotion / Topical Spray
Product Type	Leave-on
Container	Spray Bottle — Plastic HDPE (High Density Polyethylene)
Net Volume	150 mL
Areas of Application	Body (skin), head area (temples, neck, behind knees, inside elbows)
Appearance	Liquid
Colour	Transparent / Clear
Odour	Characteristic Fragrance (Eucalyptus)
pH	4.8–5.5
Allergens	None declared (Eucalyptus Globulus Leaf Oil at 0.009% — allergen assessment in Section 8)
Shelf Life	24 months (unopened)
PAO	12 months
Target Group	Adults
Airless Container	Yes (spray)
Directions for Use	Apply 2–3 sprays inside each elbow and behind the knees. For headaches/migraines spray on palms and massage into temples and neck. Apply to aching joints or sore muscles and massage in. 1 spray  18 mg magnesium; recommended 10–15 sprays for adults.

PART A

Cosmetic Product Safety Information

1. Quantitative and Qualitative Composition

Source: CPSR Entry Form — Strive Group Brands LTD. — Magnesium Spray, signed Andrew Burrows, Strive Group Brands LTD., 25 May 2026. SED formula: $(C/100) \times 7,820 \text{ mg/day}$ (entry form daily amount applied) $\times 0.50$ (dermal absorption default) / 70 kg. All purity values: 100.00% per supplier SDS.

INCI Name	CAS	Function	% w/w	SED (mg/kg/day)	NOAEL (mg/kg/day)	MoS
Aqua	7732-18-5	Solvent	76-100%	N/A	10,000	N/A
Magnesium Chloride	7786-30-3	Viscosity controlling, active mineral	10-25%	8.3786	6,800	812
Propanediol	504-63-2 / 26264-14-2	Skin conditioning, humectant, solvent	0-1%	0.55857	500	895
PEG-40 Hydrogenated Castor Oil	61788-85-0	Surfactant, emulsifying, cleansing	0-1%	0.55857	200	358
Sodium Benzoate	532-32-1	Preservative, anti-corrosive	0-1%	0.16757	5,000	29,837
Potassium Sorbate	24634-61-5 / 590-00-1	Preservative	0-1%	0.11171	300	2,686
Eucalyptus Globulus Leaf Oil	8000-48-4 / 84625-32-1	Fragrance, perfuming	0-1%	0.0050271	1,309	260,431
Citric Acid	77-92-9 / 5949-29-1	Buffering, chelating (pH adjuster)	0-1%	0.00055857	N/A*	Exempt*
TOTAL			100%			

Notes on Composition

* **Citric Acid (0.001%)** is used as a trace pH-adjusting/buffering agent. No NOAEL was assigned in the entry form. Citric acid is GRAS (US FDA) and an approved food additive (E330). At 0.001%, the SED is negligible (0.0000103 mg/kg bw/day) and no MoS concern is identified; the ingredient is exempt from formal MoS calculation at this trace concentration.

Aqua is a universal cosmetic solvent and is not systemically assessed for MoS purposes. NOAEL of 10,000 mg/kg bw/day is cited from EFSA for reference only.

All MoS values exceed the minimum threshold of **100**. The lowest MoS is **358** (PEG-40 Hydrogenated Castor Oil), substantially above the safety threshold.

1.2 Supplier Sources

Raw Material	Supplier / SDS Source
Magnesium Chloride	Carl Roth GmbH + Co. KG, Germany
Propanediol	Haihang Industry Co. Ltd., China / Sigma-Aldrich (on file)
PEG-40 Hydrogenated Castor Oil	CIR Safety Report / supplier SDS (on file)
Sodium Benzoate	Chemos GmbH & Co. KG, Germany
Potassium Sorbate	Carl Roth GmbH + Co. KG, Germany
Eucalyptus Globulus Leaf Oil	ECHA Registration Dossier / supplier SDS (on file)
Citric Acid	Chemos GmbH & Co. KG, Germany / COSING

2. Physical and Chemical Properties & Stability

2.1 Physical and Chemical Properties

Parameter	Result / Value	Source
Physical State	Liquid (spray-applied)	Entry Form MEASURED
Appearance	Liquid — stable throughout stability period	Stability Report MEASURED
Colour	Transparent / Clear	Entry Form + Stability MEASURED
Odour / Fragrance	Characteristic Fragrance (Eucalyptus)	Entry Form MEASURED
Texture	Smooth	Stability Report MEASURED
Viscosity	Fluid	Stability Report MEASURED
pH	4.8–5.5 (compatible with skin pH 4.5–6.5)	Entry Form MEASURED
Product Format	Aqueous solution (mL)	Entry Form SUPPLIER
Water Activity	High (Aw > 0.75 — preservation required)	Assessment LITERATURE
Container Material	HDPE (High Density Polyethylene) spray bottle	Entry Form SUPPLIER

2.2 Stability & Packaging Compatibility

Stability testing conducted by MySwissLab+, SBR Group Sarl (CHE-454.205.462). Sample XRAEP — Magnesium Spray, Strive Group Brands LTD. Incubation at various environmental conditions per standard protocol, measuring physical and chemical changes over time.

Condition	Temperature	Duration	Packaging	Appearance	Colour	Texture	Viscosity	Fragrance	Result
Cold	5°C	12 weeks	PET	✓	✓	✓	✓	✓	PASS
Ambient	Room temp.	12 weeks	PET	✓	✓	✓	✓	✓	PASS
Heat	40°C	12 weeks	PET	✓	✓	✓	✓	✓	PASS

Sample date: 05/04/2023. All parameters (packaging integrity, appearance, colour, texture, viscosity, fragrance) remained within specification throughout. Signed: S. Yavari, Laboratory Manager, MySwissLab+.

STABILITY CONCLUSION — PASS

No variation in colour, odour, appearance, texture, or viscosity observed after 12 weeks at 5°C, ambient, and 40°C. Sample demonstrated stability throughout the assay. Shelf life supported: **24 months** unopened; Period After Opening (PAO): **12 months**. Note: stability test was conducted in PET packaging; commercial product uses HDPE, which is more chemically inert and is considered equally or more compatible with this aqueous formulation.

3. Microbiological Quality

3.1 Preservation System

The product is preserved with **Sodium Benzoate (0.30% w/w)** and **Potassium Sorbate (0.20% w/w)**, both broad-spectrum preservatives listed in Annex V of Regulation (EC) No 1223/2009. Sodium Benzoate is effective against bacteria and moulds; Potassium Sorbate is effective against yeasts, moulds, and bacteria. Together they provide a synergistic preservation system appropriate for this aqueous, high-water-activity product.

Preservative	Annex V Entry	Max. Permitted	Used at	Compliance
Sodium Benzoate	Entry 31	0.5%	0-1%	COMPLIANT
Potassium Sorbate	Annex V	0.6%	0-1%	COMPLIANT

3.2 Microbiological Analysis — Finished Product

Conducted by: MySwissLab+, SBR Group Sarl — Sample XRAEP — Strive Group Brands LTD. Magnesium Spray.
Client: Dan Simpson. Sampling date: 26/09/2024. Duration: 48 hours. Method: CFU plate count per ISO 17516:2004.

Analysis	Specification	ISO 17516 Limit (Cat. 2)	Result	Status
Total Aerobic Plate Count	<10 ² CFU/g or mL	≤100 CFU/g	Conforming	PASS
Mould Plate Count	<1,000 CFU/g or mL	≤1,000 CFU/g	Conforming	PASS
Fungi Plate Count	<1,000 CFU/g or mL	≤1,000 CFU/g	Conforming	PASS
Pseudomonas aeruginosa	Absent	Absent	Not detected	PASS
Staphylococcus aureus	Absent	Absent	Not detected	PASS
Escherichia coli	Absent	Absent	Not detected	PASS
Candida albicans	Absent	Absent	Not detected	PASS

Signed: R. Valderrama, Chemist, MySwissLab+. The laboratory does not guarantee that the sample submitted is representative of the whole bulk.

3.3 Preservative Efficacy Test (Challenge Test / PET)

Product: Strive Group Brands LTD. Magnesium Spray — Sample XRAEP. Sampling date: 21/11/2023. Duration: 28 days.

Standards applied: ISO 11930 "Evaluation of the antimicrobial protection of a cosmetic product", Schulke KoKo test, Ph. Eur. 7 – 5.1.3 "Efficacy of Antimicrobial Preservation", ASEAN.

Organism	ATCC	Inoculum (CFU/g)	Day 7	Day 14	Day 28	$\Delta\log_{10}$ CFU/g	Result
Pseudomonas putida	9027	1,000,000	0	0	0	6.000 / 6.000 / 6.000	A, ISO 11930
Staphylococcus e.	25923	1,000,000	0	0	0	6.000 / 6.000 / 6.000	A, ISO 11930
Candida albicans	10231	100,000	0	0	0	5.000 / 5.000 / 5.000	A, ISO 11930
Aspergillus brasiliensis	16404	100,000	0	0	0	5.000 / 5.000 / 5.000	A, ISO 11930

MICROBIOLOGICAL CONCLUSION — PASS CRITERIA A

The preservation system (Sodium Benzoate 0.30% + Potassium Sorbate 0.20%) achieved complete elimination of all four challenge organisms by Day 7, maintaining zero counts through Days 14 and 28. ISO 11930 Criteria A achieved for all organisms. The microbiological risk is considered tolerable; the product is protected against microbial proliferation that may present a potential risk to the user and meets the requirements of ISO 11930. Finished product microbiological specification fully meets ISO 17516 Category 2 limits.

Signed: Shannon Dyer, MSc (Chemist, Geochemist) and S. Yavari (Laboratory Manager), MySwissLab+. Valid with no signature.

4. Impurities, Traces, and Packaging Material

All ingredients are declared at 100% purity by their respective suppliers on Safety Data Sheets. No prohibited substances listed in Annex II of Regulation (EC) No 1223/2009 have been identified in the formulation. No PBT, vPvB, CMR Category 1A/1B, or endocrine-disrupting substances are present above 0.1%.

1,4-Dioxane — Worst-Case Risk Assessment (PEG-40 Hydrogenated Castor Oil)

PEG-containing ingredients may carry trace levels of 1,4-dioxane as a by-product of the ethoxylation manufacturing process. A worst-case assessment has been performed in the absence of specific supplier COA data:

- Assumed 1,4-dioxane in raw material: **20 ppm** (conservative industry worst-case for cosmetic-grade PEG ingredients)
- PEG-40 Hydrogenated Castor Oil at **1.0%** w/w in finished product
- 1,4-dioxane in finished product: $1.0\% \times 20 \text{ ppm} = \mathbf{0.20 \text{ ppm}}$
- SCCS leave-on limit for 1,4-dioxane: **1 ppm** (SCCS/1539/14)

Conclusion: Finished product concentration (0.20 ppm) is 5× below the SCCS leave-on limit. The 1,4-dioxane risk is acceptable. Supplier COA confirming ≤20 ppm in raw material to be retained on file when available.

No formaldehyde releasers, nitrosamine precursor combinations, or ethoxylated ingredients other than PEG-40 HCO are present. No nanomaterials declared. No heavy metal contamination declared by any ingredient supplier.

4.1 Packaging Compatibility

Primary Container	HDPE (High Density Polyethylene) spray bottle — 150 mL
Container Material	HDPE — chemically inert, food/cosmetic grade
pH Compatibility	HDPE is fully compatible with aqueous formulations at pH 4.8–5.5
Plasticizer Migration	No plasticizer migration risk identified for HDPE at target pH
NIAS Risk	No Non-Intentionally Added Substances (NIAS) risk identified
Stability Note	Stability test conducted in PET packaging (more permeable than HDPE); HDPE is more inert and considered compatible. No interaction observed during 12-week stability testing.

5. Normal and Reasonably Foreseeable Use

Intended Application	Topical application to body skin and head/neck area; leave-on
Frequency	As needed (duration and frequency factor: 2-28)
Amount Applied	7.82 g per application; DAa = 7,820 mg/day (entry form)
Target Group	Adults only
Airless Container	Yes (HDPE spray bottle)

5.1 Directions for Use (as labelled)

Label Directions

“We recommend applying 2-3 sprays inside each elbow and also behind the knees (where the skin is thinner) for a great night’s sleep. For headaches and migraines, simply spray on your palms and massage into your temples and the back of your neck. You can also apply to any aching joints or sore muscles for pain relief. Simply spray onto these tender areas and massage deep into the skin. 1 spray = Approx 18 mg of magnesium, so we recommend between 10-15 sprays for adults.”

5.2 Reasonably Foreseeable Misuse

- **Eye contact:** Accidental eye contact during application near the face (temples, neck area). Label warning to avoid eye contact recommended.
- **Children:** Product is labelled for adults only; not assessed for children under 3 years.
- **Broken skin:** Application to broken or damaged skin not specifically restricted in directions; assessor may wish to add label caution.
- **Inhalation:** Inhalation of spray mist during application is a relevant secondary exposure route (addressed in Section 6).
- **Ingestion:** Accidental ingestion unlikely given spray format; label “for external use only” applies.

6. Exposure to the Cosmetic Product

6.1 Systemic Exposure Parameters

Parameter	Value	Source
Product Type	Body lotion (leave-on)	CPSR Entry Form
Daily Amount Applied (DAa)	7,820 mg/day	CPSR Entry Form
Estimated skin surface area	15,670 cm ²	CPSR Entry Form
Estimated amount applied	7.82 g	CPSR Entry Form
Calculated relative daily exposure	111.7 mg/kg bw/day	CPSR Entry Form (SCCS method)
Duration and frequency factor	2–28	CPSR Entry Form
Body Weight	70 kg	SCCS default (adult)
Dermal Absorption (DA)	50%	SCCS Notes of Guidance (default)
Retention Factor	1.0 (leave-on)	SCCS

6.2 Inhalation Screening

This product is delivered via a spray bottle, making inhalation of aerosol mist during application a relevant secondary exposure route. However, this is a non-volatile aqueous solution; no volatile organic solvents are present. Eucalyptus Globulus Leaf Oil (0.009% w/w) is volatile and fragrant, but is present at an extremely low concentration in the formula.

Under normal use conditions (short-duration spraying of a water-based product), the risk of significant systemic inhalation exposure is considered low. A formal quantitative inhalation risk assessment has not been performed. The assessor should confirm whether one is required, particularly for the eucalyptus oil component.

7. Exposure to Substances (SED / MoS Calculations)

SED Calculation Formula

$$\text{SED (mg/kg bw/day)} = (C / 100) \times \text{DAa} \times (\text{DA} / 100) / \text{BW}$$

Where: C = ingredient concentration (% w/w) | DAa = 7,820 mg/day (entry form daily amount applied) | DA = 50% (SCCS dermal absorption default) | BW = 70 kg (adult body weight)

Simplifies to: $\text{SED} = C \times 3,910 / 7,000 = C \times 0.55857$ | MoS = NOAEL / SED | Threshold: MoS $\geq$ 100

#	INCI Name	C (%)	SED (mg/kg/day)	NOAEL (mg/kg/day)	MoS	Status
1	Aqua	76-100%	N/A — solvent	10,000	—	N/A
2	Magnesium Chloride	10-25%	8.3786	6,800	812	PASS
3	Propanediol	0-1%	0.55857	500	895	PASS
4	PEG-40 Hydrogenated Castor Oil	0-1%	0.55857	200	358	PASS
5	Sodium Benzoate	0-1%	0.16757	5,000	29,837	PASS
6	Potassium Sorbate	0-1%	0.11171	300	2,686	PASS
7	Eucalyptus Globulus Leaf Oil	0-1%	0.0050271	1,309	260,431	PASS
8	Citric Acid	0-1%	0.00055857	N/A*	Exempt*	EXEMPT

NOAEL sources: ECHA REACH registration dossiers (Magnesium Chloride — 6,800 mg/kg bw/day; Potassium Sorbate — 300 mg/kg bw/day; Eucalyptus Globulus Leaf Oil — 1,309 mg/kg bw/day); EFSA evaluations (Propanediol — 500 mg/kg bw/day; Sodium Benzoate — 5,000 mg/kg bw/day); CIR Safety Report (PEG-40 Hydrogenated Castor Oil — 200 mg/kg bw/day).

* Citric Acid at 0.001% is a trace pH-adjusting ingredient. NOAEL not assigned in entry form; GRAS and E330 status apply. SED is negligible; no MoS concern identified.

8. Toxicological Profile of Substances

8.1 Aqua (Water) — >50%

Property	Data
CAS	7732-18-5
Function	Solvent (vehicle)
Toxicological Assessment	No toxicological concern. Universal cosmetic solvent. Not systemically assessed for MoS purposes.
GHS Classification	Not classified
Regulatory Status	Not listed in Annex II, III, IV, V, or VI of EU Regulation 1223/2009

8.2 Magnesium Chloride — 10-25%

Property	Data
CAS / EC	7786-30-3 / 232-094-6
Function	Viscosity controlling, active mineral ingredient
Acute Oral Toxicity	LD50 > 5,000 mg/kg (rat, ECHA)
Acute Dermal Toxicity	LD50 > 2,000 mg/kg (rat, ECHA)
Skin Irritation	Not classified; prolonged contact may cause mild irritation
Eye Damage	Not classified as seriously damaging or irritant
Sensitisation	Not classified as respiratory or skin sensitiser
Mutagenicity / Carcinogenicity / Repro. Tox.	Not classified
Physical Properties	White crystalline solid; MP 708–712°C; water solubility 468.7 g/L at 20°C; pH 7 (50 g/L aq.); non-combustible
GHS Classification (CLP)	Not classified — Regulation 1272/2008/EC
Regulatory Status	Not listed in Annex II–VI. Not on REACH Candidate List. Not PBT/vPvB.
NOAEL / MoS	6,800 mg/kg bw/day (ECHA) / 812 — PASS

8.3 Propanediol — 0-1%

Property	Data
CAS	504-63-2 / 26264-14-2
Function	Skin conditioning, humectant, solvent
NOAEL	500 mg/kg bw/day (EFSA)
Acute Oral Toxicity	LD50 > 5,000 mg/kg (rat, ECHA); low acute toxicity
Skin / Eye Irritation	Not classified as irritant at cosmetic use concentrations
Sensitisation	Not classified as skin sensitiser
GHS Classification	Not classified at cosmetic use levels
Regulatory Status	Not listed in any restrictive Annex of EU Regulation 1223/2009. Approved food additive (E1,3-propanediol); GRAS status (US FDA).
MoS	895 — PASS

8.4 PEG-40 Hydrogenated Castor Oil — 0-1%

Property	Data
CAS	61788-85-0
Function	Surfactant, emulsifying agent, cleansing
NOAEL	200 mg/kg bw/day (CIR Safety Report)
Acute Toxicity	Low acute toxicity as reported in CIR assessment
Skin Irritation / Sensitisation	Generally non-irritating and non-sensitising at cosmetic use levels
GHS Classification	Not classified at cosmetic use concentrations
Regulatory Status	Not listed in Annex II (prohibited) or Annex III (restricted). Not on REACH Candidate List.
Impurity Note	PEG-containing ingredient; potential trace 1,4-dioxane from ethoxylation. Cosmetic-grade material required; supplier purification data requested (OI-001).
MoS	358 — PASS (lowest in formulation)

8.5 Sodium Benzoate — 0-1%

Property	Data
CAS	532-32-1
Function	Preservative, anti-corrosive
NOAEL	5,000 mg/kg bw/day (EFSA 2016)
GHS Classification	Eye Irrit. 2 — H319 (at bulk); no concern at 0.30% in finished formulation
Physical Properties	White solid; MP 436°C; water solubility 556 g/L; pH 8 (aqueous)
Skin Irritation / Sensitisation / Mutagenicity	Not classified at cosmetic use levels
EU Annex V Status	Permitted preservative (entry 31); maximum concentration 0.5%. Used at 0.30% — fully compliant.
MoS	29,837 — PASS

8.6 Potassium Sorbate — 0-1%

Property	Data
CAS / EC	24634-61-5 / 246-376-1
Function	Preservative
NOAEL	300 mg/kg bw/day (CIR, as cited in entry form)
Acute Toxicity	Oral LD50 10,500 mg/kg (rat, ECHA); Dermal LD50 >2,000 mg/kg (rat, ECHA)
GHS Classification	Eye Irrit. 2 — H319 (at bulk); no concern at 0.20% in finished formulation
Physical Properties	White solid; MP 205–270°C; water solubility ≤543 g/L; pH 8–11 (aqueous)
Sensitisation / Mutagenicity / Carcinogenicity	Not classified
EU Annex V Status	Permitted preservative; maximum 0.6%. Used at 0.20% — fully compliant.
REACH Note	Restricted in tattoo inks (Annex XVII, R75) — not applicable to this product category.
MoS	2,686 — PASS

8.7 Eucalyptus Globulus Leaf Oil — 0-1%

Property	Data
CAS	8000-48-4 / 84625-32-1
Function	Fragrance, perfuming
NOAEL	1,309 mg/kg bw/day (ECHA Registration Dossier)
GHS Classification (bulk)	Flam. Liq. 3 (H226), Asp. Tox. 1 (H304), Skin Irrit. 2 (H315), Skin Sens. 1 (H317), STOT SE 3 (H336) — hazards not applicable at 0.009% in finished product
Physical Properties	Colourless to pale yellow liquid; MP -2°C; BP 174–180°C; vapour pressure 2.1 kPa at 20°C; practically insoluble in water
Skin Sensitisation	H317 at bulk; at 0.009% in finished product the concentration is well below sensitisation threshold for leave-on products
Fragrance Allergens	Eucalyptus oil may contain limonene (EU-regulated allergen, Annex III entry 67). Worst-case: 10% limonene in oil × 0.009% oil = 0.0009% in finished product — below the 0.001% leave-on declaration threshold (Reg. 2023/1490). No allergen declaration required.
Regulatory Status	Not listed in Annex II (prohibited). Not restricted in Annex III at this leave-on concentration.
MoS	260,431 — PASS

8.8 Citric Acid — 0-1%

Property	Data
CAS / EC	77-92-9 / 5949-29-1
Function	Buffering, chelating agent (pH adjuster at trace level)
NOAEL	N/A per entry form; GRAS (US FDA); approved food additive E330
GHS Classification	Eye Irrit. 2 — H319 (at bulk); no concern at 0.001% trace level
Physical Properties	White crystalline solid; MP 153°C; vapour pressure ≈0 Pa at 25°C; water solubility 1,470 g/L
Skin Irritation / Sensitisation / Mutagenicity	Not classified at cosmetic use levels
Regulatory Status	Not listed in Annex II–VI of EU Regulation 1223/2009
Assessment	At 0.001% (SED = 0.00055857 mg/kg bw/day), no MoS concern. Standard exemption applies for trace pH-adjusting ingredients at GRAS/E330 status.

8.9 EU Annex Compliance Summary

Annex	Category	Assessment	Status
Annex II	Prohibited Substances	No prohibited substances identified in formulation	COMPLIANT
Annex III	Restricted Substances	No restricted substances above permitted concentrations	COMPLIANT
Annex IV	Colorants	No colorants present in formulation	N/A
Annex V	Preservatives	Sodium Benzoate 0.30% (max 0.5%); Potassium Sorbate 0.20% (max 0.6%) — both within limits	COMPLIANT
Annex VI	UV Filters	No UV filters present	N/A
Article 15	CMR Substances	No CMR Category 1A or 1B substances identified	COMPLIANT

8.10 Fragrance Allergen Assessment

The formulation contains **Eucalyptus Globulus Leaf Oil at 0.009% w/w** as its sole fragrance ingredient. Eucalyptus oil may contain limonene and other terpene constituents regulated as fragrance allergens under EU Regulation 1223/2009 Annex III (entry 67 for limonene).

At an oil concentration of 0.009% in the finished product, the concentration of any individual allergen component is expected to be well below the leave-on labelling declaration threshold of **0.001% (10 ppm)**. For example, even if limonene represented 10% of the essential oil composition (a conservative assumption), its concentration in the finished product would be 0.0009% — below the threshold.

FRAGRANCE ALLERGEN ASSESSMENT — NO DECLARATION REQUIRED

Worst-case calculation based on ECHA REACH dossier compositional data: assuming limonene at 10% of oil (conservative maximum), the finished product concentration is $0.009\% \times 10\% = 0.0009\%$ — below the leave-on declaration threshold of 0.001% under Annex III (Reg. 2023/1490). No other regulated fragrance allergens in Eucalyptus Globulus Leaf Oil are expected to approach the threshold at this use concentration. **No allergen declaration is required on the label.**

9. Undesirable Effects and Cosmetovigilance

No undesirable effects (UE) or serious undesirable effects (SUE) have been reported for this product at the time of preparation of this report.

Category	Count to Date	Status
Undesirable Effects (UE)	0	NONE REPORTED
Serious Undesirable Effects (SUE)	0	NONE REPORTED

Cosmetovigilance Requirements — Article 23, Regulation (EC) No 1223/2009

The Responsible Person (Strive Group Brands LTD.) must maintain a system for monitoring post-market safety data (cosmetovigilance/pharmacovigilance) in accordance with Article 23 of EU Regulation 1223/2009. This system must:

- Record all undesirable effects and serious undesirable effects reported in connection with this product.
- Report any serious undesirable effects to the competent authority of the Member State where the SUE occurred, without undue delay.
- Retain records for a period of **10 years** following the date on which the last batch of the product was placed on the market.
- Make data on serious undesirable effects accessible to competent authorities and safety assessors upon request.

10. Additional Information on the Product

10.1 Product Summary

Product Name (label)	Magnesium Spray
Brand	Strive Group Brands LTD.
Responsible Person	Strive Group Brands LTD.
Sample Reference	XRAEP
Shelf Life	24 months (unopened)
Period After Opening	12 months (PAO)
Batch Code	To be applied by manufacturer
Country of Origin	United Kingdom
Testing Laboratory	MySwissLab+, SBR Group Sarl (CHE-454.205.462) — 1B Route de l'Industrie, 1072 Forel (Lavaux), Switzerland

10.2 INCI Labelling

The following INCI list is provided for product labelling, ordered per Article 19(1)(g) of EU Regulation 1223/2009: descending order above 1% concentration; any order at or below 1%.

INCI Ingredient List (for label)

AQUA, MAGNESIUM CHLORIDE, PROPANEDIOL, PEG-40 HYDROGENATED CASTOR OIL, SODIUM BENZOATE, POTASSIUM SORBATE, EUCALYPTUS GLOBULUS LEAF OIL, CITRIC ACID

Aqua (76-100%) and Magnesium Chloride (10-25%) are listed in strictly descending order. Propanediol and PEG-40 Hydrogenated Castor Oil (each at 1.0%, at the $\leq 1\%$ threshold) may be listed in any order. The remaining ingredients (Sodium Benzoate 0-1%, Potassium Sorbate 0-1%, Eucalyptus Globulus Leaf Oil 0-1%, Citric Acid 0-1%) are listed in any order per Article 19(1)(g).

10.3 Required Label Warnings and Statements

Mandatory and Recommended Label Warnings

- “For external use only. Do not ingest.”
- “Avoid contact with eyes. If contact occurs, rinse immediately with plenty of clean water.”
- “Keep out of reach of children.”
- “For adult use only.”
- Period After Opening (PAO) symbol: open-jar symbol with “12M”
- Shelf life: 24 months from date of manufacture (or best-before date)
- Batch number (to be printed by manufacturer)
- Responsible Person name and address (UK/EU RP)

PART B

Cosmetic Product Safety Assessment

1. Assessment Conclusion

Based on the data compiled in Part A of this Cosmetic Product Safety Report, and taking into account the currently available scientific evidence and applicable regulatory requirements under EU Regulation (EC) No. 1223/2009 on Cosmetic Products:

ASSESSMENT CONCLUSION — SAFE

The cosmetic product “Strive Group Brands LTD. Magnesium Spray” is considered **SAFE for use** under the defined conditions of use when applied according to the instructions on the label, for adult consumers.

This conclusion is based upon:

1. **Formula compliance:** All 8 ingredients verified against EU Annexes II–VI. No prohibited (Annex II) or improperly restricted (Annex III) substances present. Preservatives (Sodium Benzoate 0.30%, Potassium Sorbate 0.20%) are within Annex V permitted limits.
2. **Margin of Safety:** MoS for all systemically assessable ingredients exceeds the minimum threshold of 100. Lowest MoS: **358** (PEG-40 Hydrogenated Castor Oil at 1.00%), substantially above the safety threshold.
3. **Microbiological safety:** Product passed microbiological analysis (ISO 17516:2004, XRAEP, 26/09/2024) and preservation efficacy challenge testing (ISO 11930, Criteria A, XRAEP, 21/11/2023).
4. **Stability:** Formulation demonstrated stability across accelerated conditions (5°C, ambient, 40°C) over 12 weeks, supporting the stated shelf life (24 months) and PAO (12 months).
5. **Physico-chemical:** pH 4.8–5.5 is within acceptable range for a leave-on skin product. HDPE packaging is chemically compatible.
6. **No CMR substances** classified as Category 1A or 1B are present in the formulation.

2. Labelled Warnings and Instructions of Use

Mandatory and Recommended Label Warnings

- “For external use only. Do not ingest.”
- “Avoid contact with eyes. If contact occurs, rinse immediately with plenty of clean water.”
- “Keep out of reach of children.”
- “For adult use only.”

2.1 Directions for Use (as labelled)

Directions

Apply 2–3 sprays inside each elbow and also behind the knees (where the skin is thinner) for a great night’s sleep. For headaches and migraines, spray on your palms and massage into your temples and the back of your neck. You can also apply to any aching joints or sore muscles for pain relief. Simply spray onto these tender areas and massage deep into the skin. 1 spray = Approx 18 mg of magnesium; recommended 10–15 sprays for adults.

2.2 Additional Required Label Information

Element	Information
Product Name	Magnesium Spray
Brand	Strive Group Brands LTD.
Net Contents	150 mL
Shelf Life	24 months from date of manufacture
PAO Symbol	Open-jar symbol “12M”
Responsible Person	Strive Group Brands LTD., 28 Freemans Way, Harrogate, England HG3 1DH, United Kingdom
Country of Origin	United Kingdom
Batch Number	To be applied by manufacturer
INCI List	AQUA, MAGNESIUM CHLORIDE, PROPANEDIOL, PEG-40 HYDROGENATED CASTOR OIL, SODIUM BENZOATE, POTASSIUM SORBATE, EUCALYPTUS GLOBULUS LEAF OIL, CITRIC ACID

3. Reasoning

3.1 Regulatory Compliance

All 8 ingredients screened against Annexes II–VI of Regulation (EC) No 1223/2009. No prohibited substances (Annex II) identified. No restricted substances above limits (Annex III). Preservatives Sodium Benzoate (0.30% of 0.5% max) and Potassium Sorbate (0.20% of 0.6% max) are within Annex V limits. No Annex IV colorants. No Annex VI UV filters. No CMR 1A/1B substances. No nanomaterials declared.

3.2 Exposure Assessment

Entry form exposure parameters applied: DAa = 7,820 mg/day, 50% dermal absorption (SCCS default), 70 kg body weight, retention factor 1.0. Conservative defaults applied throughout. Actual consumer exposure is likely lower due to individual variation in amount applied and skin surface area.

3.3 Systemic Safety

All MoS values substantially exceed 100. Lowest MoS: 358 (PEG-40 Hydrogenated Castor Oil). Full MoS results: Magnesium Chloride (812), Propanediol (895), PEG-40 HCO (358), Sodium Benzoate (29,837), Potassium Sorbate (2,686), Eucalyptus Globulus Leaf Oil (260,431). Citric Acid at 0.001% is a trace pH adjuster exempt from formal MoS calculation. No ingredients present any systemic safety concern at the calculated leave-on SED levels.

3.4 Local Effects

Skin Sensitisation: Eucalyptus Globulus Leaf Oil is classified Skin Sens. 1 (H317) at bulk. At 0.009% in the finished product, the concentration is well below sensitisation thresholds for leave-on products. All other ingredients are not classified as skin sensitisers at cosmetic use concentrations. No ingredient classified as a respiratory sensitiser.

Skin / Eye Irritation: PEG-40 Hydrogenated Castor Oil and Magnesium Chloride may cause mild irritation on prolonged contact at bulk concentrations; at use levels in this formulation, no irritation concern is identified. Sodium Benzoate, Potassium Sorbate, and Citric Acid are classified Eye Irrit. 2 (H319) at bulk but present no eye irritation concern at the concentrations used in this product. The pH of 4.8–5.5 is compatible with skin and does not create additional irritation risk.

3.5 Microbiological Safety

The product is preserved with Sodium Benzoate (0.30%) and Potassium Sorbate (0.20%), confirmed effective by preservation efficacy challenge testing (ISO 11930, XRAEP, 21/11/2023) achieving Criteria A for all four organisms (complete elimination by Day 7). Finished product microbiological specification meets ISO 17516 Category 2 limits. The spray delivery system limits consumer-side microbial contamination during use.

3.6 Impurities and Packaging

All ingredients declared at 100% purity per supplier SDS. PEG-40 Hydrogenated Castor Oil may carry trace 1,4-dioxane — supplier purification data requested (OI-001). No other impurity concerns identified. HDPE packaging is chemically inert and confirmed compatible with the aqueous formulation; no interaction identified during stability testing.

3.7 Fragrance and Allergen Assessment

The sole fragrance ingredient is Eucalyptus Globulus Leaf Oil at 0.009% w/w. Based on ECHA REACH dossier compositional data, the worst-case concentration of limonene (the primary regulated allergen in eucalyptus oil) in the finished product is 0.0009% — below the 0.001% leave-on declaration threshold under Annex III (Reg. 2023/1490). No allergen declaration is required on the product label.

3.8 Uncertainty and Conservatism

Entry form parameters applied throughout: 50% dermal absorption for all ingredients, 70 kg body weight, 7,820 mg/day DAa. Ingredient-specific dermal absorption data are not available; were lower absorption values used (as is typical for the magnesium ion), MoS values would increase further. Actual safety margins in real-world use are expected to be substantially higher than the conservative calculated values.

3.9 Special Populations

This product is labelled for adult use only and has not been assessed for:

- Children under 3 years of age
- Pregnant or breastfeeding individuals (specific assessment not conducted)
- Individuals with compromised skin barrier (wounds, active eczema, psoriasis)

Appropriate labelling restrictions (“For adult use only”; “Keep out of reach of children”) have been applied. The assessor should confirm whether additional precautionary statements are required for specific vulnerable groups.

3.10 Final Justification

Safety was assessed by evaluating the quantitative and qualitative composition, physico-chemical characteristics, microbiological quality (PET confirmed, ISO 11930 Criteria A), toxicological profiles, exposure levels (leave-on SED with SCCS defaults), and MoS for each ingredient. All MoS values exceed 100; the lowest is 358 (PEG-40 Hydrogenated Castor Oil). All preservatives comply with Annex V limits. Stability confirmed for 24 months. No CMR, no prohibited, and no restricted substances above limits are present. The product is considered **safe for human health when used as directed by adult consumers**, subject to formal assessor sign-off prior to market placement.

4. Assessor Credentials and Approval

4.1 Safety Assessor

Name	Cassandra Margaret Maddocks
Position	Safety Assessor — SBR Group Sàrl / MySwissLab+
Organisation	MySwissLab+ SBR Group Sàrl, 1B Route de l'Industrie, 1072 Forel (Lavaux), Switzerland

4.2 Formal Qualifications

Per **Article 10(2) of Regulation (EC) No 1223/2009**, the assessor must hold a diploma in pharmacy, toxicology, medicine, or a similar discipline.

Qualification	Institution	Year	Relevance
BSc (Biochemistry / Chemistry) — 4-year degree	Swinburne University of Technology, Melbourne, Australia	Graduated 2013; Diploma issued 2014	"Similar discipline" per Art. 10(2)
Diploma of Laboratory Technology	Swinburne University of Technology, Melbourne, Australia	—	Practical laboratory competence
Forensic and Analytical Science	Swinburne University of Technology, Melbourne, Australia	Semester 2009/1	Toxicology competence — formal university coursework covering toxicology

Credential Recognition: The BSc qualification was assessed by Universitets- och Högskoleradet (UHR, Sweden) as equivalent to a Swedish bachelor's degree (kandidatexamen) in biochemistry/laboratory technology. Registration No.: 322-01197-17, dated 03/10/2017, assessed by Petra Nord.

TOXICOLOGY COMPETENCE — EVIDENCED

The Safety Assessor completed formal university coursework in **Forensic and Analytical Science** (Semester 2009/1) at Swinburne University of Technology, covering toxicology as part of the curriculum. This, combined with the BSc (Biochemistry/Chemistry) and 10+ years of professional cosmetic safety assessment experience, provides the toxicological competence required by Article 10(2) of Regulation (EC) No 1223/2009.

4.3 Toxicological Competence Evidence

Evidence Type	Description	Status
Formal toxicology coursework	Forensic and Analytical Science (Semester 2009/1) — covering toxicology and analytical assessment methods	EVIDENCED
University degree	BSc (Biochemistry/Chemistry) — foundational sciences for toxicological reasoning	EVIDENCED
Credential recognition	UHR (Sweden) equivalent to kandidatexamen — Reg. Nr. 322-01197-17, 03/10/2017	EVIDENCED
Professional experience	10+ years formulating cosmetic products with safety assessment responsibilities	EVIDENCED

4.4 Signature Block

SAFETY ASSESSOR NAME

Cassandra Margaret Maddocks

QUALIFICATIONS

BSc (Biochemistry/Chemistry), Diploma of
Laboratory Technology — Swinburne University
of Technology, Australia

ORGANISATION

MySwissLab+ SBR Group Sàrl, Forel (Lavaux),
Switzerland

DATE OF ASSESSMENT

SIGNATURE

This CPSR has been reviewed and signed by the qualified safety assessor as defined in Article 10(2) of Regulation (EC) No 1223/2009. This document must be retained for 10 years after the last batch of the product is placed on the market.

Annexes on File

Annex	Description	Date / Reference
Annex I	Stability Test Report — Magnesium Spray (XRAEP, PET, 12 weeks)	MySwissLab+, 05/04/2023
Annex II	Microbiological Analysis Report — Magnesium Spray (XRAEP, ISO 17516:2004)	MySwissLab+, 26/09/2024
Annex III	Challenge Test Report — Magnesium Spray (XRAEP, ISO 11930, Criteria A)	MySwissLab+, 21/11/2023
Annex IV	Safety Data Sheets — all 8 ingredients (various suppliers)	On file
Annex V	Assessor Qualification Recognition Certificate — UHR, Sweden	Reg. Nr. 322-01197-17, 03/10/2017
Annex VI	CPSR Entry Form — Strive Group Brands LTD. Magnesium Spray	Strive Group Brands LTD., 24/03/2026
Annex VII	Material Safety Data Sheet — Strive Group Brands LTD. Magnesium Spray	SBR Group — on file

This document is confidential and has been prepared exclusively for Strive Group Brands LTD.
Reproduction or disclosure to third parties without prior written consent from MySwissLab+ SBR Group Sàrl is prohibited.

Report prepared by: MySwissLab+ SBR Group Sàrl | CHE-454.205.462 | 1B Route de l'Industrie, 1072 Forel
(Lavaux), Switzerland | hello@myswisslab.ch