

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy LES 70

Version No. 6 Revised on: August 02, 2024

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

GHS Product identifier

Trade Name : Galaxy LES 70

Chemical identity of ingredients that contribute to classification : Sodium Laureth Sulfate

Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Ingredient in Personal and Home Care products

Supplier's details : Galaxy Surfactants Limited
C-49/2, TTC Industrial Area
Pawne, Navi Mumbai, 400703, India
Tel: +91-22-39135500 / +91-22-27615250
e-mail: galaxy@galaxysurfactants.com

Emergency phone number : For product information: +91-9867673376 / +91-9867613368
(Language: English)
For Incident (Spill, Leak, Fire, Exposure, or Accident)
CHEMTREC (Day or Night): +1 703-741-5970 / 1-800-424-9300

2. HAZARD IDENTIFICATION

Classification of the substance or mixture:

Acute oral toxicity Category 5; H303

Skin irritation Category 2; H315

Eye damage Category 1; H318

Acute aquatic toxicity Category 2; H401

Chronic aquatic toxicity Category 3; H412

GHS label elements, including precautionary statements

Hazard pictogram:



Signal word: Danger

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy LES 70

Version No. 6 Revised on: August 02, 2024

Hazard statement(s):

H303: May be harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H401: Toxic to aquatic life.

H412: Harmful to aquatic life with long lasting effects.

Precautionary statement(s):

P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P317: IF SWALLOWED: Get medical help.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P305 + P354 + P338: IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P317: Get medical help.

P332 + P317: If skin irritation occurs: Get medical help.

P362 + P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose off contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification : Not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

INCI/Chemical Name	Synonyms	CAS Number	EC Number	% concentration
Sodium Laureth Sulfate	Alcohols, C12-14, ethoxylated, sulfates, sodium salts; Poly(oxy-1,2-ethanediyl),a-sulfo-w-hydroxy-, C12-14-alkyl ethers, sodium salts; Sodium Lauryl Ether sulfate	68891-38-3	500-234-8	≤ 76.8

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy LES 70

Version No. 6 Revised on: August 02, 2024

4. FIRST- AID MEASURES

Description of necessary first-aid measures

Inhalation	: Remove to fresh air. Seek medical advice, if necessary
Skin contact	: Wash with plenty of water for at least 15 minutes. Seek medical advice, if necessary
Eye contact	: Immediately flush eyes with running water, keeping the eyelids open forcibly. Remove contact lenses, if present, after the first 5 minutes, then continue flushing eyes for at least 15 minutes. Seek medical attention
Ingestion	: Immediately rinse mouth and then drink plenty of water. Seek medical attention, if necessary
Most important symptoms/effects, acute and delayed	
§Skin contact	: Causes skin irritation
§Eye contact	: Causes serious eye damage
Ingestion	: May be harmful if swallowed
Indication of immediate medical attention and special treatment needed, if necessary	
Treatment	: Treat symptomatically

5. FIRE- FIGHTING MEASURES

§Suitable extinguishing media	: Dry chemical powder, foam, carbon dioxide, water spray jet
Unsuitable extinguishing media	: Not known
Specific hazards arising from the chemical	: Development of hazardous combustion products like oxides of carbon, sulfur and vapours possible in the event of fire
Special protective equipment and precautions for fire-fighters	: Wear personal protective equipment and self- contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Wash hands after exposure with the product. Avoid contact with skin, eyes and clothing
Environmental precautions	: Do not discharge into drains, surface water or ground water

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy LES 70

Version No. 6 Revised on: August 02, 2024

Methods and materials for containment and cleaning up

: Small spill: Absorb with suitable absorbent material. Collect in suitable and properly labeled container.
Large spill: Contain spilled material if possible. Pump into suitable and properly labeled containers. Dispose off absorbed material/collected material in accordance with regulations

§7. HANDLING AND STORAGE

Precautions for safe handling

: Follow general occupational hygiene such as, wash hands before and after use. Do not eat, drink or smoke in work areas. Remove contaminated clothing. Avoid spill. Use appropriate personal protective equipment while handling the material. Follow safe procedures for loading and unloading of product

Conditions for safe storage, including any incompatibilities

: Store the material in a clean, dry place at 20-40°C away from direct heat and sunlight. Ensure proper housekeeping and personal hygiene. In the original sealed condition, when stored as suggested, shelf life of the product is two years. Once the container is opened in hygienic condition, consume the product as soon as possible. Hygienic conditions must be maintained during usage to avoid any contamination and keep the container tightly closed after use. When taken in ISO container/jacketed tanker/flexi bags, it is recommended to transfer the material from ISO containers/ jacketed tankers/flexi bags to sanitized SS storage tank with hot water jacket and also recommended to consume the material within one month's time after unloading in storage tank. Slight pH drop is possible over prolonged storage. In case of drop in pH, it is fairly safe to use the material as long as the pH > 5.0. Product becomes non-pumpable < 15°C and may solidify, if stored ≤ 10°C. If the product becomes non-flowable or freezes due to cold condition, then it is recommended to heat the jacketed ISO containers/ tankers or flexi bags with hot water of temperature 55-60°C for two hours. Do not apply direct steam. If the product becomes non-flowable or freezes in IBC/HMHDPE carboy /drums, then keep the same in hot room at 40°C to re-restore the material back to its original form.
Stacking of HMHDPE carboys: Non-palletized/Palletized: 1+1 while transport and during storage single carboy / single pallet on ground or in a rack
Stacking of IBC: 1+1, both while transport and during storage

Suitable packing materials

: HMHDPE carboy / IBC / ISO tank / Jacketed SS tanker / Flexi bags with heating pads

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy LES 70

Version No. 6 Revised on: August 02, 2024

Unsuitable packing materials : Mild steel

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits : Not known

Biological limit values : Not known

Appropriate engineering controls : Proper plant design, technical measures and working operations should minimize human exposure

Individual protection measures, such as personal protective equipment (PPE) :
 Eye/face protection: Safety goggles
 Skin protection: Apron, rubber gloves and shoes
 Respiratory protection : None required when adequate ventilation is available

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : High viscous liquid

Colour : Colourless to pale yellow

Odour : Fatty

Odour threshold : No data available

pH (1 % aqueous solution) : 6.5 - 8.5

Freezing point : $\leq 10^{\circ}\text{C}$

Initial boiling point and boiling range : $> 100^{\circ}\text{C}$ (foam/overflow)

Flash point : Not applicable (aqueous product)

Evaporation rate : No data available

Flammability (solid, gas) : Not flammable

Upper/lower flammability or explosive limits : Not applicable

Vapour pressure : No data available

Vapour density : No data available

Relative density : 1.0500 - 1.0900 at 20°C

§Solubility(ies) : Soluble in water; partially soluble in Ethanol, Methanol

Partition coefficient: n-octanol/water : No data available

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy LES 70

Version No. 6 Revised on: August 02, 2024

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity (Brookfield, LVT, # 4, 12 rpm)	: 12,000 - 25,000 cP at 20°C
§Explosive properties	: Not explosive
§Oxidising properties	: Not Oxidising

10. STABILITY AND REACTIVITY

Reactivity	: No hazardous reactions, if stored and handled as prescribed (Refer Section 7)
Chemical stability	: Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure
Possibility of hazardous reactions	: Not anticipated when used or handled as prescribed
Conditions to avoid	: Heat, flame and other sources of ignition
Incompatible materials	: Do not subject to strong acids
Hazardous decomposition products	: Will not form, if stored or handled as prescribed

§11. TOXICOLOGICAL INFORMATION

Toxicological information of Sodium Laureth Sulfate

Acute oral toxicity (Rat)	: LD ₅₀ : 2870 mg/kg bw (active ingredient) (According to OECD Guideline 401)
Acute dermal toxicity (Rat)	: LD ₅₀ : > 2000 mg/kg bw (According to OECD Guideline 402) Read-across approach
Acute inhalation toxicity	: No data available
Skin corrosion/irritation (Rabbit)	: Irritating (According to OECD Guideline 404)
Serious eye damage/irritation (Rabbit)	: Highly irritating (Equivalent or similar to OECD Guideline 405) Read-across approach
Skin sensitization (Guinea pig)	: No sensitization (According to OECD Guideline 406)
Respiratory sensitization	: No data available
Germ cell mutagenicity	

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy LES 70

Version No. 6 Revised on: August 02, 2024

Bacterial reverse mutation assay (in vitro)	: Negative (Equivalent or similar to OECD Guideline 471/ EU Method B.13/14/EPA OPPTS 870.5100)
Mammalian cell gene mutation assay (in vitro)	: Negative (According to OECD Guideline 476)
Chromosome aberration assay (in vivo)	: Negative (According to OECD Guideline 475)
Carcinogenicity	: Not carcinogenic
Reproductive toxicity	: Non-reprotoxic Effects on fertility (Rat) NOAEL: > 300 mg/kg bw/day (Equivalent or similar to OECD Guideline 416) Developmental toxicity / maternal toxicity (Rat): NOAEL: > 1000 mg/kg bw/day (According to OECD Guideline 414)
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified Repeated dose toxicity: Oral (Rat): NOAEL: 300 mg/kg bw/day Repeated dose toxicity: Oral (Rat): NOAEL: > 225 mg/kg bw/day (OECD Guideline 408)
Aspiration hazard	: Not classified
Information on the likely routes of exposure	: Dermal and oral
§Symptoms related to the physical, chemical and toxicological characteristics	: Skin contact: Causes skin irritation Eye contact: Causes serious eye damage Ingestion: May be harmful if swallowed
Delayed and immediate effects and also chronic effects from short and long term exposure	: Short term exposure: Causes irritation Long term exposure: No data available

§12. ECOLOGICAL INFORMATION

Ecological information of Sodium Laureth Sulfate

Short-term toxicity to fish	: Danio rerio LC ₅₀ (96 h): 7.1 mg/L (According to OECD Guideline 203 / EG Guideline 92/69 C.1)
-----------------------------	--

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy LES 70

Version No. 6 Revised on: August 02, 2024

Long-term toxicity to fish	: Oncorhynchus mykiss NOEC (28 d): 0.2 mg/L (based on mortality and sublethal effects) NOEC (21d): 0.14 mg/L (based on mortality and sublethal effects) (According to OECD Guideline 204 / Equivalent or similar to OECD Guideline 215)
Short-term toxicity to aquatic invertebrates	: Daphnia magna EC ₅₀ (48 h): 7.4 mg/L (According to OECD Guideline 202 / EG Guideline 92/69/EWG)
Long-term toxicity to aquatic invertebrates	: (QSAR model) NOEC: 1.2 mg/L Daphnia magna NOEC (21 d): 0.27 mg/L (Based on; Survival and Reproduction) (Equivalent or similar to OECD Guideline 211) Read-across approach
Toxicity to aquatic algae	: Desmodesmus subspicatus EC ₅₀ (72 h): 27.7 mg/L NOEC (72 h): 0.95 mg/L (According to OECD Guideline 201 / EU-Guideline 92/69 EWG)
Persistence and degradability	: Readily biodegradable 100% after 28 days (DOC removal) EU Method C.4-A (Determination of the "Ready" Biodegradability - Dissolved Organic Carbon (DOC) Die-Away Test) >77% after 28 days (O ₂ consumption) OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
Bioaccumulative potential	: Log P _{ow} : 0.3 at 23°C (OECD Guideline 123) substances are expected to be rapidly biotransformed and eliminated
Mobility in soil	: K _{oc} (adsorption): 2.53-4.55 (MCI method) (calculated, QSAR);
Other adverse effects	: No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods	: Dispose off contents/container in accordance with local/regional/national/international regulations
------------------	---

Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy LES 70

Version No. 6 Revised on: August 02, 2024

14. TRANSPORT INFORMATION

Land transport

ADR/RID	: Not classified as dangerous goods as per transport regulation
UN Number	: Not applicable
UN proper shipping name	: Not applicable
Transport hazard class(es)	: Not applicable
Packing group	: Not applicable
Environmental hazards	: Not applicable

Inland water ways transport

ADN	: Not classified as dangerous goods as per transport regulation
UN Number	: Not applicable
UN proper shipping name	: Not applicable
Transport hazard class(es)	: Not applicable
Packing group	: Not applicable
Environmental hazards	: Not applicable

Sea transport

IMDG code	: Not classified as dangerous goods as per transport regulation
UN Number	: Not applicable
UN proper shipping name	: Not applicable
Transport hazard class(es)	: Not applicable
Packing group	: Not applicable
Marine pollutant	: Not applicable

Air transport

ICAO-TI/IATA-DGR	: Not classified as dangerous goods as per transport regulation
UN Number	: Not applicable
UN proper shipping name	: Not applicable
Transport hazard class(es)	: Not applicable
Packing group	: Not applicable
Environmental hazards	: Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product in question	: Refer to all applicable national, international and local regulations or provisions
---	---

16. OTHER INFORMATION

§Revision Number	: GHS / Revision 5
Indication of changes	: Indicated with symbol '§'



Safety Data Sheet as per Globally Harmonized System (GHS)

Galaxy LES 70

Version No. 6 Revised on: August 02, 2024

Legend/acronym : GHS - Globally Harmonized System
STOT - Specific Target Organ Toxicity

Source of information : In-house and literature

The information contained herein is based on data considered accurate. However, no warranty is expressed, or implied regarding the accuracy of this data, or the result to be obtained from the use thereof. Galaxy assumes no responsibility for injury to the user, or third person proximately caused by the material, if reasonable safety procedures are not adhered to, as stipulated in the safety data sheet. Galaxy assumes no responsibility for injury to the user, or third person proximately caused by abnormal use of the material, even if reasonable safety procedures are followed. Further, user assumes the risk in his use of the material.