What is the time complexity of the following code snippet?

```
i = 1;
while (i < N) {
    i *= 2;
}
```

Answer

(Please choose a correct answer)

- O(N)
- O(1)
- O(log(N))
- O(2 ^ N)

54. Data Structure: Sub-Arrays

MCQ | UNSOLVED

How many subarrays have to be searched to find the element **0** in the given below array when the Binary search algorithm is applied?

A = {0,1,2,3,4,5,12,13,15}

Answer

(Please choose a correct answer)

- 2
- 3
- 1
- 0

All

52. Attribute Behaviour

MCQ | UNSOLVED

49

Which of the following defines the appropriate way to extract common behavior and attributes from the given classes and make a separate class of those common behaviors and attributes?

Answer

(Please choose a correct answer)

- Generalization
- Sub-typing
- Specialization
- Extension

All

52. Attribute Behaviour

MCQ UNSOLVED

49

Which of the following defines the appropriate way to extract common behavior and attributes from the given classes and make a separate class of those common behaviors and attributes?

Answer

(Please choose a correct answer)

- Generalization
- Sub-typing
- Specialization
- Extension

56. Public Derivation

MCQ UNSOLVED

Suppose you have two classes "**B**" and "**C**" which inherit the class "**A**" using public derivation.

Now, you have created a class "**D**" by inheriting both "**B**" and "**C**".

When you tried to access the methods of class "**A**" using object of "**D**", you found an ambiguity problem.

Which of the following concepts will help solve this problem?

Answer

(Please choose a correct answer)

- The classes "**B**" and "**C**" must be virtually inherited to "**D**".
- The class "**A**" must be abstract.
- The methods of the class "**A**" must be virtual.
- The class "**A**" must be virtually inherited.

A man invested one-third of his capital at 7%, one fourth at 8% and the remaining at 10% simple interest respectively. If his total interest income is 561, then the **capital** is _____.

Answer

(Please choose a correct answer)

- 5400
- 76000
- 74800
- 6600

All

10. Logical Reasoning: Circle Map

MCQ UNSOLVED

In a row of 7 people(P, Q, R, S, T, U, V),

- P is third from the left.
- Q sits between R and S and is to the left of S.
- T sits at one of the ends.
- U is adjacent to P.

If V sits in the middle, who is at the far right?

Answer

(Please choose a correct answer)

- R
- S
- U
- None of the Above

Having an issue with this question? Report

CONTINUE TO NEXT QUESTIONS

://app.doselect.com/test/dlw65/problem/6q6d0v

All

15. Logical Reasoning: Friday Prime

MCQ | UNSOLVED

8

The year 2021 began on a Friday (according to the Gregorian calendar).

9

What is the next prime-numbered year after 2021 that will also begin on a Friday?

10

11

Answer

2

(Please choose a correct answer)

3

- 2039
- 2053
- 2069
- 2027

Problem Statement

You are given a string **N**. Your task is to reverse the string while keeping the spaces in their original positions, followed by the total count of the words in the string.

Input Format

- A single line contains an input String **N**.

Constraints

- $1<=N<=10^6$

Output Format

- A single line containing the modified string, and the word count at the end.

Evaluation Parameters

Sample Input

```
my name is doselect
```

Sample Output

```
tc eles od siemanym 4
```

Explanation

Reversing the string without reversing the space followed by word

```
my name is doselect
```

Sample Output

```
tc eles od siemanym 4
```

Explanation

Reversing the string without reversing the space followed by word count:

-There is one space after the word "**my**", so after reversing the string, **doselect** is the last word, so in place of "**my**" we will write **tc.**

-In place of "**name**" we will write "**eles**" and then space will come.

-In place of "**is**" we will write "**od**" and then again space will come.

-In place of "**doselect**" we will write "**siemanym**".

So after reversing, the output will be **tc else od siemanym 4**, in this 4 is the count of the word.

Execution time limit

10 seconds

Having an issue with this question? Report

Problem Statement

You are given an n x n chessboard with the positions of a knight and a queen. The objective is to find the number of moves the knight can make without being attacked by the queen. The queen can attack in all eight directions: horizontally, vertically, and diagonally. A move is considered valid if the knight can reach that position in one move without being in the queen's line of attack. Determine the count of such valid moves for the knight on the given chessboard.

Input format

- The first line of input contains the row position of the knight, Knightrow.
- The second line contains the col position of the knight, Knightcol.
- The third line contains the row position of queen, queenrow.
- The fourth line contains the col position of queen, queencol.
- The fifth line contains the size of the chessboard(n), chessSize.

Constraint

- 1 <= n <= 250

Output format

- Print the number of moves.

Sample test cases

Input

2m 19s left

- Print the number of moves.

Sample test cases


Input

```
2
2
2
4
4
```

Output

```
4
```

Explanation



The starting position of the Knight is (1,1). As seen in the picture, the knight can move to move 4 different positions without getting attacked by the Queen.

Input



The starting position of the Knight is (1,1). As seen in the picture, the knight can move to move 4 different positions without getting attacked by the Queen.

Input

```
2
2
1
1
2
```

Output

```
0
```

Explanation

There is no possible move for the Knight.

Execution time limit

10 seconds

Having an issue with this question? Report

MCQ UNSOLVED

From a vessel full of petrol, 8 gallons are drawn and replaced by an equal quantity of kerosene. Then, 8 gallons of the mixture are drawn and the vessel is again filled with kerosene. The proportion of petrol now left in the vessel is 81:121.

What is the capacity of the vessel in gallons?

Answer

(Please choose a correct answer)

- 44 gallons
- 42 gallons
- 40 gallons
- 46 gallons