HirePro

Instructions

QUESTION: 10 Verbal Ability SECTION: Sentence Arrangement Mark(s): 1

Choose the most logical order of the given sentences to construct a coherent paragraph.


A. On landing at Bombay, I learned that my corps had advanced through the passes, and was already deep in the enemy's country.

B. In the year 1878, I took my degree of Doctor of Medicine of the University of London and proceeded to Netley to go through the course prescribed for surgeons in the Army.

C. Having completed my studies there, I was duly attached to the Fifth Northumberland Fusiliers as assistant surgeon.

D. The regiment was stationed in India at the time, and before I could join it, the second Afghan war had broken out.

- CABD
- DCBA
- ADBC
- BCDA


Instructions
QUESTION: 12 GROUP: Reasoning Ability SECTION: Attention to Details Mark(s): 1
The word 'KALEIDOSCOPE' is re-written by arranging the first four letters in reverse order and the last four in alphabetical order. Answer the following question based on this. What will be
from the left end?
O
D
C
I

HirePro

Instructions

21


22

3

4

QUESTION: 26 GROUP: **Quantitative Ability** SECTION: **Quant Math** Mark(s): 1

In the given figure, radii of two circles with centres S and T respectively are in the ratio 5 : 3 and PT = 12 cm. If R and Q are points of contact of the tangent drawn from P to the circles with centres S and T respectively, then find the areas of the quadrilateral RQTS and the triangle PQT.



- 8√15 cm², 4.5√15 cm²
- 16√15 cm², 9√15 cm²
- 24√15 cm², 13.5√15 cm²
- None of these

HirePro

QUESTION: 62 GROUP: Coding SECTION: Coding 1 Mark(s): 10

Write a program that takes a string *message* as input and extracts the following details:

- The first character of the *message*.
- The last character of the *message*.
- The middle character(s), where the rules are:
  1. If the *message* has an odd length, return the middle character.
  2. If the *message* has an even length, return the middle two characters.
- The index of the second occurrence of the second character in the *message*. This index should be output in the format #<index> (e.g., #7). If the second character does not occur again, output "not found".

Read the input from STDIN and print the output to STDOUT. Do not print arbitrary strings anywhere in the program, as these contribute to the standard output, and test cases will fail.

Constraints:
i) 3 ≤length of message ≤ 10000.
ii) The message contains only printable ASCII characters, including spaces, but not newline characters.
iii) Messages are case-sensitive (e.g., A and a are treated as different characters).
iv) The index starts from 0.

Input Format:
A single line of input will contain a string *message*.

Output Format:
First line of output should print the first character of the *message*
Second line of output should print the last character of the *message*
Third line of output should print the middle character if the *message* length is odd or the middle characters of the message if the message length is even.
Fourth,line of output must print #index, where index of the second occurrence of the second character in the *message*

Previous Qu

AS

F1 F2 F3 F4 F5 F6 F7

@ #

itrary
, and

Current Code | Previous Versions | Python 3

```
1  #The provided boilerplate code is intended only to help you read input and pri
2
3  def main():
4      N = int(input()) # N is the given input number.
5
6      # WRITE YOUR CODE HERE.
7
8
9  main()
```

QUESTION: 63 GROUP: Prompt Writing SECTION: Prompt Writing 2 Mark(s): 5

A user reports that they are unable to access an internal company website using its name.
The website should be available at:http://training.company.local
The following observations are available:

- ping 10.20.30.50 returns successful replies.
- Opening: http://10.20.30.50 in the browser also works correctly.
- However, opening "http://training.company.local" results in "Server not found"
- The following command is then executed: *nslookup training.company.local* and returns: *Can't find training.company.local: Non-existent domain*
- Other websites on the user's computer are working normally.

Task

Write a prompt that you would give to an AI assistant to help investigate the problem and recommend an appropriate solution.
Your prompt should provide enough technical context and direction for the AI assistant to produce a useful troubleshooting response.
Submit only the prompt.

Write your answer here

Previous Question Next Question

ASUS Vivobook

Given :

EMPLOYEE	
ENAME	SCORE
Rohit	80
AB	160
Sachin	125
Dhawan	29
Dravid	50
Blake	85
Clark	24
Gill	30
Pointing	5
Miller	30

51 ☆

52

53

54

55

56

57

58

59

60

Output:

Record	ENAME	SCORE
1	Rohit	80
10	Miller	30

Which of the query given in options will retrieve the first and last record from the EMPLOYEE table?

- SELECT * FROM (SELECT ROWNUM r,* employee) WHERE r=1 or r=(SELECT COUNT(*) FROM employee);
- SELECT * FROM (SELECT ROWNUM r, ename, score FROM employee) WHERE r=1 or r=(SELECT COUNT(*) FROM employee);
- SELECT * FROM (SELECT ROWNUM r, ename, score FROM employee) WHERE r =(1, (SELECT COUNT(*) FROM employee));
- SELECT ROWNUM r, ename ,score FROM employee WHERE r=(1,(SELECT COUNT(*) FROM employee));

Previous Question | Next Question

11 12 QUESTION: 15 GROUP: Reasoning Ability SECTION: Puzzles Mark(s): 1

12

13

14

15

16

17

18

19

20

Find the odd one out.



A B C D

B

C

A

D

deloitteusicampus 168438-21155622

25
26
27
28
29
30



Question: What is the average number of male employees in the IT department of the five companies?

- 65
- 55

Pro

Instructions

QUESTION: 27 GROUP: Quantitative Ability SECTION: Quant Math Mark(s): 1

A spinner is divided into 8 equal sectors numbered 1 to 8. What is the probability that two independent spins result in numbers whose sum is a prime number?

- 22/45
- 11/21
- 23/64
- 21/57

question

Instructions

QUESTION: 33 GROUP: **Technical** SECTION: **Cloud Computing Basics** Mark(s): 1

A development team needs several isolated applications on one physical server. Some require different operating systems, while others share the same op
Which design is most suitable?

- Use separate physical servers for every application to avoid virtualization
- Run every application directly on one host without isolation
- Use virtual machines where separate operating systems are needed and containers where a shared kernel is acceptable
- Use containers for all workloads regardless of operating-system needs

Instructions

QUESTION: 59 GROUP: Technical SECTION: AI Fluency Mark(s): 1

A Transformer processes a sentence and needs each token representation to incorporate information from other relevant tokens, even when those t
provides this capability?

- Self-attention allows token representations to directly weight information from other tokens in the input sequence.
- Pooling progressively combines neighboring tokens until distant information reaches the current token representation.
- Convolution applies one fixed local kernel repeatedly until every token receives information from the complete sequence.
- Recurrence propagates hidden states sequentially from the first token through every subsequent token in the sentence.

QUESTION: 64 GROUP: Prompt Writing SECTION: Prompt Writing 1 Mark(s): 5

A web server is running on IP address: 192.168.10.50
From another computer on the same network: ping 192.168.10.50 works successfully.


However, opening: http://192.168.10.50:8080 in a browser fails.

The following information is available:
The server is powered on.
Network connectivity to the server is working.
The web application is expected to run on port 8080.
The server firewall currently allows port 22, but port 8080 is not allowed.

Task:
Write a prompt that you would give to an AI assistant to help investigate why the web application cannot be accessed even though the server re
Your prompt should provide enough technical context and direction for the AI assistant to produce a useful troubleshooting response.
Submit only the prompt.

Write your answer here

Previous Question Next Question



HirePro
QUESTION: 56 GROUP: Technical SECTION: AI Fluency Mark(s): 1
A customer support agent that independently follows up on unresolved tickets is showing:
Random behavior
Passive prediction
Human delegation
Autonomous task execution
48
49
50
51
52
53
54
55


Instructions

QUESTION: 55 GROUP: Technical SECTION: AI Fluency Mark(s): 1

A RAG application gives an incorrect answer. Inspection shows that the generator used the retrieved passages correctly, but none of those passages contained the inform question.
Which part of the system should be investigated first?

- Temperature used during text generation
- Formatting of the generated response
- Retrieval recall for relevant documents
- Tokenisation of the user's input query


QUESTION: 8 GROUP: Verbal Ability SECTION: Error Detection Mark(s): 1
Out of the four underlined phrases marked (A), (B), (C) and (D), choose the phrase which is wrong or inappropriate in the context of the sentence.
People forever wrote letters to each other, (A) asking where (B) they could find (C) decent cooks and competent maids or reliable footmen. (D)
D
B
A


Instructions
QUESTION: 8 GROUP: Verbal Ability SECTION: Sentence Arrangement Marks: 1
Choose the most logical order of the given sentences to construct a coherent paragraph.
A. There has been some concern that microwaves might damage food,
B. Microwaving food raises several safety issues,
C. but the dominant view is that microwaved food is as safe to eat as conventioally cooked food.
D. connected with the leakage of microwave radiation outside the oven
E. largely and the risk of fire from high temperature heat sources.
8
AECBD
9
BEACD
10
ABCDE
BDEAC

21 ☆ QUESTION: 21 GROUP: Quantitative Ability SECTION: Data Interpretation Mark(s): 1

Direction: Study the information given below and answer the questions that follow.

The bar graph below shows the total number of employees (male and female) in five companies and the male and female employees in their IT departments.



Question: What is the average number of male and female employees in the IT department of company Q?

- 50

QUESTION: 61 GROUP: Coding SECTION: Code Nuggets Mark(s): 5

Write a program that finds the sum of all the digits of a given number *N*.

Read the input from STDIN and print the output to STDOUT. Do not write arbitrary strings anywhere in the program, as these contribute to the standard output, and test cases will fail.

Constraints:
$10 <= N <= 10^{11}$


Input Format:
The input contains a number, *N*.

Output Format:
The output should print the sum of all digits of a given number.

Sample Input:
765

Sample Output:
18

Explanation:
The sum of all the digits of the given number *N* = 765 is 18. So, it will print 18 as an output.


HirePro
QUESTION: 53 GROUP: Technical SECTION: AI Fluency Mark(s): 1
48
What is the main difference between automation and Artificial Intelligence?
49
Automation helps teams, while Artificial Intelligence helps managers
50
Automation follows fixed steps, while Artificial Intelligence works with patterns
51
Automation uses computers, while Artificial Intelligence uses paper
52
Automation writes reports, while Artificial Intelligence stores reports
53 ☆
54
55

Instructions

QUESTION: 28 GROUP: Quantitative Ability SECTION: Quant Math Mark(s): 1

In a college fest, 22 identical coupons are to be distributed among 6 students such that each student gets at least 2 and at most 5 coupons. Exactly three student
how many ways can this be done?

- 72
- 60
- 54
- 66

HirePro

What will be the output of the program given below?

```
class ABC extends Thread
{
    ABC()
    {   System.out.println("AAA");   }

    public void run()
    {   System.out.println("BBB");   }

    public void run(String s)
    {   System.out.println("CCC");   }
}

public class ABCThread
{
    public static void main(String args[])
    {
        Thread th = new ABC()
        {
            public void run()
            {   System.out.println("DDD");   }
        };
        th.start();
    }
}
```

AAA

DDD


DDD

HirePro

QUESTION: 25 GROUP: Quantitative Ability SECTION: Quant Math Mark(s): 1

A jar contains a mixture of oil and water in the ratio 7:2. 25% of the mixture is taken out and replaced with water. What is the new ratio of

- 5:3
- 7:3
- 5:4
- 7:5


QUESTION: 57 GROUP: Technical SECTION: HTML5
48
49
50
51
52
53
54
55
Which tag HTML tag used for annotating characters with phonetic information?
<gloss>
<rt>
<ruby>
<ruby-annotation>

HirePro

Instructions

QUESTION: 16 GROUP: **Reasoning Ability** SECTION: **Logical Reasoning** Mark(s): 1

Direction: Study the information given below and answer the question that follows.

Seven wildlife photographers—Aurora (A), Boreas (B), Cirrus (C), Draco (D), Echo (E), Fenix (F) and Glade (G)—are seated clockwise around a circular observation deck (not necessarily in center. During the sunrise shoot, each captured a different number of photographs, chosen from 45, 50, 55, 60, 65, 70, and 75.

Using only the statements below, determine the exact seat each photographer occupies (clockwise order) and how many photographs each one took.

1. The photographer who took 70 photos sits immediately clockwise of Boreas.
2. Aurora sits immediately clockwise of Glade.
3. Fenix took the fewest photos of all seven.
4. The 75-photo photographer sits three seats clockwise of Boreas.
5. The total photos captured by Aurora and Draco equal those captured by Boreas and the 70-photo photographer.
6. The two photographers adjacent to Draco together took 145 photos.
7. The photographer immediately clockwise of Glade took exactly 5 more photos than Glade.
8. Cirrus sits immediately clockwise of Boreas.
9. Fenix sits immediately clockwise of Aurora.


Question:

Who sits immediately clockwise of Boreas?

- Draco
- Cirrus
- Echo
- Aurora

Previous Question | Next Question

25
26
27
28
29
30



Question: What is the difference between the non-IT employees in Company P and T?

98

102

A statement followed by two assumptions numbered I and II. An assumption is something supposed or taken for granted. You have to examine the statement and then decide which assumption(s) is/are implicit in the statement.

Statement: People should be more aware of the consequences of food wastage because most people in the country, especially children, die due to starvation and many empty stomach.

Assumptions:
I. Most people are not aware of hunger-related deaths as well as that many people sleep on empty stomachs.
II. Those people who throw leftover food do not feel ashamed.


- Both assumptions I and II are implicit
- Only assumption II is implicit
- Only assumption I is implicit
- Neither assumption I nor II is implicit

Current Code | Previous Versions | Python 3

```
#The provided boilerplate code is intended only to help you read input and print output to t
def generateResult(message):  # message contains the input string
    # WRITE YOUR CODE HERE
    pass

if __name__ == "__main__":
    message = input()
    generateResult(message)

```


Code Nuggets
Mark(s): 5
TIME LEFT 00:05:54
igits of a given number N.
t to STDOUT. Do not write arbitrary
tribute to the standard output, and
given number.
65 is 18. So, it will print 18 as
Current Code
Previous Versions
Python 3
#The provided boilerplate code is intended only to help you read input and print output to the consol
def main():
N = int(input()) # N is the given input number.
print(sum(int(digit) for digit in str(N)))
WRITE YOUR CODE HERE.
main()
Test against custom input
Run Code
Run Tests
Submit & Continue Coding
Unable to reach the server. Please check your internet connection and try again.
Previous Question
Next Question

23

24

25

26

27


28

29

30


Direction: Study the information given below and answer the questions that follow.

The bar graph below shows the total number of employees (male and female) in five companies and the male and female employees in t



Question: What is the ratio of the number of employees in R and T who aren't in the IT department?

73:54


What is the output of the following code?
#include <iostream>
using namespace std;
class Animal {
public:
Animal() { cout << "A "; }
~Animal() { cout << "~A "; }
};
class Dog : public Animal {
public:
Dog() { cout << "D "; }
~Dog() { cout << "~D "; }
};
int main() {
Dog d;
}
A D ~D ~A

HirePro

Instructions

QUESTION: 54 GROUP: Technical SECTION: Cloud Computing Basics Mark(s): 1

What category of computer technology describes the services and applications that frequently use virtualized resources to run over a distributed netw

- Distributed Computing
- Cloud Computing
- Parallel Computing
- Cluster Computin

61 ☆ QUESTION: 61 GROUP: Coding SECTION: Code Nuggets Mark(s): 5

62

Write a program that finds the sum of all the digits of a given number *N*.

Read the input from STDIN and print the output to STDOUT. Do not write arbitrary strings anywhere in the program, as these contribute to the standard output, and test cases will fail.

Constraints:
$10 <= N <= 10^{11}$

Input Format:
The input contains a number, *N*.

Output Format:
The output should print the sum of all digits of a given number.

Sample Input:
765

Sample Output:
18

Explanation:
The sum of all the digits of the given number *N* = 765 is 18. So, it will print 18 as an output.

Current Code Previous Version

```
3  def main():
4      N = int(input())
5
6      # WRITE YOUR CODE
7      print(sum(map(int
8
9  main()
```

Test against custom input

Test Cases Results

1	Sample TC	Fail
2		Fail

HirePro

Instructions

21

22

23

24

25

26

7

QUESTION: 29 GROUP: **Quantitative Ability** SECTION: **Quant Math** Mark(s): 1

A person buys 23 articles for ₹8 and sells them for ₹10. What is his profit percentage?

- 35%
- 20%
- 25%
- 30%

Instructions

QUESTION: 30 GROUP: Quantitative Ability SECTION: Quant Math Mark(s): 1

TIME LEFT 00:07:40

A solid cube has an edge length of 18 cm. A square tunnel of cross-section 6 cm × 6 cm is cut perpendicularly through the centres of a pair of opposite faces, passing completely through the cube. What is the total surface area of the remaining solid, including the four inner surfaces of the tunnel?

- 2,232 cm²
- 2,268 cm²
- 2,304 cm²
- 2,340 cm²

HirePro

QUESTION: 62 GROUP: Coding SECTION: Coding 1 Mark(s): 10

First line of output should print the first character of the *message*
Second line of output should print the last character of the *message*
Third line of output should print the middle character if the *message* length is odd or the middle characters of the message if the message length is even.
Fourth line of output must print #index, where index of the second occurrence of the second character in the *message*

Sample Input 1:
Scrunchie

Sample Output 1:
S
e
n
#5

Explanation 1:
Given, *message*: Scrunchie
First character: 'S'
Last character: 'e'
Length = 9 (odd), so the middle character is at index 4 - 'n'
Second character = 'c'; second occurrence is at index 5 - output #5

Sample Input 2:
Cardigan

Sample Output 2:
C
n
di
#6

Explanation 2:
Similarly, *message*: Cardigan

QUESTION: 58 GROUP: Technical SECTION: HTML5 Mark(s): 1

The given code has some errors, choose the option displaying the error and the corrected code.

```
<a link="https://www.html.com" target="_blank"Visit html.com</a>
```

- The code is correct as it is
- Missing link type attribute
  <a type="URL" link="https://www.html.com" target="_blank"Visit html.com
- Missing closing bracket for the anchor tag
  Visit html.com
- Missing href attribute and closing anchor tag
  Visit html.com

arbitrary
out, and

Current Code | Previous Versions | Python 3

```
2
3   def main():
4       N = int(input()) # N is the given input number.
5
6       # WRITE YOUR CODE HERE.
7
8
9   main()
```

Test against custom input

Run Code | Run

Following are the Details of the Customer table:

Customer	
Column_name	datatype
F_name	Varchar(30)
L_name	Varchar(20)
Address	Varchar(30)
DOB	Date

45 ☆ Which of the following query is used to Change the column name as Addr in the Customer table?

- MODIFY table Customer Rename Address Addr varchar(30);
- UPDATE table Customer Rename Address to Addr varchar(30);
- ALTER table Customer change Address Addr varchar(30);
- RENAME table Customer change Address to Addr varchar(30);

Unanswer