HirePro

Instructions

1 ☆ QUESTION: 1 GROUP: **Verbal Ability** SECTION: **Error Detection** Mark(s): 1

2

3 Out of the four underlined phrases marked (A), (B), (C) and (D), choose the phrase which is wrong or inappropriate in the context of the sentence.

4 People forever wrote letters to each other, (A) asking where (B) they could find (C) decent cooks and competent maids or reliable footmen. (D)

5 ○ B

6 ○ C

7 ○ D

8 ○ A

9

10

HirePro

Instructions

1 2 ☆ 3 4 5 6 7 8 9 10

QUESTION: 2 GROUP: **Verbal Ability** SECTION: **Sentence Arrangement** Mark(s): 1

Choose the most logical order of the given sentences to construct a coherent paragraph.

A. There has been some concern that microwaves might damage food,

B. Microwaving food raises several safety issues,

C. but the dominant view is that microwaved food is as safe to eat as conventioally cooked food.

D. connected with the leakage of microwave radiation outside the oven

E. largely and the risk of fire from high temperature heat sources.

- ABCDE
- AECBD
- BDEAC
- BEACD

HirePro

Instructions

Ranjeet Paswan

TIME LEFT: 00:08:30

QUESTION: 3 GROUP: **Verbal Ability** SECTION: **Reading Comprehension** Mark(s): 1

Direction: Read the passage given below and answer the question that follows. There may be more than one question(s) based on the below passage.

One day, the head monk of the Zen monastery called Koji and Haruki and entrusted them with a task: to look after the beautiful gardens of the monastery. They were also given the individual responsibilities of nurturing a specific type of tree. Koji was given a sturdy oak tree and Haruki was given a delicate bamboo plant.

Seasons changed, months passed, and Koji's oak tree grew taller and stronger. Its expansive branches provided ample shade and also protected the garden from natural disasters. On the other hand, Haruki's bamboo plant was delicate and thin, its tender stems swaying in the direction of the wind.


Koji, with great pride, looked at his oak tree, then glanced at Haruki's bamboo plant and said, "Haruki, your bamboo is beautiful, but compared to the grandeur of my oak tree, it looks utterly pale." Haruki smiled gently with wisdom shining in his eyes. "Koji, every tree has its purpose and unique beauty. Your oak tree provides shelter and strength, while my bamboo plant teaches the ability to overcome any adversity."

From that moment, Koji and Haruki began to respect and care for all trees equally. They embraced a life without comparison, leading them towards profound inner peace.

Question: What happened as the seasons changed?

- The bamboo plant grew taller and stronger alongside the oak tree.
- The oak tree grew weaker and withered as the seasons changed but the bamboo remained strong.
- The oak plant grew taller and stronger while the bamboo plant remained delicate and thin.
- The oak tree became more beautiful while the bamboo plant grew long and ugly.

Previous Question | Next Question


HirePro
Instructions
Ranjeet Paswan
1
2
3
4 ☆
5
6
7
8
9
10
QUESTION: 4 GROUP: Verbal Ability SECTION: Reading Comprehension Mark(s): 1
TIME LEFT: 00:07:46
Direction: Read the passage given below and answer the question that follows. There may be more than one question(s) based on the below passage.
One day, the head monk of the Zen monastery called Koji and Haruki and entrusted them with a task: to look after the beautiful gardens of the monastery. They were also given the individual responsibilities of nurturing a specific type of tree. Koji was given a sturdy oak tree and Haruki was given a delicate bamboo plant.
Seasons changed, months passed, and Koji's oak tree grew taller and stronger. Its expansive branches provided ample shade and also protected the garden from natural disasters. On the other hand, Haruki's bamboo plant was delicate and thin, its tender stems swaying in the direction of the wind.
Koji, with great pride, looked at his oak tree, then glanced at Haruki's bamboo plant and said, "Haruki, your bamboo is beautiful, but compared to the grandeur of my oak tree, it looks utterly pale." Haruki smiled gently with wisdom shining in his eyes. "Koji, every tree has its purpose and unique beauty. Your oak tree provides shelter and strength, while my bamboo plant teaches the ability to overcome any adversity."
From that moment, Koji and Haruki began to respect and care for all trees equally. They embraced a life without comparison, leading them towards profound inner peace.
Question: Koji and Haruki learnt to:
have equal respect and care for all the trees in the garden.
be proud of their trees and boast about them.
nurture a specific tree in the garden and make it grow stronger.
change their responsibilities as the seasons change.
Previous Question
Next Question

1

2

3

4

5 ☆

6

7

8


9


10


QUESTION: 5 GROUP: **Verbal Ability** SECTION: **Fill in the Blank(s)** Mark(s): 1

Direction: Fill in the blank(s) below with the most appropriate word.

The Roys have always been ones to **Blank** off their wealth.







HirePro

Instructions

1 2 3 4 5 6 7 ☆ 8 9 10

QUESTION: 7 GROUP: **Verbal Ability** SECTION: **Sentence Arrangement** Mark(s): 1

Choose the most logical order of the given sentences to construct a coherent paragraph.

A. On landing at Bombay, I learned that my corps had advanced through the passes, and was already deep in the enemy's country.

B. In the year 1878, I took my degree of Doctor of Medicine of the University of London and proceeded to Netley to go through the course prescribed for surgeons in the Army.

C. Having completed my studies there, I was duly attached to the Fifth Northumberland Fusiliers as assistant surgeon.

D. The regiment was stationed in India at the time, and before I could join it, the second Afghan war had broken out.

- ADBC
- DCBA
- CABD
- BCDA

Previous Question Next Question


HirePro

1
2
3
4
5
6
7
8 ☆
9
10

QUESTION: 8 GROUP: **Verbal Ability** SECTION: **Fill in the Blank(s)** Mark(s): 1

Direction: Fill in the blank(s) below with the most appropriate word.

As he poured tea **Blank** the cup, he smiled at us.


HirePro
Instructions
1
2
3
4
5
6
7
8
9 ☆
10
QUESTION: 9 GROUP: Verbal Ability SECTION: Error Detection Mark(s): 1
Out of the four underlined phrases marked (A), (B), (C) and (D), choose the phrase which is wrong or inappropriate in the context of the sentence.
He start to panic (A) when (B) his boss did not respond to (C) his text for two days (D)
B
C
A
D
Unanswer
Previous Question
Next Question

HirePro

Instructions

1 QUESTION: 10 GROUP: Verbal Ability SECTION: Sentence Correction Mark(s): 1

2

3 **Direction:** Identify if the underlined part in the below sentence is incorrect. If yes, choose the option which makes the sentence grammatically correct. If no, choose the option that is the same as the underlined part.

4 Soon after the envoys left the village, agents from the military intelligence unit arrived in the village looking up them who have spoken to the envoys.

5 ○ looking for those who have

6 ○ looking up them who had


7 ○ looking for those who had

8 ○ looking up them who have

9

10 ☆

Previous Question Next Question


HirePro
Instructions
11
QUESTION: 11 GROUP: Reasoning Ability SECTION: Attention to Details Mark(s): 1
12
13
14
15
16
17
18
19
20
Sequence: 50, 45, 40, 35, 30, 25, 20, 15, 10, 5, 0, -5
How many numbers are multiples of 10, preceded by an odd number, and followed by a number greater than 10?
2
4
1
3
Next Question

Instructions

11

QUESTION: 12 GROUP: **Reasoning Ability** SECTION: **Puzzles** Mark(s): 1

12 ☆

13

In a hidden library, books are arranged in this alphabetical pattern: A, E, I, M, Q... A scholar finds the 8th book following this pattern. Which letter does it represent?

14

- J

15

- C

16

- E

17

- G

18

19

20

Previous Question Next Question

HirePro

Instructions

QUESTION: 13 GROUP: **Reasoning Ability** SECTION: **Logical Reasoning** Mark(s): 1

Direction: Study the information given below and answer the question that follows.

Seven wildlife photographers—Aurora (A), Boreas (B), Cirrus (C), Draco (D), Echo (E), Fenix (F) and Glade (G)—are seated clockwise around a circular observation deck (not necessarily in the same order), all facing the center. During the sunrise shoot, each cap
photographs, chosen from 45, 50, 55, 60, 65, 70, and 75.

Using only the statements below, determine the exact seat each photographer occupies (clockwise order) and how many photographs each one took.

1. The photographer who took 70 photos sits immediately clockwise of Boreas.
2. Aurora sits immediately clockwise of Glade.
3. Fenix took the fewest photos of all seven.
4. The 75-photo photographer sits three seats clockwise of Boreas.
5. The total photos captured by Aurora and Draco equal those captured by Boreas and the 70-photo photographer.
6. The two photographers adjacent to Draco together took 145 photos.
7. The photographer immediately clockwise of Glade took exactly 5 more photos than Glade.
8. Cirrus sits immediately clockwise of Boreas.
9. Fenix sits immediately clockwise of Aurora.

Question:
Who sits immediately clockwise of Boreas?

- Cirrus
- Draco
- Echo
- Aurora

Previous Question Next Question

HirePro

Instructions

QUESTION: 14 GROUP: Reasoning Ability SECTION: Logical Reasoning Mark(s): 1

TIME LEFT 00:07:26

Direction Study the information given below and answer the question that follows.

Seven wildlife photographers—Aurora (A), Boreas (B), Cirrus (C), Draco (D), Echo (E), Fenix (F) and Glade (G)—are seated clockwise around a circular observation deck (not necessarily in the same order), all facing the center. During the sunrise shoot, each captured a different number of photographs, chosen from 45, 50, 55, 60, 65, 70, and 75.

Using only the statements below, determine the exact seat each photographer occupies (clockwise order) and how many photographs each one took.


1. The photographer who took 70 photos sits immediately clockwise of Boreas.
2. Aurora sits immediately clockwise of Glade.
3. Fenix took the fewest photos of all seven.
4. The 75-photo photographer sits three seats clockwise of Boreas.
5. The total photos captured by Aurora and Draco equal those captured by Boreas and the 70-photo photographer.
6. The two photographers adjacent to Draco together took 145 photos.
7. The photographer immediately clockwise of Glade took exactly 5 more photos than Glade.
8. Cirrus sits immediately clockwise of Boreas.
9. Fenix sits immediately clockwise of Aurora.

Question:

How many photographs were taken in total by the two photographers seated next to Echo?

- 110
- 115
- 105
- 95

Previous Question Next Question


HirePro
Instructions
11
12
13
14
15 ☆
16
17
18
19
20
QUESTION: 15 GROUP: Reasoning Ability SECTION: Critical Reasoning Mark(s): 1
Ranjeet Paswan
TIME LEFT: 00:06:29
A statement followed by two assumptions numbered I and II. An assumption is something supposed or taken for granted. You have to consider the statement and the following assumptions and decide which assumption(s) is/are implicit in the statement.
Statement: People should be more aware of the consequences of food wastage because most people in the country, especially children, die due to starvation and many are compelled to sleep on an empty stomach.
Assumptions:
I. Most people are not aware of hunger-related deaths as well as that many people sleep on empty stomachs.
II. Those people who throw leftover food do not feel ashamed.
Only assumption II is implicit
Neither assumption I nor II is implicit
Only assumption I is implicit
Both assumptions I and II are implicit
Previous Question
Next Question

HirePro

Instructions

11 12 13 14 15 16 ☆ 17 18 19 20

QUESTION: 16 GROUP: Reasoning Ability SECTION: Attention to Details Mark(s): 1

The word '**KALEIDOSCOPE**' is re-written by arranging the first four letters in reverse order and the last four in alphabetical order. Answer the following question based on this. What will be the 7th letter from the left end?

- C
- D
- I
- O

Previous Question Next Question

HirePro

Instructions

11 QUESTION: 18 GROUP: **Reasoning Ability** SECTION: **Critical Reasoning** Mark(s): 1

12

13 **Statement**: There are more than 50 buildings in a society and in each building there are a minimum of 2 floors and a maximum of 10 floors. A lift is installed in a building if it has at least 3 floors.

14 Based on the above information, four conclusions, as given below, have been made. Which one of these logically follows from the given information?

15 ○ The first floor is not accessible by a lift.

16 ○ The lift is accessible from the 3rd floor onwards.

17 ○ A building consisting of five floors has a lift.

18 ☆ ○ The top floor is accessible by a lift.

19

20

Previous Question Next Question

HirePro

Instructions

11 QUESTION: 19 GROUP: Reasoning Ability SECTION: Puzzles Mark(s): 1

12

13 Pallavi starts from Point R and walks 10 km north, then 6 km west, then 4 km south, and finally 15 km east. What is her shortest distance and direction from Point R?

14 ○ 15 km, north-east

15 ○ 3√13 km, south-east

16 ○ √145 km, north-west


17 ○ 3√13 km, north-east


18


19 ☆


20

Previous Question Next Question


HirePro
Instructions
QUESTION: 20 GROUP: Reasoning Ability SECTION: Critical Reasoning Mark(s): 1
TIME LEFT: 00:02:29
Statement: An ice-cream company conducted two steps of market research, i.e., before and after the taste test, among the same group of people. In the first step i.e., before the taste test, 21% people said they would prefer vanilla ice-cream, 27% people said they would prefer the strawberry ice cream and the rest 52% people said they would prefer chocolate ice cream. In the second step, i.e., after the taste test, 68% said they would prefer vanilla ice-cream.
Which of the following can be inferred from the above statement?
Some people who preferred chocolate ice cream in the second step preferred strawberry ice-cream in the first step.
Some people who preferred chocolate ice cream in the first step preferred vanilla ice-cream in the second step.
Some people who preferred chocolate ice cream in the first step preferred a strawberry ice-cream in the second step.
Some people who preferred strawberry ice cream in the first step preferred vanilla ice-cream in the second step.
Previous Question
Next Question


HirePro
21
22
23
24
25
26
27
28
29
30
QUESTION: 21
GROUP: Quantitative Ability
SECTION: Quant Math
Mark(s): 1
Instructions
TIME LEFT 00:09:55
In a college fest, 22 identical coupons are to be distributed among 6 students such that each student gets at least 2 and at most 5 coupons. Exactly three students must receive exactly 5 coupons. In how many ways can this be done?
60
66
72
54
Next Question


HirePro
21
22
23
24
25
26
27
28
29
30
QUESTION: 21 GROUP: Quantitative Ability SECTION: Quant Math Mark(s): 1
Instructions
00:09:49
In a college fest, 22 identical coupons are to be distributed among 6 students such that each student gets at least 2 and at most 5 coupons. Exactly three students must receive exactly 5 coupons. In how many ways can this be done?
60
66
72
54
Next Question


HirePro
21 ☆
QUESTION: 21 GROUP: Quantitative Ability SECTION: Quant Math Mark(s): 1
Instructions
TIME LEFT: 00:09:43
22
23
24
25
26
27
28
29
30
In a college fest, 22 identical coupons are to be distributed among 6 students such that each student gets at least 2 and at most 5 coupons. Exactly three students must receive exactly 5 coupons. In how many ways can this be done?
60
66
72
54
Previous Question
Next Question

HirePro

Instructions

21

22 ☆

23

24

25

26

27

28

29

30

QUESTION: 22 GROUP: **Quantitative Ability** SECTION: **Quant Math** Mark(s): 1

A jar contains a mixture of oil and water in the ratio 7:2. 25% of the mixture is taken out and replaced with water. What is the new ratio of oil to water?

- 7:3
- 5:4
- 7:5
- 5:3

HirePro


Instructions

21 QUESTION: 23 GROUP: **Quantitative Ability** SECTION: **Data Interpretation** Mark(s): 1

22

23 ☆ **Direction:** Study the information given below and answer the questions that follow.

24 The bar graph below shows the total number of employees (male and female) in five companies and the male and female employees in their IT departments.



25 26 27 28 29 30

Question: What is the average number of male and female employees in the IT department of company Q?

- 60
- 80
- 50
- 70

HirePro

21
22
23
24
25
26
27 ☆
28
29
30

QUESTION: 27 GROUP: Quantitative Ability SECTION: Quant Math Mark(s): 1

Instructions

A spinner is divided into 8 equal sectors numbered 1 to 8. What is the probability that two independent spins result in numbers whose sum is a prime number?

- 21/57
- 23/64
- 22/45
- 11/21

Previous Question Next Question

HirePro

Instructions

Ranjeet Paswan


TIME LEFT: 00:05:58

21 QUESTION: 28 GROUP: Quantitative Ability SECTION: Quant Math Mark(s): 1

22

23 In the given figure, radii of two circles with centres S and T respectively are in the ratio 5 : 3 and PT = 12 cm. If R and Q are points of contact of the tangent drawn from P to the circles with centres S and T respectively, then find the areas of the quadrilateral RQTS and the triangle PQT.

24



25

26


27 ○ $8\sqrt{15}$ cm^2, $4.5\sqrt{15}$ cm^2

28 ☆ ○ $24\sqrt{15}$ cm^2, $13.5\sqrt{15}$ cm^2

29 ○ $16\sqrt{15}$ cm^2, $9\sqrt{15}$ cm^2

30 ○ None of these

Previous Question Next Question


HirePro
21
22
23
24
25
26
27
28
29
30
QUESTION: 29 GROUP: Quantitative Ability SECTION: Quant Math Mark(s): 1
A person buys 23 articles for ₹8 and sells them for ₹10. What is his profit percentage?
30%
35%
20%
25%

HirePro

Instructions

Ranjeet Paswan

TIME LEFT 00:04:24

21 QUESTION: 30 GROUP: Quantitative Ability SECTION: Quant Math Mark(s) 1

22

23 A solid cube has an edge length of 18 cm. A square tunnel of cross-section 6 cm × 6 cm is cut perpendicularly through the centres of a pair of opposite faces, passing completely through the cube. What is the total surface area of the remaining solid, including the four inner surfaces of the tunnel?

24

25 ○ 2,340 cm²

26 ○ 2,268 cm²

27 ○ 2,304 cm²

28 ○ 2,232 cm²

29

30 ☆

Previous Question Next Question


HirePro

31 ☆ QUESTION: 31 GROUP: Technical SECTION: Programming Ability - Cpp Mark(s): 1

What is the output of the below code?

```
#include <iostream>
using namespace std;
class Road {
public:
    virtual void status() { cout << "Normal road"; }
};
class Highway : public Road {
public:
    void status() { cout << "High speed road"; }
};
int main() {
    Road r = Highway();
    r.status();
}
```

- Compile error
- High speed road
- Normal road
- Undefined behavior


HirePro
31
32
33
34
35
36
37
8
9
QUESTION: 32 GROUP: Technical SECTION: Networking and Cyber Security Mark(s): 1
Instructions
Ranjeet Paswan
TIME LEFT: 00:29:26
A group of 15 routers is interconnected in a centralized complete binary tree with a router at each tree node. Router i communicate with router j by sending a message to the root of the tree. The root then sends the message back down to router j. Find the mean number of hops per message, assuming all possible router pairs are equally likely.
4.53
4.26
3
5.26
Previous Question
Next Question

HirePro

Instructions

31 QUESTION: 33 GROUP: Technical SECTION: AI Fluency Mark(s): 1

32

33 ☆ A dataset is split into training, validation, and test sets. After several iterations, a model performs very well on training and validation data but noticeably worse on the untouched test set. Which interpretation is most appropriate?

34

35 ○ The model must be using an unsupervised algorithm

36 ○ The validation set should replace the test set entirely

37 ○ The test set should now be added to the training set

38 ○ The model may have been tuned too closely to the validation set

39

40

41

42

43

44

45

46

47

48

49

50

HirePro

31
32
33
34 ☆
35
36
37
38
39
40
41
42
43

QUESTION: 34 GROUP: Technical SECTION: AI Fluency Mark(s): 1

What happens to weights during neural network training?

- They are replaced by input values after each step
- They are adjusted to reduce the model's error
- They remain fixed after random initialization
- They are converted into activation functions automatically

QUESTION: 35 GROUP: Technical SECTION: Programming Ability Mark(s): 1

Consider the code given below:

```
N = 1000000
result = 0
FOR i = 1 TO N
    result = result XOR i
END FOR
FOR i = 1 TO N
    IF i != 543210
        result = result XOR i
    END IF
END FOR
PRINT result
```

What will be printed?

- 1000000
- Cannot be determined
- 0
- 543210

HirePro

Instructions

QUESTION: 36 GROUP: Technical SECTION: Cloud Computing Basics Mark(s): 1

What category of computer technology describes the services and applications that frequently use virtualized resources to run over a distributed network?

- Distributed Computing
- Cloud Computing
- Parallel Computing
- Cluster Computin

31 32 33 34 35 36 ☆ 37 38 39 40 41 42 43 44 45 46 47 48 49 50

Previous Question Next Question

HirePro

Instructions

32
33
34
35
36
37 ☆
38
39
40
41
42
43
44
45
46
47

QUESTION: 37 GROUP: **Technical** SECTION: **Networking and Cyber Security** Mark(s): 1

Password change completes successfully, but verify fails for many accounts. What should you check first?

- PSM recording quality and connector display settings
- Vault DR replication and failover readiness
- PVWA portal cache and browser policy settings
- Target connectivity and account plugin/authentication settings

33

34

35

36

37

38 ☆

39

40

41

42

43

44

45

46

QUESTION: 38 GROUP: Technical SECTION: Networking and Cyber Security Mark(s): 1

What would be a benefit of content filtering?

- Improves Wi-Fi speed
- Reduces VPN load
- Encrypts internal traffic
- Block inappropriate content and prevent malware

A smart water dispenser starts with 10 liters of water. Every user dispenses

What is the output of the following pseudocode?

```
water = 10
usage = [2, 4, 3, 5]
refill = 0
for i = 0 to length(usage)-1
{
    if water < 3
    {
        water = 10
        refill = refill + 1
    }
    water = water - usage[i]
}
print(refill)
```

- 3
- 2
- 1
- 0


HirePro

Instructions

QUESTION: 40 GROUP: Technical SECTION: SQL Mark(s): 1

Which of the normal form given in options is considered adequate for normal relational database design?

- 2 NF
- 4 NF
- 3 NF
- 5 NF


HirePro
Instructions
QUESTION: 41 GROUP: Technical SECTION: AI Fluency Mark(s): 1
TIME LEFT: 00:23
A long system prompt contains global safety rules, task-specific instructions, tool contracts, formatting requirements, and dozens of rarely applicable exceptions. Evaluation shows failures increase as unrelated instructions accumulate. Which redesign is best?
Keep all instructions permanently visible but repeat critical rules near both the beginning and end of the prompt.
Maintain stable global constraints while dynamically injecting only task-relevant procedures and exception rules for each request.
Compress every instruction into shorter sentences while preserving the same globally included rule set for all requests.
Move most rules into few-shot examples so the model learns them implicitly instead of processing explicit instructions.
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
Previous Question
Next Question

QUESTION: 42 GROUP: **Technical** SECTION: **SQL** Mark(s): 1

Following are the Details of the Customer table:

Customer	
Column_name	**datatype**
F_name	Varchar(30)
L_name	Varchar(20)
Address	Varchar(30)
DOB	Date

Which of the following query is used to Change the column name as Addr in the Customer table?

- RENAME table Customer change Address to Addr varchar(30);
- UPDATE table Customer Rename Address to Addr varchar(30);
- ALTER table Customer change Address Addr varchar(30);
- MODIFY table Customer Rename Address Addr varchar(30);

HirePro

38

39

40

41

42

43 ☆

44

45

46

47

48

49

50

51


52

QUESTION: 43 GROUP: Technical SECTION: Testing Concepts Mark(s): 1

Instructions

Which one of the given options is defined at the project level and set at the organizational level and can be used by multiple projects?

- Testing methodology at project level and test case design at organizational level.
- Test plan at project level and test strategy at organizational level.
- Test strategy at project level and test plan at organizational level.
- Test case design at project level and testing methodology at organizational level.


HirePro
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
QUESTION: 44 GROUP: Technical SECTION: AI Fluency Mark(s): 1
Instructions
TIME LEFT
Two models are evaluated on the same dataset. Model A has very low training error but much higher validation error, while Model B has slightly higher training error but lower validation error. Which model is likely to generalize better?
Model B, because it uses fewer training examples
Model A, because its training error is lower
Model A, because it fits the training data closely
Model B, because its validation error is lower
Previous Question
Next Question

40 QUESTION: 45 GROUP: Technical SECTION: HTML5 Mark(s): 1

41

42 The given code has some errors, choose the option displaying the error and the corrected code.

43 `<a link="https://www.html.com" target="_blank"Visit html.com</a>`

44

45 ☆ ○ Missing link type attribute
<a type="URL" link="https://www.html.com" target="_blank"Visit html.com

46

○ The code is correct as it is

47

○ Missing href attribute and closing anchor tag
Visit html.com

48

49 ○ Missing closing bracket for the anchor tag
Visit html.com

50

51

52

53

54

HirePro

QUESTION: 46 GROUP: Technical SECTION: Programming Ability -Java Mark(s): 1

What will be the output of the program given below?


```
class ABC extends Thread
{
    ABC()
    {   System.out.println("AAA");   }


    public void run()
    {   System.out.println("BBB");   }

    public void run(String s)
    {   System.out.println("CCC");   }
}

public class ABCThread
{
    public static void main(String args[])
    {
        Thread th = new ABC()
        {
            public void run()
            {   System.out.println("DDD");   }
        };
        th.start();
    }
}
```

- AAA
- DDD




HirePro
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
QUESTION: 47 GROUP: Technical SECTION: Cloud Computing Basics Mark(s): 1
When Elastic IPs get charged by AWS to customer?
Elastic IP is a free service
None of the given options
Only when it is attached to EC2 instance
Only when is provisioned and it is not attached to any EC2 instance

HirePro

Instructions

QUESTION: 48 GROUP: Technical SECTION: AI Fluency Mark(s): 1

A Transformer processes a sentence and needs each token representation to incorporate information from other relevant tokens, even when those tokens are far apart. Which mechanism primarily provides this capability?

- Pooling progressively combines neighboring tokens until distant information reaches the current token representation.
- Convolution applies one fixed local kernel repeatedly until every token receives information from the complete sequence.
- Self-attention allows token representations to directly weight information from other tokens in the input sequence.
- Recurrence propagates hidden states sequentially from the first token through every subsequent token in the sentence.

Previous Question Next Question

HirePro

41 QUESTION: 49 GROUP: **Technical** SECTION: **Testing Concepts** Mark(s): 1

42

43 Which of the following is NOT typically included in a test case?

44 ○ Code implementation

45 ○ Test steps

46 ○ Expected result

47 ○ Preconditions

48

49 ☆

50

51

52

53

HirePro

41 QUESTION: 50 GROUP: Technical SECTION: AI Fluency Mark(s): 1

42

43 What is the main difference between automation and Artificial Intelligence?

44

45 Automation writes reports, while Artificial Intelligence stores reports

46 Automation helps teams, while Artificial Intelligence helps managers

47 Automation follows fixed steps, while Artificial Intelligence works with patterns

48 Automation uses computers, while Artificial Intelligence uses paper

49

50 ☆

51

52

53

54

55

QUESTION: 51 GROUP: Technical SECTION: SQL Mark(s): 1

Given :


EMPLOYEE	
ENAME	SCORE
Rohit	80
AB	160
Sachin	125
Dhawan	29
Dravid	50
Blake	85
Clark	24
Gili	30
Pointing	5
Miller	30

Output:

Record	ENAME	SCORE
1	Rohit	80
10	Miller	30

Which of the query given in options will retrieve the first and last record from the EMPLOYEE table?

- SELECT * FROM (SELECT ROWNUM r, ename, score FROM employee) WHERE r=1 or r=(SELECT COUNT(*) FROM employee);
- SELECT * FROM (SELECT ROWNUM r,* employee) WHERE r=1 or r=(SELECT COUNT(*) FROM employee);
- SELECT * FROM (SELECT ROWNUM r, ename, score FROM employee) WHERE r =(1, (SELECT COUNT(*) FROM employee));
- SELECT ROWNUM r, ename ,score FROM employee WHERE r=(1,(SELECT COUNT(*) FROM employee));


41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
QUESTION 55 GROUP Technical SECTION HTML5
Which tag HTML tag used for annotating characters with phonetic information?
<gloss>
<ruby-annotation>
<rt>
<ruby>

HirePro

Instructions

41 QUESTION: 54 GROUP: Technical SECTION: AI Fluency Mark(s): 1

42

43 An autonomous system repeatedly selects actions in an environment. After each action, it receives a positive or negative score and gradually changes its behavior to maximize the total score over time.
Which characteristic most strongly identifies this as reinforcement learning?

44

45 ○ Learning from labeled input-output pairs

46 ○ Learning through actions and reward signals

47 ○ Discovering groups without target labels

48 ○ Predicting continuous values from past examples

49

50

51

52

53

54 ☆

55

56


57

58

59

60

Previous Question Next Question


41
42
43
44
45
46
47
48
49
50
51
52
53 ☆
54
55
56
57
58
QUESTION: 53 GROUP: Technical SECTION: Programming Ability -Java Mark(s): 1
Consider the code snippet given below:
StringBuilder sb = new StringBuilder("ABCDE");
sb.delete(1, 3);
System.out.println(sb);
What will be the output?
ADE
ACD
AE
ACDE

41

42

43

44

45

46

47

48

49

50

51

52 ☆

53

54

QUESTION: 52 GROUP: **Technical** SECTION: **AI Fluency** Mark(s): 1

A customer support agent that independently follows up on unresolved tickets is showing:

- Random behavior
- Human delegation
- Passive prediction
- Autonomous task execution

HirePro

41
42
43
44
45
46
47
48
49
50
51
52
53
54
55 ☆

QUESTION: 55 GROUP: Technical SECTION: HTML5 Mark(s): 1

Which tag HTML tag used for annotating characters with phonetic information?

- <gloss>
- <ruby-annotation>
- <rt>
- <ruby>

QUESTION: 56 GROUP: Technical SECTION: AI Fluency Mark(s): 1

Which AWS service enables intelligent enterprise search across internal documents and data sources?

- Amazon Kendra
- Amazon Rekognition
- Amazon Lex
- Amazon Forecast

UESTION: 57 GROUP: **Technical** SECTION: **HTML5** Mark(s): 1

Which of the below given statements are correct regarding Canvas in HTML5?

I) It is Resolution dependent
II) It has no support for event handlers.
III) It has poor text rendering capabilities
IV) We can save the resulting image as .png or .jpg.
V) It is Well suited for graphic-intensive games.

- Only (III) and (V)
- Only (II),(III) and (IV)
- Only (I),(II) and (III)
- All (I),(II),(III),(IV) and (V)

HirePro

Instructions

QUESTION: 58 GROUP: Technical SECTION: Cloud Computing Basics Mark(s): 1

A development team needs several isolated applications on one physical server. Some require different operating systems, while others share the same operating-system kernel and need fast startup. Which design is most suitable?

- Run every application directly on one host without isolation
- Use virtual machines where separate operating systems are needed and containers where a shared kernel is acceptable
- Use containers for all workloads regardless of operating-system needs
- Use separate physical servers for every application to avoid virtualization

Previous Question Next Question

HirePro

61 ☆ QUESTION: 61 GROUP: Coding SECTION: Coding 1 Mark(s): 10

62

Constraints:
i) 3 ≤length of message ≤ 10000.
ii) The message contains only printable ASCII characters, including spaces, but not newline characters.
iii) Messages are case-sensitive (e.g., A and a are treated as different characters).
iv) The index starts from 0.

Input Format:
A single line of input will contain a string *message*.

Output Format:
First line of output should print the first character of the *message*
Second line of output should print the last character of the *message*
Third line of output should print the middle character if the *message* length is odd or the middle characters of the message if the message length is even.
Fourth line of output must print #index, where index of the second occurrence of the second character in the *message*

Sample Input 1:
Scrunchie

Sample Output 1:
S
e
n
#5

Explanation 1:
Given, *message*: Scrunchie
First character: 'S'
Last character: 'e'
Length = 9 (odd), so the middle character is at index 4 - 'n'
Second character = 'c'; second occurrence is at index 5 - output #5

Sample Input 2:
Cardigan

Sample Output 2:
C
n
di
#6

Explanation 2:
Similarly, *message*: Cardigan
First character: 'C'
Last character: 'n'
Length = 8 (even), so middle characters are at indices 3 and 4 - 'di'
Second character = 'a'; second occurrence is at index 6 - output #6

Current C
1

Test agains

Previous Ques

irePro

QUESTION: 61 GROUP: Coding SECTION: Coding 1 Mark(s): 10

Write a program that takes a string *message* as input and extracts the following details:

- The first character of the *message*.
- The last character of the *message*.
- The middle character(s), where the rules are:
  1. If the *message* has an odd length, return the middle character.
  2. If the *message* has an even length, return the middle two characters.
- The index of the second occurrence of the second character in the *message*. This index should be output in the format #<index> (e.g., #7). If the second character does not occur again, output "not found".

Read the input from STDIN and print the output to STDOUT. Do not print arbitrary strings anywhere in the program, as these contribute to the standard output, and test cases will fail.

Constraints:

i) 3 ≤length of message ≤ 10000.
ii) The message contains only printable ASCII characters, including spaces, but not newline characters.
iii) Messages are case-sensitive (e.g., A and a are treated as different characters).
iv) The index starts from 0.

Input Format:

A single line of input will contain a string *message*.

Output Format:

First line of output should print the first character of the *message*
Second line of output should print the last character of the *message*
Third line of output should print the middle character if the *message* length is odd or the middle characters of the message if the message length is even.
Fourth line of output must print #index, where index of the second occurrence of the second character in the *message*

Sample Input 1:

Scrunchie

Sample Output 1:

S
e
n
#5

Explanation 1:

Given, *message*: Scrunchie
First character: 'S'
Last character: 'e'
Length = 9 (odd), so the middle character is at index 4 - 'n'
Second character = 'c'; second occurrence is at index 5 - output #5

Sample Input 2:

QUESTION: 60 GROUP: Technical SECTION: Programming Ability - Cpp

What is the output of the following code?

```
#include <iostream>
using namespace std;
class Animal {
public:
    Animal() { cout << "A "; }
    ~Animal() { cout << "~A "; }
};
class Dog : public Animal {
public:
    Dog() { cout << "D "; }
    ~Dog() { cout << "~D "; }
};
int main() {
    Dog d;
}
```

- D A ~D ~A
- A D ~D ~A
- A D ~A ~D
- D A ~A ~D


HirePro

QUESTION: 59 GROUP: Technical SECTION: AI Fluency Mark(s): 1

Instructions

A RAG application gives an incorrect answer. Inspection shows that the generator used the retrieved passages correctly, but none of those passages contained the information needed to answer the question. Which part of the system should be investigated first?

- Retrieval recall for relevant documents
- Temperature used during text generation
- Tokenisation of the user's input query
- Formatting of the generated response


Instructions
Current Code
Previous Versions
Python 3
#The provided boilerplate code is intended only to help you read input and print output to the console.
def generateResult(message): # message contains the input string
WRITE YOUR CODE HERE
pass
if __name__ == "__main__":
message = input()
generateResult(message)
rs of
the
Test against custom input

HirePro

QUESTION: 62 GROUP: Coding SECTION: Code Nuggets Mark(s): 5

Write a program that finds the sum of all the digits of a given number *N*.

Read the input from STDIN and print the output to STDOUT. Do not write arbitrary strings anywhere in the program, as these contribute to the standard output, and test cases will fail.

Constraints:
$10 <= N <= 10^{11}$

Input Format:
The input contains a number, *N*.

Output Format:
The output should print the sum of all digits of a given number.

Sample Input:
765

Sample Output:
18

Explanation:
The sum of all the digits of the given number *N* = 765 is 18. So, it will print 18 as an output.

Current Code

1

Test against custom

HirePro

63

64 ☆

QUESTION: 64 GROUP: Prompt Writing SECTION: Prompt Writing 2 Mark(s): 5

Instructions

A user reports that they are unable to access an internal company website using its name.
The website should be available at:http://training.company.local
The following observations are available:

- ping 10.20.30.50 returns successful replies.
- Opening: http://10.20.30.50 in the browser also works correctly.
- However, opening "http://training.company.local" results in "Server not found"
- The following command is then executed: *nslookup training.company.local* and returns: *Can't find training.company.local: Non-existent domain*
- Other websites on the user's computer are working normally.

Task

Write a prompt that you would give to an AI assistant to help investigate the problem and recommend an appropriate solution.
Your prompt should provide enough technical context and direction for the AI assistant to produce a useful troubleshooting response.
Submit only the prompt.

Write your answer here

63 ☆ QUESTION: 63 GROUP: Prompt Writing SECTION: Prompt Writing 1 Mark(s): 5

Instructions

64

A web server is running on IP address: 192.168.10.50
From another computer on the same network: ping 192.168.10.50 works successfully.

However, opening: http://192.168.10.50:8080 in a browser fails.

The following information is available:
The server is powered on.
Network connectivity to the server is working.
The web application is expected to run on port 8080.
The server firewall currently allows port 22, but port 8080 is not allowed.

Task:
Write a prompt that you would give to an AI assistant to help investigate why the web application cannot be accessed even though the server responds to ping.
Your prompt should provide enough technical context and direction for the AI assistant to produce a useful troubleshooting response.
Submit only the prompt.

Write your answer here

Next Question