

# Data Collection and Labeling

---

**CS 203: Software Tools and Techniques for AI**

Prof. Nipun Batra  
IIT Gandhinagar

# Module Overview

---

# What We'll Learn Today

---

1. **Data Collection** — Where does AI data come from?
  2. **Data Validation** — How do we ensure quality?
  3. **Data Labeling** — How do we add ground truth?
  4. **Data Augmentation** — How do we create more data?
- “ **Key Idea:** 80% of AI work is data! Good data = Good models „

# Why Does Data Matter?

---

*# Bad data example*

```
model.train(data=[1, 2, None, "three", 999, -5])
```

*# Result: Garbage predictions! ❌*

*# Good data example*

```
model.train(data=[1.2, 2.3, 3.1, 4.5, 5.2, 6.1])
```

*# Result: Reliable predictions! ✅*

**Your model is only as good as your data!**

# Part 1: Data Collection

---

# Real-World Example: Building a Chatbot

---

## What you need:

- User messages
- Timestamps
- Response times
- Error logs
- Click events

## Where it comes from:

# Python Logging: Your First Tool

---

```
import logging
import datetime

# Set up logging
logging.basicConfig(
    filename='chatbot.log',
    level=logging.INFO,
    format='%(asctime)s - %(message)s'
)

# Log user interactions
def handle_message(user_id, message):
    logging.info(f"User {user_id}: {message}")
    response = generate_response(message)
    logging.info(f"Bot response: {response}")
    return response

# Example usage
```

# Exercise: Add Logging to Your Code

---

*# Try this yourself!*

```
def calculate_score(answers):  
    # TODO: Add logging here  
    correct = sum(1 for a in answers if a.is_correct)  
    # TODO: Log the result  
    return correct / len(answers)
```

*# Solution:*

```
def calculate_score(answers):  
    logging.info(f"Calculating score for {len(answers)} answers")  
    correct = sum(1 for a in answers if a.is_correct)  
    score = correct / len(answers)  
    logging.info(f"Final score: {score: 2%}")
```



# Structured Logging with JSON

---

```
import json
import logging

def log_event(event_type, user_id, data):
    event = {
        "timestamp": datetime.datetime.now().isoformat(),
        "event_type": event_type,
        "user_id": user_id,
        "data": data
    }
    logging.info(json.dumps(event))

# Usage
log_event("video_watch", "user456", {
    "video_id": "abc123",
    "watch_time": 580
```

# Web Scraping: Collecting Public Data

---

```
import requests
from bs4 import BeautifulSoup

# Scrape quotes from a public website
url = "http://quotes.toscrape.com"
response = requests.get(url)
soup = BeautifulSoup(response.content, 'html.parser')

# Extract quotes
quotes = soup.find_all('span', class_='text')
for quote in quotes[:3]:
    print(quote.text)
```

# API Data Collection

---

```
import requests

# Example: GitHub API
url = "https://api.github.com/repos/python/cpython"
response = requests.get(url)
data = response.json()

print(f"Repository: {data['name']}")
print(f"Stars: {data['stargazers_count']}")
print(f"Forks: {data['forks_count']}")

# Track over time
def track_repo_stats(repo_url):
    response = requests.get(repo_url)
    if response.status_code == 200:
        data = response.json()
        return {
            "date": datetime.datetime.now().isoformat(),
            "stars": data['stargazers_count'],
            "forks": data['forks_count']
```

# Part 2: Data Validation

---

# Why Validate Data?

---

**Real story:** A medical AI misdiagnosed patients because:

- Some ages were entered as "99" (meaning unknown)
- Heights were in cm AND inches (mixed units)
- Blood pressure had typos: "210/80" entered as "21080"

**⚠ Bad data → Bad predictions → Real harm!**

# Pydantic: Automatic Validation

---

```
from pydantic import BaseModel, Field, validator
from typing import Optional

class User(BaseModel):
    name: str = Field(..., min_length=1, max_length=100)
    age: int = Field(..., ge=0, le=120)
    email: str
    height_cm: Optional[float] = Field(None, gt=0, lt=300)

    @validator('email')
    def validate_email(cls, v):
        if '@' not in v:
            raise ValueError('Invalid email')
        return v

# This works
user = User(name="Alice", age=25, email="alice@example.com")

# This fails automatically
try:
    bad_user = User(name="", age=200, email="bad", height_cm=-10)
except Exception as e:
```

# Part 3: Data Labeling

---

# What is Data Labeling?

---

## Before labeling:

- Image of a dog
- Text: "Great product!"
- Audio clip
- Video frame

## After labeling:

- Image → "dog"
- Text → "positive sentiment"



# Label Studio: Professional Tool

---

```
# Install Label Studio  
pip install label-studio  
  
# Start server  
label-studio start
```

## Features:

- Image annotation (boxes, polygons, keypoints)
- Text annotation (NER, classification)
- Audio annotation
- Video annotation

# Active Learning: Smart Labeling

---

```
import numpy as np
from sklearn.ensemble import RandomForestClassifier

def active_learning(X_unlabeled, model, n_samples=10):
    """Select most uncertain samples to label"""
    # Get prediction probabilities
    probs = model.predict_proba(X_unlabeled)

    # Calculate uncertainty (entropy)
    uncertainty = -np.sum(probs * np.log(probs + 1e-10), axis=1)

    # Get indices of most uncertain samples
    uncertain_indices = np.argsort(uncertainty)[-n_samples:]

    return X_unlabeled[uncertain_indices]

# Usage
samples_to_label = active_learning(X_unlabeled, model)
```

# Part 4: Data Augmentation

---

# Why Augment Data?

---

**Problem:** You have 100 labeled images, but need 10,000 for training

**Solution:** Create variations of existing data!

- Flip images horizontally
- Rotate slightly
- Add noise
- Change brightness
- Crop and resize

# Image Augmentation with PIL

---

```
from PIL import Image, ImageEnhance
import random

def augment_image(img_path, output_folder):
    img = Image.open(img_path)

    # 1. Horizontal flip
    img_flip = img.transpose(Image.FLIP_LEFT_RIGHT)
    img_flip.save(f"{output_folder}/flip.jpg")

    # 2. Rotate
    img_rotate = img.rotate(random.randint(-15, 15))
    img_rotate.save(f"{output_folder}/rotate.jpg")

    # 3. Adjust brightness
    enhancer = ImageEnhance.Brightness(img)
    img_bright = enhancer.enhance(random.uniform(0.7, 1.3))
    img_bright.save(f"{output_folder}/bright.jpg")
```

# Tabular Data: SMOTE

---

```
from imblearn.over_sampling import SMOTE
import numpy as np

# Original imbalanced data
X = np.array([[1, 2], [2, 3], [3, 4], [1, 3], [2, 2]])
y = np.array([0, 0, 0, 1, 1]) # Only 2 samples of class 1!

# Apply SMOTE
smote = SMOTE(random_state=42)
X_resampled, y_resampled = smote.fit_resample(X, y)

print(f"Original: {len(X)} samples")
print(f"After SMOTE: {len(X_resampled)} samples")
```

# Summary & Best Practices

---

# Key Takeaways

---

## 1. Data Collection

- Use logging everywhere
- Structure your data (JSON)
- Respect privacy and robots.txt

## 2. Data Validation

- Always validate at system boundaries
- Use Pydantic for automatic checking
- Monitor data quality continuously

## 3. Data Labeling



# Tools Summary

---

```
# Data Collection
import logging           # Basic logging
import requests          # API calls
from bs4 import BeautifulSoup # Web scraping

# Data Validation
from pydantic import BaseModel # Validation
import pandas as pd           # Data analysis

# Data Labeling
from sklearn.metrics import cohen_kappa_score

# Data Augmentation
from PIL import Image        # Image processing
import cv2                   # Computer vision
```

# Common Pitfalls to Avoid

---

⚠ **Watch out for:**

1. **Not validating data** → Models learn from bad data
2. **Over-augmenting** → Unrealistic variations
3. **Ignoring class imbalance** → Model ignores minority class
4. **Poor labeling guidelines** → Inconsistent labels
5. **Not versioning datasets** → Can't reproduce results

# Your Assignment

---

Build a complete pipeline:

1. Collect 100 images from the web (with permission)
2. Create a validation script to check image sizes and formats
3. Manually label 20 images
4. Augment to create 100 labeled images total
5. Save everything in organized folders with a README

## **Deliverables:**

- Python scripts

# Resources for Further Learning

---

## Documentation:

- Pydantic: <https://docs.pydantic.dev>
- Label Studio: <https://labelstud.io>
- BeautifulSoup: <https://beautiful-soup-4.readthedocs.io>

## Tutorials:

- Google's ML Crash Course: Data Preparation
- Fast.ai: Practical Deep Learning (Ch. 2)

# Questions?

---

# Thank You!

---

## Remember:

*"Data is the new oil, but only if refined properly!"*

- Collect systematically
- Validate rigorously
- Label carefully
- Augment thoughtfully

**Office Hours:** Mon/Wed 2-3 PM

**Email:** [nipun.batra@iitgn.ac.in](mailto:nipun.batra@iitgn.ac.in)