

AUTHORITATIVE PRODUCT BACKLOG · VERSION 3.0

One backlog. Every workspace.

This tracker consolidates the product, UI/UX, and Execution Center backlogs, including the Control Object Repository stocktake and cross-workspace requirements identified during design consolidation.

Last updated: 30 July 2026 Owner: QA/4HANA Studio Canonical source: [this HTML file](#)

RELEASE PLAN

- T0 · Delivered baseline**
Safety and Stages 1–6 capability
- T1 · 2.0 Alpha**
Security, identity, context and foundation
- T2 · 2.0 Beta**
Test, object, data and preflight authoring
- T3 · 2.0 RC**
Processes, Packs and full monitoring
- T4 · 2.0 GA**
Diagnosis, evidence, accessibility and approval
- T5 · Post-2.0**
Scale, roles, global search and scheduling

Total backlog

41

Implemented

29

Partial coverage

8

Not started

2

Weighted build coverage

80%

Consolidated backlog

Coverage reflects verified repository implementation: Implemented = acceptance baseline present; Partial = meaningful build exists but criteria remain; Not started = no material build; Deferred = deliberately outside 2.0.

41 backlog items

Expand an item to review its story, acceptance criteria, coverage and legacy traceability.

ID	DESCRIPTION	WORKSPACE		RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
BL-001	Show verified execution context Display only server-backed workspace and target context and avoid unsupported connection claims.	Shell	Execution Center	T0 · Delivered baseline	P0	Done	3/3	Implemented
USER STORY As a tester, I want verified target context so that I know where an execution will act.								
ACCEPTANCE CRITERIA 1. Shell and review use server-backed target metadata. 2. Unavailable or stale context is explicit and blocks unsafe execution. 3. No decorative control implies a successful connection.								
BUILD COVERAGE Unsupported environment claims were removed; server-backed SAP configuration is displayed. Freshness verification remains strengthened by BL-014.								
EVIDENCE								

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
- App.tsx target label - P0_IMPLEMENTATION_REPORT.md LEGACY TRACEABILITY PB-001 · IMM-01 Updated 2026-07-27							
BL-002	Review execution impact before Start Present target, scope, data, side effects and evidence behavior before starting execution.	Execution Center	T0 · Delivered baseline	P0	Done	3/3	Implemented
USER STORY As an operator, I want an impact review so that I can prevent unintended SAP changes. ACCEPTANCE CRITERIA 1. Review shows target, mode, ordered scope, data and browser policy. 2. SAP side effects and cancellation boundary are explicit. 3. Duplicate submission produces one run ID. BUILD COVERAGE Review, warning acknowledgement and duplicate-submit protection are implemented; authoritative matrix enhancements continue in BL-030. EVIDENCE - RunPanel.tsx - regression/ui/run-tab.test.js LEGACY TRACEABILITY PB-002 · IMM-02 Updated 2026-07-27							
BL-003	Use truthful dashboard states Source Overview values from APIs and distinguish loading, empty and unavailable data.	Automation Overview	T0 · Delivered baseline	P0	Done	3/3	Implemented
USER STORY As a test manager, I want trustworthy dashboard states so that I do not act on fabricated information. ACCEPTANCE CRITERIA 1. Metrics and recent records come from APIs. 2. Loading, empty and unavailable states are distinct. 3. No fallback execution or document record is fabricated. BUILD COVERAGE Workspace counts, immutable runs and evidence are API-backed with retry and empty states. EVIDENCE - AutomationOverview.tsx - regression/ui/overview.test.js LEGACY TRACEABILITY PB-003 · IMM-03 Updated 2026-07-27							
BL-004	Restrict local Studio exposure Bind locally by default and require an explicit decision before network exposure.	Platform	T0 · Delivered baseline	P0	Done	3/3	Implemented
USER STORY							

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
As the workspace owner, I want Studio locally restricted so that unfinished controls are not exposed. ACCEPTANCE CRITERIA - Default host is 127.0.0.1. - Non-loopback binding requires an explicit override. - Startup communicates network exposure risk. BUILD COVERAGE Loopback is the default and host override is explicit. EVIDENCE - packages/studio-server/src/standalone.ts - P0_IMPLEMENTATION_REPORT.md LEGACY TRACEABILITY PB-004 · IMM-09 Updated 2026-07-27							
BL-005	Restore functional workspace styling Provide coherent forms, tables, statuses, dialogs, drawers and responsive functional layouts.	All workspaces	T0 · Delivered baseline	P0	Done	3/3	Implemented
USER STORY As a user, I want consistent functional styling so that every workspace is readable and operable. ACCEPTANCE CRITERIA - Functional classes have visible states and spacing. - Status and feedback are not color-only. - Core screens remain usable at supported widths. BUILD COVERAGE Canvas First shell and functional compatibility styles are present; component-system consolidation remains BL-011. EVIDENCE - packages/studio-web/src/index.css - P0_IMPLEMENTATION_REPORT.md LEGACY TRACEABILITY PB-005 · IMM-04 Updated 2026-07-27							
BL-006	Preserve correct UI encoding Keep source content UTF-8 and prevent accidental character corruption.	All workspaces	T0 · Delivered baseline	P0	Done	3/3	Implemented
USER STORY As a user, I want readable product copy so that technical symbols and punctuation are unambiguous. ACCEPTANCE CRITERIA - Source is valid UTF-8. - Build and browser output preserve characters. - Display-tool mojibake is not written back to source. BUILD COVERAGE Source verification closed the issue; PowerShell display encoding was identified as the false signal. EVIDENCE - PRODUCT_BACKLOG.md P0 status LEGACY TRACEABILITY PB-006 · IMM-05 Updated 2026-07-27							

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
BL-007	Protect unsaved artifact work Guard dirty tests, datasets, processes and execution drafts during navigation and reload.	Compose Test Data Processes & Packs Execution Center	T0 · Delivered baseline	P0	Done	3/3	Implemented
USER STORY As an author, I want unsaved changes protected so that navigation does not destroy my work. ACCEPTANCE CRITERIA - Dirty state reaches shell navigation. - Artifact switching and browser unload require confirmation. - New drafts are dirty from their first meaningful change. BUILD COVERAGE Composer, Dataset, Group and Execution draft guards are implemented and regression tested. EVIDENCE - App.tsx navigation guard - regression/ui/unsaved-guards.test.js LEGACY TRACEABILITY PB-007 · IMM-07 Updated 2026-07-27							
BL-008	Provide baseline keyboard and screen-reader support Make core shell navigation, forms, actions and feedback semantically operable.	All workspaces	T0 · Delivered baseline	P0	Done	3/3	Implemented
USER STORY As a keyboard or screen-reader user, I want equivalent access to core Studio actions. ACCEPTANCE CRITERIA - Primary navigation and actions use semantic controls. - Focus is visible and labels are programmatic. - Errors and status changes are announced where required. BUILD COVERAGE P0 semantic baseline is present; complex-widget behavior and full accessibility/release verification were subsequently closed by BL-016 and BL-017. EVIDENCE - App.tsx skip link and headings - P0_IMPLEMENTATION_REPORT.md LEGACY TRACEABILITY PB-008 · IMM-06 Updated 2026-07-27							
BL-009	Run isolated frontend regression tests Exercise UI workflows against temporary synthetic fixtures without live SAP side effects.	Quality Engineering	T0 · Delivered baseline	P0	Done	3/3	Implemented
USER STORY As a developer, I want isolated UI regression coverage so that changes can be verified safely. ACCEPTANCE CRITERIA - Harness uses temporary storage. - Execution is disabled unless explicitly approved. - Fixtures and temporary databases are removed after the run.							

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
BUILD COVERAGE Isolated UI harness covers Overview, Compose, Data, Groups, Execution, Audit and dirty guards. EVIDENCE - regression/run-isolated-ui.js - regression/ui LEGACY TRACEABILITY PB-009 · IMM-10 Updated 2026-07-27							
BL-010	Recover live monitoring connections Reconnect polling safely and preserve run identity after temporary server failures.	Execution Center	T0 · Delivered baseline	P0	Done	3/3	Implemented
USER STORY As an operator, I want monitoring to recover so that a network interruption does not hide a live run. ACCEPTANCE CRITERIA - Polling has bounded backoff and cancellation. - Last update and connection state are visible. - Refresh never starts duplicate execution work. BUILD COVERAGE Recursive polling, backoff, manual retry and cleanup are implemented. EVIDENCE - RunPanel.tsx - P0_IMPLEMENTATION_REPORT.md LEGACY TRACEABILITY PB-010 · IMM-08 Updated 2026-07-27							
BL-011	Consolidate design tokens and workspace primitives Replace local styling variations with reusable Canvas First layout and interaction primitives.	Design System All workspaces	T1 · 2.0 Alpha	P1	Done	3/3	Implemented
USER STORY As a product team, we want shared primitives so that workspaces remain visually and behaviorally consistent. ACCEPTANCE CRITERIA - Tokens cover color, type, spacing, focus, status and elevation. - Page header, toolbar, card, table, drawer and empty-state primitives are reused. - Light and dark themes meet contrast requirements. BUILD COVERAGE Canvas First now exposes shared type, spacing, focus, status, elevation and theme tokens plus reusable page header, toolbar, card, table, drawer, empty and async-feedback primitives. Automated checks cover normal-text contrast in both themes. EVIDENCE - index.css T1.3 Canvas First primitives - WorkspacePrimitives.tsx - DocumentsPanel.tsx primitive adoption - t1-foundations.test.js theme contrast LEGACY TRACEABILITY PB-011 · FND-01 · FND-02 Updated 2026-07-29							

ID	DESCRIPTION	WORKSPACE		RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
BL-012	Provide stable artifact and run routes Give every workspace, artifact and run a recoverable URL with navigation guards.	Shell	All workspaces	T1 - 2.0 Alpha	P1	Done	3/3	Implemented
USER STORY As a user, I want stable URLs so that refresh, bookmarks and correction links preserve context. ACCEPTANCE CRITERIA 1. Workspace routes survive refresh and browser navigation. 2. Tests, datasets, processes, packs and audit records have stable detail routes. 3. Dirty-state guards apply to route changes. BUILD COVERAGE Canonical routes restore Tests, datasets, Business Processes, Regression Packs, object selections, execution runs and audit records across refresh and browser back/forward. Preflight findings open the exact dataset/source or SAP setting, and shell, tab, browser-history and unload navigation protect unsaved work. EVIDENCE • routes.ts • App.tsx route orchestration • ProcessPacksWorkspace.tsx • PackEditor.tsx • DocumentsPanel audit detail • executionPreflight.ts correctionRoute • stable-routes.test.js • packs-tab.test.js • unsaved-guards.test.js LEGACY TRACEABILITY PB-012 · FND-03 Updated 2026-07-30								
BL-013	Complete the responsive application shell Keep stable navigation, account actions and workspace context usable across supported widths.	Shell		T1 - 2.0 Alpha	P1	Done	3/3	Implemented
USER STORY As a user, I want a calm responsive shell so that navigation does not dominate the work canvas. ACCEPTANCE CRITERIA 1. Sidebar collapses without hiding destinations. 2. Account menu owns Settings, Help and Sign out. 3. Header actions wrap or simplify at narrow widths without overlap. BUILD COVERAGE The compact sidebar retains programmatic destination names, the account menu owns Settings, Help and Sign out with complete menu-key behavior, and target plus workflow actions reflow without shell overflow at narrow widths. EVIDENCE • App.tsx responsive shell • AccountMenu.tsx menu keyboard contract • index.css narrow shell rules • t1-foundations.test.js narrow-width journey LEGACY TRACEABILITY PB-013 · FND-04 Updated 2026-07-29								
BL-014	Provide authoritative workspace and	Shell	Settings	T1 - 2.0 Alpha	P0	Done	3/3	Implemented
		Control Object Repository						
		Execution Center						

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
	environment context Unify owner, SAP target, safety class, profile reference and verification freshness.						
USER STORY As an operator, I want one authoritative context so that every workspace refers to the same target. ACCEPTANCE CRITERIA 1. Server returns non-secret workspace and target context. 2. Shell, scan and execution review show the same context and freshness. 3. A stale or mismatched context blocks Start with recovery guidance. BUILD COVERAGE One non-secret server context now supplies owner, SAP hostname, profile, safety class and 24-hour verification freshness to the shell, live scanner and execution review Preflight hashes that context, blocks unknown/stale targets and invalidates mismatches before Start. EVIDENCE executionContext.ts workspaceGovernance.ts /api/workspace-context ObjectScanner.tsx RunPanel.tsx execution-preflight.test.js t1-security-context.test.js LEGACY TRACEABILITY PB-014 · CTX-01 Updated 2026-07-29							
BL-015	Standardise async and feedback states Use consistent loading, empty, warning, error, success and retry behavior.	All workspaces	T1 · 2.0 Alpha	P1	Done	3/3	Implemented
USER STORY As a user, I want predictable feedback so that I know whether Studio is working, waiting or blocked. ACCEPTANCE CRITERIA 1. Every API-backed surface has loading, empty and error states. 2. Errors are actionable and safe. 3. Success is associated with the item or action that changed. BUILD COVERAGE API-backed workspaces now use consistent announced loading, empty, actionable error/retry and item-associated save-success behavior. Existing execution, scan and settings feedback uses the same status semantics. EVIDENCE WorkspacePrimitives.tsx AsyncFeedback and EmptyState TestCaseEditor.tsx DataEditor.tsx GroupEditor.tsx DocumentsPanel.tsx ObjectBrowser.tsx LEGACY TRACEABILITY PB-015 · FND-05 Updated 2026-07-29							
BL-016	Upgrade complex pickers, ordering and tables Implement accessible search, grouped selection, ordered transfer, drag	Compose Test Data Processes & Packs Control Object Repository Execution Center	T1 · 2.0 Alpha	P1	Done	3/3	Implemented

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
alternatives and responsive tables. USER STORY As a keyboard or assistive-technology user, I want complete complex-widget behavior. ACCEPTANCE CRITERIA 1. Grouped pickers implement an approved combobox or tree pattern. 2. Every reorder action has keyboard controls and announcements. 3. Tables preserve labels and actions at supported narrow widths. BUILD COVERAGE Grouped selection now uses a searchable combobox/listbox with Arrow, Home, End, Enter and Escape behavior. All draggable ordering surfaces also provide keyboard buttons and live announcements. Responsive tables expose row labels and retain actions. EVIDENCE - GroupedPicker.tsx - FileChainPicker.tsx - TestCaseEditor.tsx reorder alternatives - ObjectBrowser.tsx reorder alternatives - index.css responsive-table - t1-foundations.test.js keyboard journeys LEGACY TRACEABILITY PB-016 · FND-06 · FND-07 Updated 2026-07-29							
BL-017	Pass accessibility and production release verification Validate completed journeys to WCAG 2.2 AA and assemble production release evidence.	Quality Engineering All workspaces	T4 · 2.0 GA	P0	Done	3/3	Implemented
USER STORY As a product owner, I want objective accessibility and release evidence before approving 2.0. ACCEPTANCE CRITERIA 1. Axe has no unapproved serious or critical findings. 2. Keyboard and NVDA journeys are recorded for every primary workspace. 3. Responsive, security, secret-scan and approved live SAP evidence are signed. BUILD COVERAGE All seven primary workspaces pass Axe with no serious/critical findings, keyboard skip/focus entry, and 320 CSS-pixel reflow. A paced NVDA 2026.1.1 session in headed Chrome 150 recorded every workspace landmark, heading, control role, label and state against isolated data. A Chrome-only 6px Execution Center overflow was found, fixed and retested. The final GA gate passed build, typecheck, 57 core tests, 28 isolated API tests, 32 isolated UI tests and a 256-file pre-cleanup secret scan; the frozen 251-file release set was rescanned successfully. Technical accessibility, security and positive P2P/O2C evidence verification was signed by the verification executor and accepted by workspace owner Sathyanarayanan Kiran at 21:18:11 +05:30. BL-041's technical hold was resolved, and the workspace owner approved QA/4HANA Studio 2.0 for GA on 30 July 2026 at 08:00:18 +05:30. EVIDENCE - regression/ui/accessibility.test.js - regression/results/nvda/primary-workspaces-2026-07-29.log - NVDA_PRIMARY_WORKSPACE_RESULTS.md - ACCESSIBILITY_RELEASE_VERIFICATION.md - RELEASE_SIGN_OFF_2.0.md LEGACY TRACEABILITY PB-031 · FND-09 · A11Y-01 · EXC-026 · EXC2-006 Updated 2026-07-30							
BL-018	Complete the task-focused Automation Overview Turn Overview into a trusted landing page with direct continuation,	Automation Overview	T4 · 2.0 GA	P1	In progress	1/3	Partial

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
	alerts and scoped metrics.						
USER STORY As a test manager, I want Overview to show recent work and issues needing attention. ACCEPTANCE CRITERIA 1. Selected tests and runs open their exact detail routes. 2. Configured target status is accurate and actionable. 3. Recent failures, stale drafts and blocked readiness are surfaced without duplicating navigation. BUILD COVERAGE Canvas, API counts, recent work and impact dashboard exist, and target state now comes from authoritative workspace context. Recent rows still open the general workspace rather than exact details, and failure/readiness/draft alerts remain. EVIDENCE • AutomationOverview.tsx LEGACY TRACEABILITY PB-017 · DASH-01 Updated 2026-07-29							
BL-019	Add filterable execution value and trend analytics Scope outcomes, runtime, manual effort and TCO by time, target, process and test.	Automation Overview	T4 · 2.0 GA	P1	In progress	0/3	Partial
USER STORY As a test manager, I want transparent trends so that I can identify risk and realised automation value. ACCEPTANCE CRITERIA 1. Every metric states date range, filters, numerator, denominator and freshness. 2. Cost assumptions are saved as owner workspace preferences. 3. Charts have accessible tabular equivalents and never fabricate trends. BUILD COVERAGE Actual totals and a broad TCO model exist, but metric scope/freshness, saved assumptions, filters, time-series trends and accessible chart equivalents are not complete. EVIDENCE • AutomationOverview.tsx ExecutionImpactDashboard LEGACY TRACEABILITY PB-034 · FUT-03 Updated 2026-07-29							
BL-020	Provide a routeable Test Library Find, create, duplicate, archive and open tests using business metadata rather than file-first controls.	Compose	T2 · 2.0 Beta	P1	Done	3/3	Implemented
USER STORY As a test author, I want a searchable Test Library so that I avoid duplicates and resume exact work. ACCEPTANCE CRITERIA 1. List supports name, process area, application and status filters. 2. New Test captures business name, application, domain and blank/template choice. 3. Opening or creating uses a stable test route while preserving JSON compatibility. BUILD COVERAGE Compose now opens a responsive Test Library with name/file search plus process-area, application and readiness filters. Guided creation captures the business name, generated or edited file name, application, process area and blank-versus-existing-Test starting point. Creation is server-persisted, conflict-safe and immediately opens refresh-stable detail route; legacy Tests without application metadata remain valid and default to SAP in the library index.							

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
EVIDENCE - TestLibrary.tsx - TestCaseEditor.tsx application metadata - server.ts /api/testcases/library and POST /api/testcases/:file - api.ts listTestLibrary/createTestCase - testcases.test.js - test-library.test.js - compose.test.js - stable-routes.test.js - unsaved-guards.test.js LEGACY TRACEABILITY PB-018 · TEST-01 Updated 2026-07-30							
BL-021	Build typed, validated Single Tests Compose steps, objects, value sources, declared inputs/outputs and readiness in one guided canvas.	Compose	T2 · 2.0 Beta	P1	Done	4/4	Implemented
USER STORY As a functional consultant, I want guided test composition so that saved Tests are understandable and runnable. ACCEPTANCE CRITERIA - Steps distinguish literal, dataset, system-context and prior-output values. - Tests visually declare typed inputs, outputs and sensitivity. - Required objects, parameters, unresolved values and output collisions block publishing. - Reordering is keyboard accessible and existing ModuleCall JSON round-trips. BUILD COVERAGE Compose now distinguishes literal, dataset, system-context and prior-output step values; visually authors typed Test inputs, outputs and sensitivity; and blocks publishing for unresolved required values, missing objects or parameters, and output collisions. Existing ModuleCall JSON remains executable and round-trips through the editor, while keyboard-accessible reordering is retained. EVIDENCE - TestCaseEditor.tsx - StepEditor.tsx - TestContractEditor.tsx - packages/core/src/domain/testContract.ts - server.ts Test publish validation - testcases.test.js - typed-test-authoring.test.js - compose.test.js LEGACY TRACEABILITY PB-019 · TEST-02 · EXC-006 · EXC-007 · EXC2-003 · SC-01 · SC-02 · SC-03 Updated 2026-07-30							
BL-022	Complete the Control Object Repository workbench Search, inspect, edit, highlight and safely maintain reusable SAP UI5 objects.	Control Object Repository	T2 · 2.0 Beta	P1	In progress	1/4	Partial
USER STORY As an automation engineer, I want a central object workbench so that selectors remain reusable and understandable. ACCEPTANCE CRITERIA - Search spans domain, App ID, name, label, type and stability. - Object detail shows selector metadata, scope, usage and last verification. - Rename and delete show dependency impact and preserve or guide reference correction. - Ordering has keyboard controls and does not require drag. BUILD COVERAGE							

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
Domain/App ID browse, local filtering, stable object routes, highlight, edit/delete and keyboard ordering exist. Stability, usage/verification metadata and dependency-safe rename/delete remain. EVIDENCE - ObjectBrowser.tsx - server object APIs LEGACY TRACEABILITY PB-020 · OBJ-01 Updated 2026-07-29							
BL-023	Complete guided live-screen capture Verify the SAP target, capture or pick controls, curate names and save stable objects safely.	Control Object Repository Compose	T2 · 2.0 Beta	P1	In progress	3/4	Partial
USER STORY As a functional consultant, I want guided capture so that objects are stable and stored under the correct application. ACCEPTANCE CRITERIA 1. Scan starts from the configured SAP URL and displays target/session health. 2. Bulk capture and interactive picking identify exact duplicates before save. 3. App ID is detected or explicitly confirmed for each capture. 4. Contextual capture returns the saved object to the originating Compose field without losing work. BUILD COVERAGE Configured SAP URL/context health, session recovery, bulk capture, continuous Ctrl/Cmd picking, exact duplicate detection, explicit App ID, highlighting and Save all exist. Contextual return to the originating Compose field remains. EVIDENCE - ObjectScanner.tsx - CurationList.tsx - scanSession.ts LEGACY TRACEABILITY PB-021 · OBJ-01 Updated 2026-07-29							
BL-024	Add selector health, history and governance Track selector quality, verification history, duplicates and change impact over time.	Control Object Repository Audit & Evidence	T2 · 2.0 Beta	P1	Backlog	0/4	Not started
USER STORY As an automation maintainer, I want selector health and lineage so that object changes do not silently break Tests. ACCEPTANCE CRITERIA 1. Repository records created, updated and last-verified metadata. 2. Health flags unstable IDs, missing live controls and likely duplicates. 3. Reverification can compare live metadata without overwriting silently. 4. Object changes are attributable and dependency-aware. BUILD COVERAGE Live highlight can report not found, but no persistent health score, history, similarity detection or change audit exists. EVIDENCE - ObjectBrowser.tsx current-state stocktake LEGACY TRACEABILITY New · Control Object Repository stocktake Updated 2026-07-29							
BL-025	Provide a routeable Test	Test Data	T2 · 2.0 Beta	P1	In progress	1/4	Partial

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE	
USER STORY As an operator, I want to inspect effective mappings so that the execution consumes the intended values. ACCEPTANCE CRITERIA 1. Mapping supports process data, stage override, Pack-member data, literals, system context and prior outputs. 2. Filters and maximum limits recalculate the execution matrix. 3. Preview and Start use the same immutable snapshot. 4. Invalid mappings block Start and link to the owning workspace. BUILD COVERAGE The versioned model supports process, stage, Pack-member, literal, system-context and prior-output mappings. Execution Center now authors typed nested-property filters and record limits, recalculates the authoritative matrix, displays every exact selected record plus its content hash and resolved input source, and seals that plan/data into the same immutable snapshot consumed by Start. Filter changes invalidate the preflight token; invalid mappings remain blocking with exact correction routes. EVIDENCE • packages/core/src/domain/executionPlan.ts applyDataSelection • packages/engine/src/executionOrchestrator.ts • packages/studio-server/src/executionPreflight.ts • packages/studio-web/src/components/RunPanel.tsx • regression/execution-plan-contract.test.js • regression/execution-preflight.test.js • regression/execution-orchestrator.test.js • regression/ui/run-tab.test.js LEGACY TRACEABILITY EXC-008 · EXC-011 · EXC-019 · EXC2-002 · SC-07 · SC-08 · SC-09 · SC-10 · SC-19 · SC-20 Updated 2026-07-29								
BL-028	Separate Business Processes and Regression Packs Replace ambiguous Group/Suite concepts with two explicit reusable artifact types.	Processes & Packs	T3 · 2.0 RC	P1	Done	4/4	Implemented	
USER STORY As a test manager, I want dependency and isolation semantics in business language so that I choose the correct composition. ACCEPTANCE CRITERIA 1. Business Process means ordered dependent Tests with explicit hand-offs. 2. Regression Pack means independent Tests or Processes with isolated contexts. 3. Legacy Group, Chain, Suite and Batch inputs translate without behavior loss. 4. The user-facing workspace is named Processes & Packs after approval. BUILD COVERAGE The user-facing Processes & Packs workspace now separates ordered Business Processes from persisted Regression Packs. Packs accept independent Test or Business Process members with isolated member data, application, session and failure-policy bindings. Existing Group, Chain, Suite and Batch translation remains backward-compatible. EVIDENCE • ProcessPacksWorkspace.tsx • PackEditor.tsx • GroupEditor.tsx • server.ts /api/packs • legacyExecutionPlans.ts • packs.test.js • packs-tab.test.js LEGACY TRACEABILITY PB-023 · COL-01 · EXC-001 · SC-04 · SC-11 · SC-12 · SC-13 · SC-14 · SC-15 · SC-16 Updated 2026-07-30								
BL-029	Build Processes and Packs visually Compose sequence, independence, contracts, hand-offs, policies and member bindings	Processes & Packs	Compose	T3 · 2.0 RC	P1	Done	4/4	Implemented

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
	without editing plan JSON.						
USER STORY As a process author, I want a visual canvas so that execution topology and data movement are obvious. ACCEPTANCE CRITERIA 1. Process canvas shows stages and typed output-to-input hand-offs. 2. Pack canvas shows independent member lanes and member-specific bindings. 3. Validation identifies unresolved inputs, cycles, duplicate outputs and incompatible policies. 4. Keyboard composition, version status and publishing are supported. BUILD COVERAGE The visual Business Process canvas now persists ordered stages, typed Test contracts and explicit process-data, literal, system-context or prior-stage output bindings. Validation rejects unresolved required inputs, forward or cyclic references, unknown and duplicate outputs, type mismatches and incompatible Pack session policies. Keyboard-native Process and Pack composition, versioned draft/published lifecycles, stable routes and direct mixed Saved Pack execution are covered by isolated API and browser journeys. EVIDENCE • GroupEditor.tsx visual topology and typed hand-offs • PackEditor.tsx • ProcessPacksWorkspace.tsx • server.ts /api/groups and /api/packs validation • executionPreflight.ts saved Pack planning • packages/cli/src/commands/batch.ts • groups.test.js • packs.test.js • runs.test.js • groups-tab.test.js • packs-tab.test.js • run-tab.test.js LEGACY TRACEABILITY EXC-018 · EXC2-003 Updated 2026-07-30							
BL-030	Complete authoritative preflight and execution review Validate target, artifacts, data, policies and calculated work through one server-owned model.	Execution Center	T2 · 2.0 Beta	P0	Done	4/4	Implemented
USER STORY As an operator, I want authoritative preflight so that configuration errors are corrected before SAP opens. ACCEPTANCE CRITERIA 1. Server validates target, credentials, versions, contracts, objects, mappings and policies. 2. Review shows members, iterations, stages, steps and known child work. 3. Blocking findings link to the owning artifact; warnings require acknowledgement. 4. Start token and plan hash prevent stale or duplicate starts. BUILD COVERAGE Authoritative server preflight validates target freshness, credential availability, plan/contract versions, repository objects, data mappings and execution policies. Review presents the full calculated matrix and child count; correction routes and warning acknowledgement are enforced; token, plan hash, target hash and duplicate-claim handling protect Start. EVIDENCE • executionPreflight.ts • RunPanel.tsx • regression/execution-preflight.test.js • regression/ui/run-tab.test.js LEGACY TRACEABILITY PB-024 · EXE-01 · EXC-017 · EXC-020 · EXC-021 Updated 2026-07-29							

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
BL-031	Complete hierarchical execution monitoring Monitor Pack, Process, Test, Iteration, Step and Child Item from persisted events.	Execution Center	T3 - 2.0 RC	P1	In progress	2/4	Partial
USER STORY As an operator, I want the complete hierarchy so that progress and failures never appear flattened or stalled. ACCEPTANCE CRITERIA 1. All six hierarchy levels have stable identity, status, totals and duration. 2. Known child work contributes measurable progress. 3. Refresh/reconnect rebuilds the same state from persisted events. 4. Monitor, history, metrics and evidence counts reconcile. BUILD COVERAGE Stable run routes, persisted run/progress records, reconnect recovery and measurable child-work progress exist. A complete six-level persisted event hierarchy with stable child identities and cross-surface count reconciliation remains. EVIDENCE RunPanel.tsx runs.ts regression/execution-child-progress.test.js LEGACY TRACEABILITY PB-025 · RUN-01 · EXC-002 · EXC-003 · EXC-013 · EXC-022 · EXC-027 · EXC2-004 · SC-22 Updated 2026-07-29							
BL-032	Provide focused failure diagnosis Explain the first actionable failure with safe context and links to correction.	Execution Center Audit & Evidence	T4 - 2.0 GA	P1	In progress	3/4	Partial
USER STORY As an investigator, I want focused diagnosis so that I can correct the cause without reading raw logs. ACCEPTANCE CRITERIA 1. Failure location identifies Process, Test, iteration, step and child item. 2. Expected/actual context is redacted according to policy. 3. Links open the exact Test, object, dataset, mapping or setting. 4. Raw diagnostics remain secondary and safe. BUILD COVERAGE Focused diagnosis identifies member/process, iteration, stage, step and child work; secret filtering/redaction is enforced and raw logs remain secondary. Artifact-specific correction links from a terminal failure remain. EVIDENCE RunPanel.tsx result rendering EXC-023 LEGACY TRACEABILITY PB-026 · FAIL-01 · EXC-023 Updated 2026-07-29							
BL-033	Rerun safely with lineage and explicit differences Review failed/full rerun scope and compare it with the immutable source execution.	Execution Center Audit & Evidence	T4 - 2.0 GA	P0	Done	4/4	Implemented
USER STORY As an operator, I want traceable reruns so that recovery does not duplicate business side effects.							

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
ACCEPTANCE CRITERIA 1. Rerun review compares plan, data, policies, target and scope. 2. Failed-only rerun is offered only where runtime semantics permit. 3. New run records parent, reason, scope and changed inputs. 4. Cancellation, retry and resume do not duplicate completed side effects. BUILD COVERAGE Rerun is now a two-step review-and-confirm workflow that compares immutable plan, selected data, session/failure policies, current verified target and requested scop The review hash prevents post-review drift; the new run persists parent, reason, scope, reviewed hash and every changed input. Failed-only scope is disabled when no eligible work exists, excludes passed records even inside a failed Pack member, and blocks any started transactional iteration whose SAP state must be retained. Full transactional replay is likewise blocked when it could duplicate documents. Cancellation remains at the active-transaction boundary and request keys make retry idempotent. EVIDENCE - packages/core/src/domain/executionPlan.ts transaction policy snapshot - packages/studio-server/src/runs.ts reviewRerun and createRerunSnapshot - packages/studio-server/src/server.ts rerun-review endpoint - packages/studio-web/src/components/RunPanel.tsx rerun difference review - regression/execution-recovery.test.js - regression/api/runs.test.js - regression/ui/run-tab.test.js LEGACY TRACEABILITY PB-027 · RERUN-01 · EXC-016 · EXC2-005 · SC-21 Updated 2026-07-29							
BL-034	Secure canonical evidence and provenance Protect one immutable evidence source and expose safe provenance from both run and audit views.	Audit & Evidence Execution Center	T1 · 2.0 Alpha	P0	Done	4/4	Implemented
USER STORY As an auditor, I want secure canonical evidence so that records are trustworthy and not duplicated. ACCEPTANCE CRITERIA 1. Execution Center and Audit resolve the same archived evidence artifact. 2. Artifact access requires authenticated owner authorization. 3. Evidence shows run, target class, time zone, plan/data versions and redaction state. 4. Missing evidence explains its lifecycle reason without leaking existence. BUILD COVERAGE Execution Center and Audit reuse one owner-protected archive artifact. New PDFs record run/execution identity, target class and verification time, time zone, plan/snapshot/data versions and enforced redaction state; the Audit library presents retention/redaction policy and a safe lifecycle explanation when no PDF exists. EVIDENCE - evidencePdf.ts provenance metadata - server.ts protected artifact mounts /api/evidence-governance - DocumentsPanel.tsx - evidence-reference.test.js - t1-security-context.test.js LEGACY TRACEABILITY PB-028 · EXC-024 · EXC2-001 · SC-26 Updated 2026-07-29							
BL-035	Complete searchable Audit and Evidence history Find immutable runs, inspect stable details and traverse source/rerun lineage.	Audit & Evidence	T4 · 2.0 GA	P1	In progress	1/4	Partial
USER STORY							

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
As a test manager or auditor, I want meaningful history search so that I can answer delivery and compliance questions. ACCEPTANCE CRITERIA 1. Server supports date, outcome, artifact, App ID, environment, run ID and executor filters. 2. Results paginate and sort by start, duration and status. 3. Every result opens a stable detail route with parent/child lineage. 4. Evidence types and source artifacts are linked from the run record. BUILD COVERAGE Flat newest-first history, client filters, stable audit detail routes and canonical PDF/source fields exist. Server-side multi-field filtering, pagination/sorting and complete parent/child lineage traversal remain. EVIDENCE • DocumentsPanel.tsx • regression/ui/audit-library.test.js LEGACY TRACEABILITY PB-029 · HIST-01 · EXC-024 Updated 2026-07-29							
BL-036	Secure identity, target and integration administration Protect the sole-owner workspace and server-side SAP integration without exposing credentials.	Settings Shell Execution Center Control Object Repository	T1 · 2.0 Alpha	P0	Done	4/4	Implemented
USER STORY As the workspace owner, I want secure integration settings so that execution and scanning use known targets safely. ACCEPTANCE CRITERIA 1. Authenticated owner identity protects mutations, runs and artifacts. 2. Credentials remain server-side and are never returned, logged or committed. 3. SAP target has URL, profile reference, safety class and verification status. 4. Existing workspace data remains visible when the owner links a Google account. BUILD COVERAGE Single-owner authentication protects APIs and artifacts; Google linking retains the existing workspace. Credentials stay in the server-side vault/encrypted fallback and are redacted from logs. Settings now persists explicit target classification and performs a non-transactional login-only verification; executions and reruns capture the initiating owner and verified target snapshot. EVIDENCE • auth.ts • workspaceGovernance.ts • sapVerification.ts • SettingsPanel.tsx • runs.ts • CLI --executed-by and target provenance • sap-settings.test.js • t1-security-context.test.js LEGACY TRACEABILITY PB-030 · SET-01 · EXC-025 · EXC2-001 Updated 2026-07-29							
BL-037	Add global artifact search and dependency impact Search Tests, objects, datasets, Processes, Packs and runs and understand their relationships.	Automation Overview Compose Test Data Processes & Packs Control Object Repository Audit & Evidence	T5 · Post-2.0	P2	Backlog	0/4	Not started
USER STORY As a maintainer, I want global search and dependency information so that changes are safe and duplicates are avoided.							

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
ACCEPTANCE CRITERIA 1. Search returns typed results with domain, application and lifecycle status. 2. Detail views show verified incoming and outgoing usage. 3. Rename, delete and archive use dependency information. 4. Search respects owner and future role authorization. BUILD COVERAGE Each workspace has isolated lists or filters; no cross-artifact index or dependency graph exists. EVIDENCE Current workspace implementation stocktake LEGACY TRACEABILITY PB-033 · FUT-02 · New cross-workspace requirement Updated 2026-07-29							
BL-038	Protect compatibility, migration and execution correctness Retain legacy behavior through one versioned orchestration model and comprehensive regression coverage.	Quality Engineering Execution Center	T4 · 2.0 GA	P0	Done	4/4	Implemented
USER STORY As a product owner, I want migration and correctness tests so that redesign does not change intended execution behavior. ACCEPTANCE CRITERIA 1. Legacy Chain, Suite and Batch translate to versioned plans. 2. Every selected Batch row executes and transaction outputs remain isolated. 3. Policies, Pack scheduling, cancellation and evidence counts have regression coverage. 4. Build, typecheck, isolated UI, secret scan and approved live cases pass before GA. BUILD COVERAGE Versioned translation, unified orchestration, every-row Batch behavior, isolation, policies, cancellation and evidence counts have regression coverage. The repository-wide migration audit translates every persisted Test and Group without source mutation, validates the combined Batch Pack, and preserves Suite order and independent identity. Build/typecheck, 57 core tests, 28 isolated API tests, 32 isolated UI tests and the high-confidence secret scan are green. Read-only live modes, controlled headed P2P/O2C and the authorised negative remediation are recorded. Run 299669f8-75b6-471d-9c56-ed0375011fc5 passed with immutable retained-state evidence completing the approved live cases and criterion 4. EVIDENCE - executionPlan.ts - legacyExecutionPlans.ts - regression/legacy-migration.test.js - regression/secret-scan.mjs - package.json test:release:isolated - regression/results/quality-history.json - audit-evidence/299669f8-75b6-471d-9c56-ed0375011fc5/evidence.pdf - QA/4HANA Test Operations catalogue LEGACY TRACEABILITY FND-08 · EXC-004 · EXC-005 · EXC-012 · EXC-014 · EXC-015 · EXC-028 · EXC2-006 · SC-23 · SC-24 · SC-25 Updated 2026-07-30							
BL-039	Add multi-user roles and capabilities Introduce server-enforced permissions only when multi-user deployment is approved.	Platform All workspaces	T5 · Post-2.0	P3	Deferred	Deferred	Deferred
USER STORY As a product owner, I want role-based capabilities so that users see and perform authorised actions. ACCEPTANCE CRITERIA 1. Implementation starts after a confirmed multi-user requirement. 2. Server protects every mutation, execution, artifact and administration action.							

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
3. Role mapping covers manager, consultant, engineer, tester, analyst and auditor. BUILD COVERAGE The product intentionally uses one preserved owner identity for 2.0. EVIDENCE Single-owner product decision LEGACY TRACEABILITY PB-032 · FUT-01 Updated 2026-07-29							
BL-040	Add scheduling, notification and controlled parallelism Schedule approved work, notify outcomes and parallelise only where isolation is proven.	Execution Center Automation Overview	T5 · Post-2.0	P3	Deferred	Deferred	Deferred
USER STORY As a test manager, I want scheduled and parallel runs so that regression throughput scales safely. ACCEPTANCE CRITERIA - Schedules capture immutable scope, target and owner. - Notifications link to stable run records without exposing secrets. - Parallel work respects target capacity, data isolation and cancellation. - Concurrency limits and queue health are observable. BUILD COVERAGE Deliberately outside the 2.0 release; Pack member scheduling semantics exist only for current sequential orchestration. EVIDENCE - Approved 2.0 scope decision LEGACY TRACEABILITY FUT-04 Updated 2026-07-29							
BL-041	Close authoritative Chain, Suite and Batch validation Replace assumed or skipped execution coverage with recorded isolated and non-production SAP results while separating read-only validation from business-document transactions.	Quality Engineering Execution Center	T1 · 2.0 Alpha	P0	Done	4/4	Implemented
USER STORY As the product owner, I want trustworthy mode-level test evidence so that T1.4 starts only after the execution heart of the product is proven. ACCEPTANCE CRITERIA - The Test Operations catalogue is generated from recorded test-run output and never fabricates status, time or failure history. - Isolated API and Studio UI journeys complete Chain, Suite and multi-group Batch with synthetic execution and no SAP side effects. - Read-only API and Studio UI journeys complete Chain, Suite and two-group Batch against a live-verified non-production SAP target. - Transactional P2P and negative cases have approved test-data ownership, unique run references, fail-stop behavior, retained-state evidence and a recorded pass. Any remediation is a separate explicitly authorized activity. BUILD COVERAGE The 125-test Test Operations catalogue is generated from repository inventory plus recorded Node output; executable reconciliation proves that status, timestamp, duration and retained failure history are not fabricated. Core (57), isolated API (28), isolated UI (32), live read-only API (3 modes) and live read-only Studio UI (3 modes) are green. Controlled headed P2P and O2C runs passed with owner-linked references, fail-stop policy and canonical evidence. The first controlled negative attempt, eb060bc6-673b-4e65-8919-6ccf66b6a645, remains immutably failed and retained. After explicit owner authorisation, remediation run 299669f8-75b6-471d-9c56-ed0375011fc5 passed all six steps under reference Q4HP2P2607309366: the title remained New Purchase Order, SAP displayed "Document contains no items," no document number or downstream step occurred, and state remained retain-for-review. The recorded pass is ingested into Test Operations. All four criteria are complet							

ID	DESCRIPTION	WORKSPACE	RELEASE	PRIORITY	DELIVERY	ACCEPTANCE	BUILD COVERAGE
EVIDENCE • regression/reporters/result-capture.js • regression/record-quality-run.mjs • regression/quality-catalog.test.js • regression/results/quality-history.json • regression/results/raw/live-negative-remediation-2026-07-30.ndjson • regression/transactional-negative.test.js • packages/engine/src/modules/assertDocumentCreationBlocked.ts • testcases/create-po-missing-item-negative.json • regression/api/runs.test.js • regression/ui/run-tab.test.js • audit-evidence/d55cd0f0-07ed-433f-8e40-1b61cd102827/evidence.pdf • audit-evidence/4b4f15d7-32df-4348-be70-23fe5243ff7a/evidence.pdf • audit-evidence/eb060bc6-673b-4e65-8919-6ccf66b6a645/evidence.pdf • audit-evidence/299669f8-75b6-471d-9c56-ed0375011fc5/evidence.pdf • QA/4HANA Test Operations catalogue LEGACY TRACEABILITY T1.3.1 • Execution validation closure Updated 2026-07-30							

▼ Tracker governance and update rules

1. This file is the only backlog whose status and release fields are maintained.
2. Update an item's delivery state, acceptance progress, status, coverage note, evidence and updated date when implementation changes.
3. Acceptance criteria may change only through an approved product decision recorded in the change log.
4. Implemented requires repository evidence and applicable regression coverage; a UI mock-up alone is not build coverage.
5. Legacy IDs remain searchable for auditability but their Markdown files are historical inputs.

▼ Change log

Completed BL-021 · Typed, validated Single Tests

30 Jul 2026 · Reconciled the delivered Compose implementation against all four acceptance criteria. Visual value-source authoring, typed and sensitive input/output contracts, publish-readiness blocking, accessible reordering and legacy ModuleCall round-trip are implemented and covered by API and browser regression tests. BL-021 is now 4/4 Implemented.

Completed BL-020 · Routeable Test Library

30 Jul 2026 · Replaced file-first Compose entry with a searchable Test Library, process-area/application/readiness filters and guided blank-or-template creation. New Tests persist business metadata through an overwrite-safe server endpoint and open immediately on stable routes while legacy JSON stays compatible. BL-020 is 3/3 Implemented. Build and typecheck, 57 core tests, 41 eligible isolated API tests, 38 eligible isolated UI tests and the 257-file secret scan passed; eight live-SAP cases remained deliberately gated.

Completed BL-029 · Visual Processes and executable Saved Packs

30 Jul 2026 · Added a visual ordered-stage Business Process canvas, typed Test contracts and explicit data hand-offs with validation for unresolved inputs, forward or cyclic references, unknown and duplicate outputs, type mismatches and incompatible Pack policies. Published mixed Saved Packs now preflight and execute directly from Execution Center while legacy Batch remains compatible. BL-029 is 4/4 Implemented. The final source passed build and typecheck, 57 core tests, 44 isolated API tests, 40 isolated UI tests and the 259-file secret scan; the 149-test operations catalogue was regenerated and eight live-SAP cases remained deliberately gated.

Started 2.1 Pack foundation · Closed BL-012 and BL-028; advanced BL-029

30 Jul 2026 · Added a persisted version-1 Regression Pack contract, independent Test and Business Process member lanes, member-specific data/application/session/failure bindings, draft/published lifecycle, referential validation, stable Pack routes and dirty-state protection. BL-012 is now 3/3 Implemented, BL-028 is 4/4 Implemented, and BL-029 is 2/4 Partial. Build, 34 isolated API and 34 isolated UI tests passed; four live-SAP cases in each suite remained intentionally gated.

QA/4HANA Studio 2.0 approved for General Availability

30 Jul 2026 · Workspace owner Sathyanarayanan Kiran explicitly approved QA/4HANA Studio 2.0 for GA. The final isolated gate passed build, typecheck, the 256-file pre-cleanup secret scan, 57 core tests, 28 isolated API tests and 32 isolated UI tests; the frozen 251-file release set was rescanned successfully. All P0 items are complete, BL-038 and BL-041 are 4/4, and version 2.0.0 is frozen for release.

Completed BL-041 and BL-038 · Authorised negative remediation passed

30 Jul 2026 · After explicit workspace-owner authorisation, executed exactly one controlled non-production remediation. Immutable run 299669f8-75b6-471d-9c56-ed0375011fc5 passed all six steps under Q4HP2P2607309366: New Purchase Order remained unsaved, SAP's "Document contains no items" validation was matched, no downstream action or reversal occurred, and canonical evidence was retained. The 1/1 recorded result is ingested into the 125-test Test Operations catalogue. BL-041 and BL-038 are both Implemented at 4/4; the technical GA hold is resolved and the release is ready for the owner's final GA decision.

Advanced BL-041 · Negative fail-stop evidence retained; remediation awaits authorisation

29 Jul 2026 · Added the missing negative Test asset and a two-factor assertion that requires both an unsaved document title and an SAP business-validation message. The first controlled non-production attempt stopped safely under owner reference Q4HP2P260729A553 and retained immutable run eb060bc6-673b-4e65-8919-6ccf66b6a645. SAP displayed "Document contains no items"; the assertion vocabulary was corrected and 13 focused checks pass. No document-number assignment, downstream step, cleanup or reversal occurred. A separate live remediation rerun is required before BL-041 and the GA hold can close.

Completed BL-041 catalogue provenance criterion

29 Jul 2026 · Added executable reconciliation between the 125-test repository inventory, recorded run ledger, generated status/time/duration fields and retained failure/remediation history. The catalogue now carries the current fail-stop approval wording, and 57 core plus 28 isolated API checks are green.

Completed BL-017 · Workspace owner signed consolidated release evidence

29 Jul 2026 · Sathyanarayanan Kiran explicitly accepted the consolidated accessibility, security, responsive and positive live-SAP evidence at 21:18:11 +05:30 while retaining the GA hold for BL-041. BL-017 is now Implemented at 3/3. BL-038 no longer depends on accessibility sign-off and remains open only for BL-041 reconciliation.

Advanced BL-017 · NVDA/Chrome verification and consolidated sign-off pack complete

29 Jul 2026 · Verified the official NVDA 2026.1.1 installer checksum, ran paced real-screen-reader journeys across all seven workspaces in headed Chrome 150, and recorded the spoken landmark/control output. The session exposed and closed a Chrome-only 6px Execution Center overflow. Technical accessibility, security and positive P2P/O2C evidence verification is signed. BL-017 is 2/3 pending explicit workspace-owner acceptance; GA remains on hold for BL-041.

Advanced BL-017 · Automated accessibility and release verification green

29 Jul 2026 · Added official Axe coverage across all seven primary workspaces with no serious/critical exceptions, keyboard skip/focus journeys and 320 CSS-pixel reflow checks. Corrected invalid outcome-bar semantics, weak coral/disabled contrast and the Audit workspace/protected-file route collision. Build, lint, 28 isolated API, 32 isolated UI and the 247-file secret scan passed. BL-017 is 1/3; seven manual NVDA journeys and consolidated release signatures remain pending.

Advanced BL-038 · Migration and isolated release correctness gates complete

29 Jul 2026 · Added a repository-wide audit proving every persisted legacy Test and Group translates to the versioned model without source mutation, including combined Batch and ordered Suite checks. Added a high-confidence secret scanner and one-command isolated release gate. Build/typecheck, 52 core, 28 isolated API, 29 isolated UI and 246-file secret scan passed. BL-038 remains 3/4 until BL-017 accessibility sign-off and BL-041 negative transactional evidence close the shared GA criterion.

Completed BL-033 · Safe reruns with lineage and difference review

29 Jul 2026 · Replaced immediate rerun with an immutable review-and-confirm flow covering plan, data, policies, target and scope. Added review-hash drift protection, persisted changed-input lineage, record-level failed Pack selection, disabled ineligible scopes and hard blocks for started transactional state that could duplicate SAP documents. Build, 20 focused recovery/contract/preflight checks, 28 isolated API tests and 29 isolated UI tests passed; no live SAP rerun was performed.

Completed BL-027 · Effective-data mapping, preview and immutable selection

29 Jul 2026 · Added typed nested-property filters with shared filter-before-limit semantics across plan validation, preflight and runtime. The review now exposes exact selected records, source files, content hashes and resolved input mappings; Start consumes the same sealed snapshot and rejects configuration drift. Build, 24 focused contract/preflight/runtime checks, 27 isolated API tests and 28 isolated UI tests passed; live SAP remained opt-in.

Completed BL-026 · Nested and relational data authoring

29 Jul 2026 · Added nested JSON editing, persisted relational CSV definitions, authoritative join validation, pre-save transaction/child counts and joined sample preview. Build, 27 isolated API tests and 27 isolated UI tests passed; live SAP tests remained opt-in.

Reconciled all 41 backlog items against repository evidence

29 Jul 2026 · Assigned acceptance progress to every open item, corrected stale route/hierarchy/diagnosis coverage, moved authoritative preflight BL-030 to Implemented (4/4), retained conservative partial states where any acceptance condition remains, and established BL-026 as the next active P0.

Controlled headed live P2P and O2C runs passed

29 Jul 2026 · Executed one fail-stop iteration of each business process against the live-verified non-production SAP tenant. P2P and O2C both passed, captured all expected document hand-offs, and produced owner-protected canonical PDFs shared by Execution Center and Audit. The negative transactional case and catalogue ingestion remain open under BL-041.

T1.3.1 transactional fail-stop compliance control added

29 Jul 2026 · Removed automatic reversal from the design. Transactional preflight now permits only a classified non-production target, requires stop-execution, a named owner and unique automation reference, and records that failed SAP state is retained unchanged for compliance review. Regression coverage proves no later stage runs after failure while earlier document IDs remain available. The controlled P2P run now passes; the negative transactional case remains pending.

T1.3.1 mode validation green; transactional gate remains

29 Jul 2026 · Replaced fabricated dashboard results with recorded Node test output and durable failure history. Added safe synthetic execution plus read-only SAP assets. Core, isolated API/UI and live non-production API/UI validation now prove Chain, Suite and multi-group Batch. The catalogue is 97 passed, 2 intentionally skipped; PO→GR→invoice and the negative PO case remain behind the controlled transactional gate.

Completed T1.3 · Canvas First interaction foundation

29 Jul 2026 · Closed BL-011, BL-013, BL-015 and BL-016 with shared workspace primitives, accessible light/dark tokens, a responsive shell, keyboard-complete account and grouped-picker menus, announced reorder alternatives, responsive table labels and consistent async feedback. Build, lint, 41 non-UI tests and 21 isolated browser tests passed; 3 execution/live cases remain intentionally opt-in.

Completed T1.2 route foundation; Pack route dependency remains

29 Jul 2026 · Added refresh-safe detail routes for Tests, datasets, Business Processes, objects, execution runs and audit records; added browser history restoration, dirty-state protection and exact preflight correction actions. BL-012 is 2/3 and blocked only on persisted Regression Pack authoring from BL-029.

Completed T1.1 · Target, identity and evidence governance

29 Jul 2026 · Closed BL-014, BL-034 and BL-036 with explicit SAP safety classification, non-transactional login verification, 24-hour freshness, target-bound preflight, evidence provenance, retention/redaction presentation and owner identity lineage. Build, 41 non-UI tests and 13 isolated browser tests passed; 3 live SAP cases remain intentionally opt-in.

Started T1 · Security and context spine

29 Jul 2026 · Protected scratch reports and canonical evidence with owner authorization; added safe workspace context; persisted run/rerun initiator and target snapshot; passed 38 non-UI and 13 isolated browser tests (3 live SAP tests intentionally skipped).

Created authoritative Product Backlog Tracker v3.0

29 Jul 2026 · Consolidated PB-001–PB-034, UI/UX backlog IDs, EXC-001–EXC-028, EXC2-001–EXC2-006, completed work and newly identified cross-workspace requirements.

Added Control Object Repository stocktake

29 Jul 2026 · Recorded current scanning, picking, curation and repository coverage plus selector-health, dependency and contextual-capture gaps.

Redistributed authoring ownership

29 Jul 2026 · Single Tests belong to Compose; reusable data belongs to Test Data; Business Processes and Regression Packs belong to Processes & Packs; Execution Center consumes published versions.